



IF SAN ANTONIO

PURCHASING AND GENERAL SERVICES DEPARTMENT

FORMAL INVITATION FOR BID ("IFB") NO.: 6100006180

PURCHASE OF LIGHT DUTY TRUCKS, SUVs & VANS

Date Issued: JUNE 26, 2015

**BIDS MUST BE RECEIVED NO LATER THAN:
2:00 PM, C.T. JULY 17, 2015**

Bids may be submitted by any of the following means:

Electronic submission through the Portal
Hard copy in person or by mail

Address for hard copy responses:

Physical Address:
City Clerk's Office
100 Military Plaza
2nd Floor, City Hall
San Antonio, Texas 78205

Mailing Address:
City Clerk's Office
P.O. Box 839966
San Antonio, Texas 78283-3966

For Hard Copy Submissions, Mark Envelope

“PURCHASE OF LIGHT DUTY TRUCKS, SUVS & VANS”

Bid Due Date: 2:00 p.m., C.T. JULY 17, 2015

Bid No.: 6100006180

Bidder's Name and Address

Bid Bond: **Performance Bond:** **Payment Bond:** **Other:**

See Supplemental Terms & Conditions for information on these requirements.

Affirmative Procurement Initiative: DBE / ACDBE Requirements:

See Instructions for Bidders and

DBE / ACDBE Requirements:

See Instructions for Bidders and Attachments sections for more information on these requirements.

Pre-Submittal Conference * YES

* If YES, the Pre-Submittal conference will be held on JULY 8, 2015 at 1:00 P.M., C.T. at the Fleet Operations Conference Room, 329 S. Frio, San Antonio, Texas 78207.

Staff Contact Person: IAN MONTEMAYOR, PS II, P.O. Box 839966, San Antonio, TX 78283-3966.
Email: IAN.MONTEMAYOR@SANANTONIO.GOV

SBEDA Contact Information: 210-207-3900.

002 - TABLE OF CONTENTS

002 - TABLE OF CONTENTS	2
003 - INSTRUCTIONS FOR BIDDERS	3
004 - SPECIFICATIONS / SCOPE OF SERVICES	9
005 - SUPPLEMENTAL TERMS & CONDITIONS	42
006 - GENERAL TERMS & CONDITIONS	45
007 - SIGNATURE PAGE	50
008 - STANDARD DEFINITIONS	51
009 - ATTACHMENTS	53

003 - INSTRUCTIONS FOR BIDDERS

Submission of Bids.

Submission of Hard Copy Bids. Submit one original bid, signed in ink, and two copies of the bid enclosed in a sealed envelope addressed to the City Clerk at the address and by the due date provided on the Cover Page. The name and address of Bidder, the date and hour of the bid opening, bid number and title of the bid solicitation shall be marked on the outside of the envelope(s). All times stated herein are Central Time. Any bid or modification received after the time and date stated on the Cover Page shall be rejected.

Submission of Electronic Bids. Submit one bid electronically by the due date provided on the Cover Page. All times stated herein are Central Time. Any bid or modification received after the time and date stated on the Cover Page shall be rejected. All forms in this solicitation which require a signature must have a signature affixed thereto, either by manually signing the document, prior to scanning it and uploading it with your submission, or affixing it electronically.

Bids sent to City by facsimile or email shall be rejected.

Modified Bids. Bids may be modified provided such modifications are received prior to the time and date set for submission of bids, and submitted in the same manner as original bids. For hard copy bids, provide a cover letter with the bid, indicating it is a modified bid and that the Original bid is being withdrawn. For electronic bids, a modified bid will automatically replace a prior bid submission. See below for information on submitting Alternate Bids.

City shall not be responsible for lost or misdirected bids or modifications.

Bidders must sign the Signature Page on hard copy bids and return the IFB document to City. For electronic bids, Bidder's electronic submission, with accompanying affirmations, constitutes a binding signature for all purposes.

Bidders are cautioned that they are responsible for the security of their log on ID and password, since unauthorized use could result in Bidder's being held liable for the submission.

Certified Vendor Registration Form. If Bidder has not completed City's Certified Vendor Registration (CVR) Form, Bidder is required to do so prior to the due date for submission of bids. The CVR form may be accessed at: <http://www.sanantonio.gov/purchasing/>. Bidders must identify the correct name of the entity that will be providing the goods and/or services under the contract. No nicknames, abbreviations (unless part of the legal title), shortened or short-hand names will be accepted in place of the full, true and correct legal name of the entity.

Alternate Bids. Alternate bids may be allowed at the sole discretion of City.

Hard Copy Alternate Bids. Alternate bids must be submitted in separate sealed envelopes in the same manner as submission of other bids. Alternate bids must be marked consecutively on the envelope as Alternate Bid No. 1, 2, etc. Failure to submit alternate bids in separate envelopes may result in rejection of a bid.

Electronic Alternate Bids Submitted Through the Portal. All alternate bids are recorded with original bids when submitted electronically.

Catalog Pricing. (This section applies to bids using catalog pricing.)

The bid will be based on manufacturer's latest dated price list(s). Said price list(s) must denote the manufacturer, latest effective date and price schedule.

Bidders shall be responsible for providing one copy of the manufacturer's catalog for each manufacturer for which a bid is submitted. Bidder shall provide said catalog at the time of submission of its bid. Manufacturers' catalogs may be submitted in any of the following formats: paper copy or CD ROM for bids submitted on paper, or PDF file for bids submitted electronically.

Bidders may submit price lists other than the manufacturer's price list. Said price list(s) must denote the company name, effective date and price schedule. These price lists are subject to approval of City Purchasing & General Services Department.

Specified items identified herein, if any, are for overall bid evaluation and represent the commonly and most used items. Net prices entered for those specified items must reflect the actual price derived from quoted price list less all discounts offered.

Restrictions on Communication.

Bidders are prohibited from communicating with: 1) elected City officials and their staff regarding the IFB or bids from the time the IFB has been released until the contract is posted as a City Council agenda item; and 2) City employees from the time the IFB has been released until the contract is awarded. These restrictions extend to "thank you" letters, phone calls, emails and any contact that results in the direct or indirect discussion of the IFB and/or bid submitted by Bidder. Violation of this provision by Bidder and/or its agent may lead to disqualification of Bidder's bid from consideration.

Exceptions to the restrictions on communication with City employees include:

Bidders may ask verbal questions concerning this IFB at the Pre-Submittal Conference.

Bidders may submit written questions, or objections to specifications, concerning this IFB to the Staff Contact Person listed on the Cover Page on or before 7 calendar days prior to the date bids are due. Questions received after the stated deadline will not be answered. Questions submitted and City's responses will be posted with this solicitation. All questions shall be sent by e-mail or through the portal.

Bidders may provide responses to questions asked of them by the Staff Contact Person after bids are received and opened. The Staff Contact Person may request clarification to assist in evaluating Bidder's response. The information provided is not intended to change the bid response in any fashion. Such additional information must be provided within two business days from City's request.

Bidders and/or their agents are encouraged to contact the Small Business Office of the International and Economic Development Department for assistance or clarification with issues specifically related to the City's Small Business Economic Development Advocacy (SBEDA) Program policy and/or completion of the SBEDA form(s), if any. The point of contact is identified on the Cover Page. Contacting the Small Business Office regarding this IFB after the bid due date is not permitted. If this solicitation contains Affirmative Procurement Initiatives, it will be noted on the Cover Page.

If this solicitation contains DBE/ACDBE requirements, bidders and/or their agents may contact the Aviation Department's DBE/ACDBE Liaison Officer for assistance or clarification with issues specifically related to the DBE/ACDBE policy and/or completion of the required form(s). Point of contact is Ms. Lisa Brice, who may be reached via telephone at (210) 207-3505 or through e-mail at lisa.brice@sanantonio.gov. Bidders and/or their agents may contact Ms. Brice at any time prior to the due date for submission of bids. Contacting her or her office regarding this IFB after the bid due date is not permitted. If this solicitation contains DBE/ACDBE requirements, it will be noted on the Cover Page.

Pre-Submittal Conference.

If a Pre-Submittal Conference is scheduled, it will be held at the time and place noted on the Cover Page. Bidders are encouraged to prepare and submit their questions in writing in advance of the Pre-Submittal Conference in order to expedite the proceedings. City's responses to questions received prior to the conference may be distributed at the Pre-Submittal Conference and posted with this solicitation. Attendance at the Pre-Submittal Conference is optional, but highly encouraged.

This meeting place is accessible to disabled persons. Call the Staff Contact Person for information on the location of the wheelchair accessible entrance, or to request an interpreter for the deaf. Interpreters for the deaf must be requested at least 48 hours prior to the meeting. For other assistance, call (210) 207-7245 Voice/TTY.

Any oral response given at the Pre-Submittal Conference that is not confirmed in writing and posted with this solicitation shall not be official or binding on the City.

Changes to IFB.

Changes to this IFB made prior to bid opening shall be made directly to the original IFB. Changes are captured by creating a replacement version each time the IFB is changed. It is Bidder's responsibility to check for new versions

until the bid due date. City will assume that all bids received are based on the final version of the IFB as it exists on the day bids are due.

No oral statement of any person shall modify or otherwise change or affect the terms, conditions or specifications stated in the IFB.

Preparation of Bids.

All information required by the IFB must be furnished or the bid may be deemed non-responsive and rejected. Any ambiguity in the bid as a result of omission, error, unintelligible or illegible wording shall be construed in the favor of City.

Correct Legal Name. If Bidder is found to have incorrectly or incompletely stated the name of the entity that will provide goods and/or services, the bid may be rejected.

Line Item Bids. Any bid that is considered for award by each unit or line item, must include a price for each unit or line item for which Bidder wishes to be considered. All bids are awarded on the basis of low line item, low total line items, or in any other combination that serves the best interest of City, unless City designates this solicitation as an "all or none" bid in the Supplemental Terms & Conditions.

All or None Bids. Any bid that is considered for award on an "all or none" basis must include a price for all units or line items. In an "All or None" bid, a unit price left blank shall result in the bid being deemed nonresponsive and disqualified from consideration. An "All or None" bid is one in which City will award the entire contract to one bidder only.

Delivery Dates. Proposed delivery dates must be shown in the bid form where required and shall include weekends and holidays, unless specified otherwise in this IFB. Proposed delivery times must be specific. Phrases such as "as required", "as soon as possible" or "prompt" may result in disqualification of the bid. Special delivery instructions, if any, may be found in the Specifications / Scope of Services section of this document, or in the Purchase Order.

Tax Exemption. The City of San Antonio is exempt from payment of federal taxes, and State of Texas limited sales excise and use taxes. Bidders must not include such taxes in bid prices. An exemption certificate will be signed by City where applicable upon request by Bidder after contract award.

Description of Supplies.

Any brand names, catalog or manufacturer's reference used in describing an item is merely descriptive, and not restrictive, unless otherwise noted, and is used only to indicate quality and capability desired.

Bids submitted for comparable items must clearly identify the proposed product, model, and type, as applicable, and shall include manufacturer specification sheet(s) for each proposed item with bid response. Product specifications shall be the most current available and be sufficiently detailed and descriptive so as to permit City to determine the item's suitability and compliance with bid specifications. City shall be the sole judge of equality and suitability of comparable items.

Pro-rata adjustments to packaging and pricing may be allowed at the sole discretion of City.

Samples, Demonstrations and Pre-award Testing. If requested by City, Bidder shall provide product samples, demonstrations, and/or testing of items bid to ensure compliance with specifications prior to award of the contract. Samples, demonstrations and/or testing must be provided within 7 calendar days of City's request. Failure to comply with City's request may result in rejection of a bid. All samples (including return thereof), demonstrations, and/or testing shall be at Bidder's expense. Samples will be returned upon written request. Requests for return of samples must be made in writing at the time the samples are provided. Otherwise, samples will become property of City at no cost to City. Samples that are consumed or destroyed during demonstrations or testing will not be returned.

Estimated Quantities for Annual Contracts.

Designation as an "annual" contract is found in the contract's title on the Cover Page of this document. The quantities stated are estimates only and are in no way binding upon City. Estimated quantities are used for the purpose of evaluation. City may increase or decrease quantities as needed. Where a contract is awarded on a unit price basis, payment shall be based on the actual quantities supplied.

Bidders shall thoroughly examine the drawings, specifications, schedule(s), instructions and all other contract documents.

Bidders shall make all investigations necessary to thoroughly inform themselves regarding plant and facilities for delivery of material and equipment, or conditions and sites/locations for providing goods and services as required by this IFB. No plea of ignorance by Bidder will be accepted as a basis for varying the requirements of City or the compensation to Bidder.

Confidential or Proprietary Information. All bids become the property of the City upon receipt and will not be returned. Any information deemed to be confidential by Bidder should be clearly noted; however, City cannot guarantee that it will not be compelled to disclose all or part of any public record under the Texas Public Information Act, since information deemed to be confidential by Bidder may not be considered confidential under Texas law, or pursuant to a Court order. Note that pursuant to state law, bids are opened publicly and read aloud. In addition, bids are tabulated and posted to the City's website, so shall not be considered proprietary or confidential.

Interlocal Participation.

City may engage in cooperative purchasing with other governmental entities or governmental cooperatives ("Entity" or "Entities") to enhance City's purchasing power. At City's sole discretion and option, City may inform other Entities that they may acquire items listed in this IFB. If this contract will be subject to cooperative purchasing, such fact will be indicated in the Supplemental Terms and Conditions portion of this IFB. Such acquisition(s) shall be at the prices stated in the bid, and shall be subject to Bidder's acceptance. Entities desiring to acquire items listed in this IFB shall be listed on a rider attached hereto, if known at the time of issuance of the IFB. City may issue subsequent riders after contract award setting forth additional Entities desiring to utilize this bid.

Bidder must sign and submit the rider, if attached to this IFB, with its bid, indicating whether Bidder wishes to allow other Entities to use its bid. Bidder shall sign and return any subsequently issued riders within ten calendar days of receipt. Bidder's decision on whether to allow other Entities to use the bid shall not be a factor in awarding this IFB.

Costs of Bidding. Bidder shall bear any and all costs that are associated with the preparation of the Bid, attendance at the Pre-Submittal Conference, if any, or during any phase of the selection process.

Rejection of Bids.

City may reject any and all bids, in whole or in part, cancel the IFB and reissue the solicitation. City may reject a bid if:

Bidder misstates or conceals any material fact in the bid; or

The bid does not strictly conform to law or the requirements of the solicitation;

The bid is conditional; or

Any other reason that would lead City to believe that the bid is non-responsive or Bidder is not responsible.

City, in its sole discretion, may also waive any minor informalities or irregularities in any bid, such as failure to submit sufficient bid copies, failure to submit literature or similar attachments, or business affiliation information.

Variances and Exceptions to Bid Terms. In order to comply with State law, bidders must submit bids on the same material terms and conditions. Bids that contain material variances or exceptions to the terms and conditions, including additional terms and conditions, will be rejected.

Changes to Bid Form. Bids must be submitted on the forms furnished. Bids that change the format or content of City's IFB will be rejected.

Withdrawal of Bids. Bids may be withdrawn prior to the time set for the bid opening. Written notice of withdrawal shall be provided to the City Clerk for bids submitted in hard copy. Bids submitted electronically may be withdrawn electronically.

Bid Opening. Bids will be opened publicly and read aloud at 2:30 P.M., C.T. on the day the bids are due. Bid openings are held at Purchasing & General Services, Riverview Tower, 11th Floor, 111 Soledad, Suite 1100, San Antonio, Texas 78205.

Evaluation and Award of Contract.

Per Section §252.043 of the Texas Local Government Code, the contract will be awarded to the lowest responsible bidder. The Purchasing Division evaluates bids for responsiveness and the responsibility of the bidder, and makes a recommendation to the City Council. The City Council makes the final determination regarding award.

City reserves the right to make an award on the basis of low line item, low total line items, or in any other combination that serves the best interest of City, unless City designates this solicitation as an "all or none" bid in the Supplemental Terms & Conditions.

A written award of acceptance (manifested by a City Ordinance) and Purchase Order furnished to Bidder results in a binding contract without further action by either party. Vendor must have the Purchase Order before making any delivery.

City reserves the right to utilize historical usage data as a basis for evaluation of bids when future usages are unable to be determined.

Breaking of tie bids shall be in accordance with the Texas Local Government Code §271.901.

City reserves the right to delete items prior to the awarding of the contract, and purchase said items by other means.

Inspection of Facilities/Equipment.

Depending on the nature of the IFB, Bidders' facilities and equipment may be a determining factor in making the bid award. All bidders may be subject to inspection of their facilities and equipment.

Prospective bidders must prove beyond any doubt to City Purchasing Administrator that they are qualified and capable of performing the contract's requirements.

Prompt Payment Discount.

Provided Bidder meets the requirements stated herein, City shall take Bidder's offered prompt payment discount into consideration. The evaluation will not be based on the discount percentage alone, but rather the net price as determined by applying the discount to the bid price, either per line item or total bid amount. However, City reserves the right to reject a discount if the percentage is too low to be of value to City, all things considered. City may also reject a discount if the percentage is so high as to create an overly large disparity between the price City would pay if it is able to take advantage of the discount and the price City would pay if it were unable to pay within the discount period. City may always reject the discount and pay within the 30 day period, at City's sole option.

City will not consider discounts that provide fewer than 10 days to pay in order to receive the discount.

For example, payment terms of 2% 5, Net 30 will NOT be considered in bid evaluations or in the payment of invoices. However, payment terms of 2% 10, Net 30 will result in a two percent reduction in the bid price during bid evaluation, and City will take the 2% discount if the invoice is paid within the 10 day time period.

Tabulations. The Purchasing Division will post preliminary tabulations within 7 days of the advertised bid opening. The information on these tabulations will be posted for informational purposes only, and will be posted as read during the bid opening. This tabulation is not a notice of award of the contract. All bids are subject to review for completeness, accuracy and compliance with the terms set forth in the bid documents.

Bid Protest Procedures.

Any bidder who is adversely affected in connection with the solicitation, evaluation, or proposed award of a contract may file a protest with the Director and appeal any adverse decision to the City Manager of the City of San Antonio.

Bidder must deliver a written notice of protest to the Director within 7 calendar days of the posting of the intent to award. If Bidder does not file a written notice within this time, Bidder will have waived all rights to formally protest the intent to award. It is Bidder's responsibility to check the City's website posting.

Debriefing. Debriefing of contract award is available upon request and after award of the Contract.

Prohibited Financial Interest. The Charter of the City of San Antonio and its Ethics Code prohibit a City officer or employee, as those terms are defined in the Ethics Code, from having a financial interest in any contract with City or any

City agency such as City-owned utilities. An officer or employee has a "prohibited financial interest" in a contract with City or in the sale to City of land materials, supplies or service, if any of the following individual(s) or entities is a party to the contract or sale: the City officer or employee; his parent, child or spouse; a business entity in which he or his parent, child or spouse owns ten (10) percent or more of the voting stock or shares of the business entity, or ten (10) percent or more of the fair market value of the business entity; or a business entity in which any individual or entity above listed is a subcontractor on a City contract, a partner or a parent or subsidiary business entity.

Conflict of Interest. Effective January 1, 2006, Chapter 176 of the Texas Local Government Code requires that persons, or their agents, who seek to contract for the sale or purchase of property, goods, or services with the City, shall file a completed conflict of interest questionnaire with the City Clerk not later than the 7th business day after the date that the person: (1) begins contract discussions or negotiations with the City; or (2) submits to the City an application, response to a request for proposals or bids, correspondence, or another writing related to a potential agreement with the City. The conflict of interest questionnaire form is available from the Texas Ethics Commission at www.ethics.state.tx.us. Completed conflict of interest questionnaires may be mailed or delivered by hand to the Office of the City Clerk. If mailing a completed conflict of interest questionnaire, mail to: Office of the City Clerk, P.O. Box 839966, San Antonio, TX 78283-3966. If delivering a completed conflict of interest questionnaire, deliver to: Office of the City Clerk, City Hall, 2nd floor, 100 Military Plaza, San Antonio, TX 78205." Bidder should consult its own legal advisor with questions regarding the statute or form. Do not include this form with your sealed bid. The Purchasing Division will not deliver the form to the City Clerk for you.

004 - SPECIFICATIONS / SCOPE OF SERVICES

1. SCOPE: The City of San Antonio is soliciting bids to purchase light duty trucks, sports utility vehicle, and vans as needed until November 30, 2015. One hundred sixty nine (169) vehicles are identified in this bid as part of the operating budget for fiscal year 2015. Said vehicles will be utilized by the Fire Department, Development Services Department, Office of Historic Preservation, Transportation & Capital Improvements Department, Aviation Department, Information & Technology Services Department, Parks & Recreation Department, Building & Equipment Services Department, Police Department and any other City Department as needed.
2. GENERAL CONDITIONS: The following general conditions will apply to all items within this bid unless specifically excluded within any item.
3. City of San Antonio reserves the right to increase or decrease quantity of vehicles being purchased on the bid for the particular item, depending on availability of funds. Prices may not be increased during this period; however, the City should benefit from any price decrease. ADDITIONAL UNITS MAY BE PURCHASED ON AN "AS NEEDED" BASIS UNTIL NOVEMBER 30, 2015 UTILIZING THE SAME BID PRICES AS RECEIVED IN THE BID RESPONSE. Successful vendor is required to notify the City of all production "cut-off" dates necessary for order submission. Vehicles are to be year model 2015 or newer. Unless otherwise approved by the City, VEHICLES DELIVERED DURING A CALENDAR YEAR MUST BE THE MODEL YEAR VEHICLES FOR THAT CALENDAR YEAR OR NEWER. UNDER NO CIRCUMSTANCES SHALL VENDOR DELIVER MODEL YEAR VEHICLES FOR THE PRECEDING CALENDAR YEAR.
4. All components shall be installed new, unused, standard production model, and equipment is to be serviced in accordance with manufacturer's recommended pre-delivery check list, and ready for operation upon delivery, and shall include all manufacturers' standard equipment unless otherwise specified or replaced therein. Equipment offered under the below listed specifications will be considered unacceptable if for any reason its long term availability on the U.S. Market or in the local area is in doubt.
5. All items bid must include the maximum standard manufacturer's warranty available, including both parts and labor, for all components and attachments. All warranties must be for a minimum period of twelve months. The warranty shall begin on the date the vehicle is placed in service, not on the delivery date. Vendor shall attach a copy of the manufacturer's warranty to Vendor's bid. City will notify Vendor by letter of the in-service date for each item by serial number. Such parts and service must be available within Bexar County from and by a factory authorized dealer. Bids submitted by dealers located outside Bexar County will include a signed agreement with a factory authorized dealer located within Bexar County, providing warranty, parts and service for items bid. All warranty repair shall be completed within three (3) business days from the date equipment is delivered to the vendor unless otherwise approved by the appropriate City of San Antonio BESD Fleet Operations Manager or designate.

Authorized Warranty Provider:

Burn Chevrolet

Warranty Provider Address:

16550 IH 35 NORTH, SELMA, TX 78154

6. Delivery: All deliveries are to be made inside the City limits of San Antonio. Vendor must deliver equipment to the following address:

City of San Antonio,
Northeast Service Center,
10303 Tool Yard, Bldg #2,
San Antonio, TX 78233
Attn: Acquisitions

7. Delivery to a non-specified location will result in non-acceptance of the equipment by the City. All deliveries must be pre-arranged with a minimum 24-hour notification, NO EXCEPTIONS. Vehicles will be accepted 8:00 A.M. to 3:00 P.M. CST. Vehicles with more than 1500 miles accumulated on the odometer will not be accepted. All vehicles are required to have a full tank(s) when delivered to City specified location.

8. The Manufacturer's Statement of Origin (MSO), Dealer Temporary license plates/tags, proper Invoice, Texas state inspection decal, signed 130U form and State Weight Certificate/slip (for trucks over one ton) are required upon delivery of each vehicle. Any of these missing items will deem the vehicle delivered *Not as Specified* and will not be processed or accepted vehicle all required paperwork is completed and provided to Fleet Acquisition staff.
9. Vendor shall remove noncompliant vehicle(s) from City premises within 5 working days after receiving written notification from Fleet Acquisition staff. If vehicle is not removed by vendor within the specified time frame, the City may arrange for vehicle to be removed and secured by a local towing and storage facility. Vendor will be responsible for payment of all related towing and storage charges. The City will not be responsible or liable for damage or loss of noncompliant vehicles which remain on City premises, or which are removed by towing company, 5 working days after vendor notification.
10. Upon contract award, vendor shall provide written acknowledgement of order placement and supply copy of build sheet and guaranteed delivery date of completed unit. Understanding that build date may be influenced by outside forces, slight delay in delivery can be overlooked. 30 day or longer delay may cause cancellation of order at ordering departments' discretion or penalty. Electrical wiring schematics that include lighting and air conditioning systems for body shall be provided at time of delivery. Electrical wiring schematics shall be provided in paper and electronic format.
11. **VEHICLE INSPECTION:** The vendor shall have each vehicle (except cab and chassis units delivered without bodies) properly inspected in compliance with Texas motor vehicle laws. Texas Inspection Sticker shall be attached prior to delivery to the receiving entity (2 year Inspection Certificate for vehicles through $\frac{3}{4}$ ton pickups and 1 year Inspection Certificate for 1 ton trucks and up, excluding cab and chassis units delivered without bodies).
 - 11.1 **CHECK-IN INSPECTION:** The City shall check the vehicle upon delivery to ensure compliance with this specification and any other specific requirements. The vendor shall deliver with the vehicle a vehicle-specific line-setting ticket, manufacturer's invoice, and MSO or any official documentation to verify the fact that ordered options, GVWR rating, and other requirements have been met.
 - 11.2 Failure to provide required documentation as listed in Sections 9, 12, 15, and 16 may cause the delay of payment. Payment will be made within 30 days after vehicle's acceptance or receipt of correct invoice, whichever is later. Acceptance will not be made, nor payment initiated on vehicles failing to meet specifications (unless they are brought into full compliance), and all necessary documents (i.e. MSO, odometer statement, etc.) are received by the City.
 - 11.3 The City shall have a maximum of 5 working days to complete this inspection. Sample of Inspection check list is attached as Exhibit 1.
12. **LITERATURE AND EQUIPMENT MANUALS:** The supplier shall furnish (2) complete sets per vehicle type, of the following: Parts Manual, Maintenance Manual, Service Manual, and Operators Manual; or free online access of all equipment, accessories, and components. The supplier shall furnish (2) complete sets of detailed literature and specifications of each vehicle type upon contract award.
 - 12.1 All bodies and components in this bid will be installed in accordance with the appropriate complete Vehicle Data Manual. Certification of compliance will be posted on the left door post of the vehicle. Except for manufacturer's data plates (maximum 4" x 6"), vendor or manufacturer's identifying markings (decals and plates) will not be applied to the vehicle or mounted components. Installation will be completed in compliance with Federal Motor Vehicle Department of Transportation Standards and Texas State Highway requirements. Installation of body and accessories on City furnished vehicles will be accomplished by drilling holes in the frame. Welding on or cutting of frame is not authorized forward of the rear spring hanger or support. Bidders will be responsible for the relocation of any truck components to facilitate installation of the body and equipment. Such relocation must be included as part of the basic bid. No dealership nameplates, markings or decals will be permitted on the vehicles.
 - 12.2 **MANUFACTURER'S STATEMENT OF ORIGIN (MSO):** Awarded vendor(s) shall furnish the receiving entity a MSO (Certificate of Title will not meet this requirement). A vehicle shall not be considered "delivered" until the MSO is received by the City. MSO shall either be furnished at the time of vehicle delivery or within 48 hours of vehicle delivery to the receiving entity and shall be made out to the City of San Antonio

- 12.3 GVWR for the particular model specified is required for the entity's written exception, or; a greater GVWR required by extra equipment, and; nominal weight rating (in tons).
- 12.4 Odometer Disclosure Statement confirming miles upon delivery.

13. PRE-DELIVERY SERVICE: All units (including complete vehicles and cab and chassis units) shall include new vehicle pre-delivery service.

- 13.1 All fluid levels checked and maintained with the proper grade and type of fluids.
- 13.2 The interior and exterior of units shall be clean and freshly washed at time of delivery.
- 13.3 A full tank must show on the fuel gauge when delivered.
- 13.4 The delivered unit shall not have more than 1500 miles on the Odometer, unless previously agreed upon in writing with the purchaser.
- 13.5 When so specified in the Invitation for Bid, the awarded vendor(s) or their representative who is responsible for the final delivery shall attach signed certificates to the units stating that the above service was performed and that inspection indicates they are in good condition and ready for delivery.
- 13.6 Unless specifically permitted by the City, vehicles shall be equipped with all accessories as stated in the purchase order prior to delivery. Generally, the upfitting or servicing of ordered vehicles on the premises of the City is not permitted.
- 13.7 All shipping tickets shall reference the applicable entity requisition/purchase order number(s) and will accompany each delivery shipment. If shipping tickets are received without applicable purchase order number(s), delivery may be rejected. All window stickers shall remain attached to the vehicle. The vendor shall provide an official and acceptable weight certificate when applicable and required for vehicle registration.

14 CONVENIENCE FEATURES: Vehicle shall be equipped with adjustable steering seats; intermittent wipers; automatic-off headlights, cruise control, full headliner, minimum OEM AM/FM radio.

15. AIR CONDITIONING: All vehicles shall be equipped at the factory with air Conditioning /Heater/defroster, (Maximum capacity cooling system offered by manufacturer).

16. POWER FEATURES: Power steering, power ABS brakes and manual tilt steering wheel. All units shall be equipped with steering column mounted gear selector unless otherwise specified.

17. KEYS: Each unit shall have a minimum three keyless remotes (fobs) and shall have a minimum of three (3) sets of keys unless vehicle utilizes a push button ignition system, then a minimum of three (3) keyless remote fobs are required.

18. All units shall be equipped with safety equipment as required by the Federal Government. Shall MEET ALL SAFETY STANDARDS AND REQUIREMENTS

19. All accessories and equipment shall be OEM. The manufacturer will rate all equipment provided as low emission on all models available.

20. FUEL SYSTEMS: All units shall be certified to run on 87 octane fuel and have a minimum 25 gallon fuel tank capacity unless otherwise specified.

21. ELECTRICAL: Standard duty battery and minimum 150 amp alternator offered by manufacturer for models being bid. All units to be equipped with oil pressure, water temperature, and volt or amp gauges.

22. DOORS & WINDOWS: Vehicles shall be equipped with power windows, power mirrors and power door locks.

23. TINT: Vehicles shall be equipped with OEM tinted glass.

24. INTERIOR: Vehicles provided shall have a minimum of a driver's seat and one passenger seat, unless otherwise specified. All vehicles shall have vinyl type seating for front and rear seats if applicable, along with rubber or carpet delete flooring unless otherwise specified.

25. FOUR FULL DOOR CAB: configurations provided shall have the largest forward facing door available and have "B" pillar door hinges so rear doors will open in the same direction as front doors. All "Four Full Door Cab" configurations provided shall have "B" pillar door hinges so rear doors will open in the same direction as front doors.

26. AXLES: All pickup trucks and vans shall be provided with limited slip axles

27. SPARE TIRES: required by the below listed specifications must be identical in manufacturer's tread design, ply rating (load range) etc., as those furnished on driving and steering axles, unless otherwise noted. Tires still under evaluation will not be acceptable.

28. SAFETY: Vehicles shall be equipped with driver and passenger airbags, seatbelts, running daytime lights, Standard front and rear bumpers unless otherwise specified.

29. EXHAUST: Vehicles shall be equipped with stainless steel rear pipe with catalytic converter unless otherwise specified.

30. EXTERIOR AND INTERIOR COLOR: Unless otherwise specified, each vehicle shall have a white exterior body color. Unless otherwise specified, interior coloring shall be dark grey.

31.	ITEM	QUANTITY	DESCRIPTION
------------	-------------	-----------------	--------------------

1 10 ½ Ton Extended Cab Compact Pickup Truck

31.1 ENGINE: 6 cylinders or greater with a minimum 236 HP.

31.2 GVWR: Minimum of 4,900 lbs.

31.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.

31.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.

31.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 60" inches. Wheelbase to be a minimum of 119" inches.

31.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

31.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.

31.8 FUEL SYSTEM: Fuel tank shall have a 17 gallon minimum capacity.

31.9 COLOR: One (1) unit to be OEM Dark Blue and the remaining Ten (10) to be OEM White.

32.	ITEM	QUANTITY	DESCRIPTION
------------	-------------	-----------------	--------------------

2 7 ½ Ton Full Size Regular Cab Pickup Truck

32.1 ENGINE: 6 cylinders or greater with a minimum 270 HP.

32.2 GVWR: Minimum of 6,000 lbs.

32.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.

32.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.

32.5 DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 119" inches.

- 32.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 32.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.
- 32.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.

ITEM	QUANTITY	DESCRIPTION
3	25	½ Ton Full Size Extended Cab Pickup Truck
33.1	ENGINE: 6 cylinders or greater with a minimum 270 HP.	
33.2	GVWR: Minimum of 6,000 lbs.	
33.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum.. 4x2 design.	
33.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
33.5	DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 140" inches.	
33.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
33.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.	
33.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity. Flex Fuel engine acceptable.	
ITEM	QUANTITY	DESCRIPTION
4	3	½ Ton Full Size Extended Cab 4x4 Pickup Truck
34.1	ENGINE: 6 cylinders or greater with a minimum 270 HP.	
34.2	GVWR: Minimum of 6,000 lbs.	
34.3	TRANSMISSION/ DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4x4 driver train-Two speed transfer case with electronic shift control.	
34.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
34.5	DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 139" inches.	
34.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
34.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.	
34.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.	

ITEM	QUANTITY	DESCRIPTION
5	1	½ Ton Full Size Extended Cab Pickup Truck w/Camper
35.1	ENGINE: 6 cylinders or greater with a minimum 270 HP.	
35.2	GVRW: Minimum of 6,000 lbs.	

37.	ITEM 7	QUANTITY 1	DESCRIPTION ½ Ton Four Full Door Full Size Pickup Truck
37.1	ENGINE: 6 cylinders or greater with a minimum 270 HP.		
37.2	GVWR: Minimum 6,800 lbs.		
37.3	TRANSMISSION / DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4x2 design.		
37.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.		
37.5	DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 139" inches.		
37.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
37.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.		
37.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.		
37.9	SEATING: Front to be equipped with 40/20/40 seating. The rear to be bench seating. Seats to be dark colored cloth.		
37.10	CONVENIENCE FEATURES: Adjustable steering seats. USB port.		
37.11	COLOR: OEM Dark Blue.		
38.	ITEM 8	QUANTITY 1	DESCRIPTION ¾ Ton Regular Cab 4x4 Pickup Truck
38.1	ENGINE: Minimum 8 cylinders with a minimum 360 HP.		
38.2	GVWR: Minimum 8,650 lbs.		
38.3	TRANSMISSION/ DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.		
38.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.		
38.5	DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 133" inches.		
38.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
38.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.		
38.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.		
38.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.		
38.10	REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).		

39.	ITEM 9	QUANTITY 2	DESCRIPTION ¾ Ton Regular Cab 4x4 Pickup Truck w/ Tool Box
39.1	ENGINE:	Minimum 8 cylinders with a minimum 360 HP.	
39.2	GVWR:	Minimum 8,650 lbs.	
39.3	TRANSMISSION/ DRIVE:	Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.	
39.4	SUSPENSION:	Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
39.5	DIMENSIONS:	Regular cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 133" inches.	
39.6	BRAKES:	Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
39.7	TIRES & WHEELS:	Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.	
39.8	FUEL SYSTEM:	Fuel tank shall have a 20 gallon minimum capacity.	
39.9	MIRRORS:	OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	
39.10	REAR BUMPER:	OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).	
39.11	TOOLBOX:	To be pressed up against the rear of the cab in the bed of the truck. Toolbox will be a minimum of 72" long X 15" wide X 18" height and will be bolted down to the side rails of the bed. Toolbox is to come equipped with dual locks. Color to be black.	
40.	ITEM 10	QUANTITY 7	DESCRIPTION ¾ Ton Reg Cab 56" cab to axle, SRW Service Body w/ Ladder Rack
40.1	ENGINE:	Minimum 8 cylinders with a minimum 350 HP.	
40.2	GVWR:	Minimum 8,650 lbs.	
40.3	TRANSMISSION/DRIVE:	Automatic transmission with overdrive; 5 speed minimum. 4x2 design.	
40.4	SUSPENSION:	Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
40.5	DIMENSIONS:	Regular cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 133" inches.	
40.6	BRAKES:	Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
40.7	TIRES & WHEELS:	Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.	
40.8	FUEL SYSTEM:	Fuel tank shall have a 20 gallon minimum capacity.	

40.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

40.10 UTILITY BODY WITH LADDER RACK- SPECIFICATIONS

40.10.1 MATERIAL: Minimum 14 gauge Steel Construction.

40.10.2 LENGTH: Ninety-six inches (96") approximately.

40.10.3 WIDTH: Seventy-eight inches (78") approximately.

40.10.4 HEIGHT: Minimum thirty-nine inches (39").

40.10.5 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have two (2) adjustable removable shelves with a minimum of six (6) adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of ten (10) adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear doors to be 19 1/2" W X 38" H X 14 1/2" D with 2 adjustable shelves. All doors to be weather-sealed and positive horizontal door holders.

40.10.6 BODY: All steel, all welded.

40.10.7 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have two (2) LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.

40.10.8 MASTER LOCKING SYSTEM MUST BE USED.

40.10.9 LADDER RACK: Ladder rack to be as wide and long as utility bed. Rack shall be height tall enough to clear cab of vehicle by a minimum 8" inches. Rack shall mount to service body.

40.10.10 REAR BUMPER: Tow package and receiver type hitch. Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. *Wilton 656 HD* or equal

41.	ITEM	QUANTITY	DESCRIPTION
	11	7	3/4 Ton Reg Cab 56" cab to axle, SRW Service Body w/ Pipe Rack
	41.1	ENGINE:	Minimum 8 cylinders with a minimum 350 HP.
	41.2	GWWR:	Minimum 8,650 lbs.
	41.3	TRANSMISSION/DRIVE:	Automatic, minimum 4 speed with separate auxiliary transmission cooler mounted in front of radiator.
	41.4	SUSPENSIONS:	Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
	41.5	DIMENSION:	Regular cab configuration. Minimum 96" inch bed length. Wheelbase to be a minimum of 133" inches.
	41.6	BRAKES:	Equipped with 4-wheel automatic braking system, and front vented discs minimum.
	41.7	TIRES & WHEELS:	Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.

41.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
41.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

41.10 UTILITY BODY WITH PIPE RACK- SPECIFICATIONS:

41.10.1 MATERIAL: Minimum 14 gauge Steel Construction

41.10.2 LENGTH: Ninety-six inches (96") approximately.

41.10.3 WIDTH: Seventy-eight inches (78") approximately.

41.10.4 HEIGHT: Minimum thirty-nine inches (39")

41.10.5 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Right front compartment to have roll-out tool box tray and one adjustable removable shelf with a minimum of six (6) dividers. Left front compartments to have three (3) adjustable removable shelves with a minimum of six (6) adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of ten (10) adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" wide, 59" to 68" long and a minimum of 17" high. Rear doors to be half or full size when horizontal compartment extends through rear door. Lower rear compartment must have one (1) adjustable removable shelf with a minimum of four (4) adjustable dividers. All doors to be weather-sealed and positive horizontal door holders.

41.10.6 BODY: All steel, all welded.

41.10.7 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have two (2) LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.

41.10.8 MASTER LOCKING SYSTEM MUST BE USED.

41.10.9 PIPE RACK: Pipe rack to be as wide and long as vehicle. Rack shall be height tall enough to clear cab of vehicle by a minimum 8" inches. Rack shall mount to front and rear bumpers and service body. Material to be metal with metal mesh bottom, sides, and front. Front and sides to be a minimum 1'ft tall. Rack to be painted Black.

41.10.10 REAR BUMPER: Tow package and receiver type hitch. Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. *Wilton 656 HD* or equal

42.	ITEM	QUANTITY	DESCRIPTION
	12	10	¾ Ton Extended Cab Pickup Truck
42.1	ENGINE: Minimum 8 cylinders with a minimum 350 HP.		
42.2	GVWR: Minimum 9,400 lbs.		
42.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.		
42.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.		
42.5	DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 141" inches.		

42.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

42.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.

42.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.

42.9 BODY/BED: Extended cab configuration. Minimum 75" inch bed length, maximum 82" inch bed length.

42.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

42.11 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

43. **ITEM** **QUANTITY** **DESCRIPTION**

13 6 **% Ton Extended Cab 4x4 Pickup Truck**

43.1 ENGINE: Minimum 8 cylinders with a minimum 350 HP.

43.2 GVRW: Minimum of 9,400 lbs.

43.3 TRANSMISSION/DRIVE: 4X4 Drive train - Two speed transfer case with electronic shift control.

43.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.

43.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 141" inches.

43.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

43.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.

43.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.

43.10 SAFETY: Equipped with driver and passenger airbags, , , hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.

43.11 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

43.12 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

44. **ITEM** **QUANTITY** **DESCRIPTION**

14 1 **% Ton Extended Cab Full Size Truck w/ Hydraulic Lift Gate**

44.1 ENGINE: Minimum 8 cylinders with a minimum 350 HP.

44.2 GVWR: Minimum 9,400 lbs.

44.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.

44.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.

44.5 DIMESNIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 141" inches.

44.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

44.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.

44.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.

44.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

44.10 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

44.11 LIFTGATE: Minimum 1,200 lbs. lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way). Material shall be tread plate steel with two piece platform, minimum 42" loading depth.

45. ITEM 15 QUANTITY 1 DESCRIPTION **¾ Ton Extended Cab Full Size Long Bed Truck**

45.1 ENGINE: Minimum 8 cylinders with a minimum 350 HP.

45.2 GVWR: Minimum 9,400 lbs.

45.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.

45.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.

45.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum 158" inches.

45.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

45.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.

45.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.

45.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

45.10 TOW PACKAGE: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

46. ITEM 16 QUANTITY 5 DESCRIPTION **¾ Ton Four Full Door Pickup Truck**

- 46.1 ENGINE: Minimum 8 cylinders with a minimum 350 HP.
- 46.2 GVWR: Minimum 8,800 lbs.
- 46.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 46.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 46.5 DIMENSIONS: Four full door cab configuration, minimum 75" inch bed length, maximum 82" inch bed length. Wheelbase to be a minimum of 149" inches.
- 46.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 46.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 46.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 46.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 46.10 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

47.	ITEM	QUANTITY	DESCRIPTION
	17	11	¾ Ton Four Full Door 4x4 Pickup Truck w/ Tow Package
	47.1	ENGINE: Minimum 8 cylinders with a minimum 360 HP.	
	47.2	GVWR: Minimum 8,800 lbs.	
	47.3	TRANSMISSION /DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.	
	47.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	47.5	DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 149" inches.	
	47.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	47.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.	
	47.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.	
	47.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	
	47.10	TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).	

48.	ITEM	QUANTITY	DESCRIPTION
-----	------	----------	-------------

18

1

¾ Ton Four Full Door Long Bed Pickup Truck

- 48.1 ENGINE: Minimum 8 cylinders with a minimum 350 HP.
- 48.2 GVWR: Minimum 8,800 lbs.
- 48.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 48.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 48.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum of 158" inches.
- 48.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 48.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 48.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 48.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 48.10 TOW PACKAGE: tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

49.

ITEM

QUANTITY

DESCRIPTION

19 2 **¾ Ton Four Full Door 4x4 Long Bed Pickup Truck w/ Tow Package**

- 49.1 ENGINE: Minimum 8 cylinders with a minimum 350 HP.
- 49.2 GVWR: Minimum 8,800 lbs.
- 49.3 TRANSMISSION /DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.
- 49.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 49.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum of 155" inches.
- 49.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 49.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 49.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 49.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 49.10 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

50.	ITEM	QUANTITY	DESCRIPTION
	20	3	¾ Ton Live Animal Control/Transport Pickup Truck
50.1	ENGINE:	Minimum 8 cylinders with a minimum 350 HP.	
50.2	GWWR:	Minimum 8,650 lbs.	
50.3	TRANSMISSION / DRIVE:	Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control	
50.4	SUSPENSION:	Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
50.5	DIMENSIONS:	Regular cab configuration. Pick-up box length shall be a minimum of 96" inches. Unit shall be 56" Cab to Axle and to be SRW with 8 Cages and 1 Storage Compartment with an Animal Control Unit Body. Wheelbase to be a minimum of 133" inches.	
50.6	BRAKES:	Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
50.7	TIRES & WHEELS:	Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.	
50.8	FUEL SYSTEM:	Fuel tank shall have a 20 gallon minimum capacity..	
50.9	SAFETY:	Equipped with driver and passenger airbags, hide-a-way type amber colored strobe LED lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.	
50.10	ANIMAL CONTROL UNIT (ACU) ANIMAL COMPARTMENTS:	ACU should consist of four (4) compartments on curbside and four (4) compartments on street side.	
50.11	All Street Side and curb side compartments shall measure as follows:		
50.12	Minimum 27.5"W x 36" H x 28" D.		
50.13	REAR CENTER STORAGE SHALL MEASURE AS FOLLOWS:	24"W x 36"H x 110"D For interior lighting, each compartment should have a minimum 3" flush mounted light. All lights are operated by a switch within the truck cab. There are a total of ten (10) lights (one per cage) and two (2) for the storage compartment. To allow for removal of fluids, all floors should slope towards the middle of the compartment to a minimum 1.5" ID drain. For safety of operators, all doors (excluding rear storage compartment) should have secondary interior safety doors made of stainless steel with catch-pole opening. The interior door is secured with a chrome-plated or stainless steel latch which is easily operated while securing animals.	
50.14	All compartments should have minimum 20 gauge aluminum floors or fiberglass. All dog compartments shall have ½" thick; chew proof rubber mats to fit the entire floor of the dog compartment. All dog compartments shall be designed in a square format as to allow washing with hose without spray-back. All dog compartments shall not have areas that can hide or prevent pestilence carrying debris from being easily washed out. All compartments except the storage compartment shall have removable divider shelves 18" above the compartment		
50.15	ANIMAL CONTROL UNIT(ACU) STORAGE COMPARTMENTS:	Storage compartment is accessed from the rear of the ACU via a lockable door. The storage compartment has a minimum of two (2) lights located at the front and rear of the compartment operated by a switch in the truck cab.	
50.16	Minimum overall dimensions are: 24"W x 36"H x 110"D.		
50.17	ANIMAL CONTROL UNIT (ACU) HEATING, AIR CONDITIONING, AND AIR CIRCULATION:	A/C unit shall consist of an auxiliary compressor separate from the cab and chassis a/c system. Duct work should be installed to allow for heating and air conditioning. The BTU capacity of the HVAC unit should allow for a minimum of 28,000 BTU cooling and 32,000 BTU heat. Minimum CFM rating of blower is 295.Console-	

mounted heat and air conditioning panel should be located in the truck cab. Panel shall display temperature of each individual dog compartment. Air temperatures in the animal compartments should be accessed via a digital touch-screen which allows user to program and monitor temperatures. Variations of temperature outside the programmed settings shall set off audible alarm inside cab.

50.18 ANIMAL CONTROL UNIT (ACU) EXTERIOR LIGHTING: Unit shall have high-mounted amber colored LED strobe lights mounted on each side of rear of unit. Unit shall have low-mounted white colored LED strobe lights mounted on each side of rear of unit. All strobe lights will be wired to a switch mounted in the cab of the truck.

50.18.1 Tail Lights – recess-mounted LED stop/turn and parking capabilities.

50.18.2 Brake Lights – additional high-level red LED.

50.18.3 Audible Back-Up alarm shall be installed.

50.19 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

50.20 LIGHTING: Hide-a-way type amber colored LED strobe lights to be installed on front lens covers of cab and chassis and rear panel of body. Strobes to be wired to factory type switch located in cab.

51.	ITEM	QUANTITY	DESCRIPTION
	21	1	1 Ton, Gasoline, Four Full Door SRW Pickup Truck 4x2
51.1	ENGINE:	Minimum 6 cylinders, with a minimum 316 HP.	
51.2	GVWR:	Minimum 10,500 lbs.	
51.3	TRANSMISSION/ DRIVE:	Automatic with overdrive; 5 speed minimum. 4x2 design.	
51.4	SUSPENSION:	Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
51.5	DIMENSIONS:	Four full door cab configuration. Minimum 96" bed length. Wheelbase to be a minimum of 167" inches.	
51.6	BRAKES:	Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
51.7	TIRES & WHEELS:	Tire pressure monitoring system required. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.	
51.8	MIRRORS:	OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	
51.9	SAFETY:	Equipped with driver and passenger airbags, hide-a-way type amber LED colored strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.	
51.10	TOW PACKAGE:	Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).	

52.	ITEM	QUANTITY	DESCRIPTION
	22	1	1 Ton, Diesel, Four Full Door SRW Pickup Truck 4x2
52.1	ENGINE:	Minimum 6 cylinders with a minimum 370 HP.	

- 52.2 GWWR: Minimum 11,400 lbs.
- 52.3 TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 52.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 52.5 DIMENSIONS: Four full door cab configuration. Minimum 96" bed length. Wheelbase to be a minimum 167" inches.
- 52.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 52.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 52.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.
- 52.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 52.10 SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.
- 52.11 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

53. ITEM	QUANTITY	DESCRIPTION
23	1	1 Ton, Diesel, Four Full Door DRW Pickup Truck 4x2
53.1	ENGINE: Minimum 6 cylinders with a minimum 370 HP.	
53.2	GWWR: Minimum 13,000 lbs.	
53.3	TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.	
53.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
53.5	DIMENSIONS: Four full door cab configuration. Minimum 96" bed length. Wheelbase to be a minimum of 167" inches.	
53.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
53.7	TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.	
53.8	FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.	
53.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	

53.10 SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.

53.11 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

54. **ITEM** **QUANTITY** **DESCRIPTION**

24 4 **1 Ton Full Four Door, DRW, 4x4 Pickup Truck w/ Tow Package**

54.1 ENGINE: Minimum 6 cylinders, with a minimum 370 HP.

54.2 GVWR: Minimum 13,000 lbs.

54.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.

54.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.

54.5 DIMENSIONS: Four full door cab configuration. Bed length to be a minimum of 96". Wheelbase to be a minimum of 167" inches.

54.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

54.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

54.8 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

54.9 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.

54.10 SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.

54.10 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

55. **ITEM** **QUANTITY** **DESCRIPTION**

25 3 **1 Ton Full Four Door, SRW, 4x4 Truck w/ Utility Toolbox Bed**

55.1 ENGINE: Minimum 6 cylinder, with a minimum 370 HP.

55.2 GVWR: Minimum 11,300 lbs

55.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control

55.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.

55.5 DIMENSIONS: Four full door cab configuration. Bed to be a utility toolbox configuration. Minimum 96" bed length. Wheelbase to be a minimum of 158" inches.

- 55.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 55.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 55.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.
- 55.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 55.10 SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.
- 55.11 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish.

55.12 UTILITY TOOLBOX BED SPECIFICATIONS

55.12.1 MATERIAL: Minimum 14 gauge Steel Construction

55.12.2 LENGTH: Ninety-six inches (96") approximately

55.12.3 WIDTH: Seventy-eight inches (78") approximately

55.12.4 HEIGHT: Minimum thirty-nine inches (39")

55.12.5 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have two (2) adjustable removable shelves with a minimum of six (6) adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of ten (10) adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear doors to be 19 1/2" W X 38" H X 14 1/2" D with 2 adjustable shelves. All doors to be weather-sealed and positive horizontal door holders.

55.12.6 BODY: All steel, all welded.

55.12.7 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have two (2) LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed

55.12.8 MASTER LOCKING SYSTEM MUST BE USED.

56.	ITEM	QUANTITY	DESCRIPTION
	26	1	1 Ton Four Full Door, 60" cab to axle, DRW, 4x4, Stake Bed Truck
56.1	ENGINE: Minimum 6 cylinders, with a minimum 350 HP.		
56.2	GVWR: Minimum 11,500.		
56.3	TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.		
56.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.		

- 56.5 DIMENSIONS: Full Four Door cab configuration; Stake bed. Wheelbase to be minimum of 167" inches.
- 56.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 56.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 56.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.
- 56.9 56.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 56.11 LIGHTING: Vehicle shall have hide-a-way type LED strobe lights in headlight assemblies and connected to rear LED strobe light mounted on body and wired to up-fitter switch located in cab of vehicle.

STAKE BED SPECIFICATIONS

- 56.12 DESIGN: Must be bolt-on design and compatible to fit truck cab and chassis specifications above.
- 56.13 DIMENSIONS: 9'ft long x 96"inch wide, 1/8" steel tread plate floor, 4" steel structural channel long sills, minimum 3" inch formed 10 gauge cross members on 15" centers, 2" square tubing frame. 40" removable stake sides. Rear swing-out type stake racks. Bed type should be a utility type with locking storage boxes on both sides.
- 56.14 FEATURES: Shall have two (2) lockable underbody tool box's mounted in front of rear axle on both curbside and street side. Tool boxes shall be 36" W, 18" D, 18" T. Shall have bottom hinge and cable door retainer. Side entry ladder mounted curbside front of bed. Stake bed sides, and rear bumper to be marked with reflective conspicuity tape and reflectors. All components of stake body must be finished in automotive grade Black paint.
- 56.15 MUD FLAPS: Vehicle body must have black unmarked mud flaps with anti-sail device positioned in front and rear of rear axle.
- 56.16 LIGHTING: Two (2) LED type strobes amber color shall be provided and mounted on rear of stake bed facing rearward and shall be wired to up-fitter switches located in cab and chassis. Strobes to be amber in color.
- 56.17 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch shall have two (2) "D" rings for safety chains. Hitch shall have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.

57.	ITEM	QUANTITY	DESCRIPTION
	27	1	1 Ton Four Full Door, DRW, Welder Body Truck
57.1	ENGINE:	Minimum 6 cylinder, with a minimum 350 HP.	
57.2	GVWR:	Minimum 13,000 lbs.	
57.3	TRANSMISSION/DRIVE:	Automatic with overdrive; 5 speed minimum. 4x2 design.	
57.4	SUSPENSION:	Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	

57.5 DIMENSIONS: Four full door cab configuration. Wheelbase to be a minimum of 167" inches. Bed to be flatbed with 1/2 foot sides to prevent items from falling off and a minimum 4 1/2 ft toolbox on the right side (top) of bed. A vice is to be equipped at the driver rear of the bed. Rear to be open (no sides).

57.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

57.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

57.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.

57.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

57.10 SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.

57.11 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish.

WELDER BODY & WELDER

57.12 BED: Flatbed with a vice at the left rear. Bed to be equipped with 2 (two) L bar/poles approx 3 ' 1/2" ft from the bed floor and to run from headache rack of cab to end of bed. Unit to also be equipped with a secured spot to hold tank and welder hose.

57.13 WELDER/ GENERATOR: To be gas operated with a minimum 10 gallon fuel capacity. Unit to peak at 12,000 watts (10,500 continuous). Unit will produce a minimum continuous 4,000 watt generator load to expect a minimum of 12hr of run time.

58. ITEM QUANTITY DESCRIPTION
28 1 1 Ton Four Full Door, SRW, 4x4, Service Body Truck w/ Winch

58.1 ENGINE: Minimum 6 cylinder, with a minimum 350 HP.

58.2 GWR: Minimum 11,300 lbs

58.3 TRANSMISSION/DRIVE: Automatic, minimum 5 speed with separate auxiliary transmission cooler mounted in front of radiator. 4X4 Drive train - Two speed transfer case with electronic shift control.

58.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.

58.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 167" inches.

58.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

58.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.

58.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.

- 58.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 58.10 LIGHTING: Vehicle shall have hide-a-way LED strobe lights in headlight assemblies and connected to rear LED strobe light mounted on service body and wired to up-fitter switch located in cab of vehicle.
- 58.11 WINCH ASSEMBLY: Electric type winch with minimum 10,000 pound single line pull. Minimum cable drum capacity two hundred feet (200'). Winch to have power in and out capability and be configured with a free spooling clutch and adjustable brake. Winch to be installed on truck frame on the front bumper

UTILITY BODY SPECIFICATIONS:

- 58.12 MATERIAL: Minimum 14 gauge Steel Construction
- 58.13 LENGTH: Ninety-six inches (96") approximately.
- 58.14 WIDTH: Seventy-eight inches (78") approximately.
- 58.15 HEIGHT: Minimum thirty-nine inches (39")
- 58.16 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Right front compartment to have roll-out tool box tray and one adjustable removable shelf with a minimum of six (6) dividers. Left front compartments to have three (3) adjustable removable shelves with a minimum of six (6) adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of ten (10) adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" wide, 59" to 68" long and a minimum of 17" high. Rear doors to be half or full size when horizontal compartment extends through rear door. Lower rear compartment must have one (1) adjustable removable shelf with a minimum of four (4) adjustable dividers. All doors to be weather-sealed and positive horizontal door holders.
- 58.17 BODY: All steel, all welded.
- 58.18 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish.
- 58.19 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have two (2) LED amber strobe lights mounted above or next to brake, parking and turn signal lights. LED strobe lights must be wired to up-fitter switches located in cab of truck.
- 58.20 MASTER LOCKING SYSTEM MUST BE USED.

59.	ITEM	QUANTITY	DESCRIPTION
	29	1	1 Ton Regular Cab, 84" cab to axle, 4x4, DRW w/12' Stake Bed with Lift Gate
59.1	ENGINE:	Minimum 6 cylinders, with a minimum 316 HP.	
59.2	GVWR:	Minimum 13,000 lbs.	
59.3	TRANSMISSION/DRIVE:	Automatic, minimum 5 speed with separate auxiliary transmission cooler mounted in front of radiator. 4X4 Drive train - Two speed transfer case with electronic shift control.	
59.4	SUSPENSION:	Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
59.5	DIMESNIONS:	Regular cab configuration. Minimum 75" inch bed length. Wheelbase to be a minimum of 133" inches.	

- 59.6 BRAKES: Heavy duty, 4-wheel ABS, disc front drum rear as minimum. Unit shall have in-cab OEM installed brake controller wired to a 7 way (flat/blade pin) vehicle connector on body bumper.
- 59.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 59.8 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 59.9 SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.

STAKE BED SPECIFICATIONS

- 59.10 DESIGN: Must be bolt-on design and compatible to fit truck cab and chassis specifications above.
- 59.11 DIMENSIONS: 12'ft long x 96"inch wide, 1/8" steel tread plate floor, 4" steel structural channel long sills, minimum 3" inch formed 10 gauge cross members on 15" centers, 2" square tubing frame. 40" removable stake sides. Rear swing-out type stake racks.
- 59.12 FEATURES: Shall have two (2) lockable underbody tool box's mounted in front of rear axle on both curbside and street side. Tool boxes shall be 36" W, 18" D, 18" T. Shall have bottom hinge and cable door retainer. Side entry ladder mounted curbside front of bed. Stake bed sides, and rear bumper to be marked with reflective conspicuity tape and reflectors. All components of stake body must be finished in automotive grade Black paint.
- 59.13 MUD FLAPS: Vehicle body must have black unmarked mud flaps with anti-sail device positioned in front and rear of rear axle.
- 59.14 LIGHTING: Two (2) LED type strobes amber color shall be provided and mounted on rear of stake bed facing rearward and shall be wired to up-fitter switches located in cab and chassis. Strobes to be amber in color.
- 59.15 LIFTGATE: 1,200 lbs. lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way). Material shall be tread plate steel with two piece platform, minimum 42" loading depth.
- 59.16 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch shall have two (2) "D" rings for safety chains. Hitch shall have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.
- 59.17 FUEL SYSTEM: Fuel tank shall have a 30 minimum gallon minimum capacity and be certified to run on 87 octane fuel.

60.	ITEM	QUANTITY	DESCRIPTION
	30	1	1.5 Ton Four Full Door, DRW, Diesel Pickup Truck
60.1	ENGINE:	Minimum 6 cylinders, with a minimum 300 HP.	
60.2	GVWR:	Minimum 14,000 lbs.	
60.3	TRANSMISSION/DRIVE:	Automatic with overdrive; 5 speed minimum. 4x2 design.	
60.4	SUSPENSION:	Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	

- 60.5 **DIMENSIONS:** Four Full Door configuration 60" cab to axle. Wheelbase to be a minimum of 152".
- 60.6 **BRAKES:** Heavy duty, 4-wheel ABS, disc front drum rear as minimum. Unit shall have in-cab OEM installed brake controller wired to a 7 way (flat/blade pin) vehicle connector on body bumper.
- 60.7 **TIRES & WHEELS:** Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 60.8 **FUEL SYSTEM:** Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.
- 60.9 **MIRRORS:** OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 60.10 **TOW PACKAGE:** Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

61. ITEM	QUANTITY	DESCRIPTION
31	1	15K Diesel Barrier Truck
61.1	ENGINE: Minimum 6 cylinders, with a minimum 300 HP.	
61.2	GVWR: Minimum 15,000 lbs.	
61.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum 4x2 design.	
61.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
61.5	DIMENSIONS: Regular cab configuration. 60" Cab to axle. Wheelbase to be a minimum of 134" inches.	
61.6	BRAKES: Heavy duty, 4-wheel ABS, disc front drum rear as minimum. Unit shall have in-cab OEM installed brake controller wired to a 7 way (flat/blade pin) vehicle connector on body bumper.	
61.7	TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.	
61.8	FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.	
61.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	
61.10	BED CONFIGURATION	
61.11	DESIGN: Must be bolt-on design and compatible to fit truck cab and chassis specifications.	
61.12	DIMENSIONS: 9'ft long x 96"inch wide, 1/8" steel tread plate floor, 4" steel structural channel long sills, minimum 3" inch formed 10 gauge cross members on 15" centers, 2" square tubing frame. 40" removable stake sides. Rear swing-out type stake racks.	
61.13	FEATURES: Shall have two (2) lockable underbody tool box's mounted in front of rear axle on both curbside and street side. Tool boxes shall be 36" W, 18" D, 18" T. Shall have bottom hinge and cable door retainer. Side entry ladder mounted curbside front of bed. Stake bed sides, and rear bumper to be marked with reflective tape and reflectors. All components of stake body must be finished in automotive grade Black paint.	

- 61.14 MUD FLAPS: Vehicle body must have black unmarked mud flaps with anti-sail device positioned in front and rear of rear axle.
- 61.15 LIGHTING: Two (2) LED type strobes amber color shall be provided and mounted on rear of stake bed facing rearward and shall be wired to up-fitter switches located in cab and chassis. Strobes to be amber in color.
- 61.16 LIFTGATE: 1,200 lbs. lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way). Material shall be tread plate steel with two piece platform, minimum 42" loading depth.
- 61.17 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch shall have two (2) "D" rings for safety chains. Hitch shall have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.

62.	ITEM	QUANTITY	DESCRIPTION
	32	1	16K Full Four Door, 4x4, Diesel, DRW Utility Body w/ Winch
62.1	ENGINE: Minimum 6 cylinders, with a minimum 300 HP.		
62.2	GWWR: Minimum 16,001 lbs.		
62.3	TRANSMISSION/DRIVE: Automatic, minimum 5 speed with separate auxiliary transmission cooler mounted in front of radiator. 4X4 Drive train - Two speed transfer case with electronic shift control.		
62.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
62.5	DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches.		
62.6	BRAKES: Heavy duty, 4-wheel ABS, disc front drum rear as minimum. Unit shall have in-cab OEM installed brake controller wired to a 7 way (flat/blade pin) vehicle connector on body bumper.		
62.7	TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.		
62.8	FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.		
62.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.		
62.10	LIGHTING: Vehicle shall have hide-a-way LED strobe lights in headlight assemblies and connected to rear LED strobe light mounted on service body and wired to up-fitter switch located in cab of vehicle.		
62.11	WINCH ASSEMBLY: Electric type winch with minimum 10,000 pound single line pull. Minimum cable drum capacity two hundred feet (200'). Winch to have power in and out capability and be configured with a free spooling clutch and adjustable brake. Winch to be installed on truck frame on the front bumper.		
62.12	UTILITY BODY SPECIFICATIONS:		
62.12.1	MATERIAL: Minimum 14 gauge Steel Construction.		
62.12.2	LENGTH: One hundred-eight inches (108") approximately.		
62.12.3	WIDTH: Ninety-two inches (92") approximately.		

62.12.4 HEIGHT: Minimum thirty-nine inches (39").

62.12.5 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Right front compartment to have roll-out tool box tray and one adjustable removable shelf with a minimum of six (6) dividers. Left front compartments to have three (3) adjustable removable shelves with a minimum of six (6) adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of ten (10) adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" wide, 59" to 68" long and a minimum of 17" high. Rear doors to be half or full size when horizontal compartment extends through rear door. Lower rear compartment must have one (1) adjustable removable shelf with a minimum of four (4) adjustable dividers. All doors to be weather-sealed and positive horizontal door holders.

62.12.6 BODY: All steel, all welded.

62.12.7 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have two (2) LED amber strobe lights mounted above or next to brake, parking and turn signal lights. LED strobe lights must be wired to up-fitter switches located in cab of truck.

62.12.8 MASTER LOCKING SYSTEM MUST BE USED.

62.12.9 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish.

62.12.10 SAFETY: Equipped with driver and passenger airbags, seatbelts, running daytime lights, hide-a-away type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.

63.	ITEM	QUANTITY	DESCRIPTION
	33	14	Compact 4 Door, 4x4, Sports Utility Vehicle
63.1	ENGINE:	4 cylinder with a minimum 158 HP.	
63.2	GVWR:	Minimum 3,515 lbs.	
63.3	TRANSMISSION/ DRIVE:	Minimum of 5 speed automatic with over drive. Unit to be 4x4 drive train and equipped with a two speed transfer case.	
63.4	SUSPENSION:	Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
63.5	WHEELBASE:	To be a minimum of 103" inches.	
63.6	BRAKES:	Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
63.7	TIRES & WHEELS:	Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season off road design with full size matching, off road design spare tire and wheel, if available. Unit must be equipped with a spare tire locking device and three keys.	
63.8	FUEL SYSTEM:	Fuel tank shall have a 14 gallon minimum capacity.	
63.9	SEATING:	Driver and front passenger bucket seating and one bench seat in the rear. (Maximum seating should be for 5) Seats to be cloth.	
63.10	GROUND CLEARANCE:	Each unit will have a minimum ground clearance of 6.9".	
63.11	COLOR:	To be decided at award.	

64.	ITEM	QUANTITY	DESCRIPTION
-----	------	----------	-------------

34

10

Medium 4 Door, 2wd, Sports Utility Vehicle

- 64.1 ENGINE: 6 cylinder with a minimum 260 HP.
- 64.2 GVWR: Minimum 5,100 lbs.
- 64.3 TRANSMISSION/DRIVE: Minimum of 5 speed automatic with over drive.
- 64.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 64.5 WHEELBASE: To be a minimum of 109" inches.
- 64.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 64.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/terrain design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.
- 64.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 64.9 SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.
- 64.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".
- 64.11 COLOR: To be decided at award.

65.

**ITEM
35**

**QUANTITY
1**

DESCRIPTION

Medium 4 Door, 2wd, Sports Utility Vehicle w/Amber Lighting

- 65.1 ENGINE: 6 cylinder with a minimum 260 HP.
- 65.2 GVWR: Minimum 5,100 lbs.
- 65.3 TRANSMISSION/DRIVE: Minimum of 5 speed automatic with over drive.
- 65.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 65.5 WHEELBASE: To be a minimum of 109" inches.
- 65.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 65.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/terrain design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.
- 65.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 65.9 SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.
- 65.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".
- 65.11 COLOR: To be decided at award.
- 65.12 ADDITIONAL SPECIFICATIONS: Amber LED strobe lights at the front and rear of the vehicles. Controls for the strobe lights shall be mounted under the driver side dashboard.

66.	ITEM 36	QUANTITY 6	DESCRIPTION Medium 4 door, 4x4, Sports Utility Vehicle
66.1	ENGINE: 6 cylinder with a minimum 260 HP.		
66.2	GVWR: Minimum 5,100 lbs.		
66.3	TRANSMISSION/ DRIVE: Minimum of 5 speed automatic with over drive. 4x4 Drive Train with two speed transfer case.		
66.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
66.5	WHEELBASE: To be a minimum of 109" inches.		
66.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
66.7	TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/all terrain design with full size matching, off road design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.		
66.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.		
66.9	SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.		
66.10	GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".		
66.11	COLOR: To be decided at award.		
67.	ITEM 37	QUANTITY 1	DESCRIPTION Medium 4 door, 4x4, Sports Utility Vehicle w/Amber Lighting
67.1	ENGINE: 6 cylinder with a minimum 260 HP.		
67.2	GVWR: Minimum 5,100 lbs.		
67.3	TRANSMISSION/ DRIVE: Minimum of 5 speed automatic with over drive. 4x4 Drive Train with two speed transfer case.		
67.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
67.5	WHEELBASE: To be a minimum of 109" inches.		
67.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
67.7	TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/all terrain design with full size matching, off road design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.		
67.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.		
67.9	SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.		
67.10	GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".		

67.11 COLOR: To be decided at award.

67.12 ADDITIONAL SPECIFICATIONS: Equip with amber LED strobe lights at the front and rear of the vehicles. Controls for the strobe lights shall be mounted under the driver side dashboard.

68. **ITEM 38 QUANTITY 2 DESCRIPTION Large 4 door, 2wd, Sports Utility Vehicle**

68.1 ENGINE: Minimum 6 cylinder with a minimum 310 HP.

68.2 GVWR: Minimum 7,100 lbs.

68.3 TRANSMISSION/DRIVE: Minimum 6 speed automatic with over drive.

68.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.

68.5 WHEELBASE: To be a minimum of 116" inches.

68.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

68.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.

68.8 FUEL SYSTEM: Fuel tank shall have a 26 gallon minimum capacity.

68.9 GROUND CLEARANCE: Unit will have a minimum ground clearance of 7".

68.10 SEATING: Five (5) passenger body to have bucket front seats, (NO EXCEPTIONS). Minimum three (3) passenger bench type rear seat. Seating material to be cloth, rubber or vinyl flooring throughout vehicle.

68.11 COLOR: Color determined at award.

69. **ITEM 39 QUANTITY 2 DESCRIPTION Large 4 door, 4x4, Sports Utility Vehicle**

69.1 ENGINE: Minimum 6 cylinder with a minimum 310 HP.

69.2 GVWR: Minimum 7,100 lbs.

69.3 TRANSMISSION/DRIVE: 4X4 minimum 6 speed automatic with over drive.

69.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.

69.5 WHEELBASE: To be a minimum of 116" inches.

69.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

69.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.

69.8 FUEL SYSTEM: Fuel tank shall have a 26 gallon minimum capacity.

69.9 GROUND CLEARANCE: Unit will have a minimum ground clearance of 7.8".

69.10 SEATING: Five (5) passenger body to have bucket front seats, (NO EXCEPTIONS). Minimum three (3) passenger bench type rear seat. Seating material to be cloth, rubber or vinyl flooring throughout vehicle.

69.11 COLOR: One (1) OEM White and one (1) Silver.

70. ITEM QUANTITY DESCRIPTION

40 1 Suburban Type Wagon 4 door, 2 wheel drive

70.1 ENGINE: 6 cylinders minimum with a minimum 310 HP.

70.2 GVWR: Minimum 7,100 lbs.

70.3 TRANSMISSION/DRIVE: Minimum 6 speed automatic with over drive. Gear shift to be in steering column.

70.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.

70.5 WHEELBASE: To be a minimum of 116" inches.

70.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

70.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Unit to be equipped with spare tire locking device and three keys.

70.8 FUEL SYSTEM: Fuel tank shall have a 31 gallon minimum capacity.

70.9 AIR CONDITIONING: OEM dual type.

70.10 SEATING: Cloth seating and upholstery. Front bucket seating, no console, and 2 rows of bench seating.

70.11 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7.8".

70.12 COLOR: OEM White.

71. ITEM QUANTITY DESCRIPTION

41 1 Mini Cargo Van

71.1 ENGINE: 4 cylinders with a minimum 131 HP.

71.2 GVWR: Minimum 4,718 lbs.

71.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum.

71.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.

71.5 WHEELBASE: To be a minimum of 103" inches.

71.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

71.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.

71.8 FUEL SYSTEM: Fuel tank shall have a 14 gallons minimum capacity.

71.9 SEATING: Dark colored synthetic upholstery.

71.10 SEATING: Passenger seat required, right side.

71.11 CARGO SPACE: Cargo space to be

 71.11.1 (minimum) 54 inches in length

 71.11.2 (minimum) 48 inches between wheel wells.

 71.11.3 (minimum) 53 inches in height.

71.12 WINDOWS & DOORS: Unit to be equipped with driver and front passenger windows, and windows on the rear doors. Rear door to be swing out type.

72.	ITEM 42	QUANTITY 1	DESCRIPTION 1 Ton Diesel Cargo Van
72.1	ENGINE: 5 cylinders minimum with a minimum 255 HP.		
72.2	GWR: Minimum 8,600 lbs.		
72.3	WHEELBASE: To be a minimum of 130".		
72.4	TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum,, 4x2.		
72.5	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
72.6	DOORS, WINDOWS, & MIRRORS: Unit to be equipped with power driver and passenger windows and mirrors, and automatic door locks all around.		
72.7	ADDITIONAL WINDOWS & DOORS: Vented windows all around, double swing right side door, double swing rear doors, rear door windows. Vented windows will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivots/swing out windows offered including side and rear doors.		
72.8	TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.		
72.9	SUSPENSION: Heaviest duty available.		
72.10	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
72.11	FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.		
72.12	SEATING: Right side passenger seat required and back space to be empty for cargo transport. Seats to be dark colored synthetic upholstery.		
72.13	REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening.		

73.	ITEM 43	QUANTITY 1	DESCRIPTION Black & White Paddy Wagon
73.1	ENGINE: Minimum 6 cylinders with a minimum 275 HP.		
73.2	GWR: Minimum 8,600 lbs.		
73.3	TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum.		

- 75.2 GVWR: Minimum 8,800 lbs.
- 75.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 75.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization. Wheelbase to be a minimum 149" inches.
- 75.5 DIMENSIONS- BODY/ BED / BED COVER: Four full door cab configuration, unit shall be short wheeled base/ short bed with a minimum 72" inch bed length, Unit will be equipped with a retractable roller to cover contents in bed. Unit to be equipped with a key locking mechanism.
- 75.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 75.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain type and meet or exceed minimum gross vehicle weight rating of vehicle.
- 75.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 75.9 SEATING: Unit will be equipped with front bucket seats and no center console and the rear bench seating.
- 75.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 75.11 SAFETY: Shall be equipped with hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.
- 75.12 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

005 - SUPPLEMENTAL TERMS & CONDITIONS

Original Contract Term.

This contract shall begin upon the effective date of the ordinance awarding the contract, or date specified in the award letter if this contract does not exceed \$50,000. This contract shall terminate upon completion of all work described herein or delivery of all goods ordered, as applicable.

Change Orders

Notwithstanding anything stated to the contrary in Section 006 – General Terms & Conditions, in order to comply with Texas law governing purchases made by municipalities, the following rules shall govern all change orders made under this contract.

Any change orders that become necessary during the term of this contract as a result of changes in plans, specifications, quantity of work to be performed, materials, equipment or supplies to be furnished must be in writing and conform to the requirements of City Ordinance 2011-12-08-1014, as hereafter amended.

Any other change will require approval of the City Council, City of San Antonio. Changes that do not involve an increase in contract price may be made by the Director.

No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated herein.

Insurance.

Prior to the commencement of any work under this Agreement, Vendor shall furnish copies of all required endorsements and completed Certificate(s) of Insurance to the City's Finance Department, which shall be clearly labeled "PURCHASE OF LD TRUCKS, SUVS & VANS" in the Description of Operations block of the Certificate. The Certificate(s) shall be completed by an agent and signed by a person authorized by that insurer to bind coverage on its behalf. City will not accept a Memorandum of Insurance or Binder as proof of insurance. The certificate(s) must have the agent's signature and phone number, and be mailed, with copies of all applicable endorsements, directly from the insurer's authorized representative to City. City shall have no duty to pay or perform under this Agreement until such certificate and endorsements have been received and approved by City's Finance Department. No officer or employee, other than City's Risk Manager, shall have authority to waive this requirement.

City reserves the right to review the insurance requirements of this Article during the effective period of this Agreement and any extension or renewal hereof and to modify insurance coverages and their limits when deemed necessary and prudent by City's Risk Manager based upon changes in statutory law, court decisions, or circumstances surrounding this Agreement. In no instance will City allow modification whereby City may incur increased risk.

A Vendor's financial integrity is of interest to City; therefore, subject to Vendor's right to maintain reasonable deductibles in such amounts as are approved by City, Vendor shall obtain and maintain in full force and effect for the duration of this Agreement, and any extension here of, at Vendor's sole expense, insurance coverage written on an occurrence basis, unless otherwise indicated, by companies authorized to do business in the State of Texas and with an A.M Best's rating of no less than A- (VII), in the following types and for an amount not less than the amount listed below:

TYPE	AMOUNTS
1. Garage Keepers Liability Insurance- provided on a direct primary basis	Damage to vehicles \$300,000
2. Broad form Commercial General Liability Insurance to include coverage for the following: a. Premises/Operations *b. Independent Contractors c. Products/Completed Operations	For Bodily Injury and Property Damage of \$1,000,000 per occurrence; \$2,000,000 General Aggregate, or its equivalent in Umbrella or Excess Liability Coverage

d. Personal Injury e. Contractual Liability f. Damage to property rented by you *if applicable	f. \$100,000
---	--------------

Vendor agrees to require, by written contract, that all subcontractors providing goods or services hereunder obtain the same insurance coverages required of Vendor herein, and provide a certificate of insurance and endorsement that names Vendor and City as additional insureds. Vendor shall provide City with said certificate and endorsement prior to the commencement of any work by the subcontractor. This provision may be modified by City's Risk Manager, without subsequent City Council approval, when deemed necessary and prudent, based upon changes in statutory law, court decisions, or circumstances surrounding this agreement. Such modification may be enacted by letter signed by City's Risk Manager, which shall become a part of the contract for all purposes.

As they apply to the limits required by City, City shall be entitled, upon request and without expense, to receive copies of the policies, declaration page, and all endorsements thereto and may require the deletion, revision, or modification of particular policy terms, conditions, limitations, or exclusions (except where policy provisions are established by law or regulation binding upon either of the parties hereto or the underwriter of any such policies). Vendor shall be required to comply with any such requests and shall submit a copy of the replacement certificate of insurance to City at the address provided below within 10 days of the requested change. Vendor shall pay any costs incurred resulting from said changes.

City of San Antonio
 Attn: Finance Department
 P.O. Box 839966
 San Antonio, Texas 78283-3966

Vendor agrees that with respect to the above required insurance, all insurance policies are to contain or be endorsed to contain the following provisions:

Name City, its officers, officials, employees, volunteers, and elected representatives as additional insureds by endorsement, as respects operations and activities of, or on behalf of, the named insured performed under contract with City, with the exception of the workers' compensation and professional liability policies;

Provide for an endorsement that the "other insurance" clause shall not apply to the City of San Antonio where City is an additional insured shown on the policy;

Workers' compensation, employers' liability, general liability and automobile liability policies will provide a waiver of subrogation in favor of City; and

Provide advance written notice directly to City of any suspension, cancellation, non-renewal or material change in coverage, and not less than ten (10) calendar days advance notice for nonpayment of premium.

Within five (5) calendar days of a suspension, cancellation or non-renewal of coverage, Vendor shall provide a replacement Certificate of Insurance and applicable endorsements to City. City shall have the option to suspend Vendor's performance should there be a lapse in coverage at any time during this contract. Failure to provide and to maintain the required insurance shall constitute a material breach of this Agreement.

In addition to any other remedies City may have upon Vendor's failure to provide and maintain any insurance or policy endorsements to the extent and within the time herein required, City shall have the right to order Vendor to stop work hereunder, and/ or withhold any payment(s) which become due to Vendor hereunder until Vendor demonstrates compliance with the requirements hereof.

Nothing herein contained shall be construed as limiting in any way the extent to which Vendor may be held responsible for payment of damages to persons or property resulting from Vendor's or its subcontractors' performance of the work covered under this Agreement.

It is agreed that Vendor's insurance shall be deemed primary and non-contributory with respect to any insurance or self insurance carried by City for liability arising out of operations under this Agreement.

It is understood and agreed that the insurance required is in addition to and separate from any other obligation contained in this Agreement and that no claim or action by or on behalf of City shall be limited to insurance coverage provided.

Vendor and any subcontractors are responsible for all damage to their own equipment and/or property.

Incorporation of Attachments.

Each of the attachments listed below is an essential part of this contract, which governs the rights and duties of the parties, incorporated herein by reference, and shall be interpreted in the order of priority as appears below, with this document taking priority over all attachments:

Attachment A – Price Schedule

Attachment B – City of San Antonio Local Preference Program Forms

Attachment C – Non-Discrimination Ordinance Language

Attachment D – Supplemental Information Related to State of Texas Conflict of Interest Requirement

Attachment E – City of San Antonio Veteran-Owned Small Business Preference Program (VOSBPP) Ordinance Language & Form

006 - GENERAL TERMS & CONDITIONS

Electronic Bid Equals Original. If Vendor is submitting an electronic bid, City and Vendor each agree that this transaction may be conducted by electronic means, as authorized by Chapter 322, Texas Business & Commerce Code, known as the Electronic Transactions Act.

Delivery of Goods/Services.

Destination Contract. Vendor shall deliver all goods and materials F.O.B., City of San Antonio's designated facility, inside delivery, freight prepaid, to the address provided in this IFB or, if different, in the Purchase Order. Vendor shall bear the risk of loss until delivery. Freight charges will be paid only when expedited delivery is requested and approved in writing by the City. Vendor shall be responsible for furnishing necessary personnel or equipment and/or making necessary arrangements to off load at City of San Antonio facility, unless otherwise noted herein.

Failure to Deliver. When delivery is not met as provided for in the contract, City may make the purchase on the open market, with any cost in excess of the contract price paid by Vendor, in addition to any other direct, indirect, consequential or incidental damages incurred by City as a result thereof. In addition, Vendor may be removed from the City's list of eligible bidders.

Purchase Orders. Each time a City department wishes to place an order against this contract, it will issue Vendor a purchase order. Vendor must have the purchase order before making any delivery.

Acceptance by City. City shall have a reasonable time (but not less than 30 days) after receipt to inspect the goods and services tendered by Vendor. City at its option may reject all or any portion of such goods or services which do not, in City's sole discretion, comply in every respect with all terms and conditions of the contract. City may elect to reject the entire goods and services tendered even if only a portion thereof is nonconforming. If City elects to accept nonconforming goods and services, City, in addition to its other remedies, shall be entitled to deduct a reasonable amount from the price thereof to compensate City for the nonconformity. Any acceptance by City, even if non-conditional, shall not be deemed a waiver or settlement of any defect in such goods and services.

Testing. After award of contract, City may, at its sole option, test the product delivered to ensure it meets specifications. Initial testing shall be at City's expense. However, if the product does not meet specifications, Vendor shall reimburse City for the costs of testing. City may withhold the cost of testing from any amounts owed to Vendor under this or any other contract, or invoice Vendor for same. If invoiced, Vendor shall pay City within 30 calendar days' of the invoice.

Warranty. A minimum of 90-days product guarantee or the manufacturer's standard commercial warranty, whichever is greater, shall apply to all products and/or services purchased under this IFB, unless otherwise specified in the Specifications/Scope of Services section of this IFB. This warranty shall provide for replacement of defective merchandise, parts, and labor, and shall include pick-up of the defective merchandise from City and delivery of the replacement(s) to the same location. The warranty shall be effective from the date of acceptance of the merchandise, or completion of the service, as applicable.

REJECTION OF DISCLAIMERS OF WARRANTIES & LIMITATIONS OF LIABILITY. ANY TERM OR CONDITION IN ANY DOCUMENT FURNISHED BY VENDOR, DISCLAIMING THE IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR ATTEMPTING TO LIMIT VENDOR'S LIABILITY SHALL BE OF NO FORCE OR EFFECT, AND SHALL BE STRICKEN FROM THE CONTRACT DOCUMENTS AS IF NEVER CONTAINED THEREIN.

Invoicing and Payment.

Address for Invoices. All original invoices must be sent to: City of San Antonio, Attn: Accounts Payable, P.O. Box 839976, San Antonio, Texas 78283-3976.

Information Required On Invoice.

All invoices must be in a form and content approved by the City. City may require modification of invoices if necessary in order to satisfy City that all billing is proper and pursuant to the terms of the contract. Invoices are required to show each City Purchase Order Number. Invoices must be legible. Items billed on invoices must be specific as to applicable stock, manufacturer, catalog or part number (if any). All invoices must show unit prices for each item being billed, the

quantity of items being billed and the total for each item, as well as the total for all items on the invoice. If prices are based on list prices basis, then the list prices, the percentage discount or percentage surcharge, net unit prices, extensions and net total prices must be shown. Prompt payment discounts offered shall be shown separately on the invoice.

Payment by City.

In accordance with the Texas Prompt Payment Act, City shall have not less than 30 days to pay for goods or services. Time for payment, including payment under discount terms, will be computed from the later of: (1) the date City receives conforming goods under the contract; (2) the date performance of the service under the contract is completed; or (3) the date City receives a correct and valid invoice for the goods or services. Payment is deemed to be made on the date of mailing of the check. Payment is made in US dollars only.

This provision shall not apply where there is a bona fide dispute between City and Vendor about the goods delivered or the service performed that causes the payment to be late, or where the invoice is not mailed to the address provided herein.

The payment amount due on invoices may not be manually altered by City personnel. Once disputed items are reconciled, Vendor must submit a corrected invoice or a credit memorandum for the disputed amount. City will not make partial payments on an invoice where there is a dispute.

NECESSITY OF TIMELY INVOICE / WAIVER OF PAYMENT. NOTWITHSTANDING THE FORGOING, THE CITY CANNOT PAY FOR ANY GOODS OR SERVICES WITHOUT AN INVOICE. VENDOR MUST INVOICE CITY NO LATER THAN 90 CALENDAR DAYS FROM THE DATE GOODS ARE DELIVERED OR SERVICES RENDERED. FAILURE TO SUBMIT AN INVOICE WITHIN SAID 90 DAYS SHALL NEGATE ANY LIABILITY ON THE PART OF CITY AND CONSTITUTE A **WAIVER** BY VENDOR OF ANY AND ALL RIGHT OR CLAIMS TO COLLECT MONEYS THAT VENDOR MAY RIGHTFULLY BE OTHERWISE ENTITLED TO FOR GOODS OR SERVICES PERFORMED.

The total price for all goods and/or services is shown on the Price Schedule. No additional fees or expenses of Vendor shall be charged by Vendor nor be payable by City. The parties hereby agree that all compensable expenses of Vendor are shown on the Price Schedule. If there is a discrepancy on the Price Schedule between the unit price for an item, and the extended price, the unit price shall govern.

Change Orders. In order to comply with Texas law governing purchases made by municipalities, the following rules shall govern all change orders made under this contract.

Any change orders that become necessary during the term of this contract as a result of changes in plans, specifications, quantity of work to be performed, materials, equipment or supplies to be furnished may be approved by the Director, provided that such change orders:

- are made in writing, signed by the Director;
- do not involve an increase or decrease in contract price of more than \$25,000; and
- sufficient funds have already been allocated by City or are available to the Director to cover any increase in contract price.

Any other change will require approval of the City Council, City of San Antonio.

Changes that do not involve an increase in contract price may, however, be made by the Director.

No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated herein.

Termination.

Termination-Breach. Should Vendor fail to fulfill in a timely and proper manner, as determined solely by the Director, its material obligations under this contract, or violate any of the material terms of this contract, City shall have the right to immediately terminate the contract in whole or in part. Notice of termination shall be provided in writing to Vendor, effective upon the date set forth in the notice. City may, in City's sole discretion, provide an opportunity for Vendor to cure the default. If City elects to offer an opportunity to cure, City shall provide notice to Vendor specifying the matters in default and the cure period. If Vendor fails to cure the default within the cure period, City shall have the right, without further notice, to terminate the contract in whole or in part. Such termination shall not relieve Vendor of any liability to the City for damages sustained by virtue of any breach by Vendor.

Termination-Notice. City may terminate this contract, in whole or in part, without cause. City shall be required to give Vendor notice ten days prior to the date of termination of the contract without cause.

Termination-Funding. City retains the right to terminate this contract at the expiration of each of City's budget periods. This contract is conditioned on a best efforts attempt by City to obtain and appropriate funds for payment of any debt due by City herein.

Termination by City may be effected by Director, without further action by the San Antonio City Council.

Independent Contractor. Vendor covenants and agrees that it is an independent contractor and not an officer, agent, servant or employee of City. City shall not be liable for any claims which may be asserted by any third party occurring in connection with the services to be performed by Vendor under this contract and that Vendor has no authority to bind City. The doctrine of respondeat superior shall not apply as between City and Vendor.

INDEMNIFICATION.

VENDOR covenants and agrees to **FULLY INDEMNIFY, DEFEND and HOLD HARMLESS, CITY and the elected officials, employees, officers, directors, volunteers and representatives of CITY, individually and collectively, from and against any and all costs, claims, liens, damages, losses, expenses, fees, fines, penalties, proceedings, actions, demands, causes of action, liability and suits of any kind and nature, including but not limited to, personal or bodily injury, death and property damage, made upon CITY directly or indirectly arising out of, resulting from or related to VENDOR'S activities under this Agreement, including any acts or omissions of VENDOR, any agent, officer, director, representative, employee, consultant or subcontractor of VENDOR, and their respective officers, agents employees, directors and representatives while in the exercise of the rights or performance of the duties under this Agreement. The indemnity provided for in this paragraph shall not apply to any liability resulting from the negligence of CITY, its officers or employees, in instances where such negligence causes personal injury, death, or property damage. IN THE EVENT VENDOR AND CITY ARE FOUND JOINTLY LIABLE BY A COURT OF COMPETENT JURISDICTION, LIABILITY SHALL BE APPORTIONED COMPARATIVELY IN ACCORDANCE WITH THE LAWS FOR THE STATE OF TEXAS, WITHOUT, HOWEVER, WAIVING ANY GOVERNMENTAL IMMUNITY AVAILABLE TO THE CITY UNDER TEXAS LAW AND WITHOUT WAIVING ANY DEFENSES OF THE PARTIES UNDER TEXAS LAW.** In addition, Vendor agrees to indemnify, defend, and hold the City harmless from any claim involving patent infringement, trademarks, trade secrets, and copyrights on goods supplied.

The provisions of this INDEMNITY are solely for the benefit of the parties hereto and not intended to create or grant any rights, contractual or otherwise, to any other person or entity. VENDOR shall advise CITY in writing within 24 hours of any claim or demand against CITY or VENDOR known to VENDOR related to or arising out of VENDOR's activities under this AGREEMENT and shall see to the investigation and defense of such claim or demand at VENDOR's cost. CITY shall have the right, at its option and at its own expense, to participate in such defense without relieving VENDOR of any of its obligations under this paragraph.

Assignment. Except as otherwise stated herein, Vendor may not sell, assign, pledge, transfer or convey any interest in this contract, nor delegate the performance of any duties hereunder, by transfer, by subcontracting or any other means, without the consent of Director. As a condition of such consent, if such consent is granted, Vendor shall remain liable for completion of the services and provision of goods outlined in this contract in the event of default by the successor Vendor, assignee, transferee or subcontractor. Any attempt to transfer, pledge or otherwise assign this Contract without said written approval, shall be void ab initio and shall confer no rights upon any third person.

Ownership of Documents. Pursuant to Texas Local Government Code Chapter 201, any and all Records produced by Vendor pursuant to the provisions of this contract are the exclusive property of City; and no such Record shall be the subject of any copyright or proprietary claim by Vendor. The term "Record" as used herein shall mean any document, paper, letter, book, map, photograph, sound or video recording, microfilm, magnetic tape, electronic medium, or other information recording medium, regardless of physical form or characteristic. Vendor understands and acknowledges that as the exclusive owner of any and all such Records, City has the right to use all such Records as City desires, without restriction.

Records Retention.

Vendor and its subcontractors, if any, shall properly, accurately and completely maintain all documents, papers, and records, and other evidence pertaining to the services rendered hereunder ("Documents"), and shall make such Documents available to the City at their respective offices, at all reasonable times and as often as City may deem

necessary during the contract period, including any extension or renewal hereof, and the record retention period established herein, for purposes of audit, inspection, examination, and making excerpts or copies of same by City and any of its authorized representatives.

Vendor shall retain any and all Documents produced as a result of services provided hereunder for a period of four years ("Retention Period") from the date of termination of the contract. If, at the end of the Retention Period, there is litigation or other questions arising from, involving or concerning these Documents or the services provided hereunder, Vendor shall retain the records until the resolution of such litigation or other such questions. Vendor acknowledges and agrees that City shall have access to any and all such Documents at any and all times, as deemed necessary by City, during said Retention Period. City may, at its election, require Vendor to return the documents to City at Vendor's expense prior to or at the conclusion of the Retention Period. In such event, Vendor may retain a copy of the documents.

Vendor shall notify City, immediately, in the event Vendor receives any requests for information from a third party, which pertain to the Documents referenced herein. Vendor understands and agrees that City will process and handle all such requests.

Severability. If any clause or provision of this contract is held invalid, illegal or unenforceable under present or future federal, state or local laws, including but not limited to the City Charter, City Code, or ordinances of the City of San Antonio, Texas, then and in that event it is the intention of the parties hereto that such invalidity, illegality or unenforceability shall not affect any other clause or provision hereof and that the remainder of this contract shall be construed as if such invalid, illegal or unenforceable clause or provision was never contained herein. It is also the intention of the parties hereto that in lieu of each clause or provision of this contract that is invalid, illegal, or unenforceable, there be added as a part of the contract a clause or provision as similar in terms to such invalid, illegal or unenforceable clause or provision as may be possible, legal, valid and enforceable.

Compliance with Law. Vendor shall provide and perform all services required under this Agreement in compliance with all applicable federal, state and local laws, rules and regulations.

Certifications. Vendor warrants and certifies that Vendor and any other person designated to provide services hereunder has the requisite training, license and/or certification to provide said services, and meets all competence standards promulgated by all other authoritative bodies, as applicable to the services provided herein.

Non-waiver of Performance. Unless otherwise specifically provided for in this Agreement, a waiver by either Party of a breach of any of the terms, conditions, covenants or guarantees of this Agreement shall not be construed or held to be a waiver of any succeeding or preceding breach of the same or any other term, condition, covenant or guarantee herein contained. Further, any failure of either Party to insist in any one or more cases upon the strict performance of any of the covenants of this Agreement, or to exercise any option herein contained, shall in no event be construed as a waiver or relinquishment for the future of such covenant or option. In fact, no waiver, change, modification or discharge by either party hereto of any provision of this Agreement shall be deemed to have been made or shall be effective unless expressed in writing and signed by the party to be charged. No act or omission by a Party shall in any manner impair or prejudice any right, power, privilege, or remedy available to that Party hereunder or by law or in equity, such rights, powers, privileges, or remedies to be always specifically preserved hereby.

Venue. **Venue of any court action brought directly or indirectly by reason of this contract shall be in Bexar County, Texas. This contract is made and is to be performed in Bexar County, Texas, and is governed by the laws of the State of Texas.**

Non-discrimination. As a condition of entering into this agreement, Vendor represents and warrants that it will comply with City's Commercial Nondiscrimination Policy, as described under Section IILC.1 of the SBEDA Ordinance. As part of such compliance, Vendor shall not discriminate on the basis of race, color, religion, ancestry or national origin, sex, age, marital status, sexual orientation, or on the basis of disability or other unlawful forms of discrimination in the solicitation, selection, hiring or commercial treatment of subcontractors, vendors, suppliers, or commercial customers, nor shall Vendor retaliate against any person for reporting instances of such discrimination. Vendor shall provide equal opportunity for subcontractors, vendors and suppliers to participate in all of its public sector and private sector subcontracting and supply opportunities, provided that nothing contained in this clause shall prohibit or limit otherwise lawful efforts to remedy the effects of marketplace discrimination that have occurred or are occurring in the City's Relevant Marketplace. Vendor understands and agrees that a material violation of this clause shall be considered a material breach of this agreement and may result in termination of this agreement, disqualification of Vendor from participating in City contracts, or other sanctions. This clause is not enforceable by or for the benefit of, and creates no obligation to, any third party. Vendor shall include this nondiscrimination clause in all subcontracts for the performance of this contract.

Delinquent Taxes. In the event that Vendor is or subsequently becomes delinquent in the payment of taxes owed to the City of San Antonio, the City reserves the right to deduct any delinquent taxes from payments that the City may owe to the delinquent Vendor as a result of this contract.

Binding Contract. This contract shall be binding on and inure to the benefit of the parties hereto and their respective heirs, executors, administrators, legal representatives, and successors and assigns, except as otherwise expressly provided for herein.

Entire Agreement. This contract, including City's final electronically posted online version, together with its authorizing ordinance and its price schedule(s), attachments, purchase orders, and exhibits, if any, constitutes the final and entire agreement between the parties hereto and contains all of the terms and conditions agreed upon. No other agreements, oral or otherwise, regarding the subject matter of this contract shall be deemed to exist or to bind the parties hereto, unless same be in writing, dated subsequent to the date hereof, and be duly executed by the parties, in accordance with the Change Order provision herein. **Parties agree that City's final electronically posted online version of this solicitation contains the agreed upon specifications, scope of services, and terms and conditions of this contract, and shall control in the event of a conflict with any printed version signed and submitted by Vendor.**

A handwritten signature, appearing to read "D. J. Smith", is enclosed within a simple oval outline.

007 - SIGNATURE PAGE

By submitting a bid, whether electronically or by paper, Bidder represents that:

(s)he is authorized to bind Bidder to fully comply with the terms and conditions of City's Invitation for Bid for the prices stated therein;

(s)he has read the entire document, including the final version issued by City, and agreed to the terms therein;

Bidder is in good standing with the Texas State Comptroller's Office; and

to the best of his/her knowledge, all information is true and correct.

If submitting your bid by paper, complete the following and sign on the signature line below. Failure to sign and submit this Signature Page will result in rejection of your bid.

Bidder Information

Please Print or Type

Vendor ID No.

Signer's Name

Name of Business

Street Address

City, State, Zip Code

Email Address

Telephone No.

Fax No.

City's Solicitation No.

V1000641
DANNY MIRELES
GUNN CHEVROLET
16550 IH35 NORTH
SELMA, TX 78154
dmineles@guannauto.com
210-599-5000 800-720-GUUN
210-599-4251
6100006180



Signature of Person Authorized to Sign Bid

008 - STANDARD DEFINITIONS

Whenever a term defined by the Uniform Commercial Code ("UCC"), as enacted by the State of Texas, is used in the Contract, the UCC definition shall control, unless otherwise defined in the Contract.

All-or-None Bid - an invitation to bid in which the City will award the entire contract to one bidder only.

Alternate Bid - two or more bids with substantive variations in the item or service offered from the same bidder in response to a solicitation.

Assignment - a transfer of claims, rights or interests in goods, services or property.

Bid - a complete, signed response to a solicitation. The term "bid" is synonymous with the term "offer".

Bid Opening - a public meeting during which bid responses are disclosed.

Bidder - a person, firm or entity that submits a bid in response to a solicitation. The bidder whose bid is accepted by City may also be referred to herein as Contractor, Vendor or Supplier.

Bid Bond or Bid Guarantee - security to ensure that Bidder (a) will not withdraw the bid within the period specified for acceptance, and (b) will furnish any required bonds or performance guarantees, and any necessary insurance within the time specified in the solicitation.

Change Order - a change to the plans or specifications of the contract, or an increase or decrease in the quantity of work to be performed or of materials, equipment, or supplies to be furnished, issued by the Director after the bid has been accepted by the City.

City - the City of San Antonio, a Texas home-rule municipal corporation.

Contract - the binding legal agreement between the City and Vendor.

Contractor - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

Director – the Director of City's Purchasing & General Services Department, or Director's designee.

Equal or Equivalent - terms to indicate that similar products or other brands may be acceptable for purchase if specifications and functional requirements are met.

Invitation for Bid (IFB) – a solicitation requesting pricing for a specified good or a service.

Line Item - a listing of items in a bid for which a bidder is expected to provide separate pricing.

Low Bid - a bid which is lowest in price, but may not meet all requirements or specifications.

Lowest Responsible Bidder - the bidder whose bid meets all requirements of the specifications, terms and conditions of the IFB and results in the lowest cost to the City in an award based solely on price, taking into consideration the bidder's competence and qualifications to perform the contract.

Non-Responsive Bid - a bid or offer that does not comply with the terms and conditions, or specifications and/or requirements of the IFB.

Offer - a complete, signed response to an IFB that, if accepted, would bind the bidder to perform the resultant contract. The term "offer" is synonymous with the term "bid".

Payment Bond - a particular form of security provided by the contractor to protect the City against loss due to the contractor's failure to pay suppliers and subcontractors.

Performance Bond - a particular form of security provided by the contractor to protect the City against loss due to the contractor's inability or unwillingness to complete the contract as agreed.

Performance Deposit - security provided by the contractor to protect the City against loss due to the contractor's inability or unwillingness to complete the contract as agreed.

Pre-Submittal Conference - a meeting conducted by the City, held in order to allow bidders to ask questions about the proposed contract and particularly, the contract specifications.

Purchase Order - a validly issued order placed by an authorized City department for the purchase of goods or services, written on the City's standard purchase order form, and which is Vendor's authority to deliver to and invoice the City for the goods or services specified in an IFB for the price stated in Vendor's bid.

Responsible Bidder - a bidder who is known to have the necessary competence and qualifications to perform and provide all requirements of an intended contract.

Responsive Bidder - a bidder who tenders a bid which meets all requirements of the invitation to bid and is a responsible bidder.

Sealed Bid - a bid submitted as a sealed document, whether hard copy or electronic, by a prescribed time to the location indicated in the IFB. The contents of the bid will not be made public prior to the bid opening.

Specifications - a description of what the City requires and what the bidder must offer; a description of the physical or functional characteristics of a product or material, or the nature of a service or construction item.


Subcontractor - a person, firm or entity providing goods or services to a vendor to be used in the performance of the Vendor's obligations under the contract with the City.

Supplier - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

Vendor - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

Waiver of Irregularity - noting, but disregarding an immaterial variance within a bid.

009 - ATTACHMENTS



City of San Antonio

ADDENDUM I

SUBJECT: Formal INVITATION FOR BID (IFB) 6100006180 LIGHT DUTY TRUCKS, VANS & SUVs scheduled to open Friday, July 17, 2015 date of issue June 26, 2015.

DATE: July 14, 2015

THE ABOVE MENTIONED INVITATION FOR BID (IFB) IS HEREBY AMENDED AS FOLLOWS:

1. **THE IFB OPENING WILL REMAIN FRIDAY, JULY 17, 2015, 2:00 P.M. CENTRAL TIME.**
2. **Section 009 – Attachments**
 - a. **Attachment A, Price Schedule, is replaced in its entirety. See Attachment A REVISED Price Schedule.**
3. **IFB Document Section 004 – Specifications / Scope of Services, Item Description,**

Changed to read:

11. **VEHICLE INSPECTION:** The vendor shall have each vehicle (except cab and chassis units delivered without bodies) properly inspected in compliance with Texas motor vehicle laws. Texas Inspection Sticker shall be attached prior to delivery to the receiving entity (2 year Inspection Certificate for vehicles through $\frac{3}{4}$ ton pickups and 1 year Inspection Certificate for 1 ton trucks and up, excluding cab and chassis units delivered without bodies).

Changed to read:

31.	ITEM	QUANTITY	DESCRIPTION
	1	10	$\frac{1}{2}$ Ton Extended Cab Compact Pickup Truck

Changed to read:

32.	ITEM	QUANTITY	DESCRIPTION
	2	7	$\frac{1}{2}$ Ton Full Size Regular Cab Pickup Truck

Changed to read:

- 36.6 **DIMENSIONS:** Minimum extended cab configuration. Pick-up box length shall be a minimum of 67" inches. Wheelbase to be a minimum of 133" inches.

Changed to read:

ITEM	QUANTITY	DESCRIPTION
7	1	½ Ton Four Full Door Full Size Pickup Truck

37.9 SEATING: Front to be equipped with 40/20/40 seating. The rear to be bench seating. Seats to be dark colored cloth.

Changed to read:

ITEM	QUANTITY	DESCRIPTION
10	7	¾ Ton Reg Cab 56" cab to axle, SRW Service Body w/ Ladder Rack

Changed to read

ITEM	QUANTITY	DESCRIPTION
11	7	¾ Ton Reg Cab 56" cab to axle, SRW Service Body w/Pipe Rack

Changed to read

45.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum 158" inches.

Changed to read

48.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum of 158" inches.

Changed to read

49.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum of 155" inches.

Changed to read:

50.5 DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 96" inches. Unit shall be 56" Cab to Axle and to be SRW with 8 Cages and 1 Storage Compartment with an Animal Control Unit Body. Wheelbase to be a minimum of 133" inches.

Changed to read:

55.2 GVWR: Minimum 11,300 lbs.

Changed to read:

56.	ITEM	QUANTITY	DESCRIPTION
	26	1	1 Ton Four Full Door, 60" cab to axle, DRW, 4x4, Stake Bed Truck

Changed to read:

58.2 GVWR: Minimum 11,300 lbs.-

58.11 WINCH ASSEMBLY: Electric type winch with minimum 10,000 pound single line pull. Minimum cable drum capacity two hundred feet (200'). Winch to have power in and out capability and be configured with a free spooling clutch and adjustable brake. Winch to be installed on truck frame on the front bumper.

Changed to read:

59.	ITEM	QUANTITY	DESCRIPTION
	29	1	1 Ton Regular Cab, 84" cab to axle, 4x4, DRW w/12' Stake Bed w/Lift Gate

Added to read:

59.17 FUEL SYSTEM: Fuel tank shall have a 30 minimum gallon minimum capacity and be certified to run on 87 octane fuel.

Changed to read:

60.2 GVWR: Minimum 14,000 lbs.

60.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.

60.5 DIMENSIONS: Four Full Door configuration 60" cab to axle. Wheelbase to be a minimum of 152".

Changed to read:

61.5 DIMENSIONS: Regular cab configuration. 60" Cab to axle. Wheelbase to be a minimum of 134" inches.

Changed to read:

62.	ITEM	QUANTITY	DESCRIPTION

62.11 **WINCH ASSEMBLY:** Electric type winch with minimum 10,000 pound single line pull. Minimum cable drum capacity two hundred feet (200'). Winch to have power in and out capability and be configured with a free spooling clutch and adjustable brake. Winch to be installed on truck frame on the front bumper.

62.12.2 **LENGTH:** One hundred-eight inches (108") approximately.

62.12.3 **WIDTH:** Ninety-two inches (92") approximately.

Changed to read:

63.7 **TIRES & WHEELS:** Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season off road design with full size matching, off road design spare tire and wheel, if available. Unit must be equipped with a spare tire locking device and three keys.

63.10 **GROUND CLEARANCE:** Each unit will have a minimum ground clearance of 6.9".

Changed to read:

64.3 **TRANSMISSION/DRIVE:** Minimum of 5 speed automatic with over drive.

64.9 **SEATING:** Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.

Changed to read:

65.3 **TRANSMISSION/DRIVE:** Minimum of 5 speed automatic with over drive.

65.9 **SEATING:** Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.

Changed to read:

66.3 **TRANSMISSION/ DRIVE:** Minimum of 5 speed automatic with over drive. 4x4 Drive Train with two speed transfer case.

66.9 **SEATING:** Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.

Changed to read:

67.3 **TRANSMISSION/ DRIVE:** Minimum of 5 speed automatic with over drive. 4x4 Drive Train with two speed transfer case.

67.9 **SEATING:** Driver and front passenger bucket seating and one bench seat in the rear.

(Minimum seating should be 5) Seats to be cloth.

Changed to read:

- 68.1 ENGINE: Minimum 6 cylinder with a minimum 310 HP.
- 68.8 FUEL SYSTEM: Fuel tank shall have a 26 gallon minimum capacity.
- 68.10 SEATING: Five (5) passenger body to have bucket front seats, (NO EXCEPTIONS). Minimum three (3) passenger bench type rear seat. Seating material to be cloth, rubber or vinyl flooring throughout vehicle.

Changed to read:

- 69.1 ENGINE: Minimum 6 cylinder with a minimum 310 HP.
- 69.8 FUEL SYSTEM: Fuel tank shall have a 26 gallon minimum capacity.
- 69.9 GROUND CLEARANCE: Unit will have a minimum ground clearance of 7.8".
- 69.10 SEATING: Five (5) passenger body to have bucket front seats, (NO EXCEPTIONS). Minimum three (3) passenger bench type rear seat. Seating material to be cloth, rubber or vinyl flooring throughout vehicle.

Changed to read:

- 70.1 ENGINE: 6 cylinders minimum with a minimum 310 HP.
- 70.10 SEATING: Cloth seating and upholstery. Front bucket seating, no console, and 2 rows of bench seating.
- 70.11 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7.8".

Changed to read:

- 71.8 FUEL SYSTEM: Fuel tank shall have a 14 gallons minimum capacity.
- 71.11.2 (minimum) 48 inches between wheel wells.
- 71.11.3 (minimum) 53 inches in height.

Changed to read:

- 72.1 ENGINE: 5 cylinders minimum with a minimum 255 HP.
- 72.2 GWR: Minimum 8,600 lbs.
- 72.3 WHEELBASE: To be a minimum of 130".

Changed to read:

75.5 DIMENSIONS- BODY/ BED / BED COVER: Four full door cab configuration, unit shall be short wheeled base/ short bed with a minimum 72" inch bed length, Unit will be equipped with a retractable roller to cover contents in bed. Unit to be equipped with a key locking mechanism.

Monique Threlkeld for

Paul J. Calapa
Purchasing Administrator
Finance Department, Purchasing Division

Company Name GUINN CHEVROLET

Address 16550 IH 35 NORTH

City/State/Zip Code Seguin, TX 78154

Acknowledged and Agreed:

Signature: *Danny Moller*

Date: 7/17/15

City of San Antonio
Finance Department - Purchasing Division
Local Preference Program Identification Form

The City of San Antonio Local Preference Program, described in the San Antonio City Code Chapter 2, Article XII, establishes a local preference for specific contracting categories. Each time a bidder or respondent submits a bid for a solicitation, this Local Preference Program Identification Form must be completed and turned in with the solicitation response in order to be identified as a City Business and receive the preference described below. The City will not rely on Local Preference Program Identification Forms submitted with prior or contemporaneous bids or proposals.

The Local Preference Program allows the City to grant a preference to a business meeting the definition of *City Business* in the award of the following types of contracts, when selection is made based on price alone:

- **Personal Property (Goods / Supplies):** The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 or more;
- **Non-professional Services:** The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$500,000;
- **Construction Services:** The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$100,000, excluding contracts awarded using alternative delivery methods.

The Local Preference Program also allows the award of additional points, when multiple evaluation criteria are used in the award of professional service contracts, where the selection process is not governed by statute and in revenue generating and concession contracts. A business meeting the definition of *City Business* stated below may be awarded 10 points for being headquartered within the city, or 5 points for having a local office within the city.

Moreover, the program recognizes joint venture agreements and allows for apportioning of points based upon the percentage of ownership of joint ventures by *City Businesses* responding to solicitations for which discretionary points are applied. For solicitations where selection is made based on price alone, all members of a joint venture must be *City Businesses* for the preference to be applied.

City Business is defined as a business headquartered within the incorporated San Antonio city limits for one year or more OR one that meets the following conditions:

- Has an established place of business for one year or more in the incorporated limits of the City:
 - (a) from which at least 100 of its employees OR at least 20% of its total full-time, part-time and contract employees are regularly based; and
 - (b) from which a substantial role in the business' performance of a commercially useful function or a substantial part of its operations is conducted by those employees.

A location utilized solely as a post office box, mail drop or telephone message center or any similar combination, with no other substantial work function, is not a *City Business*.

For the purposes of this program, Headquartered is defined as the place where a business entity's officers direct, control, and coordinate the entity's activities.

NOTE: Bidders / Respondents are required to submit documentation to substantiate that the requirements of a City Business have been met. Examples of documentation may include, but are not limited to the following:

1. Existence of local headquarters or office: For corporations, Texas Comptroller's listing of names/addresses of officers and directors. For partnerships, partnership agreement and any documents identifying the current managing partners and their current work addresses
2. Evidence of local headquarters or office in existence for one year or more: Utility bills, real property lease agreements, equipment leases, personal property taxes, real property taxes
3. Evidence of number of employees: Organizational charts, payroll records by location

City of San Antonio
Finance Department - Purchasing Division
Local Preference Program Identification Form

CITY RESERVES THE RIGHT TO REQUEST ADDITIONAL INFORMATION TO VALIDATE BIDDERS/RESPONDENTS' DESIGNATION AS A CITY BUSINESS.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR RESPONSE EVEN IF YOU ARE NOT SEEKING A LOCAL PREFERENCE. THE BIDDER / RESPONDENT MUST COMPLETE THE FOLLOWING FORM TO BE IDENTIFIED AS A CITY BUSINESS. IF BIDDER / RESPONDENT IS SUBMITTING AS A JOINT VENTURE, EACH CITY BUSINESS THAT IS A MEMBER OF THE JOINT VENTURE MUST COMPLETE AND SIGN THIS FORM.

PROVIDE THE FOLLOWING INFORMATION IF BIDDER/ RESPONDENT IS SUBMITTING AS PART OF A JOINT VENTURE. Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

STATE BIDDER'S / RESPONDENT'S PERCENTAGE OF OWNERSHIP IN THE JOINT VENTURE: _____ %

SUBMIT A COPY OF THE JOINT VENTURE AGREEMENT. SUBMIT ANY OTHER DOCUMENTATION REQUESTED BY CITY TO SUBSTANTIATE THE EXISTANCE OF AND/OR PARTICIPATION IN THE JOINT VENTURE. NO PREFERENCE POINTS WILL BE ALLOCATED TO A JOINT VENTURE THAT FAILS TO SUBMIT REQUIRED DOCUMENTATION.

SOLICITATION NAME/NUMBER: PURCHASE OF LIGHT DUTY TRUCKS, SUVs & Vans
IFB: 610000 6180

PROVIDE THE FOLLOWING INFORMATION REGARDING BIDDER'S / RESPONDENT'S HEADQUARTERS:

Name of Business:	<u>Guvn Gap, LLC</u>	
Physical Address:	<u>227 Broadway</u>	
City, State, Zip Code:	<u>SAN ANTONIO, TX 78205</u>	
Phone Number:	<u>210-472 2501</u>	
Email Address:		
Provide the total number of full-time, part-time, and contract personnel employed by Bidder / Respondent:	<u>705</u>	
Is Business headquartered within the incorporated San Antonio city limits? (circle one)	<input checked="" type="radio"/>	Yes
Has the business been headquartered in the incorporated San Antonio city limits for one year or more? (circle one)	<input checked="" type="radio"/>	Yes
If the answers to the questions above are "Yes", stop here. If the answer to either of the above questions is "No", provide responses to the following questions:		

City of San Antonio
Finance Department - Purchasing Division
Local Preference Program Identification Form

PROVIDE THE FOLLOWING INFORMATION REGARDING BIDDER'S / RESPONDENT'S LOCAL OFFICE (IF APPLICABLE):

Name of Business:	n/a	
Physical Address:	n/a	
City, State, Zip Code:	n/a	
Phone Number:	n/a	
Email Address:	n/a	
Provide the total number of full-time, part-time, and contract personnel employed by Bidder / Respondent in the local office: _____		
Is the business located in the incorporated San Antonio city limits? (circle one)	Yes	No
Has the business been located in the incorporated San Antonio city limits for one year or more? (circle one)	Yes	No
Are at least 100 full-time, part-time or contract employees regularly based in the San Antonio office? (circle one)	Yes	No
Are at least 20% of the business' total full-time, part-time or contract employees regularly based in the San Antonio office? (circle one)	Yes	No
Do the employees in the San Antonio office perform a substantial role in the business' performance of a commercially useful function or are a substantial part of the business' operations conducted in the San Antonio office? (circle one)	Yes	No

City of San Antonio
Finance Department - Purchasing Division
Local Preference Program Identification Form

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on this Local Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Local Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

BIDDER'S / RESPONDENT'S FULL NAME:

Danny Mireles

(Print Name) Authorized Representative of Bidder / Respondent

Danny Mireles

(Signature) Authorized Representative of Bidder / Respondent

GOVERNMENT FLEET SALES REP

Title

7/17/15

Date


This Local Preference Identification Form must be submitted with the bidder's / respondent's bid/proposal response.

009 – ATTACHMENTS

Attachment C

NON-DISCRIMINATION ORDINANCE LANGUAGE

Non-discrimination. As a party to this contract, Vendor understands and agrees to comply with the *Non-Discrimination Policy* of the City of San Antonio contained in Chapter 2, Article X of the City Code and further, shall not discriminate on the basis of race, color, religion, national origin, sex, sexual orientation, gender identity, veteran status, age or disability, unless exempted by state or federal law, or as otherwise established herein.

A handwritten signature in cursive script, enclosed within an oval outline. The signature appears to read "Jew".

CONFLICT OF INTEREST QUESTIONNAIRE

FORM CIQ

For vendor or other person doing business with local governmental entity

This questionnaire reflects changes made to the law by H.B. 1491, 80th Leg., Regular Session.

This questionnaire is being filed in accordance with Chapter 176, Local Government Code by a person who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the person meets requirements under Section 176.006(a).

By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the person becomes aware of facts that require the statement to be filed. See Section 176.006, Local Government Code.

A person commits an offense if the person knowingly violates Section 176.006, Local Government Code. An offense under this section is a Class C misdemeanor.

OFFICE USE ONLY

Date Received

1 Name of person who has a business relationship with local governmental entity.

Danny Mireles

2 Check this box if you are filing an update to a previously filed questionnaire.

(The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than the 7th business day after the date the originally filed questionnaire becomes incomplete or inaccurate.)

3 Name of local government officer with whom filer has employment or business relationship.

NA

Name of Officer

This section (item 3 including subparts A, B, C & D) must be completed for each officer with whom the filer has an employment or other business relationship as defined by Section 176.001(1-a), Local Government Code. Attach additional pages to this Form CIQ as necessary.

A. Is the local government officer named in this section receiving or likely to receive taxable income, other than investment income, from the filer of the questionnaire?

Yes No


B. Is the filer of the questionnaire receiving or likely to receive taxable income, other than investment income, from or at the direction of the local government officer named in this section AND the taxable income is not received from the local governmental entity?

Yes No

C. Is the filer of this questionnaire employed by a corporation or other business entity with respect to which the local government officer serves as an officer or director, or holds an ownership of 10 percent or more?

Yes No

D. Describe each employment or business relationship with the local government officer named in this section.

4 
Signature of person doing business with the governmental entity

7/17/15

Date

City of San Antonio

Veteran-Owned Small Business (VOSB) Preference Program Identification Form

Authority. San Antonio City Code Chapter 2, Article XI describes the City's veteran-owned small business preference program.

Certification. The City relies on inclusion in the database of veteran-owned small businesses maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

Preference. The VOSB preference applies to procurements of discretionary expenditure and revenue contracts for goods, services, and concessions, where the selection criteria are not limited by state or federal law. The preference consists of 5% of the evaluation points for a business that is certified as a Veteran-Owned Small Business. Moreover, the program recognizes joint venture agreements and allows for apportioning of points based upon the percentage of VOSB ownership of a joint venture responding to solicitations for which discretionary points are applied. There are no points available for VOSB subcontractors.

Tracking. In order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both the primary contract and subcontract levels.

Exclusions. This program does not apply to any expenditure or revenue contract with a value that is less than the amount that is required to be bid pursuant to state law (Chapter 252, Texas Local Government Code, as amended), currently \$50,000 or less, or where limited by state or federal law.

Definitions.

The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program uses the below definition of joint venture.

- Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR RESPONSE EVEN IF YOU ARE NOT SEEKING A VETERAN'S PREFERENCE. THE RESPONDENT MUST COMPLETE AND SUBMIT THE FOLLOWING FORM TO BE IDENTIFIED AS A VETERAN-OWNED SMALL BUSINESS. IF RESPONDENT IS SUBMITTING AS A JOINT VENTURE, EACH VOSB MEMBER OF A JOINT VENTURE MUST COMPLETE AND SIGN THIS FORM.

City of San Antonio

Veteran-Owned Small Business (VOSB) Preference Program Identification Form

PROVIDE THE FOLLOWING INFORMATION IF RESPONDENT IS SUBMITTING AS PART OF A JOINT VENTURE.

SUBMIT A COPY OF THE JOINT VENTURE AGREEMENT AND ANY OTHER DOCUMENTATION TO SUBSTANTIATE THE EXISTANCE OF AND/OR PARTICIPATION IN THE JOINT VENTURE. NO PREFERENCE POINTS WILL BE ALLOCATED TO A JOINT VENTURE THAT FAILS TO SUBMIT REQUIRED DOCUMENTATION.

INSTRUCTIONS

- IF SUBMITTING AS A PRIME CONTRACTOR ONLY, COMPLETE **SECTION 1** OF THIS FORM.
- IF SUBMITTING AS A PRIME CONTRACTOR UTILIZING A SUBCONTRACTOR, COMPLETE **SECTIONS 1 AND 2** OF THIS FORM.
- IF SUBMITTING AS PART OF A JOINT VENTURE, COMPLETE **SECTION 3** OF THIS FORM.
- IF SUBMITTING AS A JOINT VENTURE UTILIZING A SUBCONTRACTOR, COMPLETE **SECTIONS 2 AND 3** OF THIS FORM.

City of San Antonio

Veteran-Owned Small Business (VOSB) Preference Program Identification Form

SOLICITATION NAME/NUMBER: PURCHASE OF LIGHT DUTY TRUCKS, SUVs & VANS

Section 1: Prime Contractor

IFB: 610000 6180

Name of PRIME CONTRACTOR:	<u>GUNN CHEVROLET, Danny Mireles</u>	
Physical Address:	<u>16550 IH 35 NORTH</u>	
City, State, Zip Code:	<u>SELMA, TX 78154</u>	
Phone Number:	<u>210-577-5000</u>	
Email Address:	<u>d.mireles@gunnauto.com</u>	
Is PRIME CONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	<input checked="" type="radio"/> No
If yes, provide the SBA Certification #		
If not certified by the SBA, is PRIME CONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	<input checked="" type="radio"/> No
If yes, provide the name of the entity who has certified PRIME CONTRACTOR as a VOSB. Include any identifying certification numbers.	<u>NA</u>	
Participation Percentage:	<u>NA</u>	
Participation Dollar Amount:	<u>NA</u>	

Section 2: Subcontractor

Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one)	Yes	<input checked="" type="radio"/> No
Name of SUBCONTRACTOR Veteran-Owned Small Business:	<u>NA</u>	
Physical Address:	<u>NA</u>	
City, State, Zip Code:	<u>NA</u>	
Phone Number:	<u>NA</u>	
Email Address:	<u>NA</u>	
Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	<input checked="" type="radio"/> No
If yes, provide the SBA Certification #		
If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	<input checked="" type="radio"/> No
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	<u>NA</u>	
Participation Percentage:	<u>NA</u>	
Participation Dollar Amount:	<u>NA</u>	

City of San Antonio

Veteran-Owned Small Business (VOSB) Preference Program Identification Form

Section 3: Joint Ventures

Is Respondent submitting as part of a joint venture? (circle one)	Yes	No
Name of Joint Venture VOSB Member:	NA	
Physical Address:	NA	
City, State, Zip Code:	NA	
Phone Number:	NA	
Email Address:	NA	
Percentage of Ownership of Joint Venture by VOSB Member:	NA	
Is Joint Venture VOSB Member certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	No
If yes, provide the SBA Certification #	NA	
If not certified by the SBA, is Joint Venture VOSB Member certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified Joint Venture VOSB Member as a VOSB. Include any identifying certification numbers.	NA	
VOSB Member's Percentage Share in Profits / Loss of Joint Venture	NA	

City of San Antonio
Veteran-Owned Small Business (VOSB) Preference Program Identification Form

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on this Veteran-Owned Small Business Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

RESPONDENT'S FULL NAME:

DANNY MIRELES

(Print-Name) Authorized Representative of Respondent

Danny Mireles

(Signature) Authorized Representative of Respondent

GOVERNMENT FLEET SALES REP

Title

7/07/15

Date

This Veteran-Owned Small Business Preference Program Identification Form must be submitted with the Respondent's proposal.

City of San Antonio
Veteran-Owned Small Business Program Tracking Form

Authority. San Antonio City Code Chapter 2, Article XI describes the City's veteran-owned small business preference program.

Tracking. This solicitation is not eligible for a preference based on status as a veteran-owned small business (VOSB). Nevertheless, in order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both prime contract and subcontract levels.

Certification. The City relies on inclusion in the database of veteran-owned small businesses (VOSB) maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

Definitions.

The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program uses the below definition of joint venture.

- Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR BID/PROPOSAL.

INSTRUCTIONS

- IF SUBMITTING AS A PRIME CONTRACTOR ONLY, COMPLETE **SECTION 1** OF THIS FORM.
- IF SUBMITTING AS A PRIME CONTRACTOR UTILIZING A SUBCONTRACTOR, COMPLETE **SECTIONS 1 AND 2** OF THIS FORM.

City of San Antonio
Veteran-Owned Small Business Program Tracking Form

SOLICITATION NAME/NUMBER: PURCHASE OF LIGHT DUTY TRUCKS, SUV'S & VANS
IFB: 6100006180

Name of Respondent:	DANNY MIRELES	
Physical Address:	16550 IH 35 NORTH	
City, State, Zip Code:	SELMA, TX 78154	
Phone Number:	210-599-5000	
Email Address:	dmireles@gunnauto.com	
Is Respondent certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	No
If yes, provide the SBA Certification #	NA	
If not certified by the SBA, is Respondent certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified Respondent as a VOSB. Include any identifying certification numbers.		
Participation Percentage:	NA	
Participation Dollar Amount:	NA	

Is Respondent subcontracting with a business that is certified as a VOSB? (circle one)	Yes	No
Name of SUBCONTRACTOR Veteran-Owned Small Business:	NA	
Physical Address:	NA	
City, State, Zip Code:	NA	
Phone Number:	NA	
Email Address:	NA	
Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	No
If yes, provide the SBA Certification #		
If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	NA	
Participation Percentage:	NA	
Participation Dollar Amount	NA	

City of San Antonio
Veteran-Owned Small Business Program Tracking Form

ACKNOWLEDGEMENT


THE STATE OF TEXAS

I certify that my responses and the information provided on this Veteran-Owned Small Business Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

BIDDER/RESPONDENT'S FULL NAME:

Danny Mireles

(Print Name) Authorized Representative of Bidder/Respondent


Danny Mireles
(Signature) Authorized Representative of Bidder/Respondent

GOVERNMENT FLEET SALES REP

Title

7/17/15

Date

**This Veteran-Owned Small Business Program Tracking Form must be submitted with the
Bidder/Respondent's bid/proposal.**

009 – ATTACHMENTS

ATTACHMENT A

LOCAL PREFERENCE PROGRAM ORDINANCE LANGUAGE

The 82nd Texas Legislature adopted a revision to the law that allowed the City of San Antonio (City) to adopt a policy that would grant contracting preferences to local businesses for certain types of contracts. The City adopted such a policy, known as the Local Preference Program, by Ordinance No. 2013-03-21-0167, effective for solicitations issued after May 1, 2013.

This solicitation is subject to the Local Preference Program. For more information on the program, refer to the Local Preference Program Identification Form attached to this solicitation.

In order to receive consideration the Local Bidder must complete and return the attached Local Preference Identification Form.

REVISED
PRICE SCHEDULE

(BLUE PLUS 300)

ITEM 1	QUANTITY 10 (w/H RTF)	DESCRIPTION 1/2 Ton Extended Cab Compact Pickup Truck	<u>11 NO PRICE 11</u>
PRICE: \$ <u>26119.00</u>	EACH	\$ <u>26119.00</u>	MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered:		<u>CHEVROLET COUGARO EXT CAB 2016</u>	
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: <u>4/9/16</u>			

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/9/16 (2015 4/9/15) Cutoff

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM 2	QUANTITY 7	DESCRIPTION 1/2 Ton Full Size Regular Cab Pickup Truck
PRICE: \$ <u>19859.58</u>	EACH	\$ <u>139017.06</u>
MODEL YR 2016 TOTAL		
MAKE & MODEL & YEAR Offered: <u>CHEVROLET REG CAB CC15703 2016</u>		
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: <u>5/16</u>		

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
3	25	1/2 Ton Full Size Extended Cab Pickup Truck

PRICE: \$ 21560 75 EACH \$ 539,018 75 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET DOUBLE CAB (CC15753) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
4	3	1/2 Ton Full Size Extended Cab 4x4 Pickup Truck

PRICE: \$ 24153 12 EACH \$ 72459 36 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET DOUBLE CAB (CK15753) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16 ?

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
5	1	1/2 Ton Full Size Extended Cab Pickup Truck w/Camper

PRICE: \$ 23,128 29 EACH \$ 23,128 29 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET DOUBLE CAB (CC15753) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16?

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16?

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
6	2	½ Ton Full Size Extended Cab Truck Law Enforcement Pursuit Severe Service Vehicle- Black & White

PRICE: \$ 31,174.03 EACH \$ 62,348.06 MODEL YR 2016 TOTAL No OEM
TRAILER BRAKE
CONTROLLER

MAKE & MODEL & YEAR Offered: CHEVROLET (CREWCAB) CK15743

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
7	1	½ Ton Four Full Door Full Size Pickup Truck (OEM Silver)

PRICE: \$ 25,112.32 EACH \$ 25,112.32 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET (CREWCAB) CC15743 2016

MAKE & MODEL OF CAMPER TOP: N/A

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16?

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16?

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM 8 QUANTITY 1 DESCRIPTION 1/2 Ton Regular Cab 4x4 Pickup Truck

PRICE: \$ 26941.58 EACH \$ 26941.58, MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 3/4 REG CAB (CK25903) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM 9 QUANTITY 2 DESCRIPTION 1/2 Ton Regular Cab 4x4 Pickup Truck w/ Tool Box

PRICE: \$ 28078.25 EACH \$ 56156.50, MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 3/4 REG CAB (CK25903) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM 10 QUANTITY 7 DESCRIPTION 1/2 Ton Reg Cab 56" cab to axle, SRW Service Body w/ Ladder Rack

PRICE: \$ 31,696.96 EACH \$ 221,878.72, MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 3/4 REG CAB (CK25903) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16?

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/6

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
------	----------	-------------

11	7	<u>1/2 Ton Reg Cab 56" cab to axle, SRW Service Body w/ Pipe Rack</u>
----	---	---

PRICE: \$ <u>35838.95</u>	EACH	\$ <u>250,872.65</u> MODEL YR 2016 TOTAL
---------------------------	------	--

MAKE & MODEL & YEAR Offered: CHEVROLET 3/4 REG CAB (CC25903) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/6

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
------	----------	-------------

12	10	<u>1/2 Ton Extended Cab Pickup Truck</u>
----	----	--

PRICE: \$ <u>26712.95</u>	EACH	\$ <u>267129.50</u> MODEL YR 2016 TOTAL
---------------------------	------	---

MAKE & MODEL & YEAR Offered: CHEVROLET 3/4 EXT CAB (CC25753) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/15

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/5

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM **13** QUANTITY **6** DESCRIPTION **3/4 Ton Extended Cab 4x4 Pickup Truck**

PRICE: \$ 29380.29 EACH \$ 176284.74 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 3/4 DOUBLE CAB (CK25253) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM **14** QUANTITY **1** DESCRIPTION **3/4 Ton Extended Cab Full Size Truck w/ Hydraulic Lift Gate**

PRICE: \$ 29042.95 EACH \$ 29042.95 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET DOUBLE CAB (CC25253) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16?

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM **15** QUANTITY **1** DESCRIPTION **3/4 Ton Extended Cab Full Size Long Bed Truck**

PRICE: \$ 26893.96 EACH \$ 26893.96 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET LWB 3/4 Double CAB (CC25953) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16?

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
16	5	¾ Ton Four Full Door Pickup Truck
PRICE: \$ <u>28002.76</u>	EACH	\$ <u>140,013.80</u> MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered:	<u>CHEVROLET CREW CAB (K25743) 2016</u>	
PRODUCTION CUT-OFF DATE FOR 2016 MODEL:	<u>5/16?</u>	

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
17	11	¾ Ton Four Full Door 4x4 Pickup Truck w/ Tow Package
PRICE: \$ <u>30318.94</u>	EACH	\$ <u>333,508.34</u> MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered:	<u>CHEVROLET 3/4 SWB CREW (K25743) 2016</u>	
PRODUCTION CUT-OFF DATE FOR 2016 MODEL:	<u>5/16?</u>	

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
18 1 $\frac{3}{4}$ Ton Four Full Door Long Bed Pickup Truck
PRICE: \$ 28,183 ⁷¹ EACH \$ 28,183 ⁷¹ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET LWB $\frac{3}{4}$ CREW (CK25943) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16?

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
19 2 $\frac{3}{4}$ Ton Four Full Door 4x4 Long Bed Pickup Truck w/ Tow Package
PRICE: \$ 30,937 ⁷⁹ EACH \$ 61,875 ⁵⁸ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 2500

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
20 3 $\frac{3}{4}$ Ton Live Animal Control/Transport Pickup Truck
PRICE: \$ 51,850 ¹² EACH \$ 155,550 ³⁶ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 3/4 Reg Cab (CK25903) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16?

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
21 1 1 Ton, Gasoline, Four Full Door SRW Pickup Truck 4x2

PRICE: \$ 29946.24 EACH \$ 29946.24 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 1 TON CREW CAB (CC35943) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
22 1 1 Ton, Diesel, Four Full Door SRW Pickup Truck 4x2

PRICE: \$ 37242.04 EACH \$ 37242.04 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET CREW 1 TON (CC35943) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16 ?

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16 ?

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
23 1 1 Ton, Diesel, Four Full Door DRW Pickup Truck 4x2

PRICE: \$ 37725 ³² EACH \$ 37725 ³² MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 1 TON CREW (CK35943)

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 9/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM 24 QUANTITY 4 DESCRIPTION 1 Ton Full Four Door, DRW, 4x4 Pickup Truck w/ Tow Package

PRICE: \$ 40,041.54 EACH \$ 10,016.61 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 4x4 1ton Crew (CK35943) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM 25 QUANTITY 3 DESCRIPTION 1 Ton Full Four Door, SRW, 4x4 Truck w/ Utility Toolbox Bed

PRICE: \$ 45770.67 EACH \$ 137312.01 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 1 TON CREW (CK35943) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
26 1 1 Ton Four Full Door, 60" cab to axle, DRW, 4x4, Stake Bed Truck

PRICE: \$ 43697.36 EACH \$ 43697.36 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET CREW CHASSIS 60CA (CK36043) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
27 1 1 Ton Four Full Door, DRW, Welder Body Truck

PRICE: \$ 50927.12 EACH \$ 50927.12 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET CREW CHASSIS 60"CA (CK36043) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
28 1 1 Ton Four Full Door, SRW, 4x4, Service Body Truck w/ Winch

PRICE: \$ 48260.38 EACH \$ 48260.38 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 4x4 1TON CREW (CK55943) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 5/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 20 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 1% % 15 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
29	1	1 Ton Regular Cab, 84" cab to axle, 4x4, DRW w/12' Stake Bed with Lift Gate

PRICE: \$ 37743⁹¹ EACH \$ 37743⁹⁷ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET TONNEAU CAB CHASSIS 84 (4)(CK34485)

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 9/16

MISSING THE PRODUCTION CUT OFF DATE: 4/16.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 20 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
30 1 1.5 Ton Four Full Door, DRW, Diesel Pickup Truck

MAKE & MODEL & YEAR Offered:

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 12/31/2015

~~INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THE~~

~~BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT-OFF DATE. IN THE EVENT~~

THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
31	1	15K Diesel Barrier Truck

PRICE: \$ EACH \$ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered:

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: *NO BID*

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE:

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?

DELIVERY: Delivery will be made within calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
32	1	16K Full Four Door, 4x4, Diesel, DRW Utility Body w/ Winch

PRICE: \$ EACH \$ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered:

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: *NO BID*

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE:

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?

DELIVERY: Delivery will be made within calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
33	14	Compact 4 door, 4x4, Sports Utility Vehicle

PRICE: \$ 21713.54 EACH \$ 303,989.54 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET EQUINOX AWD (1GZ26) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: *5/16*

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 4/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
34 10 Medium 4 door, 2wd, Sports Utility Vehicle

PRICE: \$ 24070 41 EACH \$ 24070410 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET TRAVERSE (CR14S26) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 3/2016

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 2/2016

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
35 1 Medium 4 door, 2wd, Sports Utility Vehicle w/Amber Lighting

PRICE: \$ 24735 41 EACH \$ 2473541 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 3/2016

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 2/2016

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM **36** QUANTITY **6** DESCRIPTION
Medium 4 door, 4x4, Sports Utility Vehicle

PRICE: \$ 26,070 41 EACH \$ 156,422 46 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET AWD TRAVERSE (CV14526)

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 3/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 2/16.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM **37** QUANTITY **1** DESCRIPTION
Medium 4 door, 4x4, Sports Utility Vehicle w/Amber Lighting

PRICE: \$ 26,595 41 EACH \$ 26,595 41 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET TRAVERSE (CR14526) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 3/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 2/16.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM **38** QUANTITY **2** DESCRIPTION
Large 4 door, 2wd, Sports Utility Vehicle

PRICE: \$ 36,850 56 EACH \$ 73,701 12 MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
39	2	Large 4 door, 4x4, Sports Utility Vehicle

PRICE: \$ 39483.88 EACH \$ 78967.98 MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered: CHEVROLET 4X4 TAHOE (K15706) 2016
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 4/15

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 3/15

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
40	1	Suburban Type Wagon 4 door, 2 wheel drive

PRICE: \$ 38982.49 EACH \$ 38982.49 MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered: CHEVROLET SUBURBAN (CC15906) 2016
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 4/15

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 3/15

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? .

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
41	1	Mini Cargo Van

PRICE: \$ 21400²⁶ EACH \$ 21400²⁶ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET CITY EXPRESS

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 6/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 5/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 10 % days. (If no discount is offered, Net 30 will apply.)

ITEM 42 QUANTITY 1 DESCRIPTION 1 Ton Diesel Cargo Van

PRICE: \$ 25594⁵⁵ EACH \$ 25594⁵⁵ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 1 Ton Express Pro Van (CG33405) 2016

PRODUCTION CUT-OFF DATE FOR 2016 MODEL:

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE:

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?

DELIVERY: Delivery will be made within 180 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 10 % days. (If no discount is offered, Net 30 will apply.)

ITEM 43 QUANTITY 1 DESCRIPTION Black & White Paddy Wagon

PRICE: \$ 23501⁶⁷ EACH \$ 23501⁶⁷ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: CHEVROLET 3/4 CARGO

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 2/16

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 9/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 180 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
44	1	3/4 Ton Extended Cab Black & White Pickup Truck
PRICE: \$	<u>27397.38</u>	EACH \$ <u>27397.38</u> MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered:	<u>CHEVROLET 2500 Double Cab (CC25743)</u>	
PRODUCTION CUT-OFF DATE FOR 2016 MODEL:	<u>5/16</u>	

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 9/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
45	5	3/4 Ton Four Full Door Pickup Truck w/ Bed Roller Cover
PRICE: \$	<u>29645.36</u>	EACH \$ <u>14822.60</u> MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered:	<u>CHEVROLET 2500 CREW CAB (CC25743)</u>	
PRODUCTION CUT-OFF DATE FOR 2016 MODEL:	<u>5/16</u>	

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 9/16

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: 0 % days. (If no discount is offered, Net 30 will apply.)

Prepared For:
 ITEM # 1 2016
 City Of San Antonio—12M53
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian,
 Requested Quantity: 10

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Colorado 2WD Ext Cab 128.3" WT 12M53

WINDOW STICKER

2015 Chevrolet Colorado 2WD Ext Cab 128.3" WT		Interior: - Jet Black/Dark Ash
* 3.6L/217 CID * Gas V6		Exterior 1: - Summit White
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
12M53	2015 Chevrolet Colorado 2WD Ext Cab 128.3" WT	\$21,775.00
OPTIONS		
E63	PICKUP BOX	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LFX	ENGINE, 3.6L SIDI DOHC V6 VVT	\$1,235.00
MYB	TRANSMISSION, 6-SPEED AUTOMATIC, HMD, 6L50	\$650.00
CH9	GVWR, 5700 LBS. (2585 KG)	\$0.00
GU6	REAR AXLE, 3.42 RATIO	\$0.00
2WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
RS1	WHEELS, 16" X 7" (40.6 CM X 17.8 CM) ULTRA SILVER METALLIC CAST ALUM	INC
QJJ	TIRES, P265/70R16 ALL-SEASON, BLACKWALL	\$0.00
ZJR	TIRE, SPARE P265/70R16 ALL-SEASON, BLACKWALL	\$0.00
ZY1	SOLID PAINT	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AR7	SEATS, FRONT BUCKET	\$0.00
H2Q	JET BLACK/DARK ASH, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO	\$0.00
PCN	WT CONVENIENCE PACKAGE	\$490.00
PCX	LS APPEARANCE PACKAGE	\$435.00
G80	DIFFERENTIAL, AUTOMATIC LOCKING REAR	\$325.00
Z82	TRAILERING PACKAGE, HEAVY-DUTY	\$250.00
5G8	TOW/HAUL MODE	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:

ITEM # 1 2016
 City Of San Antonio—12M53
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian,
 Requested Quantity: 10

Prepared By:

Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Colorado 2WD Ext Cab 128.3" WT 12M53**WINDOW STICKER**

S1K	WHEEL, SPARE, 16" X 7" (40.6 CM X 17.8 CM) STEEL	INC
VT5	BUMPER, REAR BODY-COLOR	INC
BW4	MOLDINGS, CHROME BELTLINE	INC
9B7	MIRROR, SPOTTER, LOCATED IN CORNER OF DRIVER-SIDE OUTSIDE MIRR	INC
DL6	MIRRORS, OUTSIDE POWER-ADJUSTABLE, BODY-COLOR, REMOTE, MANU	INC
D75	DOOR HANDLES, BODY-COLOR	INC
PPA	TAILGATE, EZ-LIFT AND LOWER	INC
B38	FLOOR COVERING, FULL-LENGTH BLACK VINYL	\$0.00
K34	CRUISE CONTROL, ELECTRONIC, AUTOMATIC	INC
ATG	REMOTE KEYLESS ENTRY, EXTENDED RANGE	INC
UTJ	THEFT-DETERRENT SYSTEM, UNAUTHORIZED ENTRY	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$135.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SUBTOTAL		\$25,025.00
Advert/Adjustments		\$0.00
Destination Charge		\$875.00
TOTAL PRICE		\$25,900.00
Est City: * 18.00 mpg		
Est Highway: * 26.00 mpg		
Est Highway Cruising Range: * 546.00 mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
ITEM # 1 2016
City Of San Antonio—12M53
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian,
Requested Quantity: 10

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Colorado 2WD Ext Cab 128.3" WT 12M53

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 12M53 2WD Ext Cab 128.3" WT

ENTERTAINMENT

- Audio system, 4.2" diagonal color display, AM/FM stereo with USB port and auxiliary jack
- Audio system feature, 6-speaker system
- Audio system feature, USB port, located on instrument panel

EXTERIOR

- Wheels, 16" x 7" (40.6 cm x 17.8 cm) Ultra Silver Metallic steel
- Tires, P265/70R16 all-season, blackwall
- Pickup box
- Tire, compact spare T175/80R18, blackwall (Standard with (LCV) 2.5L I4 engine only. Not included on Crew Cab Long Box models.)
- Wheel, compact spare, 18" x 4.5" (45.7 cm x 11.4 cm) Black cast aluminum (Standard with (LCV) 2.5L I4 engine only. Not included on Crew Cab Long Box models.)
- Bumper, rear chrome
- CornerStep, rear bumper
- Moldings, Black beltline
- Headlamps, halogen with automatic exterior lamp control
- Cargo box light, back of Cab
- Mirrors, outside manual-folding, Black
- Glass, windshield shade band
- Door handles, Black
- Tailgate, locking
- Tailgate handle, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM # 1 2016
City Of San Antonio—12M53
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian,
Requested Quantity: 10

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Colorado 2WD Ext Cab 128.3" WT 12M53

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 12M53 2WD Ext Cab 128.3" WT

INTERIOR

- Seats, front bucket
- Seat adjuster, driver 4-way power with manual recline
- Seat adjuster, passenger 2-way manual fore/aft with manual recline
- Seats, dual rear with underseat storage (Extended Cab models only.)
- Console, floor, front compartment, custom
- Floor covering, color-keyed carpeting
- Floor mats, carpeted front (Deleted when (B38) full-length Black vinyl floor covering is ordered. Requires (B30) color-keyed carpeting floor covering.)
- Floor mats, carpeted rear (Deleted when (B38) full-length Black vinyl floor covering is ordered. Requires (B30) color-keyed carpeting floor covering.)
- Steering wheel, urethane
- Steering column, Tilt-Wheel, manual
- Display, driver instrument information enhanced, one color
- Windows, power with driver Express-Up and Down
- Door locks, power
- Theft-deterrent system, immobilization
- Air conditioning, single-zone manual climate control
- Handles, door release, front and rear, Jet Black
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger with passenger covered vanity mirror
- Lighting, interior, center dome

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM # 1 2016
City Of San Antonio—12M53
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian,
Requested Quantity: 10

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Colorado 2WD Ext Cab 128.3" WT 12M53

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 12M53 2WD Ext Cab 128.3" WT

MECHANICAL

- Engine, 2.5L I4, DI, DOHC, VVT (200 hp [149.0 kW] @ 6300 rpm, 191 lb-ft of torque [259 N·m] @ 4400 rpm) (Not included on Crew Cab Long Box models.)
- Transmission, 6-speed manual (Extended Cab model only. Requires (LCV) 2.5L I4 engine.)
- Rear axle, 4.10 ratio (Requires (LCV) 2.5L I4 engine. Not included on Crew Cab Long Box models.)
- GVWR, 5400 lbs. (2449 kg) (Standard on Extended Cab models with (LCV) 2.5L I4 engine only.)
- Rear wheel drive
- Brakes, 4-wheel antilock, 4-wheel disc

SAFETY

- StabiliTrak, stability control system
- Traction control, electronic
- Daytime Running Lamps
- Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Rear Vision Camera with dynamic guide lines
- Tire Pressure Monitor System

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
 ITEM # 2 2016
 City of San Antonio--CC15703
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 7

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Reg Cab 119.0" Work

WINDOW STICKER

2015 Chevrolet Silverado 1500 2WD Reg Cab 119.0" Work Truck	Interior: - No color has been selected.	
4.3L/262 CID Gas/Ethanol V6	Exterior 1: - No color has been selected.	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CC15703	2015 Chevrolet Silverado 1500 2WD Reg Cab 119.0" Work Truck	\$26,170.00
OPTIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LV3	ENGINE, 4.3L FLEXFUEL ECOTEC3 V6 WITH ACTIVE FUEL MANAGEMENT, DI	\$0.00
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
C7K	GVWR, 6500 LBS. (2948 KG)	\$0.00
GU5	REAR AXLE, 3.23 RATIO	\$0.00
1WT	1WT PREFERRED EQUIPMENT GROUP	\$0.00
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL	\$0.00
RBZ	TIRES, P255/70R17 ALL-SEASON, BLACKWALL	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$610.00
FHS	E85 FLEXFUEL CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHA	\$0.00
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE	INC
A31	WINDOWS, POWER FRONT AND REAR	INC
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM # 2 2016

City of San Antonio--CC15703
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 7

Prepared By:

Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Reg Cab 119.0" Work

WINDOW STICKER

SPECIAL EQUIPMENT OPTIONS		
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
	SUBTOTAL	\$26,645.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$27,840.00
Est City: 18.00 mpg		
Est Highway: 24.00 mpg		
Est Highway Cruising Range: 624.00 mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 2:01:15 AM

Page 2

Prepared For:
ITEM # 2 2016
City of San Antonio--CC15703
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 7

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Reg Cab 119.0" Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15703 2WD Reg Cab 119.0" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot
- SiriusXM Satellite Radio, delete
- Audio system feature, 4-speaker system

EXTERIOR

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel
- Tires, P255/70R17 all-season, blackwall
- Wheel, full-size spare, 17" x 7" (43.2 cm x 17.8 cm) aluminum (Included and only available with model K15703 or C15703 and (LV3) 4.3L EcoTec3 V6 engine.)
- Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)
- Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
- Bumpers, front, Black
- Bumpers, rear, Black
- Lamps, cargo area, cab mounted with switch on center switch bank
- Tailgate and bed rail protection cap, top
- Tailgate, locking utilizes same key as ignition and door
- CornerStep, rear bumper
- Headlamps, halogen reflector
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 2:01:15 AM

Page 3

Prepared For:
ITEM # 2 2016
City of San Antonio--CC15703
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 7

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Reg Cab 119.0" Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15703 2WD Reg Cab 119.0" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.
- Floor covering, Graphite-colored rubberized-vinyl, no floor mats included
- Steering column, Tilt-Wheel, manual with theft-deterrent locking feature
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Door locks, power
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger on A-pillar

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM # 2 2016
City of San Antonio—CC15703
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 7

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Reg Cab 119.0" Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15703 2WD Reg Cab 119.0" Work Truck

MECHANICAL

- Engine, 4.3L FlexFuel EcoTec3 V6 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction with FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking
- Rear axle, 3.23 ratio (Standard and only available on (LV3) 4.3L EcoTec3 V6 engine with 2WD models.)
- Body, Pick Up Box
- GVWR, 6500 lbs. (2948 kg)
- Rear wheel drive
- Cooling, external engine oil cooler
- Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Suspension Package, Handling/Trailering
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM # 2 2016
City of San Antonio--CC15703
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 7

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Reg Cab 119.0" Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15703 2WD Reg Cab 119.0" Work Truck

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 3 2016

City of San Antonio--CC15753
100 Military Plaza2nd Floor, city Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 25

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W**WINDOW STICKER**

2015 Chevrolet Silverado 1500 2WD Double Cab 143.5" Work Truck		Interior: - No color has been selected.
4.3L/262 CID Gas/Ethanol V6		Exterior 1: - No color has been selected.
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CC15753 2015 Chevrolet Silverado 1500 2WD Double Cab 143.5" Work Truck \$30,195.00		
OPTIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LV3	ENGINE, 4.3L FLEXFUEL ECOTEC3 V6 WITH ACTIVE FUEL MANAGEMENT, DI	\$0.00
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
C5H	GVWR, 6900 LBS. (3130 KG)	\$0.00
GU5	REAR AXLE, 3.23 RATIO	\$0.00
1WT	1WT PREFERRED EQUIPMENT GROUP	\$0.00
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL	\$0.00
RBZ	TIRES, P255/70R17 ALL-SEASON, BLACKWALL	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2R	DARK ASH WITH JET BLACK INTERIOR ACCENTS, CLOTH SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
FHS	E85 FLEXFUEL CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHA	\$0.00
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR	\$395.00
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE	INC
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: Dk Blue special paint

Prepared For:

ITEM# 3 2016

City of San Antonio--CC15753
100 Military Plaza2nd Floor, city Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 25

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W**WINDOW STICKER****SPECIAL EQUIPMENT OPTIONS**

5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
	SUBTOTAL	\$30,775.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$31,970.00

Est City: 18.00 mpg

Est Highway: 24.00 mpg

Est Highway Cruising Range: 624.00 mi

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: Dk Blue special paint

Prepared For:

ITEM# 3 2016

City of San Antonio--CC15753
100 Military Plaza2nd Floor, city Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 25

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15753 2WD Double Cab 143.5" Work Truck*****ENTERTAINMENT***

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot
- SiriusXM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel
- Tires, P255/70R17 all-season, blackwall
- Wheel, full-size spare, 17" (43.2 cm) steel
- Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)
- Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
- Bumpers, front, Black
- Bumpers, rear, Black
- Lamps, cargo area, cab mounted with switch on center switch bank
- Tailgate and bed rail protection cap, top
- Tailgate, locking utilizes same key as ignition and door
- CornerStep, rear bumper
- Headlamps, halogen reflector
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: Dk Blue special paint

Prepared For:
ITEM# 3 2016
City of San Antonio—CC15753
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 25

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15753 2WD Double Cab 143.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.
- Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl, no floor mats included
- Steering column, Tilt-Wheel, manual with theft-deterrent locking feature
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power front and rear with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger on A-pillar

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: Dk Blue special paint

Prepared For:
ITEM# 3 2016
City of San Antonio—CC15753
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 25

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15753 2WD Double Cab 143.5" Work Truck

MECHANICAL

- Engine, 4.3L FlexFuel EcoTec3 V6 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction with FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking
- Rear axle, 3.23 ratio (Standard and only available on (LV3) 4.3L EcoTec3 V6 engine with 2WD models.)
- Body, Pick Up Box
- GVWR, 6900 lbs. (3130 kg) (Requires 2WD models and (LV3) 4.3L EcoTec3 V6 engine.)
- Rear wheel drive
- Cooling, external engine oil cooler
- Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Suspension Package, Handling/Trailering
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: Dk Blue special paint

Prepared For:

ITEM# 3 2016
City of San Antonio--CC15753
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 25

Prepared By:

Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15753 2WD Double Cab 143.5" Work Truck****SAFETY**

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: Dk Blue special paint

Prepared For:

ITEM# 4 2016

City of San Antonio--CK15753
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sana

tonio.gov

Primary FAN: 0008033

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-50

Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Double Cab 143.5" W

WINDOW STICKER

2015 Chevrolet Silverado 1500 4WD Double Cab 143.5" Work Truck	Interior: - Dark Ash with Jet Black Interior Acc	
4.3L/262 CID Gas/Ethanol V6	Exterior 1: - Summit White	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CK15753	2015 Chevrolet Silverado 1500 4WD Double Cab 143.5" Work Truck	\$34,175.00
OPTIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LV3	ENGINE, 4.3L FLEXFUEL ECOTEC3 V6 WITH ACTIVE FUEL MANAGEMENT, DI	\$0.00
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
C5Y	GWR, 7100 LBS. (3221 KG)	\$0.00
GU6	REAR AXLE, 3.42 RATIO	\$0.00
1WT	1WT PREFERRED EQUIPMENT GROUP	\$0.00
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL	\$0.00
RBZ	TIRES, P255/70R17 ALL-SEASON, BLACKWALL	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
FHS	E85 FLEXFUEL CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHA	\$0.00
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE	INC
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
	SPECIAL EQUIPMENT OPTIONS	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 4 2016

City of San Antonio--CK15753
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 3

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Double Cab 143.5" W**WINDOW STICKER**

5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
	SUBTOTAL	\$34,360.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$35,555.00
Est City: 17.00 mpg		
Est Highway: 22.00 mpg		
Est Highway Cruising Range: 572.00 mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 4 2016
City of San Antonio--CK15753
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 3

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Double Cab 143.5" W

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15753 4WD Double Cab 143.5" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot
- SiriusXM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel
- Tires, P255/70R17 all-season, blackwall
- Wheel, full-size spare, 17" (43.2 cm) steel
- Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)
- Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
- Bumpers, front, Black
- Bumpers, rear, Black
- Recovery hooks, front, frame-mounted, black (Included with 4WD models only.) (Standard with 4WD models. Available with 2WD models.)
- Lamps, cargo area, cab mounted with switch on center switch bank
- Tailgate and bed rail protection cap, top
- Tailgate, locking utilizes same key as ignition and door
- CornerStep, rear bumper
- Headlamps, halogen reflector
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 4 2016

City of San Antonio--CK15753
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 3

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Double Cab 143.5" W**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15753 4WD Double Cab 143.5" Work Truck****INTERIOR**

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.
- Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl, no floor mats included
- Steering column, Tilt-Wheel, manual with theft-deterrent locking feature
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power front and rear with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger on A-pillar

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 2:05:48 AM

Page 4

Prepared For:
ITEM# 4 2016
City of San Antonio--CK15753
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 3

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Double Cab 143.5" W

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15753 4WD Double Cab 143.5" Work Truck

MECHANICAL

- Engine, 4.3L FlexFuel EcoTec3 V6 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction with FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking
- Rear axle, 3.42 ratio (Standard on 4WD (LV3) 4.3L EcoTec3 V6 engine. Available with (L83) 5.3L EcoTec3 V8 engine.)
- Body, Pick Up Box
- GVWR, 7100 lbs. (3221 kg) (Requires 4WD models and (LV3) 4.3L EcoTec3 V6 engine.)
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Four wheel drive
- Cooling, external engine oil cooler
- Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Suspension Package, Handling/Trailering
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 2:05:48 AM

Page 5

Prepared For:
ITEM# 4 2016
City of San Antonio--CK15753
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 3

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Double Cab 143.5" W

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15753 4WD Double Cab 143.5" Work Truck

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 5 2016

City of San Antonio--CC15753 W/Camper
 100 Military Plaza
 2nd Floor, city Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W**WINDOW STICKER**

2015 Chevrolet Silverado 1500 2WD Double Cab 143.5" Work Truck	Interior: - Dark Ash with Jet Black Interior Acc
4.3L/262 CID Gas/Ethanol V6	Exterior 1: - Summit White
* 6-Speed Automatic	Exterior 2: - No color has been selected.
CODE	MODEL
CC15753	2015 Chevrolet Silverado 1500 2WD Double Cab 143.5" Work Truck
	MSRP
	\$30,195.00
	OPTIONS
FE9	EMISSIONS, FEDERAL REQUIREMENTS
LV3	ENGINE, 4.3L FLEXFUEL ECOTEC3 V6 WITH ACTIVE FUEL MANAGEMENT, DI
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED
C5H	GVWR, 6900 LBS. (3130 KG)
GU5	REAR AXLE, 3.23 RATIO
1WT	1WT PREFERRED EQUIPMENT GROUP
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL
RBZ	TIRES, P255/70R17 ALL-SEASON, BLACKWALL
ZY1	PAINT, SOLID
GAZ	SUMMIT WHITE
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT
H2R	DARK ASH WITH JET BLACK INTERIOR ACCENTS, CLOTH SEAT TRIM
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US
PCR	WT FLEET CONVENIENCE PACKAGE
FHS	E85 FLEXFUEL CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHA
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS
R9Y	FLEET FREE MAINTENANCE CREDIT
VQ2	FLEET PROCESSING OPTION
	SPECIAL EQUIPMENT OPTIONS

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 5 2016

City of San Antonio—CC15753 W/Camper
 100 Military Plaza
 2nd Floor, city Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W**WINDOW STICKER**

5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
	SUBTOTAL	\$30,380.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$31,575.00
Est City: 18.00 mpg		
Est Highway: 24.00 mpg		
Est Highway Cruising Range: 624.00 mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 2:07:10 AM

Page 2

Estimate Response Form Report



7/15/2015 2:24:14 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

ITEM 5

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer	Currency
					USD	US DOLLARS
	Quantity	Item			Unit Price	Extended Price
ECP0000520	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET		
	1.000				1,785.00000	
	EA	ARE-V				1,785.00
		ARE V SERIES CAMPER SHELL W/LIGHTS				
	1.000				125.00000	
	EA	INSTALLATION CHARGE				125.00
		INSTALLATION OF CAMPER SHELL & LIGHTS				
					Sale Amount:	1,910.00
					Order Disc(0.00%):	0.00
					Sales Tax:	0.00
					Misc Charges:	0.00
					Total Amount:	1,910.00



Prepared For:

ITEM# 5 2016

City of San Antonio—CC15753 W/Camper
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W

STANDARD EQUIPMENT**STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15753 2WD Double Cab 143.5" Work Truck***ENTERTAINMENT*

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot
- SiriusXM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel
- Tires, P255/70R17 all-season, blackwall
- Wheel, full-size spare, 17" (43.2 cm) steel
- Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)
- Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
- Bumpers, front, Black
- Bumpers, rear, Black
- Lamps, cargo area, cab mounted with switch on center switch bank
- Tailgate and bed rail protection cap, top
- Tailgate, locking utilizes same key as ignition and door
- CornerStep, rear bumper
- Headlamps, halogen reflector
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 5 2016

City of San Antonio--CC15753 W/Camper
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15753 2WD Double Cab 143.5" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.
- Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl, no floor mats included
- Steering column, Tilt-Wheel, manual with theft-deterrent locking feature
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power front and rear with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger on A-pillar

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 5 2016

City of San Antonio--CC15753 W/Camper
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W

STANDARD EQUIPMENT**STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15753 2WD Double Cab 143.5" Work Truck*****MECHANICAL***

- Engine, 4.3L FlexFuel EcoTec3 V6 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction with FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking
- Rear axle, 3.23 ratio (Standard and only available on (LV3) 4.3L EcoTec3 V6 engine with 2WD models.)
- Body, Pick Up Box
- GVWR, 6900 lbs. (3130 kg) (Requires 2WD models and (LV3) 4.3L EcoTec3 V6 engine.)
- Rear wheel drive
- Cooling, external engine oil cooler
- Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Suspension Package, Handling/Trailering
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 2:07:10 AM

Page 5

Prepared For:
ITEM# 5 2016
City of San Antonio--CC15753 W/Camper
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Double Cab 143.5" W

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15753 2WD Double Cab 143.5" Work Truck

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 6 2016

City of San Antonio--CK15743 SSV
 100 Military Plaza
 2nd Floor, city Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392
 Requested Quantity: 2

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 153.0" Work**WINDOW STICKER***NO TRAILER BRAKE CONTROLLER AVAIL. FA*

2015 Chevrolet Silverado 1500 4WD Crew Cab 153.0" Work Truck	Interior: - Dark Ash with Jet Black Interior Acc
* 5.3L/325 CID * Gas V8	Exterior 1: - Summit White
* 6-Speed Automatic	Exterior 2: - No color has been selected.

CODE	MODEL	MSRP
CK15743	2015 Chevrolet Silverado 1500 4WD Crew Cab 153.0" Work Truck	\$38,070.00
OPTIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L83	ENGINE, 5.3L ECOTEC3 V8 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJE	INC
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
C5Z	GVWR, 7200 LBS. (3266 KG)	INC
GU4	REAR AXLE, 3.08 RATIO	INC
1WT	1WT PREFERRED EQUIPMENT GROUP	\$0.00
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL	\$0.00
RC3	TIRES, P265/70R17 ALL-TERRAIN, BLACKWALL	\$200.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
5W4	SPECIAL SERVICE PACKAGE	\$1,790.00
Z82	TRAILERING PACKAGE	\$375.00
NQH	TRANSFER CASE, ELECTRONIC AUTOTRAC WITH ROTARY DIAL CONTROL	\$200.00
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER	INC
K47	AIR CLEANER, HIGH-CAPACITY	INC
—	BATTERY, HEAVY-DUTY 720 COLD-CRANKING AMPS/80 AMP-HR, MAINTENA	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 6 2016

City of San Antonio--CK15743 SSV
 100 Military Plaza
 2nd Floor, city Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 2

Prepared By:

Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 153.0" Wor**WINDOW STICKER**

K4D	BATTERY, 730 COLD-CRANKING AMPS	INC
KW7	ALTERNATOR, 170 AMP	INC
RC4	TIRE, SPARE P265/70R17 ALL-SEASON, BLACKWALL	INC
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE	INC
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS	INC
KI4	POWER OUTLET, 110-VOLT AC	INC
SUBTOTAL		\$40,955.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$42,150.00
Est City: * 16.00 mpg		
Est Highway: 22.00 mpg		
Est Highway Cruising Range: 572.00 mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Estimate Response Form Report



7/14/2015 10:18:59 AM
Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
ecp0000506	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	USD US DOLLARS
	Quantity	Item		Unit Price	Extended Price
	2.000			75.00000	
EA	ECC-ED0011A	HIDE-A-BULLET LED 2" AMBER 12-24 VDC			150.00
EA	ECC-ED0010A	HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC		75.00000	150.00
EA	INSTALLATION CHARGE	INSTALLATION		225.00000	225.00

items 6, 13, 21, 22, 23, 24, 35, 37

Sale Amount: 525.00

Order Disc(0.00%): 0.00

Sales Tax: 0.00

Misc Charges: 0.00

Total Amount: 525.00

Prepared For:
ITEM# 6 2016
City of San Antonio--CK15743 SSV
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 153.0" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15743 4WD Crew Cab 153.0" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot
- SiriusXM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel
- Tires, P255/70R17 all-season, blackwall
- Wheel, full-size spare, 17" (43.2 cm) steel
- Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)
- Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
- Bumpers, front, Black
- Bumpers, rear, Black
- Recovery hooks, front, frame-mounted, black (Included with 4WD models only.) (Standard with 4WD models. Available with 2WD models.)
- Lamps, cargo area, cab mounted with switch on center switch bank
- Tailgate and bed rail protection cap, top
- Tailgate, locking utilizes same key as ignition and door
- CornerStep, rear bumper
- Headlamps, halogen reflector
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 6 2016

City of San Antonio--CK15743 SSV
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392
Requested Quantity: 2

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 153.0" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15743 4WD Crew Cab 153.0" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl, no floor mats included
- Steering column, Tilt-Wheel, manual with theft-deterrent locking feature
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power front and rear with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger on A-pillar

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 6 2016
City of San Antonio—CK15743 SSV
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 153.0" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15743 4WD Crew Cab 153.0" Work Truck

MECHANICAL

- Engine, 4.3L FlexFuel EcoTec3 V6 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction with FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking
- Rear axle, 3.42 ratio (Standard on 4WD (LV3) 4.3L EcoTec3 V6 engine. Available with (L83) 5.3L EcoTec3 V8 engine.)
- Body, Pick Up Box
- GVWR, 7100 lbs. (3221 kg) (Requires 4WD models and (LV3) 4.3L EcoTec3 V6 engine.)
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Four wheel drive
- Cooling, external engine oil cooler
- Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Suspension Package, Handling/Trailering
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 6 2016

City of San Antonio—CK15743 SSV
100 Military Plaza

2nd Floor, city Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 2

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 153.0" Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15743 4WD Crew Cab 153.0" Work Truck

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 7 2016
 City of San Antonio--CC15743
 100 Military Plaza
 2nd Floor,City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Crew Cab 153.0" Work Truck

WINDOW STICKER

2015 Chevrolet Silverado 1500 2WD Crew Cab 153.0" Work Truck	Interior: - No color has been selected.	
4.3L/262 CID Gas/Ethanol V6	Exterior 1: - No color has been selected.	
6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CC15743	2015 Chevrolet Silverado 1500 2WD Crew Cab 153.0" Work Truck	\$34,920.00
OPTIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LV3	ENGINE, 4.3L FLEXFUEL ECOTEC3 V6 WITH ACTIVE FUEL MANAGEMENT, DI	\$0.00
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
C5H	GVWR, 6900 LBS. (3130 KG)	\$0.00
GU5	REAR AXLE, 3.23 RATIO	\$0.00
1WT	1WT PREFERRED EQUIPMENT GROUP	\$0.00
RBZ	TIRES, P255/70R17 ALL-SEASON, BLACKWALL	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
FHS	E85 FLEXFUEL CAPABLE OF RUNNING ON UNLEADED OR UP TO 85% ETHA	\$0.00
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE	INC
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
TGK	SPECIAL PAINT, SOLID, ONE COLOR	\$300.00
01U	SPECIAL PAINT	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File: SEO Color Drk Blue

Prepared For:

ITEM# 7 2016

City of San Antonio--CC15743
100 Military Plaza
2nd Floor,City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Crew Cab 153.0" W

WINDOW STICKER

SUBTOTAL	\$35,405.00
Advert/Adjustments	\$0.00
Destination Charge	\$1,195.00
TOTAL PRICE	\$36,600.00
Est City: 18.00 mpg	
Est Highway: 24.00 mpg	
Est Highway Cruising Range: 624.00 mi	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File: SEO Color Drk Blue

Prepared For:
ITEM# 7 2016
City of San Antonio—CC15743
100 Military Plaza
2nd Floor,City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Crew Cab 153.0" Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15743 2WD Crew Cab 153.0" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot
- SiriusXM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel
- Tires, P255/70R17 all-season, blackwall
- Wheel, full-size spare, 17" (43.2 cm) steel
- Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)
- Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
- Bumpers, front, Black
- Bumpers, rear, Black
- Lamps, cargo area, cab mounted with switch on center switch bank
- Tailgate and bed rail protection cap, top
- Tailgate, locking utilizes same key as ignition and door
- CornerStep, rear bumper
- Headlamps, halogen reflector
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: SEO Color Drk Blue

Prepared For:
ITEM# 7 2016
City of San Antonio—CC15743
100 Military Plaza
2nd Floor,City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Crew Cab 153.0" Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15743 2WD Crew Cab 153.0" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl, no floor mats included
- Steering column, Tilt-Wheel, manual with theft-deterrent locking feature
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power front and rear with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger on A-pillar

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File: SEO Color Drk Blue

Prepared For:
ITEM# 7 2016
City of San Antonio--CC15743
100 Military Plaza
2nd Floor,City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Crew Cab 153.0" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15743 2WD Crew Cab 153.0" Work Truck

MECHANICAL

- Engine, 4.3L FlexFuel EcoTec3 V6 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction with FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking
- Rear axle, 3.23 ratio (Standard and only available on (LV3) 4.3L EcoTec3 V6 engine with 2WD models.)
- Body, Pick Up Box
- GVWR, 6900 lbs. (3130 kg) (Requires 2WD models and (LV3) 4.3L EcoTec3 V6 engine.)
- Rear wheel drive
- Cooling, external engine oil cooler
- Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Suspension Package, Handling/Trailering
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File: SEO Color Drk Blue

Prepared For:
ITEM# 7 2016
City of San Antonio--CC15743
100 Military Plaza
2nd Floor,City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 1500 2WD Crew Cab 153.0" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15743 2WD Crew Cab 153.0" Work Truck

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File: SEO Color Drk Blue

Prepared For:

ITEM# 8 2016

City of San Antonio—CK25903
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R**WINDOW STICKER**

2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Reg Cab 1 Interior: - No color has been selected.		
6.0L/366 CID Gas/Ethanol V8	Exterior 1: - No color has been selected.	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE MODEL MSRP		
CK25903	2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Reg Cab 133.6" Work Truck	\$35,585.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
E63	PICKUP BOX, WIDESIDE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QHQ	TIRES, LT245/75R17E ALL-SEASON, BLACKWALL	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$610.00
NQF	TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS	\$200.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 8 2016

City of San Antonio—CK25903
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R**WINDOW STICKER**

A31	WINDOWS, POWER WITH DRIVER EXPRESS UP AND DOWN AND EXPRESS	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
SUBTOTAL		\$36,610.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$37,805.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 8 2016

City of San Antonio—CK25903
100 Military Plaza
2nd Floor, City Hall

San Antonio, TX 78205
Phone: (210) 207-3900

Email: ian.montermayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154

Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 8 2016

City of San Antonio—CK25903
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck****MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine and 4WD model.)
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Differential, heavy-duty locking rear
- Four wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 8 2016
City of San Antonio—CK25903
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

- Exhaust, aluminized stainless-steel muffler and tailpipe

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
 ITEM# 9 2016
 City of San Antonio—CK25903
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 2

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R

WINDOW STICKER

2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Reg Cab 1 Interior: - No color has been selected.

6.0L/366 CID Gas/Ethanol V8

Exterior 1: - No color has been selected.

* 6-Speed Automatic

Exterior 2: - No color has been selected.

CODE	MODEL	MSRP
CK25903	2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Reg Cab 133.6" Work Truck	\$35,585.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
E63	PICKUP BOX, WIDESIDE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QHQ	TIRES, LT245/75R17E ALL-SEASON, BLACKWALL	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$610.00
NQF	TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS	\$200.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$230.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 9 2016
 City of San Antonio--CK25903
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 2

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R

WINDOW STICKER

Z82	TRAILERING EQUIPMENT	\$280.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00
A31	WINDOWS, POWER WITH DRIVER EXPRESS UP AND DOWN AND EXPRESS	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
SUBTOTAL		\$37,120.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$38,315.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Estimate Response Form Report



7/14/2015 12:32:10 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
				FLEET	USD US DOLLARS
	Quantity	Item		Unit Price	Extended Price
ccp0000508	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	USD US DOLLARS
	1.000			645.00000	
	EA	RS-C63B			645.00
		TOOLBOX SINGLE LID FULLSIZE 14GA BLK			
	1.000			50.00000	
	EA	INSTALLATION CHARGE			50.00
		INSTALL TOOL BOX			
item 9					
				Sale Amount:	695.00
				Order Disc(0.00%):	0.00
				Sales Tax:	0.00
				Misc Charges:	0.00
				Total Amount:	695.00

Prepared For:

ITEM# 9 2016

City of San Antonio—CK25903

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montermayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 2

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- Audio system feature, 4-speaker system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 9 2016
City of San Antonio--CK25903
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 9 2016

City of San Antonio—CK25903
100 Military Plaza
2nd Floor, City HallSan Antonio, TX 78205
Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 2

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck****MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine and 4WD model.)
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Differential, heavy-duty locking rear
- Four wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 9 2016
City of San Antonio—CK25903
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD R

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

- Exhaust, aluminized stainless-steel muffler and tailpipe

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
 ITEM# 10 2016
 City of San Antonio--CC25903
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 7

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R

WINDOW STICKER

2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Reg Cab 1 Interior: - Dark Ash with Jet Black Interior Acc		
6.0L/366 CID * Gas V8	Exterior 1: - Summit White	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE MODEL MSRP		
CC25903	2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Reg Cab 133.6" Work Truck	\$32,630.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
ZW9	PICKUP BOX, DELETE	-\$675.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
G4A	GVWR, 9300 LBS. (4218 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$200.00
ZXT	TIRE, SPARE LT265/70R17E ALL-TERRAIN, BLACKWALL	\$380.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$610.00
NZ4	WHEELS, 17" X 7.5" (43.2 CM X 19.1 CM) FULL-SIZE, STEEL SPARE	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
 ITEM# 10 2016
 City of San Antonio—CC25903
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 7

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R

WINDOW STICKER

9J4	BUMPER, REAR, DELETE	INC
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00
A31	WINDOWS, POWER WITH DRIVER EXPRESS UP AND DOWN AND EXPRESS	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
SFW	BACK-UP ALARM CALIBRATION	INC
SUBTOTAL		\$33,315.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$34,510.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Estimate Response Form Report



7/14/2015 2:47:02 PM

Ranch Hand Truck Access,
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
ecp0000510	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	USD US DOLLARS
	Quantity	Item		Unit Price	Extended Price
	1.000			4,618.00000	
	EA	READ-33506164			4,618.00
		SERVICE BODY U98ASWHH WR LH2 FF QM			
	1.000			295.00000	
	EA	READ-10507316			295.00
		MASTER LOCKING M-98:98A INSTALLED			
	1.000			320.00000	
	EA	READ-13530436WR			320.00
		BUMPER 76"QUICK MNT DECK PLT W/LED LIGHT			
	1.000			280.00000	
	EA	READ-14900383			280.00
		RECEIVER HITCH 15K BED DELETE			
	1.000			40.00000	
	EA	READ-14302324			40.00
		LIGHT HARNESS 56ADPT-BED REMOVAL FORD 11			
	1.000			532.00000	
	EA	RKB-TBT5			532.00
		HEAVY DUTY SLIDE-OUT TOOL BOX TRAY			
	1.000			750.00000	
	EA	INSTALLATION CHARGE			750.00

Estimate Response Form Report



7/14/2015 1:34:18 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
ecp0000509	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	USD US DOLLARS
INSTALLATION					
	1.000			295.00000	
EA		WLT-191			295.00
		656HD MECHANICS VISE			
	1.000			125.00000	
EA		RKB-BVRACK1			125.00
		VICE STAND			
	2.000			70.00000	
EA		ECC-3810A			140.00
		LIGHT LED FLASHER AMBER			
item 10					
			Sale Amount:	7,128.00	
			Order Disc(0.00%):	0.00	
			Sales Tax:	0.00	
			Misc Charges:	0.00	
			Total Amount:	7,128.00	

Estimate Response Form Report



7/14/2015 1:34:18 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency			
					Quantity	Item	Unit Price	Extended Price
ecp0000509	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	USD	US DOLLARS		
					1.000		4,618.00000	
	EA	READ-33506164						4,618.00
		SERVICE BODY U98ASWHH WR LH2 FF QM						
					1.000		295.00000	
	EA	READ-10507316						295.00
		MASTER LOCKING M-98:98A INSTALLED						
					1.000		265.00000	
	EA	READ-13730502						265.00
		REMOVABLE OVERHEAD LADDER RACK						
					1.000		320.00000	
	EA	READ-13530436WR						320.00
		BUMPER 76"QUICK MNT DECK PLT W/LED LIGHT						
					1.000		280.00000	
	EA	READ-14900383						280.00
		RECEIVER HITCH 15K BED DELETE						
					1.000		40.00000	
	EA	READ-14302324						40.00
		LIGHT HARNESS 56ADPT-BED REMOVAL FORD 11						
					1.000		750.00000	
	EA	INSTALLATION CHARGE						750.00

Prepared For:
ITEM# 10 2016
City of San Antonio—CC25903
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 7

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25903 2WD Reg Cab 133.6" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- Audio system feature, 4-speaker system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 10 2016
City of San Antonio--CC25903
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 7

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25903 2WD Reg Cab 133.6" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 10 2016
City of San Antonio—CC25903
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 7

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25903 2WD Reg Cab 133.6" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9300 lbs. (4218 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine and 2WD.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 10 2016
City of San Antonio—CC25903
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 7

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25903 2WD Reg Cab 133.6" Work Truck

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 11 2016
 City of San Antonio—CC25903
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 7

Prepared By:

Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R**WINDOW STICKER**

2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Reg Cab 1	Interior: - Dark Ash with Jet Black Interior Acc	
6.0L/366 CID * Gas V8	Exterior 1: - Summit White	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	
CC25903	2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Reg Cab 133.6" Work Truck	MSRP
		\$32,630.00

OPTIONS

AVF	2015 INTERIM PROCESSING CODE	\$0.00
ZW9	PICKUP BOX, DELETE	-\$675.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
G4A	GVWR, 9300 LBS. (4218 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$200.00
ZXT	TIRE, SPARE LT265/70R17E ALL-TERRAIN, BLACKWALL	\$380.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$610.00
NZ4	WHEELS, 17" X 7.5" (43.2 CM X 19.1 CM) FULL-SIZE, STEEL SPARE	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 11 2016
 City of San Antonio—CC25903
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 7

Prepared By:

Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R**WINDOW STICKER**

9J4	BUMPER, REAR, DELETE	INC
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00
A31	WINDOWS, POWER WITH DRIVER EXPRESS UP AND DOWN AND EXPRESS	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
SFW	BACK-UP ALARM CALIBRATION	INC
SUBTOTAL		\$33,315.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$34,510.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Estimate Response Form Report



7/14/2015 2:47:02 PM
 Ranch Hand Truck Access.
 Broadway San Antonio Store
 2625 Broadway
 San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
 PO BOX 839976
 SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
ecp0000510	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	USD US DOLLARS
INSTALLATION					
	1.000			295.00000	
EA		WLT-191			295.00
		656HD MECHANICS VISE			
	1.000			125.00000	
EA		RKB-BVRACK1			125.00
		VICE STAND			
	2.000			70.00000	
EA		ECC-3810A			140.00
		LIGHT LED FLASHER AMBER			
	1.000			3,875.00000	
EA		CUSTOM FABRICATION			3,875.00
		FABRICATE BUMPER TO BUMPER OVERHAED RACK			
item 11					
				Sale Amount:	11,270.00
				Order Disc(0.00%):	0.00
				Sales Tax:	0.00
				Misc Charges:	0.00
				Total Amount:	11,270.00

Prepared For:

ITEM# 11 2016
City of San Antonio--CC25903
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 7

Prepared By:

Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25903 2WD Reg Cab 133.6" Work Truck****ENTERTAINMENT**

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (IO4) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- Audio system feature, 4-speaker system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 11 2016

City of San Antonio—CC25903
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 7

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 NSelma, TX 78154
Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25903 2WD Reg Cab 133.6" Work Truck*****INTERIOR***

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 11 2016

City of San Antonio--CC25903
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 7

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25903 2WD Reg Cab 133.6" Work Truck****MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9300 lbs. (4218 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine and 2WD.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 11 2016

City of San Antonio--CC25903
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 7

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD R**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25903 2WD Reg Cab 133.6" Work Truck****PROCESSING-OTHER**

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 12 2016

City of San Antonio--CC25753

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 10

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D**WINDOW STICKER**

2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Double Cab		Interior: - Dark Ash with Jet Black Interior Acc
6.0L/366 CID Gas/Ethanol V8		Exterior 1: - Summit White
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CC25753 2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Double Cab 144.2" Work Truck		
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$200.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$230.00
Z82	TRAILERING EQUIPMENT	\$280.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 12 2016
City of San Antonio--CC25753
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 10

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

WINDOW STICKER

AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
	SPECIAL EQUIPMENT OPTIONS	
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
	SUBTOTAL	\$36,055.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$37,250.00

Est City: mpg

Est Highway: mpg

Est Highway Cruising Range: mi

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 12 2016
City of San Antonio—CC25753
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 10

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 12 2016

City of San Antonio--CC25753

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 10

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck****INTERIOR**

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor)
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 2:25:22 AM

Page 4

Prepared For:
ITEM# 12 2016
City of San Antonio—CC25753
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 10

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 12 2016

City of San Antonio—CC25753

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 10

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 2:25:22 AM

Page 6

Prepared For:

ITEM# 13 2016

City of San Antonio—CK25753

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 6

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD D**WINDOW STICKER**

2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Double Cab		Interior: - No color has been selected.
6.0L/366 CID Gas/Ethanol V8		Exterior 1: - No color has been selected.
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CK25753	2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Double Cab 144.2" Work Truck	\$37,765.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QHQ	TIRES, LT245/75R17E ALL-SEASON, BLACKWALL	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
NQF	TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS	\$200.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$230.00
Z82	TRAILERING EQUIPMENT	\$280.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 13 2016

City of San Antonio--CK25753

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 6

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD D**WINDOW STICKER**

DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
SUBTOTAL		\$39,010.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$40,205.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 2:27:39 AM

Page 2

Estimate Response Form Report



7/14/2015 10:18:59 AM
Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
					USD US DOLLARS
	Quantity	Item		Unit Price	Extended Price
ecp0000506	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	
	2.000			75.00000	
EA	ECC-ED0011A	HIDE-A-BULLET LED 2" AMBER 12-24 VDC			150.00
EA	ECC-ED0010A	HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC		75.00000	150.00
EA	INSTALLATION CHARGE	INSTALLATION		225.00000	225.00

items 6, 13, 21, 22, 23, 24, 35, 37

Sale Amount: 525.00

Order Disc(0.00%): 0.00

Sales Tax: 0.00

Misc Charges: 0.00

Total Amount: 525.00

Prepared For:

ITEM# 13 2016

City of San Antonio--CK25753

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 6

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com**2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD D****STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25753 4WD Double Cab 144.2" Work Truck*****ENTERTAINMENT***

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 13 2016
City of San Antonio--CK25753
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 6

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25753 4WD Double Cab 144.2" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor)
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 13 2016
City of San Antonio--CK25753
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 6

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25753 4WD Double Cab 144.2" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Differential, heavy-duty locking rear
- Four wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 13 2016
City of San Antonio--CK25753
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 6

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25753 4WD Double Cab 144.2" Work Truck

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
 ITEM# 14 2016
 City of San Antonio--CC25753
 San Antonio, TX
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

WINDOW STICKER

2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Double Cab	Interior: - Dark Ash with Jet Black Interior Acc	
6.0L/366 CID Gas/Ethanol V8	Exterior 1: - Summit White	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CC25753	2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Double Cab 144.2" Work Truck	\$34,810.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$200.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$230.00
Z82	TRAILERING EQUIPMENT	\$280.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
ITEM# 14 2016
City of San Antonio--CC25753
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

WINDOW STICKER

AQQ	ITEM	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
	SPECIAL EQUIPMENT OPTIONS	
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
	SUBTOTAL	\$36,055.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$37,250.00
Est City:	mpg	
Est Highway:	mpg	
Est Highway Cruising Range:	mi	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Estimate Response Form Report



7/14/2015 3:08:20 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency			
					Quantity	Item	Unit Price	Extended Price
ecp0000511	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	1.000	1,950.00000	1,950.00000	1,950.00
	EA	TG-G2601342TP42						
		LIFTGATE 1300# W/42" FOLDING PLATFORM						
	1.000				130.00000		130.00000	130.00
	EA	TG-T170						
		MOUNTING KIT GM NEW BODY STYLE 07-						
	1.000				250.00000		250.00000	250.00
	EA	INSTALLATION CHARGE						
		INSTALLATION						
item 14					Sale Amount:		2,330.00	
					Order Disc(0.00%):		0.00	
					Sales Tax:		0.00	
					Misc Charges:		0.00	
					Total Amount:		2,330.00	

Prepared For:

ITEM# 14 2016

City of San Antonio--CC25753

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck****ENTERTAINMENT**

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 14 2016
City of San Antonio--CC25753
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor)
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 14 2016
City of San Antonio--CC25753
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 14 2016
City of San Antonio--CC25753
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 15 2016

City of San Antonio--CC25953
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D**WINDOW STICKER**

2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Double Cab		Interior: - No color has been selected.
6.0L/366 CID Gas/Ethanol V8		Exterior 1: - No color has been selected.
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CC25953 2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Double Cab 158.1" Work Truck \$35,005.00		
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
E63	PICKUP BOX, WIDESIDE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$200.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$230.00
Z82	TRAILERING EQUIPMENT	\$280.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 15 2016
 City of San Antonio--CC25953
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

WINDOW STICKER

DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
	SPECIAL EQUIPMENT OPTIONS	
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
	SUBTOTAL	\$36,250.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$37,445.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:

ITEM# 15 2016

City of San Antonio—CC25953
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25953 2WD Double Cab 158.1" Work Truck***ENTERTAINMENT*

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (IO4) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 15 2016

City of San Antonio—CC25953
100 Military Plaza

2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154

Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT**STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25953 2WD Double Cab 158.1" Work Truck*****INTERIOR***

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor)
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 15 2016

City of San Antonio--CC25953
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25953 2WD Double Cab 158.1" Work Truck****MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 15 2016
City of San Antonio--CC25953
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25953 2WD Double Cab 158.1" Work Truck

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
 ITEM# 16 2016
 City of San Antonio--CC25743
 San Antonio, TX
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 5

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

WINDOW STICKER

2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Crew Cab 6.0L/366 CID Gas/Ethanol V8 * 6-Speed Automatic		Interior: - Dark Ash with Jet Black Interior Acc Exterior 1: - Summit White Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CC25743 2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Crew Cab 153.7" Work Truck		
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$200.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$230.00
Z82	TRAILERING EQUIPMENT	\$280.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
ITEM# 16 2016
City of San Antonio—CC25743
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 5

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

WINDOW STICKER

AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
	SPECIAL EQUIPMENT OPTIONS	
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
SUBTOTAL		\$37,660.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$38,855.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 16 2016
City of San Antonio—CC25743
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 5

Prepared By:

Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25743 2WD Crew Cab 153.7" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (IO4) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

Prepared For:

ITEM# 16 2016

City of San Antonio--CC25743

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 5

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25743 2WD Crew Cab 153.7" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 16 2016
City of San Antonio—CC25743
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 5

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25743 2WD Crew Cab 153.7" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine. Not available with CK25943 model.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

Prepared For:
ITEM# 16 2016
City of San Antonio—CC25743
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 5

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25743 2WD Crew Cab 153.7" Work Truck

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 17 2016

City of San Antonio—CK25743

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 11

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-50

Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD C

WINDOW STICKER

2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Crew Cab 6.0L/366 CID Gas/Ethanol V8 * 6-Speed Automatic	Interior: - Dark Ash with Jet Black Interior Acc Exterior 1: - Summit White Exterior 2: - No color has been selected.	
CODE	MODEL	
CK25743	2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Crew Cab 153.7" Work Truck	MSRP
		\$39,370.00

OPTIONS

AVF	2015 INTERIM PROCESSING CODE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GWWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$200.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
NQF	TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS	\$200.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$230.00
Z82	TRAILERING EQUIPMENT	\$280.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook. Data Version: 394.0. Data updated 7/7/2015.

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 17 2016
City of San Antonio—CK25743
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 11

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD C

WINDOW STICKER

DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
SUBTOTAL		\$40,815.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$42,010.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 17 2016
City of San Antonio—CK25743
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montermayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 11

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 17 2016

City of San Antonio--CK25743

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 11

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck****INTERIOR**

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 17 2016

City of San Antonio—CK25743

San Antonio, TX

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 11

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck****MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine. Not available with CK25943 model.)
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Differential, heavy-duty locking rear
- Four wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 17 2016
City of San Antonio—CK25743
San Antonio, TX
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 11

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25743 4WD Crew Cab 153.7" Work Truck

- Exhaust, aluminized stainless-steel muffler and tailpipe

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 18 2016
 City of San Antonio--CC25943
 100 Military Plaza
 2nd Floor, city Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

WINDOW STICKER

2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Crew Cab	Interior: - Dark Ash with Jet Black Interior Acc	
6.0L/366 CID Gas/Ethanol V8	Exterior 1: - Summit White	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CC25943	2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Crew Cab 167.7" Work Truck	\$36,610.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
E63	PICKUP BOX, WIDESIDE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$200.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$230.00
Z82	TRAILERING EQUIPMENT	\$280.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 18 2016
City of San Antonio--CC25943
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montermayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

WINDOW STICKER

DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
	SPECIAL EQUIPMENT OPTIONS	
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
	SUBTOTAL	\$37,855.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$39,050.00
Est City:	mpg	
Est Highway:	mpg	
Est Highway Cruising Range:	mi	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 18 2016

City of San Antonio—CC25943
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25943 2WD Crew Cab 167.7" Work Truck****ENTERTAINMENT**

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 18 2016
City of San Antonio--CC25943
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25943 2WD Crew Cab 167.7" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 18 2016
City of San Antonio—CC25943
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25943 2WD Crew Cab 167.7" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine. Not available with CK25943 model.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 18 2016
City of San Antonio--CC25943
100 Military Plaza
2nd Floor, city Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sananonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25943 2WD Crew Cab 167.7" Work Truck

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.


GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 20 2016
 City of San Antonio--CK25903
 100 Military Plaza
 2nd Floor. City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 3

Prepared By:

Danny Mireles
 Gunn Chevrolet Ltd
 16550 IH35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

**2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD****WINDOW STICKER**

2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Reg Cab 13 Interior: - Dark Ash with Jet Black Interior Acc	
6.0L/366 CID Gas/Ethanol V8	Exterior 1: - Summit White
6-Speed Automatic	Exterior 2: - No color has been selected.
CODE	MODEL
CK25903	2015 Chevrolet Silverado 2500HD Built After Aug 14 4WD Reg Cab 133.6" Work Truck
	MSRP
	\$35,585.00

OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
E63	PICKUP BOX, WIDESIDE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$200.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2R	DARK ASH WITH JET BLACK INTERIOR ACCENTS, CLOTH SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH USB	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$610.00
NQF	TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS	\$200.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UPP	\$350.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 395.0, Data updated 7/14/2015
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
 Customer File:

Prepared For:

ITEM# 20 2016

City of San Antonio--CK25903

100 Military Plaza

2nd Floor. City Hall


San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanan
tonio.gov

Primary FAN: 000803392

Requested Quantity: 3

**Prepared By:**

Danny Mireles

Gunn Chevrolet Ltd

16550 IH35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD**WINDOW STICKER**

A31	WINDOWS, POWER WITH DRIVER EXPRESS UP AND DOWN AND EXPRESS	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SUBTOTAL		\$36,765.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$37,960.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 395.0, Data updated 7/14/2015
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
 Customer File:

Estimate Response Form Report



7/15/2015 3:04:20 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

ITEM 20

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency			
					Quantity	Item	Unit Price	Extended Price
ECP0000521	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD	US DOLLARS		
					1.000		23,889.00000	
					EA	CFC-PRO8WS9		23,889.00
						ANIMAL CONTROL UNIT		
					1.000		38.00000	
					EA	ECC-210		38.00
						ALARM REVERSING 97DB		
					2.000		79.95000	
					EA	ECC-EW2411		159.90
						LIGHT WORK KIT 6LED FLOOD BEAM RECTANGLE		
					2.000		75.00000	
					EA	ECC-ED0011A		150.00
						HIDE-A-BULLET LED 2" AMBER 12-24 VDC		
					2.000		75.00000	
					EA	ECC-ED0010A		150.00
						HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC		
					1.000		350.00000	
					EA	INSTALLATION CHARGE		350.00
						INSTALLATION OF LIGHTING AND ALARM		

ITEM 20

Sale Amount: 24,736.90

STRH

Ranch Hand Truck Access.

Page 1 of 2

PLANE

Estimate Response Form Report



7/15/2015 3:04:20 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

ITEM 20

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:


Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer	Currency
ECP0000521	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD	US DOLLARS
				Order Disc(0.00%):		0.00
				Sales Tax:		0.00
				Misc Charges:		0.00
				Total Amount:		24,736.90

Prepared For:

ITEM# 20 2016
City of San Antonio--CK25903
100 Military Plaza
2nd Floor. City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montermayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 3

Prepared By:

Danny Mireles
Gunn Chevrolet Ltd
16550 IH35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

**2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD****STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck****ENTERTAINMENT**

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- Audio system feature, 4-speaker system

EXTERIOR


- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 395.0, Data updated 7/14/2015
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
Customer File:

Prepared For:
ITEM# 20 2016
City of San Antonio--CK25903
100 Military Plaza
2nd Floor. City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@santaniono.gov
Primary FAN: 000803392
Requested Quantity: 3

Prepared By:
Danny Mireles
Gunn Chevrolet Ltd
16550 IH35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com



2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 395.0, Data updated 7/14/2015
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
Customer File:

Prepared For:

ITEM# 20 2016

City of San Antonio--CK25903

100 Military Plaza

2nd Floor, City Hall


San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanan
tonio.gov

Primary FAN: 000803392

Requested Quantity: 3

**Prepared By:**

Danny Mireles

Gunn Chevrolet Ltd

16550 IH35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck****MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine and 4WD model.)
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Differential, heavy-duty locking rear
- Four wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.


GM AutoBook, Data Version: 395.0, Data updated 7/14/2015

© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared For:
ITEM# 20 2016
City of San Antonio--CK25903
100 Military Plaza
2nd Floor. City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montermayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 3

Prepared By:
Danny Mireles
Gunn Chevrolet Ltd
16550 IH35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com



2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 4WD

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK25903 4WD Reg Cab 133.6" Work Truck

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 395.0, Data updated 7/14/2015
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
Customer File:

Prepared For:
 ITEM# 21 2016
 City of San Antonio—CC35943
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

WINDOW STICKER

2015 Chevrolet Silverado 3500HD Built After Aug 14 2WD Crew Cab		Interior: - No color has been selected.
6.0L/366 CID Gas/Ethanol V8		Exterior 1: - No color has been selected.
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CC35943	2015 Chevrolet Silverado 3500HD Built After Aug 14 2WD Crew Cab 167.7" Work Truck	\$38,485.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
SRW	CHASSIS, SINGLE REAR WHEEL	\$0.00
E63	PICKUP BOX, WIDESIDE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
JFK	GVWR, 10,700 LBS. (4854 KG) WITH SINGLE REAR WHEELS	\$0.00
PYT	WHEELS, 18" (45.7 CM) PAINTED STEEL	\$0.00
QGM	TIRES, LT265/70R18E ALL-TERRAIN, BLACKWALL	\$200.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$600.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
ITEM# 21 2016
City of San Antonio—CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

WINDOW STICKER

N79	WHEEL, 18" X 8" (45.7 CM X 20.3 CM) FULL-SIZE, STEEL SPARE	\$0.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
SUBTOTAL		\$39,150.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$40,345.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Estimate Response Form Report



7/14/2015 10:18:59 AM
Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency			
					Quantity	Item	Unit Price	Extended Price
ecp0000506	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	USD	US DOLLARS		
					2.000		75.00000	
	EA	ECC-ED0011A					150.00	
		HIDE-A-BULLET LED 2" AMBER 12-24 VDC						
					2.000		75.00000	
	EA	ECC-ED0010A					150.00	
		HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC						
					1.000		225.00000	
	EA	INSTALLATION CHARGE					225.00	
		INSTALLATION						

items 6, 13, 21, 22, 23, 24, 35, 37

Sale Amount:	525.00
Order Disc(0.00%):	0.00
Sales Tax:	0.00
 Misc Charges:	0.00
Total Amount:	525.00

Prepared For:
ITEM# 21 2016
City of San Antonio--CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports, auxiliary jack and SD card slot (Upgradeable to (104) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 21 2016

City of San Antonio—CC35943
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck****EXTERIOR**

- Wheels, 18" (45.7 cm) painted steel includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels, (QGM) LT265/70R18E all-terrain, blackwall tires or (QWF) LT265/70R18E all-season, blackwall tires.)
- Tires, LT265/70R18E all-season, blackwall (Requires single rear wheels.)
- Recovery hooks, front, frame-mounted, black
- Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels. Included with (E63) pickup box. Available to order when (ZW9) pick-up box delete is ordered.)
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- Bumper, rear chrome with bumper CornerSteps
- CornerStep, rear bumper
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 21 2016

City of San Antonio—CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck****INTERIOR**

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Vinyl
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, manual Tilt-Wheel
- Steering wheel
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 21 2016
City of San Antonio—CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 10,000 lbs. (4536 kg) with single rear wheels (Requires *35743 or C35943 models and (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine. Requires (AY0) single-stage air bags.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Trailering equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailer circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps (Will be deleted if (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Trailer brake controller, integrated (Standard with (E63) pickup box. Available to order with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 21 2016
City of San Antonio—CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck

- Frame, fully-boxed, hydroformed front section
- Steering, Recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors (Requires single rear wheels.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information. Required with (C7A) 10,000 lb. (4536 kg) GVWR.)
- Air bags, frontal, driver and right front passenger, single stage (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 22 2016

City of San Antonio—CC35943
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montermayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C**WINDOW STICKER**

2015 Chevrolet Silverado 3500HD Built After Aug 14 2WD Crew Cab		Interior: - No color has been selected.
* 6.6L/403 CID	* Turbocharged Diesel V8	Exterior 1: - No color has been selected.
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CC35943	2015 Chevrolet Silverado 3500HD Built After Aug 14 2WD Crew Cab 167.7" Work Truck	\$38,485.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
SRW	CHASSIS, SINGLE REAR WHEEL	\$0.00
E63	PICKUP BOX, WIDESIDE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LML	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B20-DIESEL COMPATIBLE	\$7,195.00
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CO	\$1,200.00
GT4	REAR AXLE, 3.73 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
C7W	GVWR, 11,400 LBS. (5171 KG) WITH SINGLE REAR WHEELS	\$0.00
PYT	WHEELS, 18" (45.7 CM) PAINTED STEEL	\$0.00
QGM	TIRES, LT265/70R18E ALL-TERRAIN, BLACKWALL	\$200.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$600.00
K05	ENGINE BLOCK HEATER	\$90.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 22 2016
 City of San Antonio—CC35943
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

WINDOW STICKER

	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS/70 AMP-HR	INC
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$0.00
K40	EXHAUST BRAKE	INC
N79	WHEEL, 18" X 8" (45.7 CM X 20.3 CM) FULL-SIZE, STEEL SPARE	\$0.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$260.00
VQ2	FLEET PROCESSING OPTION	\$0.00
	SPECIAL EQUIPMENT OPTIONS	
SFW	BACKUP ALARM CALIBRATION	\$10.00
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
	SUBTOTAL	\$47,565.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$48,760.00
Est City:	mpg	
Est Highway:	mpg	
Est Highway Cruising Range:	mi	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Estimate Response Form Report



7/14/2015 10:18:59 AM
Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency			
					Quantity	Item	Unit Price	Extended Price
ecp0000506	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	USD	US DOLLARS		
					2.000		75.00000	
	EA	ECC-ED0011A						150.00
		HIDE-A-BULLET LED 2" AMBER 12-24 VDC						
					2.000		75.00000	
	EA	ECC-ED0010A						150.00
		HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC						
					1.000		225.00000	
	EA	INSTALLATION CHARGE						225.00
		INSTALLATION						
items 6, 13, 21, 22, 23, 24, 35, 37					Sale Amount:		525.00	
					Order Disc(0.00%):		0.00	
					Sales Tax:		0.00	
					Misc Charges:		0.00	
					Total Amount:		525.00	

Prepared For:
ITEM# 22 2016
City of San Antonio—CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports, auxiliary jack and SD card slot (Upgradeable to (104) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015.
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 22 2016

City of San Antonio--CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montermayor@sanan
tonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck****EXTERIOR**

- Wheels, 18" (45.7 cm) painted steel includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels, (QGM) LT265/70R18E all-terrain, blackwall tires or (QWF) LT265/70R18E all-season, blackwall tires.)
- Tires, LT265/70R18E all-season, blackwall (Requires single rear wheels.)
- Recovery hooks, front, frame-mounted, black
- Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels. Included with (E63) pickup box. Available to order when (ZW9) pick-up box delete is ordered.)
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- Bumper, rear chrome with bumper CornerSteps
- CornerStep, rear bumper
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 22 2016

City of San Antonio--CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT**STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck*****INTERIOR***

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Vinyl
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, manual Tilt-Wheel
- Steering wheel
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 22 2016

City of San Antonio—CC35943
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montermayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck****MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 10,000 lbs. (4536 kg) with single rear wheels (Requires *35743 or C35943 models and (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine. Requires (AY0) single-stage air bags.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Trailering equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground. The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps (Will be deleted if (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Trailer brake controller, integrated (Standard with (E63) pickup box. Available to order with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 22 2016
City of San Antonio--CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montermayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck

- Frame, fully-boxed, hydroformed front section
- Steering, Recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors (Requires single rear wheels.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information. Required with (C7A) 10,000 lb. (4536 kg) GVWR.)
- Air bags, frontal, driver and right front passenger, single stage (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 23 2016

City of San Antonio--CC35943
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C**WINDOW STICKER**

2015 Chevrolet Silverado 3500HD Built After Aug 14 2WD Crew Cab		Interior: - No color has been selected.
* 6.6L/403 CID	* Turbocharged Diesel V8	Exterior 1: - No color has been selected.
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CC35943	2015 Chevrolet Silverado 3500HD Built After Aug 14 2WD Crew Cab 167.7" Work Truck	\$39,015.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
	CHASSIS, DUAL REAR WHEEL	\$0.00
E63	PICKUP BOX, WIDESIDE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LML	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B20-DIESEL COMPATIBLE	\$7,195.00
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CO	\$1,200.00
GT4	REAR AXLE, 3.73 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
CHX	GVWR, 13,025 LBS. (5908 KG) WITH DUAL REAR WHEELS	\$0.00
PYW	WHEELS, 17" (43.2 CM) PAINTED STEEL	\$0.00
QZT	TIRES, LT235/80R17E ALL-TERRAIN	\$200.00
ZZT	TIRE, SPARE LT235/80R17E ALL-TERRAIN	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$600.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 23 2016
 City of San Antonio—CC35943
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

WINDOW STICKER

K05	ENGINE BLOCK HEATER	\$90.00
	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS/70 AMP-HR	INC
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$0.00
J96	BRAKES, 4-WHEEL ANTILOCK, 4-WHEEL DISC WITH DUAL REAR WHEELS	INC
K40	EXHAUST BRAKE	INC
SKP	WHEEL, 17" X 6.5" (43.2 CM X 16.5 CM) FULL-SIZE, STEEL SPARE	\$0.00
P03	WHEEL TRIM, PAINTED TRIM SKINS AND PAINTED CENTER CAPS	INC
U01	LAMPS, SMOKED AMBER ROOF MARKER	\$0.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$260.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
SUBTOTAL		\$48,085.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$49,280.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Estimate Response Form Report



7/14/2015 10:18:59 AM
 Ranch Hand Truck Access.
 Broadway San Antonio Store
 2625 Broadway
 San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
 PO BOX 839976
 SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
					USD US DOLLARS
ccp0000506	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	
	Quantity	Item		Unit Price	Extended Price
	2.000			75.00000	
	EA	ECC-ED0011A			150.00
		HIDE-A-BULLET LED 2" AMBER 12-24 VDC			
	2.000			75.00000	
	EA	ECC-ED0010A			150.00
		HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC			
	1.000			225.00000	
	EA	INSTALLATION CHARGE			225.00
		INSTALLATION			

items 6, 13, 21, 22, 23, 24, 35, 37

Sale Amount: 525.00

Order Disc(0.00%): 0.00

Sales Tax: 0.00

Misc Charges: 0.00

Total Amount: 525.00

Prepared For:
ITEM# 23 2016
City of San Antonio—CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports, auxiliary jack and SD card slot (Upgradeable to (O4) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 23 2016
City of San Antonio—CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck

EXTERIOR

- Wheels, 18" (45.7 cm) painted steel includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels, (QGM) LT265/70R18E all-terrain, blackwall tires or (QWF) LT265/70R18E all-season, blackwall tires.)
- Tires, LT265/70R18E all-season, blackwall (Requires single rear wheels.)
- Recovery hooks, front, frame-mounted, black
- Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels. Included with (E63) pickup box. Available to order when (ZW9) pick-up box delete is ordered.)
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- Bumper, rear chrome with bumper CornerSteps
- CornerStep, rear bumper
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 23 2016

City of San Antonio—CC35943

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Vinyl
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, manual Tilt-Wheel
- Steering wheel
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 23 2016
City of San Antonio--CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes
- Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 10,000 lbs. (4536 kg) with single rear wheels (Requires *35743 or C35943 models and (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine. Requires (AY0) single-stage air bags.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Trailering equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground. The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps (Will be deleted if (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Trailer brake controller, integrated (Standard with (E63) pickup box. Available to order with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 23 2016
City of San Antonio--CC35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montermayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC35943 2WD Crew Cab 167.7" Work Truck

- Frame, fully-boxed, hydroformed front section
- Steering, Recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors (Requires single rear wheels.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information. Required with (C7A) 10,000 lb. (4536 kg) GVWR.)
- Air bags, frontal, driver and right front passenger, single stage (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 24 2016

City of San Antonio--CK35943
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanan
tonio.gov

Primary FAN: 000803392

Requested Quantity: 4

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**WINDOW STICKER**

2015 Chevrolet Silverado 3500HD Built After Aug 14 4WD Crew Cab Interior: - No color has been selected.

* 6.6L/403 CID * Turbocharged Diesel V8 Exterior 1: - No color has been selected.

* 6-Speed Automatic Exterior 2: - No color has been selected.

CODE	MODEL	MSRP
CK35943	2015 Chevrolet Silverado 3500HD Built After Aug 14 4WD Crew Cab 167.7" Work Truck	\$41,970.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
	CHASSIS, DUAL REAR WHEEL	\$0.00
E63	PICKUP BOX, WIDESIDE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LML	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B20-DIESEL COMPATIBLE	\$7,195.00
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CO	\$1,200.00
GT4	REAR AXLE, 3.73 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
CHX	GVWR, 13,025 LBS. (5908 KG) WITH DUAL REAR WHEELS	\$0.00
PYW	WHEELS, 17" (43.2 CM) PAINTED STEEL	\$0.00
QZT	TIRES, LT235/80R17E ALL-TERRAIN	\$200.00
ZZT	TIRE, SPARE LT235/80R17E ALL-TERRAIN	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$600.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 24 2016
 City of San Antonio--CK35943
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 4

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

WINDOW STICKER

K05	ENGINE BLOCK HEATER	\$90.00
NQF	TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS	\$200.00
	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS/70 AMP-HR	INC
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$0.00
J96	BRAKES, 4-WHEEL ANTILOCK, 4-WHEEL DISC WITH DUAL REAR WHEELS	INC
K40	EXHAUST BRAKE	INC
SKP	WHEEL, 17" X 6.5" (43.2 CM X 16.5 CM) FULL-SIZE, STEEL SPARE	\$0.00
P03	WHEEL TRIM, PAINTED TRIM SKINS AND PAINTED CENTER CAPS	INC
U01	LAMPS, SMOKED AMBER ROOF MARKER	\$0.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$260.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
SUBTOTAL		\$51,240.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$52,435.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Estimate Response Form Report



7/14/2015 10:18:59 AM
Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency			
					Quantity	Item	Unit Price	Extended Price
ecp0000506	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	USD	US DOLLARS		
					2.000		75.00000	
	EA	ECC-ED0011A					150.00	
		HIDE-A-BULLET LED 2" AMBER 12-24 VDC						
		2.000			75.00000			
	EA	ECC-ED0010A					150.00	
		HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC						
		1.000			225.00000			
	EA	INSTALLATION CHARGE					225.00	
		INSTALLATION						

items 6, 13, 21, 22, 23, 24, 35, 37

Sale Amount: 525.00

Order Disc(0.00%): 0.00

Sales Tax: 0.00

Misc Charges: 0.00

Total Amount: 525.00

Prepared For:
ITEM# 24 2016
City of San Antonio—CK35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 4

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports, auxiliary jack and SD card slot (Upgradeable to (104) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 24 2016
City of San Antonio--CK35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 4

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck

EXTERIOR

- Wheels, 18" (45.7 cm) painted steel includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels, (QGM) LT265/70R18E all-terrain, blackwall tires or (QWF) LT265/70R18E all-season, blackwall tires.)
- Tires, LT265/70R18E all-season, blackwall (Requires single rear wheels.)
- Recovery hooks, front, frame-mounted, black
- Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels. Included with (E63) pickup box. Available to order when (ZW9) pick-up box delete is ordered.)
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- Bumper, rear chrome with bumper CornerSteps
- CornerStep, rear bumper
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 24 2016

City of San Antonio--CK35943

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 4

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck****MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 11,000 lbs. (4990 kg) with single rear wheels (Requires K35943. Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Differential, heavy-duty locking rear
- Four wheel drive
- Trailering equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps (Will be deleted if (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 24 2016
City of San Antonio—CK35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 4

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck

- Trailer brake controller, integrated (Standard with (E63) pickup box. Available to order with (ZW9) pickup box delete.)
- Frame, fully-boxed, hydroformed front section
- Steering, Recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors (Requires single rear wheels.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right front passenger, single stage (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
 ITEM# 25 2016
 City of San Antonio--CK35943
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 3

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

WINDOW STICKER

2015 Chevrolet Silverado 3500HD Built After Aug 14 4WD Crew Cab		Interior: - No color has been selected.
* 6.6L/403 CID * Turbocharged Diesel V8		Exterior 1: - No color has been selected.
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CK35943	2015 Chevrolet Silverado 3500HD Built After Aug 14 4WD Crew Cab 167.7" Work Truck	\$41,970.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
—	CHASSIS, DUAL REAR WHEEL	\$0.00
ZW9	PICKUP BOX, DELETE	-\$955.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LML	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B20-DIESEL COMPATIBLE	\$7,195.00
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CO	\$1,200.00
GT4	REAR AXLE, 3.73 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
CHX	GVWR, 13,025 LBS. (5908 KG) WITH DUAL REAR WHEELS	\$0.00
PYW	WHEELS, 17" (43.2 CM) PAINTED STEEL	\$0.00
QZT	TIRES, LT235/80R17E ALL-TERRAIN	\$200.00
ZZT	TIRE, SPARE LT235/80R17E ALL-TERRAIN	\$380.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$600.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 25 2016

City of San Antonio—CK35943
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 3

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**WINDOW STICKER**

K05	ENGINE BLOCK HEATER	\$90.00
NQF	TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS	\$200.00
	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS/70 AMP-HR	INC
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$0.00
J96	BRAKES, 4-WHEEL ANTILOCK, 4-WHEEL DISC WITH DUAL REAR WHEELS	INC
K40	EXHAUST BRAKE	INC
SKP	WHEEL, 17" X 6.5" (43.2 CM X 16.5 CM) FULL-SIZE, STEEL SPARE	\$0.00
P03	WHEEL TRIM, PAINTED TRIM SKINS AND PAINTED CENTER CAPS	INC
9J4	BUMPER, REAR, DELETE	\$0.00
U01	LAMPS, SMOKED AMBER ROOF MARKER	\$0.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$260.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
SFW	BACKUP ALARM CALIBRATION	\$10.00
SUBTOTAL		\$50,630.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$51,825.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Estimate Response Form Report



7/15/2015 8:05:52 AM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer	Currency
ecp0000514	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD	US DOLLARS
	Quantity	Item			Unit Price	Extended Price
	1.000				4,618.00000	
EA	READ-33506164	SERVICE BODY U98ASWHH WR LH2 FF QM				4,618.00
	1.000				295.00000	
EA	READ-10507316	MASTER LOCKING M-98:98A INSTALLED				295.00
	1.000				320.00000	
EA	READ-13530436WR	BUMPER 76"QUICK MNT DECK PLT W/LED LIGHT				320.00
	1.000				40.00000	
EA	READ-14302324	LIGHT HARNESS 56ADPT-BED REMOVAL FORD 11				40.00
	2.000				70.00000	
EA	ECC-3810A	LIGHT LED FLASHER AMBER				140.00
	1.000				80.00000	
EA	DRT-63011	PINTLE HOOK W/ 2" BALL				80.00
	1.000				700.00000	
EA	INSTALLATION CHARGE					700.00

Estimate Response Form Report



7/15/2015 8:05:52 AM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
ecp0000514	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD US DOLLARS
INSTALLATION					
	2.000			75.00000	
EA	ECC-ED0011A				150.00
HIDE-A-BULLET LED 2" AMBER 12-24 VDC					
	2.000			75.00000	
EA	ECC-ED0010A				150.00
HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC					
	1.000			225.00000	
EA	INSTALLATION CHARGE				225.00
INSTALL STROBES					
item 25					
				Sale Amount:	6,718.00
				Order Disc(0.00%):	0.00
				Sales Tax:	0.00
				Misc Charges:	0.00
				Total Amount:	6,718.00

Prepared For:

ITEM# 25 2016

City of San Antonio--CK35943
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 3

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck****ENTERTAINMENT**

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports, auxiliary jack and SD card slot (Upgradeable to (104) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 25 2016

City of San Antonio—CK35943
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 3

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck****EXTERIOR**

- Wheels, 18" (45.7 cm) painted steel includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels, (QGM) LT265/70R18E all-terrain, blackwall tires or (QWF) LT265/70R18E all-season, blackwall tires.)
- Tires, LT265/70R18E all-season, blackwall (Requires single rear wheels.)
- Recovery hooks, front, frame-mounted, black
- Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels. Included with (E63) pickup box. Available to order when (ZW9) pick-up box delete is ordered.)
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- Bumper, rear chrome with bumper CornerSteps
- CornerStep, rear bumper
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 25 2016
City of San Antonio--CK35943
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 3

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Vinyl
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, manual Tilt-Wheel
- Steering wheel
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 25 2016

City of San Antonio--CK35943

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 3

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 11,000 lbs. (4990 kg) with single rear wheels (Requires K35943. Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Differential, heavy-duty locking rear
- Four wheel drive
- Trailering equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground. The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps (Will be deleted if (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 25 2016

City of San Antonio—CK35943
100 Military Plaza

2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanan
tonio.gov

Primary FAN: 000803392

Requested Quantity: 3

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck

- Trailer brake controller, integrated (Standard with (E63) pickup box. Available to order with (ZW9) pickup box delete.)
- Frame, fully-boxed, hydroformed front section
- Steering, Recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors (Requires single rear wheels.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right front passenger, single stage (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 26 2016

City of San Antonio—CK36043

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**WINDOW STICKER**

2015 Chevrolet Silverado 3500HD Built After Aug 14 4WD Crew Cab		Interior: - No color has been selected.
* 6.6L/403 CID	* Turbo Diesel V8	Exterior 1: - No color has been selected.
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CK36043	2015 Chevrolet Silverado 3500HD Built After Aug 14 4WD Crew Cab 171.5" WB, 59.06" CA WT	\$39,555.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LML	ENGINE, DURAMAX 6.6L TURBO DIESEL V8	\$7,195.00
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC	\$1,200.00
GT4	REAR AXLE, 3.73 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
QZT	TIRES, LT235/80R17E ALL-TERRAIN	\$200.00
ZZT	TIRE, SPARE LT235/80R17E ALL-TERRAIN	\$380.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
H2Q	DARK ASH, VINYL	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO	\$0.00
PCR	WT CONVENIENCE PACKAGE	\$600.00
K05	ENGINE BLOCK HEATER	INC
PTO	POWER TAKE OFF, ENGINE CONTROL PROVISIONS	INC
NQF	TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS	\$200.00
	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS/70 AMP-HR, MAI	INC
K40	EXHAUST BRAKE	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 26 2016
 City of San Antonio—CK36043
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

WINDOW STICKER

SKP	WHEEL, 17" X 6.5" (43.2 CM X 16.5 CM) FULL-SIZE, STEEL SPARE	INC
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER, UP	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$260.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SUBTOTAL		\$49,070.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$50,265.00
Est City: - TBD - mpg		
Est Highway: - TBD - mpg		
Est Highway Cruising Range: - TBD - mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Estimate Response Form Report



7/15/2015 2:46:08 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency			
					Quantity	Item	Unit Price	Extended Price
ecp0000523	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD	US DOLLARS		
					1.000		4,330.00000	
	EA	CM-PL9X97STK					4,330.00	
		STAKEBED 9' X 97" W/42" HIGH STAKE SIDES						
includes mud flaps w/anti-sail front and rear of rear tires rear icc bumper with pintle hitch curbside access ladder w/grab handle on header installation								
	2.000						325.00000	
	EA	RS-H361818					650.00	
		TOOLBOX UNDERBODY 14GA 36" X 18						
installed								
	2.000						75.00000	
	EA	ECC-ED0011A					150.00	
		HIDE-A-BULLET LED 2" AMBER 12-24 VDC						
	2.000						75.00000	
	EA	ECC-ED0010A					150.00	
		HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC						
	2.000						70.00000	
	EA	ECC-3810A					140.00	
		LIGHT LED FLASHER AMBER						
	1.000						225.00000	
	EA	INSTALLATION CHARGE					225.00	

STRH

Ranch Hand Truck Access.

Page 1 of 2

STRE

Estimate Response Form Report



7/15/2015 2:46:08 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer	Currency
ecp0000523	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD	US DOLLARS
INSTALLATION						
item 26						
					Sale Amount:	5,645.00
					Order Disc(0.00%):	0.00
					Sales Tax:	0.00
					Misc Charges:	0.00
					Total Amount:	5,645.00

Prepared For:

ITEM# 26 2016

City of San Antonio—CK36043

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT**STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK36043 4WD Crew Cab 171.5" WB, 59.06" CA WT****ENTERTAINMENT**

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports, auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- 6-speaker audio system
- SiriusXM Satellite Radio, delete

EXTERIOR

- Wheels, 17" (43.2 cm) painted steel
- Tires, LT235/80R17E all-season highway
- Wheel trim, painted trim skins and painted center caps
- Bumper, front chrome
- Grille, chrome surround
- Headlamps, halogen projector
- Lamps, Smoked Amber roof marker
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 26 2016

City of San Antonio--CK36043
100 Military Plaza

2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK36043 4WD Crew Cab 171.5" WB, 59.06" CA WT

INTERIOR

- Seats, front 40/20/40 split-bench 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage.
- Seat trim, Vinyl
- Seat, rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, manual Tilt-Wheel
- Steering wheel
- Instrumentation 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 3:16:48 AM

Page 4

Prepared For:
ITEM# 26 2016
City of San Antonio--CK36043
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK36043 4WD Crew Cab 171.5" WB, 59.06" CA WT

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [513.0 N·m] @ 4200 rpm)
- Transmission, 6-speed automatic, heavy-duty electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Differential, heavy-duty locking rear
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Four wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Recovery hooks, front, frame-mounted, black
- Body, Chassis Cab
- Frame, fully-boxed, hydroformed front section
- GVWR, 13,200 lbs. (5988 kg)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Steering, Recirculating Ball
- Fuel tank, front and rear, 63.5 gallon
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Back-up alarm calibration This calibration will allow installation of an aftermarket back up alarm.

PROCESSING-OTHER

- 2015 Interim Processing Code

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 26 2016

City of San Antonio—CK36043
100 Military Plaza

2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK36043 4WD Crew Cab 171.5" WB, 59.06" CA WT

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc with dual rear wheel with DuraLife brake rotors
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right front passenger (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 27 2016

City of San Antonio--CC36043
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C**WINDOW STICKER**

2015 Chevrolet Silverado 3500HD Built After Aug 14 2WD Crew Cab		Interior: - No color has been selected.
* 6.6L/403 CID	* Turbo Diesel V8	Exterior 1: - No color has been selected.
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CC36043	2015 Chevrolet Silverado 3500HD Built After Aug 14 2WD Crew Cab 171.5" WB, 59.06" CA WT	\$36,600.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LML	ENGINE, DURAMAX 6.6L TURBO DIESEL V8	\$7,195.00
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC	\$1,200.00
GT4	REAR AXLE, 3.73 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
QZT	TIRES, LT235/80R17E ALL-TERRAIN	\$200.00
ZZT	TIRE, SPARE LT235/80R17E ALL-TERRAIN	\$380.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
H2Q	DARK ASH, VINYL	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO	\$0.00
PCR	WT CONVENIENCE PACKAGE	\$600.00
K05	ENGINE BLOCK HEATER	INC
PTO	POWER TAKE OFF, ENGINE CONTROL PROVISIONS	INC
	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS/70 AMP-HR, MAI	INC
K40	EXHAUST BRAKE	INC
SKP	WHEEL, 17" X 6.5" (43.2 CM X 16.5 CM) FULL-SIZE, STEEL SPARE	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 27 2016
 City of San Antonio--CC36043
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

WINDOW STICKER

DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER, UP	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$260.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SUBTOTAL		\$45,915.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$47,110.00
Est City: - TBD - mpg		
Est Highway: - TBD - mpg		
Est Highway Cruising Range: - TBD - mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Estimate Response Form Report



7/15/2015 12:38:22 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

Item 27 - Welder Bed

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
ECP0000515	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD US DOLLARS
	Quantity	Item		Unit Price	Extended Price
	1.000			5,200.00000	
EA	CM-WELDER BED				5,200.00
		Welder Bed to meet COSA Specs			
		Welder Bed to Meet COSA Specifications:			
		• Headache Rack			
		• 6" sides back 54" only			
		• Area behind tool box to be open			
		• ICC rear Bumper			
		* Bottle/Tank Holder			
	1.000			450.00000	
EA	CUSTOM FABRICATION				450.00
		CUSTOM FAB L Bars for Welder Bed			
	1.000			448.00000	
EA	RS-M541NMB				448.00
		TOOLBOX SINGLE LID IN BED 54" BLK			
	1.000			335.00000	
EA	WILTON676				335.00
		WILTON VISE 6.5"W x 5.5"OPN X 3 13/16			
	2.000			75.00000	
EA	ECC-ED0011A				150.00
		HIDE-A-BULLET LED 2" AMBER 12-24 VDC			
	2.000			75.00000	

Estimate Response Form Report



7/15/2015 12:38:22 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

Item 27 - Welder Bed

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
ECP0000515	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD US DOLLARS
	EA	ECC-ED0010A			150.00
		HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC			
		1.000		6,992.00000	
	EA	MIL-907506			6,992.00
		MILLER WELDER/GENERATOR -TRAILBLAZER 275			
		1.000		106.00000	
	EA	DRT-63012			106.00
		PINTLE HOOK FORGED W/2 5/16" BALL			
		1.000		110.00000	
	EA	DRT-45294			110.00
		TITAN PINTLE HOOK MNT PLATE 8-1/2"SHANK			
		1.000		1,250.00000	
	EA	INSTALLATION CHARGE			1,250.00
		INSTALLATION OF ALL COMPONENTS			

ITEM 27

item 27

Sale Amount: 15,191.00

Order Disc(0.00%): 0.00

Sales Tax: 0.00

Misc Charges: 0.00

Estimate Response Form Report



7/15/2015 12:38:22 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

Item 27 - Welder Bed

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
ECP0000515	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD US DOLLARS
Total Amount:					15,191.00

Prepared For:

ITEM# 27 2016

City of San Antonio--CC36043

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392
Requested Quantity: 1**Prepared By:**

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC36043 2WD Crew Cab 171.5" WB, 59.06" CA WT****ENTERTAINMENT**

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports, auxiliary jack and SD card slot (Upgradeable to (IO4) 4.2" diagonal color display radio with Chevrolet MyLink.)
- 6-speaker audio system
- SiriusXM Satellite Radio, delete

EXTERIOR

- Wheels, 17" (43.2 cm) painted steel
- Tires, LT235/80R17E all-season highway
- Wheel trim, painted trim skins and painted center caps
- Bumper, front chrome
- Grille, chrome surround
- Headlamps, halogen projector
- Lamps, Smoked Amber roof marker
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 27 2016
City of San Antonio--CC36043
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC36043 2WD Crew Cab 171.5" WB, 59.06" CA WT

INTERIOR

- Seats, front 40/20/40 split-bench 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage.
- Seat trim, Vinyl
- Seat, rear 60/40 folding bench (folds up), 3-passenger, (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, manual Tilt-Wheel
- Steering wheel
- Instrumentation 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 27 2016

City of San Antonio--CC36043
100 Military Plaza

2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N

Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC36043 2WD Crew Cab 171.5" WB, 59.06" CA WT

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc with dual rear wheel with DuraLife brake rotors
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right front passenger (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 28 2016

City of San Antonio--CC35943

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**WINDOW STICKER**

2015 Chevrolet Silverado 3500HD Built After Aug 14 4WD Crew Cab		Interior: - Dark Ash
* 6.6L/403 CID * Turbocharged Diesel V8		Exterior 1: - Summit White
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CK35943 2015 Chevrolet Silverado 3500HD Built After Aug 14 4WD Crew Cab 167.7" Work Truck		
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
SRW	CHASSIS, SINGLE REAR WHEEL	\$0.00
ZW9	PICKUP BOX, DELETE	-\$955.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LML	ENGINE, DURAMAX 6.6L TURBO DIESEL V8, B20-DIESEL COMPATIBLE	\$7,195.00
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CO	\$1,200.00
GT4	REAR AXLE, 3.73 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
C7V	GVWR, 11,600 LBS. (5262 KG) WITH SINGLE REAR WHEELS	\$0.00
PYT	WHEELS, 18" (45.7 CM) PAINTED STEEL	\$0.00
QGM	TIRES, LT265/70R18E ALL-TERRAIN, BLACKWALL	\$200.00
ZWF	TIRE, SPARE LT265/70R18E ALL-TERRAIN, BLACKWALL	\$360.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$600.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 28 2016
 City of San Antonio—CC35943
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

WINDOW STICKER

K05	ENGINE BLOCK HEATER	\$90.00
NQF	TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS	\$200.00
—	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS/70 AMP-HR	INC
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	\$0.00
K40	EXHAUST BRAKE	INC
N79	WHEEL, 18" X 8" (45.7 CM X 20.3 CM) FULL-SIZE, STEEL SPARE	\$0.00
9J4	BUMPER, REAR, DELETE	\$0.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	INC
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$260.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQUIPMENT OPTIONS		
SFW	BACKUP ALARM CALIBRATION	\$10.00
SUBTOTAL		\$50,080.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$51,275.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Estimate Response Form Report



7/15/2015 1:32:03 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency			
					Quantity	Item	Unit Price	Extended Price
ecp0000517	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	1.000	4,618.00000	4,618.00000	4,618.00
					EA	READ-33506164		
						SERVICE BODY U98ASWHH WR LH2 FF QM		
					1.000		295.00000	295.00
					EA	READ-10507316		
						MASTER LOCKING M-98:98A INSTALLED		
					1.000		320.00000	320.00
					EA	READ-13530436WR		
						BUMPER 76"QUICK MNT DECK PLT W/LED LIGHT		
					1.000		40.00000	40.00
					EA	READ-14302324		
						LIGHT HARNESS 56ADPT-BED REMOVAL FORD 11		
					1.000		532.00000	532.00
					EA	RKB-TBT5		
						HEAVY DUTY SLIDE-OUT TOOL BOX TRAY		
					1.000		750.00000	750.00
					EA	INSTALLATION CHARGE		
						INSTALLATION		
					2.000		75.00000	75.00
					EA	ECC-ED0011A		
							150.00	150.00

STRH

Ranch Hand Truck Access.

STRE

Page 1 of 3

Estimate Response Form Report



7/15/2015 1:32:03 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
ecp0000517	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD US DOLLARS
HIDE-A-BULLET LED 2" AMBER 12-24 VDC					
	2.000			75.00000	
EA	ECC-ED0010A				150.00
HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC					
	2.000			70.00000	
EA	ECC-3810A				140.00
LIGHT LED FLASHER AMBER					
	1.000			225.00000	
EA	INSTALLATION CHARGE				225.00
INSTALL STROBE LIGHTS					
	1.000			1,512.00000	
EA	WAR-17801				1,512.00
WINCH M12000 12V 125' ROLLER					
making exception to 200' cable w/125' 12k quoted					
	1.000			610.00000	
EA	WARN GEN 2				610.00
TRANSFORMER BRACKET KIT W/WINCH TRAY					
	1.000			375.00000	
EA	INSTALLATION CHARGE				375.00
INSTALL WINCH					

item 28

STRH

STRE

Ranch Hand Truck Access.

Page 2 of 3

Estimate Response Form Report



7/15/2015 1:32:03 PM
Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency	
ecp0000517	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD	US DOLLARS
					Sale Amount:	9,717.00
					Order Disc(0.00%):	0.00
					Sales Tax:	0.00
					Misc Charges:	0.00
					Total Amount:	9,717.00

Prepared For:

ITEM# 28 2016

City of San Antonio--CC35943
100 Military Plaza

2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports, auxiliary jack and SD card slot
(Upgradeable to (104) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 28 2016

City of San Antonio—CC35943

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck****EXTERIOR**

- Wheels, 18" (45.7 cm) painted steel includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels, (QGM) LT265/70R18E all-terrain, blackwall tires or (QWF) LT265/70R18E all-season, blackwall tires.)
- Tires, LT265/70R18E all-season, blackwall (Requires single rear wheels.)
- Recovery hooks, front, frame-mounted, black
- Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels. Included with (E63) pickup box. Available to order when (ZW9) pick-up box delete is ordered.)
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- Bumper, rear chrome with bumper CornerSteps
- CornerStep, rear bumper
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 28 2016

City of San Antonio—CC35943

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392
Requested Quantity: 1**Prepared By:**

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck****INTERIOR**

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Vinyl
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, manual Tilt-Wheel
- Steering wheel
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 28 2016

City of San Antonio—CC35943

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montermayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck****MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 11,000 lbs. (4990 kg) with single rear wheels (Requires K35943. Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Differential, heavy-duty locking rear
- Four wheel drive
- Trailering equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps (Will be deleted if (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 28 2016

City of San Antonio—CC35943

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD C**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK35943 4WD Crew Cab 167.7" Work Truck**

- Trailer brake controller, integrated (Standard with (E63) pickup box. Available to order with (ZW9) pickup box delete.)
- Frame, fully-boxed, hydroformed front section
- Steering, Recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors (Requires single rear wheels.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

PROCESSING-OTHER

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right front passenger, single stage (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 29 2016

City of San Antonio—CC36403

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392
Requested Quantity: 1**Prepared By:**

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD R**WINDOW STICKER**

2015 Chevrolet Silverado 3500HD Built After Aug 14 4WD Reg Cab 1 Interior: - Dark Ash		
6.0L/366 CID Gas V8	Exterior 1: - Summit White	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE MODEL MSRP		
CK36403	2015 Chevrolet Silverado 3500HD Built After Aug 14 4WD Reg Cab 162" WB, 83.58" CA WT	\$36,455.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY	\$0.00
GT4	REAR AXLE, 3.73 RATIO	\$100.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
QZT	TIRES, LT235/80R17E ALL-TERRAIN	\$200.00
ZZT	TIRE, SPARE LT235/80R17E ALL-TERRAIN	\$380.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
H2Q	DARK ASH, VINYL	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO	\$0.00
PCR	WT CONVENIENCE PACKAGE	\$890.00
NQF	TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS	\$200.00
SKP	WHEEL, 17" X 6.5" (43.2 CM X 16.5 CM) FULL-SIZE, STEEL SPARE	INC
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER, UP	INC
A31	WINDOWS, POWER	INC
AQQ	REMOTE KEYLESS ENTRY	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 29 2016

City of San Antonio--CC36403
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392
Requested Quantity: 1**Prepared By:**

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 NSelma, TX 78154
Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD R**WINDOW STICKER**

DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SUBTOTAL		\$38,045.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$39,240.00
Est City: - TBD - mpg		
Est Highway: - TBD - mpg		
Est Highway Cruising Range: - TBD - mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Estimate Response Form Report



7/15/2015 3:28:15 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
ecp0000524	NET 30/PO REQ EA	7/15/2015 ECC-3810A	8/14/2015	FLEET	USD US DOLLARS
		LIGHT LED FLASHER AMBER 1.000		225.00000	140.00
	EA	INSTALLATION CHARGE INSTALL STROBE LIGHTS			225.00
item 29				Sale Amount:	8,940.00
				Order Disc(0.00%):	0.00
				Sales Tax:	0.00
				Misc Charges:	0.00
				Total Amount:	8,940.00

Prepared For:
ITEM# 29 2016
City of San Antonio--CC36403
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD R

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK36403 4WD Reg Cab 162" WB, 83.58" CA WT

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports, auxiliary jack and SD card slot (Upgradeable to (IO4) 4.2" diagonal color display radio with Chevrolet MyLink.)
- Audio system feature, 4-speaker system
- SiriusXM Satellite Radio, delete

EXTERIOR

- Wheels, 17" (43.2 cm) painted steel
- Tires, LT235/80R17E all-season highway
- Wheel trim, painted trim skins and painted center caps
- Bumper, front chrome
- Grille, chrome surround
- Headlamps, halogen projector
- Lamps, Smoked Amber roof marker
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical camper-style, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 29 2016

City of San Antonio--CC36403
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD R**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK36403 4WD Reg Cab 162" WB, 83.58" CA WT****INTERIOR**

- Seats, front 40/20/40 split-bench 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage.
- Seat trim, Vinyl
- Floor covering, Graphite-colored rubberized-vinyl
- Steering column, manual Tilt-Wheel
- Steering wheel
- Instrumentation 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 29 2016

City of San Antonio—CC36403

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD R**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK36403 4WD Reg Cab 162" WB, 83.58" CA WT****MECHANICAL**

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [513.0 N·m] @ 4200 rpm)
- Transmission, 6-speed automatic, heavy-duty electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Differential, heavy-duty locking rear
- Air cleaner, high-capacity
- Transfer case, with floor-mounted shifter (Included with 4WD models only.)
- Four wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Recovery hooks, front, frame-mounted, black
- Body, Chassis Cab
- Frame, fully-boxed, hydroformed front section
- GVWR, 13,200 lbs. (5988 kg)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Steering, Recirculating Ball
- Fuel tank, front and rear, 63.5 gallon
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Back-up alarm calibration This calibration will allow installation of an aftermarket back up alarm.

PROCESSING-OTHER

- 2015 Interim Processing Code

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 29 2016

City of San Antonio--CC36403
100 Military Plaza

2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154

Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 3500HD Built After Aug 14 4WD R

STANDARD EQUIPMENT**STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK36403 4WD Reg Cab 162" WB, 83.58" CA WT****SAFETY**

- Brakes, 4-wheel antilock, 4-wheel disc with dual rear wheel with DuraLife brake rotors
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right front passenger (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 33 2016
 City of San Antonio—1LG26
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 14

Prepared By:

Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Equinox AWD 4dr LS 1LG26**WINDOW STICKER**

2015 Chevrolet Equinox AWD 4dr LS	Interior: - Jet Black
2.4/145 CID * Gas/Ethanol I4	Exterior 1: - Summit White
* 6-Speed Automatic	Exterior 2: - No color has been selected.
CODE	MODEL
1LG26	2015 Chevrolet Equinox AWD 4dr LS
	MSRP
	\$26,270.00
OPTIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
LEA	ENGINE, 2.4L DOHC 4-CYLINDER SIDI (SPARK IGNITION DIRECT INJECTION)
MX0	TRANSMISSION, 6-SPEED AUTOMATIC WITH OVERDRIVE
1LS	LS PREFERRED EQUIPMENT GROUP
GAZ	SUMMIT WHITE
	STANDARD PAINT
AR9	SEATS, DELUXE FRONT BUCKET
AFH	JET BLACK, CLOTH
UYE	AUDIO SYSTEM, AM/FM/SIRIUSXM STEREO WITH CD PLAYER AND MP3/WMA
FHS	E85 FLEXFUEL CAPABLE, FOR 2.4L DOHC 4-CYLINDER ENGINE
U2J	SIRIUSXM SATELLITE RADIO, DELETE
UE0	ONSTAR, DELETE
R9Y	FLEET FREE MAINTENANCE CREDIT
VQ1	FLEET PROCESSING OPTION
SUBTOTAL	\$25,950.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:

ITEM# 33 2016

City of San Antonio—1LG26

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392
Requested Quantity: 14**Prepared By:**

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Equinox AWD 4dr LS 1LG26**WINDOW STICKER**

Advert/Adjustments	\$0.00
Destination Charge	\$875.00
TOTAL PRICE	\$26,825.00

Est City: 20.00 mpg

Est Highway: 29.00 mpg

Est Highway Cruising Range: 545.20 mi

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 33 2016
City of San Antonio—1LG26
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 14

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Equinox AWD 4dr LS 1LG26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 1LG26 AWD 4dr LS

ENTERTAINMENT

- Audio system, AM/FM/SiriusXM stereo with CD player and MP3/WMA playback capability Graphic Interface Display (GID), Radio Data System (RDS), speed-compensated volume and outside temperature display
- Audio system feature, 80-watt 6-speaker system mid-range speakers in each door and tweeters in the A-pillars.
- Audio system feature, auxiliary input jack
- Audio system feature, USB port
- SiriusXM Satellite Radio is standard on nearly all 2015 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus you can listen to SiriusXM Internet Radio everywhere on your computer, smartphone or tablet. Welcome to the world of SiriusXM. (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)
- Antenna, roof-mounted
- Bluetooth for phone personal cell phone connectivity to vehicle audio system and HMI (Human Machine Interface) (Bluetooth for phone only when equipped with (UE1) OnStar. Deleted with (UE0) OnStar delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 33 2016
City of San Antonio--1LG26
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 14

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Equinox AWD 4dr LS 1LG26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 1LG26 AWD 4dr LS

EXTERIOR

- Wheels, 17" (43.2 cm) aluminum
- Tires, P225/65R17 all-season, blackwall (Included and only available with (RSB) 17" (43.2 cm) aluminum wheels.)
- LS Exterior Appearance includes body-color bumpers with Charcoal lowers, body-color door handles, 17" aluminum wheels and Black mirrors
- Tire, compact spare with steel wheel
- Bumpers, front and rear body-color with Charcoal lowers
- Moldings, Charcoal lower rocker
- Grille, Charcoal with chrome surround
- Headlamps, halogen composite with automatic exterior lamp control
- Glass, tinted
- Mirrors, outside power-adjustable, Black, manual-folding
- Wipers, front variable-speed, intermittent with washer
- Wiper, rear variable-speed, intermittent with washer
- Liftgate, rear manual with fixed glass
- Door handles, body-color

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 33 2016

City of San Antonio--1LG26
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 14

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Equinox AWD 4dr LS 1LG26**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 1LG26 AWD 4dr LS****INTERIOR**

- Seats, Deluxe front bucket
- LS Interior, Base Cloth
- Seat adjuster front driver power lumbar and power height adjuster
- Seat, rear, 2-way fore/aft adjustment with 60/40 split seatback and 3-way recline
- Console, front center with armrest and concealed storage
- Armrest, rear center with dual cup holders
- Floor mats, carpeted front
- Floor mats, carpeted rear
- Steering wheel, comfort grip vinyl with mounted cruise and audio controls
- Steering wheel controls, mounted audio controls
- Steering column, tilt and telescopic
- Instrumentation includes speedometer, single trip odometer, fuel level, engine temperature and tachometer
- Driver Information Center monitors 26 various systems including, Vehicle Information Menu (oil life, tire pressure, standard/metric units), Trip Information Menu (trip 1, trip 2, fuel range, average fuel economy, instant fuel economy, average vehicle speed) and compass display
- Compass display included in Driver Information Center (DIC) (Not available with (UE0) OnStar delete.)
- Windows, power with Express-Down on all 4 doors
- Door locks, power programmable with power lockout protection
- Remote Keyless Entry with 2 transmitters, panic button, content theft alarm activation verification and illuminated entry
- Cruise control, electronic with set and resume speed
- Theft-deterrent system, anti-theft alarm and engine immobilizer.
- Air conditioning, manual climate control
- Defogger, rear-window electric
- Cupholders, 2 front in center console and 2 rear in center armrest with 1 bottle holder in each door

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Estimate Response Form Report



7/15/2015 3:28:15 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency			
					Quantity	Item	Unit Price	Extended Price
ecp0000524	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD	US DOLLARS		
					1.000		4,975.00000	
	EA	CM-PL12X97STK					4,975.00	
		STAKEBED 12' X 97" W/42" HIGH STAKE SIDES						
		includes mud flaps w/anti-sail front and rear of rear tires						
		rear icc bumper with pintle hitch						
		curbside access ladder w/grab handle on header						
		installation						
		2.000					325.00000	
	EA	RS-H361818					650.00	
		TOOLBOX UNDERBODY 14GA 36" X 18						
		installed						
		1.000					2,650.00000	
	EA	TG-G2921350TP42					2,650.00	
		LIFTGATE 1300LB 42" STEEL PLATFORM						
		installed						
		2.000					75.00000	
	EA	ECC-ED0011A					150.00	
		HIDE-A-BULLET LED 2" AMBER 12-24 VDC						
		2.000					75.00000	
	EA	ECC-ED0010A					150.00	
		HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC						
		2.000					70.00000	

Prepared For:

ITEM# 33 2016

City of San Antonio—1LG26
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 14

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Equinox AWD 4dr LS 1LG26**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 1LG26 AWD 4dr LS**

- Power outlets, 4 auxiliary with covers, 12-volt includes 1 front of console, 1 in console, 1 in back of console and 1 in cargo area.
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger illuminated vanity mirrors
- Assist handles, front passenger and rear outboards
- Map pocket, front seatback, driver and front passenger
- Lighting, interior with theatre dimming, center-mounted dome, rear cargo area, dual front map lights, ambient lighting on center stack surround, and center console cupholders

MECHANICAL

- Engine, 2.4L DOHC 4-cylinder SIDI (Spark Ignition Direct Injection) with VVT (Variable Valve Timing) (182 hp [135.7 kW] @ 6700 rpm, 172 lb-ft [232.2 N·m] @ 4900 rpm)
- Transmission, 6-speed automatic with overdrive
- Axle, 3.53 final drive ratio (Requires 1LG26 model and (LEA) 2.4L DOHC 4-cylinder SIDI engine.)
- GVWR, 5070 lbs (2300 kg) (Requires all-wheel drive vehicles and (LEA) 2.4L DOHC 4-cylinder SIDI engine.)
- Alternator, 120 amps
- Battery, maintenance free with rundown protection, 525 CCA
- Chassis, all-wheel drive (1LG26 model only.)
- Suspension, front independent MacPherson strut with stabilizer bar, optimally-tuned shocks and hydraulic-ride bushings in front control arms
- Suspension, rear independent multi-link with hydraulic rear trailing arm links and stabilizer bar
- Suspension, Refined Ride
- Steering, power-assist, electric-variable
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, single

PROCESSING-OTHER

- E10 Fuel capable (May be upgraded to (FHS) E85 FlexFuel Capable with (FE9) Federal emissions.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 33 2016
City of San Antonio—1LG26
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 14

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Equinox AWD 4dr LS 1LG26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 1LG26 AWD 4dr LS

SAFETY

- Brakes, brake assist
- Brakes, Hill Start-Assist (HSA)
- Traction control
- StabiliTrak, electronic stability control system
- Daytime Running Lamps
- Air bags, dual-stage, frontal, driver and right front passenger with passenger sensing system, Thorax side-impact, seat mounted, driver and right front passenger, head curtain, side front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag, Passenger Sensing System, sensor indicator inflatable restraint, front passenger/child presence detector (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owners Manual for more information.)
- OnStar Directions and Connections plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance and Turn-by-Turn Navigation (Visit www.onstar.com for vehicle availability, details and system limitations. Services may vary by model and conditions.)
- OnStar Basic plan for 5 years including RemoteLink Key Fob Services, OnStar Vehicle Diagnostics and Dealer Maintenance Notification (Deleted when (UE0) OnStar delete is ordered. Access is available for 5 years from the date of vehicle delivery, and is transferable. Does not include emergency services. To cancel RemoteLink Key Fob Services or if your vehicle is sold, contact an OnStar Advisor. See www.onstar.com/mobile for full details.)
- OnStar with 4G LTE provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds (Deleted when (UE0) OnStar delete is ordered. Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.)
- Safety belts 3-point, driver and right-front passenger, height-adjustable includes pretensioners
- Safety belts, 3-point, rear, all seating positions
- Door locks, power operated rear child security
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- Tire Pressure Monitor System (Does not monitor spare.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 33 2016
City of San Antonio--1LG26
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 14

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Equinox AWD 4dr LS 1LG26

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 1LG26 AWD 4dr LS

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 34 2016

City of San Antonio--CR14526
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 10

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526**WINDOW STICKER**

2016 Chevrolet Traverse FWD 4dr LS w/1LS

3.6L/217 CID Gas V6

* 6-Speed Automatic

Interior: - No color has been selected.

Exterior 1: - No color has been selected.

Exterior 2: - No color has been selected.

CODE	MODEL	MSRP
CR14526	2016 Chevrolet Traverse FWD 4dr LS w/1LS	\$31,205.00
OPTIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LLT	ENGINE, 3.6L SIDI V6	\$0.00
M7V	TRANSMISSION, 6-SPEED AUTOMATIC	\$0.00
1LS	LS PREFERRED EQUIPMENT GROUP	\$0.00
ABC	SEATING, 8-PASSENGER (2-3-3 SEATING CONFIGURATION)	\$0.00
GAZ	SUMMIT WHITE	\$0.00
—	STANDARD PAINT	\$0.00
AR9	RECLINING FRONT BUCKETS	\$0.00
83C	DARK TITANIUM/LIGHT TITANIUM, SEAT TRIM, PREMIUM CLOTH	\$0.00
UUI	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER	W/A
U2J	SIRIUSXM SATELLITE RADIO, DELETE	-\$100.00
NK5	STEERING WHEEL, VINYL WITH MOUNTED CRUISE CONTROLS	INC
UH8	INSTRUMENTATION	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
UE0	ONSTAR, DELETE	-\$85.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SUBTOTAL		W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 34 2016
City of San Antonio--CR14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 10

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526

WINDOW STICKER

Advert/Adjustments	\$0.00
Destination Charge	\$895.00
TOTAL PRICE	W/A
Est City: 17.00 mpg	
Est Highway: 24.00 mpg	
Est Highway Cruising Range: 528.00 mi	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 34 2016
City of San Antonio—CR14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 10

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CR14526 FWD 4dr LS w/1LS

EXTERIOR

- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel
- Tires, P245/70R17 all-season, blackwall
- Wheel, 17" (43.2 cm) compact steel spare wheel and tire
- Roof rail moldings
- Spoiler, rear
- Moldings, Argent, body-side
- Headlamps, dual cavity, halogen
- Headlamp control, automatic on and off
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver and front passenger side glass)
- Mirrors, outside power-adjustable, Black, manual-folding
- Wipers, front intermittent with washers
- Wiper, rear intermittent with washer
- Door handles, chrome
- Liftgate, rear manual

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 34 2016

City of San Antonio—CR14526
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 10

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CR14526 FWD 4dr LS w/1LS**

- Cup holders 10 with (ABB) 7-passenger (2-2-3 seating configuration) and 12 with (ABC) 8-passenger (2-3-3 seating configuration)
- Visors, driver and front passenger padded with cloth trim, color-keyed and illuminated vanity mirrors
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches and illuminated entry and exit feature
- Trim, interior, painted Silver trim center stack and interior trim
- Cargo storage, tray under rear floor

MECHANICAL

- Engine, 3.6L SIDI V6 (281 hp [210 kW] @ 6300 rpm, 266 lb-ft of torque @ 3400 rpm [359.1 N·m])
- Transmission, 6-speed automatic (Included and only available with CR14526 FWD models.)
- Axle, 3.16 ratio
- Front wheel drive
- Battery, high capacity 660 cold-cranking amps
- GVWR, 6411 lbs. (2908 kg) (CR14526 FWD models only.)
- Suspension, Ride and Handling
- Steering, power, constant effort
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, single outlet

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 34 2016

City of San Antonio—CR14526
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 10

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CR14526 FWD 4dr LS w/1LS****SAFETY**

- StabiliTrak, stability control system
- Traction control
- Daytime Running Lamps
- Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, front passenger air bag suppression (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar Guidance plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions.)
- OnStar Basic plan for 5 years including limited RemoteLink mobile app services, Advanced Diagnostics and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery, and is transferable. Does not include Emergency, Security or Navigation services.)
- OnStar with 4G LTE and built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds includes 3GB or 3 months OnStar Data Trial (whichever comes first) (Deleted when (UE0) OnStar delete is ordered. Available 4G LTE Wi-Fi requires compatible mobile device, active OnStar subscription and data plan after trial.)
- Rear Vision Camera display integrated into Color Touch Radio (Not included with (UUI) AM/FM stereo with MP3 compatible CD player on Fleet or Government order types only.)
- Door locks, rear child security
- Tire Pressure Monitoring System (Does not monitor spare)
- Horn, dual-note

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 3:23:02 AM

Page 7

Prepared For:

ITEM# 35 2016

City of San Antonio—CR14526
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526**WINDOW STICKER**

2016 Chevrolet Traverse FWD 4dr LS w/1LS	Interior: - No color has been selected.
3.6L/217 CID Gas V6	Exterior 1: - No color has been selected.
* 6-Speed Automatic	Exterior 2: - No color has been selected.
CODE	MODEL
CR14526	2016 Chevrolet Traverse FWD 4dr LS w/1LS
	MSRP
	\$31,205.00
OPTIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
LLT	ENGINE, 3.6L SIDI V6
M7V	TRANSMISSION, 6-SPEED AUTOMATIC
1LS	LS PREFERRED EQUIPMENT GROUP
ABC	SEATING, 8-PASSENGER (2-3-3 SEATING CONFIGURATION)
GAZ	SUMMIT WHITE
—	STANDARD PAINT
AR9	RECLINING FRONT BUCKETS
83C	DARK TITANIUM/LIGHT TITANIUM, SEAT TRIM, PREMIUM CLOTH
UUI	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER
U2J	SIRIUSXM SATELLITE RADIO, DELETE
NK5	STEERING WHEEL, VINYL WITH MOUNTED CRUISE CONTROLS
UH8	INSTRUMENTATION
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING
UE0	ONSTAR, DELETE
VQ2	FLEET PROCESSING OPTION
	SUBTOTAL
	W/A

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 35 2016

City of San Antonio--CR14526
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montermayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526**WINDOW STICKER**

Advert/Adjustments	\$0.00
Destination Charge	\$895.00
TOTAL PRICE	W/A
Est City: 17.00 mpg	
Est Highway: 24.00 mpg	
Est Highway Cruising Range: 528.00 mi	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Estimate Response Form Report



7/14/2015 10:18:59 AM
Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
					USD US DOLLARS
	Quantity	Item		Unit Price	Extended Price
ecp0000506	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	
	2.000			75.00000	
EA	ECC-ED0011A				150.00
	HIDE-A-BULLET LED 2" AMBER 12-24 VDC				
	2.000			75.00000	
EA	ECC-ED0010A				150.00
	HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC				
	1.000			225.00000	
EA	INSTALLATION CHARGE				225.00
	INSTALLATION				

items 6, 13, 21, 22, 23, 24, 35, 37

Sale Amount: 525.00

Order Disc(0.00%): 0.00

Sales Tax: 0.00

Misc Charges: 0.00

Total Amount: 525.00

Prepared For:

ITEM# 35 2016

City of San Antonio—CR14526
100 Military Plaza

2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N

Selma, TX 78154
Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CR14526 FWD 4dr LS w/1LS

ENTERTAINMENT

- Audio system, Color Touch AM/FM/SiriusXM radio with CD player 6.5" diagonal touch-screen display
- Audio system feature, standard speaker system
- Audio system feature, auxiliary input jack
- Audio system feature, USB port
- Audio system feature, dual USB port, charge only, located rear of center console
- SiriusXM Satellite Radio is standard on nearly all 2016 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 35 2016
City of San Antonio--CR14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CR14526 FWD 4dr LS w/1LS

EXTERIOR

- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel
- Tires, P245/70R17 all-season, blackwall
- Wheel, 17" (43.2 cm) compact steel spare wheel and tire
- Roof rail moldings
- Spoiler, rear
- Moldings, Argent, body-side
- Headlamps, dual cavity, halogen
- Headlamp control, automatic on and off
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver and front passenger side glass)
- Mirrors, outside power-adjustable, Black, manual-folding
- Wipers, front intermittent with washers
- Wiper, rear intermittent with washer
- Door handles, chrome
- Liftgate, rear manual

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 35 2016

City of San Antonio--CR14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CR14526 FWD 4dr LS w/1LS****INTERIOR**

- Reclining front buckets
- Seating, 8-passenger (2-3-3 seating configuration) with 2nd and 3rd row 60/40 split flat-folding bench seat
- Insulation, acoustical package
- Bluetooth for phone, personal cell phone connectivity to vehicle audio system (Not available with (UE0) OnStar delete.)
- Seat trim, Premium Cloth (Requires (83C) Dark Titanium/Light Titanium Cloth Trim.)
- Seat, 4-way manual driver with manual lumbar control
- Seat, 2-way manual front passenger, included with Premium Cloth
- Seat, third row manual 60/40 split-folding bench
- Console, front center with 2 cup holders, covered storage bin and sliding armrest with storage
- Floormats, color-keyed carpeted front, second and third row, removable
- Floor covering, color-keyed carpeting
- Steering wheel, urethane comfort grip with mounted cruise and audio controls
- Steering column, tilt and telescopic with brake/transmission shift interlock
- Instrumentation, enhanced Driver Information Center with personalization features, speedometer, tachometer, outside temperature display, low oil, fuel and coolant indicators, odometer, trip odometer and trip computer with digital compass
- Windows, power with driver Express-Down
- Door locks, power programmable with lockout protection
- Remote Keyless Entry, programmable with 2 transmitters, panic button and extended range
- Cruise control, electronic with set and resume speed
- Air conditioning, single-zone manual front climate control
- Air conditioning, rear manual
- Defogger, rear-window electric

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 35 2016

City of San Antonio—CR14526
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CR14526 FWD 4dr LS w/1LS**

- Cup holders 10 with (ABB) 7-passenger (2-2-3 seating configuration) and 12 with (ABC) 8-passenger (2-3-3 seating configuration)
- Visors, driver and front passenger padded with cloth trim, color-keyed and illuminated vanity mirrors
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches and illuminated entry and exit feature
- Trim, interior, painted Silver trim center stack and interior trim
- Cargo storage, tray under rear floor

MECHANICAL

- Engine, 3.6L SIDI V6 (281 hp [210 kW] @ 6300 rpm, 266 lb-ft of torque @ 3400 rpm [359.1 N·m])
- Transmission, 6-speed automatic (Included and only available with CR14526 FWD models.)
- Axle, 3.16 ratio
- Front wheel drive
- Battery, high capacity 660 cold-cranking amps
- GVWR, 6411 lbs. (2908 kg) (CR14526 FWD models only.)
- Suspension, Ride and Handling
- Steering, power, constant effort
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, single outlet

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 35 2016

City of San Antonio--CR14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse FWD 4dr LS w/1LS CR14526**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CR14526 FWD 4dr LS w/1LS****SAFETY**

- StabiliTrak, stability control system
- Traction control
- Daytime Running Lamps
- Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, front passenger air bag suppression (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar Guidance plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions.)
- OnStar Basic plan for 5 years including limited RemoteLink mobile app services, Advanced Diagnostics and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery, and is transferable. Does not include Emergency, Security or Navigation services.)
- OnStar with 4G LTE and built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds includes 3GB or 3 months OnStar Data Trial (whichever comes first) (Deleted when (UE0) OnStar delete is ordered. Available 4G LTE Wi-Fi requires compatible mobile device, active OnStar subscription and data plan after trial.)
- Rear Vision Camera display integrated into Color Touch Radio (Not included with (UUI) AM/FM stereo with MP3 compatible CD player on Fleet or Government order types only.)
- Door locks, rear child security
- Tire Pressure Monitoring System (Does not monitor spare)
- Horn, dual-note

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 36 2016
 City of San Antonio—CV14526
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 6

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526

WINDOW STICKER

2016 Chevrolet Traverse AWD 4dr LS	Interior: - No color has been selected.	
3.6L/217 CID Gas V6	Exterior 1: - No color has been selected.	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CV14526	2016 Chevrolet Traverse AWD 4dr LS	\$33,205.00
OPTIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LLT	ENGINE, 3.6L SIDI V6	\$0.00
M7X	TRANSMISSION, 6-SPEED AUTOMATIC	\$0.00
1LS	LS PREFERRED EQUIPMENT GROUP	\$0.00
ABC	SEATING, 8-PASSENGER (2-3-3 SEATING CONFIGURATION)	\$0.00
GAZ	SUMMIT WHITE	\$0.00
	STANDARD PAINT	\$0.00
AR9	RECLINING FRONT BUCKETS	\$0.00
83C	DARK TITANIUM/LIGHT TITANIUM, SEAT TRIM, PREMIUM CLOTH	\$0.00
UUI	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER	W/A
U2J	SIRIUSXM SATELLITE RADIO, DELETE	-\$100.00
NK5	STEERING WHEEL, VINYL WITH MOUNTED CRUISE CONTROLS	INC
UH8	INSTRUMENTATION	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	INC
UE0	ONSTAR, DELETE	-\$85.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SUBTOTAL		
W/A		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:

ITEM# 36 2016

City of San Antonio--CV14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 6

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526**WINDOW STICKER**

Advert/Adjustments	\$0.00
Destination Charge	\$895.00
TOTAL PRICE	W/A

Est City: 16.00 mpg

Est Highway: 23.00 mpg

Est Highway Cruising Range: 506.00 mi

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 36 2016

City of San Antonio--CV14526
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 6

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CV14526 AWD 4dr LS****ENTERTAINMENT**

- Audio system, Color Touch AM/FM/SiriusXM radio with CD player 6.5" diagonal touch-screen display
- Audio system feature, standard speaker system
- Audio system feature, auxiliary input jack
- Audio system feature, USB port
- Audio system feature, dual USB port, charge only, located rear of center console
- SiriusXM Satellite Radio is standard on nearly all 2016 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 36 2016
City of San Antonio—CV14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 6

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CV14526 AWD 4dr LS

EXTERIOR

- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel
- Tires, P245/70R17 all-season, blackwall
- Wheel, 17" (43.2 cm) compact steel spare wheel and tire
- Roof rail moldings
- Spoiler, rear
- Moldings, Argent, body-side
- Headlamps, dual cavity, halogen
- Headlamp control, automatic on and off
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver and front passenger side glass)
- Mirrors, outside power-adjustable, Black, manual-folding
- Wipers, front intermittent with washers
- Wiper, rear intermittent with washer
- Door handles, chrome
- Liftgate, rear manual

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 36 2016

City of San Antonio—CV14526
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 6

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CV14526 AWD 4dr LS****INTERIOR**

- Reclining front buckets
- Seating, 8-passenger (2-3-3 seating configuration) with 2nd and 3rd row 60/40 split flat-folding bench seat
- Insulation, acoustical package
- Bluetooth for phone, personal cell phone connectivity to vehicle audio system (Not available with (UE0) OnStar delete.)
- Seat trim, Premium Cloth (Requires (83C) Dark Titanium/Light Titanium Cloth Trim.)
- Seat, 4-way manual driver with manual lumbar control
- Seat, 2-way manual front passenger, included with Premium Cloth
- Seat, third row manual 60/40 split-folding bench
- Console, front center with 2 cup holders, covered storage bin and sliding armrest with storage
- Floormats, color-keyed carpeted front, second and third row, removable
- Floor covering, color-keyed carpeting
- Steering wheel, urethane comfort grip with mounted cruise and audio controls
- Steering column, tilt and telescopic with brake/transmission shift interlock
- Instrumentation, enhanced Driver Information Center with personalization features, speedometer, tachometer, outside temperature display, low oil, fuel and coolant indicators, odometer, trip odometer and trip computer with digital compass
- Windows, power with driver Express-Down
- Door locks, power programmable with lockout protection
- Remote Keyless Entry, programmable with 2 transmitters, panic button and extended range
- Cruise control, electronic with set and resume speed
- Air conditioning, single-zone manual front climate control
- Air conditioning, rear manual
- Defogger, rear-window electric

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 36 2016

City of San Antonio--CV14526
100 Military Plaza

2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 6

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CV14526 AWD 4dr LS

- Cup holders 10 with (ABB) 7-passenger (2-2-3 seating configuration) and 12 with (ABC) 8-passenger (2-3-3 seating configuration)
- Visors, driver and front passenger padded with cloth trim, color-keyed and illuminated vanity mirrors
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches and illuminated entry and exit feature
- Trim, interior, painted Silver trim center stack and interior trim
- Cargo storage, tray under rear floor

MECHANICAL

- Engine, 3.6L SIDI V6 (281 hp [210 kW] @ 6300 rpm, 266 lb-ft of torque @ 3400 rpm [359.1 N·m])
- Transmission, 6-speed automatic (Included and only available with CV14526 AWD models.)
- Axle, 3.16 ratio
- All wheel drive
- Battery, high capacity 660 cold-cranking amps
- GVWR, 6459 lbs. (2930 kg) (CV14526 AWD models only.)
- Suspension, Ride and Handling
- Steering, power, constant effort
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, single outlet

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 36 2016

City of San Antonio—CV14526
100 Military Plaza
2nd Floor, City HallSan Antonio, TX 78205
Phone: (210) 207-3900

Email: ian.montermayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 6

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CV14526 AWD 4dr LS****SAFETY**

- StabiliTrak, stability control system
- Traction control
- Daytime Running Lamps
- Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, front passenger air bag suppression (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar Guidance plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions.)
- OnStar Basic plan for 5 years including limited RemoteLink mobile app services, Advanced Diagnostics and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery, and is transferable. Does not include Emergency, Security or Navigation services.)
- OnStar with 4G LTE and built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds includes 3GB or 3 months OnStar Data Trial (whichever comes first) (Deleted when (UE0) OnStar delete is ordered. Available 4G LTE Wi-Fi requires compatible mobile device, active OnStar subscription and data plan after trial.)
- Rear Vision Camera display integrated into Color Touch Radio (Not included with (UUI) AM/FM stereo with MP3 compatible CD player on Fleet or Government order types only.)
- Door locks, rear child security
- Tire Pressure Monitoring System (Does not monitor spare)
- Horn, dual-note

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 37 2016

City of San Antonio--CV14526
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526**WINDOW STICKER**

2016 Chevrolet Traverse AWD 4dr LS	Interior: - No color has been selected.
3.6L/217 CID Gas V6	Exterior 1: - No color has been selected.
* 6-Speed Automatic	Exterior 2: - No color has been selected.
CODE	MODEL
CV14526	2016 Chevrolet Traverse AWD 4dr LS
	MSRP
	\$33,205.00
	OPTIONS
FE9	EMISSIONS, FEDERAL REQUIREMENTS
LLT	ENGINE, 3.6L SIDI V6
M7X	TRANSMISSION, 6-SPEED AUTOMATIC
1LS	LS PREFERRED EQUIPMENT GROUP
ABC	SEATING, 8-PASSENGER (2-3-3 SEATING CONFIGURATION)
GAZ	SUMMIT WHITE
—	STANDARD PAINT
AR9	RECLINING FRONT BUCKETS
83C	DARK TITANIUM/LIGHT TITANIUM, SEAT TRIM, PREMIUM CLOTH
UUI	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER
U2J	SIRIUSXM SATELLITE RADIO, DELETE
NK5	STEERING WHEEL, VINYL WITH MOUNTED CRUISE CONTROLS
UH8	INSTRUMENTATION
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING
UE0	ONSTAR, DELETE
VQ2	FLEET PROCESSING OPTION
	W/A
	-\$100.00
	INC
	INC
	INC
	-\$85.00
	\$0.00
	W/A
SUBTOTAL	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 37 2016
City of San Antonio--CV14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526

WINDOW STICKER

Advert/Adjustments	\$0.00
Destination Charge	\$895.00
TOTAL PRICE	W/A

Est City: 16.00 mpg
Est Highway: 23.00 mpg
Est Highway Cruising Range: 506.00 mi

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Page 2

July 17, 2015 3:27:50 AM

Estimate Response Form Report



7/14/2015 10:18:59 AM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
					USD US DOLLARS
ecp0000506	NET 30/PO REQ	7/14/2015	8/13/2015	FLEET	
	Quantity	Item		Unit Price	Extended Price
	2.000			75.00000	
	EA	ECC-ED0011A			150.00
		HIDE-A-BULLET LED 2" AMBER 12-24 VDC			
	2.000			75.00000	
	EA	ECC-ED0010A			150.00
		HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC			
	1.000			225.00000	
	EA	INSTALLATION CHARGE			225.00
		INSTALLATION			
items 6, 13, 21, 22, 23, 24, 35, 37					
				Sale Amount:	525.00
				Order Disc(0.00%):	0.00
				Sales Tax:	0.00
				Misc Charges:	0.00
				Total Amount:	525.00

Prepared For:
ITEM# 37 2016
City of San Antonio--CV14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CV14526 AWD 4dr LS

ENTERTAINMENT

- Audio system, Color Touch AM/FM/SiriusXM radio with CD player 6.5" diagonal touch-screen display
- Audio system feature, standard speaker system
- Audio system feature, auxiliary input jack
- Audio system feature, USB port
- Audio system feature, dual USB port, charge only, located rear of center console
- SiriusXM Satellite Radio is standard on nearly all 2016 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 37 2016
City of San Antonio--CV14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CV14526 AWD 4dr LS

EXTERIOR

- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel
- Tires, P245/70R17 all-season, blackwall
- Wheel, 17" (43.2 cm) compact steel spare wheel and tire
- Roof rail moldings
- Spoiler, rear
- Moldings, Argent, body-side
- Headlamps, dual cavity, halogen
- Headlamp control, automatic on and off
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver and front passenger side glass)
- Mirrors, outside power-adjustable, Black, manual-folding
- Wipers, front intermittent with washers
- Wiper, rear intermittent with washer
- Door handles, chrome
- Liftgate, rear manual

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 37 2016
City of San Antonio—CV14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CV14526 AWD 4dr LS

INTERIOR

- Reclining front buckets
- Seating, 8-passenger (2-3-3 seating configuration) with 2nd and 3rd row 60/40 split flat-folding bench seat
- Insulation, acoustical package
- Bluetooth for phone, personal cell phone connectivity to vehicle audio system (Not available with (UE0) OnStar delete.)
- Seat trim, Premium Cloth (Requires (83C) Dark Titanium/Light Titanium Cloth Trim.)
- Seat, 4-way manual driver with manual lumbar control
- Seat, 2-way manual front passenger, included with Premium Cloth
- Seat, third row manual 60/40 split-folding bench
- Console, front center with 2 cup holders, covered storage bin and sliding armrest with storage
- Floormats, color-keyed carpeted front, second and third row, removable
- Floor covering, color-keyed carpeting
- Steering wheel, urethane comfort grip with mounted cruise and audio controls
- Steering column, tilt and telescopic with brake/transmission shift interlock
- Instrumentation, enhanced Driver Information Center with personalization features, speedometer, tachometer, outside temperature display, low oil, fuel and coolant indicators, odometer, trip odometer and trip computer with digital compass
- Windows, power with driver Express-Down
- Door locks, power programmable with lockout protection
- Remote Keyless Entry, programmable with 2 transmitters, panic button and extended range
- Cruise control, electronic with set and resume speed
- Air conditioning, single-zone manual front climate control
- Air conditioning, rear manual
- Defogger, rear-window electric

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 37 2016
City of San Antonio—CV14526
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2016 Fleet/Non-Retail Chevrolet Traverse AWD 4dr LS CV14526

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CV14526 AWD 4dr LS

- Cup holders 10 with (ABB) 7-passenger (2-2-3 seating configuration) and 12 with (ABC) 8-passenger (2-3-3 seating configuration)
- Visors, driver and front passenger padded with cloth trim, color-keyed and illuminated vanity mirrors
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches and illuminated entry and exit feature
- Trim, interior, painted Silver trim center stack and interior trim
- Cargo storage, tray under rear floor

MECHANICAL

- Engine, 3.6L SIDI V6 (281 hp [210 kW] @ 6300 rpm, 266 lb-ft of torque @ 3400 rpm [359.1 N·m])
- Transmission, 6-speed automatic (Included and only available with CV14526 AWD models.)
- Axle, 3.16 ratio
- All wheel drive
- Battery, high capacity 660 cold-cranking amps
- GVWR, 6459 lbs. (2930 kg) (CV14526 AWD models only.)
- Suspension, Ride and Handling
- Steering, power, constant effort
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, single outlet

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 38 2016
 City of San Antonio--CC15706
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montermayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 2

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 2WD 4dr Commercial CC15706

WINDOW STICKER

2015 Chevrolet Tahoe 2WD 4dr Commercial	Interior: - Jet Black	
5.3L/- TBD - CID Gas/Ethanol V8	Exterior 1: - Summit White	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CC15706	2015 Chevrolet Tahoe 2WD 4dr Commercial	\$46,300.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD, INCREASED CAPACITY, PREMIUM SM	INC
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L83	ENGINE, 5.3L ECOTEC3 V8 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJE	\$0.00
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
GU6	REAR AXLE, 3.42 RATIO	INC
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$1,180.00
PZX	WHEELS, 18" X 8.5" (45.7 CM X 21.6 CM) ALUMINUM WITH HIGH-POLISHED FI	\$400.00
RKX	TIRES, P265/65R18 ALL-SEASON, BLACKWALL	\$0.00
RC4	TIRE, SPARE P265/70R17 ALL-SEASON, BLACKWALL	INC
ZY1	PAINT SCHEME, SOLID APPLICATION	\$0.00
GAZ	SUMMIT WHITE	\$0.00
A95	SEATING, FRONT BUCKET WITH PREMIUM CLOTH	\$250.00
H0U	JET BLACK, CLOTH SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER AND AUXILIARY INPUT J	\$0.00
NHT	MAX TRAILERING PACKAGE	\$450.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED	INC
AG1	SEAT ADJUSTER, DRIVER 10-WAY POWER	\$0.00
AG2	SEAT ADJUSTER, FRONT PASSENGER 6-WAY POWER	INC
ATD	SEAT DELETE, THIRD ROW PASSENGER	-\$400.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
ITEM# 38 2016
City of San Antonio—CC15706
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 2WD 4dr Commercial CC15706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15706 2WD 4dr Commercial

ENTERTAINMENT

- Audio system, AM/FM stereo with CD player and auxiliary input jack includes 2 USB ports and 1 SD card reader
- Audio system feature, single-slot CD/MP3 player
- Audio system feature, 6-speaker system
- SiriusXM radio delete
- Bluetooth for phone personal cell phone connectivity to vehicle audio system (Deleted when (UE0) OnStar delete is ordered.)

EXTERIOR

- Wheels, 17" x 8" painted steel (Standard unless (NHT) Max Trailering Package is selected. Must order (PZX) 18" aluminum wheels with (NHT) Max Trailering Package.)
- Tires, P265/70R17 all-terrain, blackwall (Standard unless (NHT) Max Trailering Package is ordered.)
- Tire, spare P265/70R17 all-season, blackwall
- Wheel, full-size spare, 17" (43.2 cm) steel
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Fascia, front body-color
- Fascia, rear color-keyed
- Assist steps, Black
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside heated power-adjustable, manual-folding and color keyed (With (9C1) Police Vehicle includes body-color and driver spotter mirror.)
- Wipers, front intermittent, Rainsense
- Wiper, rear intermittent with washer
- Liftgate, rear manual

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 38 2016
City of San Antonio—CC15706
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 2WD 4dr Commercial CC15706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15706 2WD 4dr Commercial

- Power outlet, 110-volt
- Power outlets, 5 auxiliary, 12-volt includes outlets in the instrument panel, console, back of console, 1 in 3rd row and 1 in cargo area (when bench seat is ordered, the outlet on the back of the console is lost) (Included and only available with (AZ3) 40/20/40 split-bench front seats. Not included with (9C1) Police Vehicle.)
- Mirror, inside rearview manual day/night
- Conversation mirror
- Assist handles, all seats (With (9C1) Police Vehicle, front passenger assist handle is removed when (7X7) Spot lamps are ordered.)
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions. With (9C1) Police Vehicle, interior lighting includes dome light, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Cargo management system
- Cargo net (Deleted when (ATD) third row passenger seat delete is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 38 2016
City of San Antonio--CC15706
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 2WD 4dr Commercial CC15706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15706 2WD 4dr Commercial

MECHANICAL

- Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N·m] @ 4100 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.08 ratio (Not available with (NHT) Max Trailering Package.)
- Suspension Package, Premium Smooth Ride
- E85 FlexFuel capable
- Differential, heavy-duty locking rear
- Rear wheel drive
- Air cleaner, high-capacity
- Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator (With (9C1) Police Vehicle includes heavy-duty oil-to-coolant integral to driver-side of radiator.)
- Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
- Battery, 720 cold cranking amps with 80 amp hour rating
- Alternator, 150 amps
- Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver
- GVWR, 7100 lbs. (3221 kg) (Requires 2WD model.)
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Steering, power

PROCESSING-OTHER

- 2015 Interim Processing Code (Required on all interim models produced starting in October 2014.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 38 2016
City of San Antonio—CC15706
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 2WD 4dr Commercial CC15706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15706 2WD 4dr Commercial

SAFETY

- Theft deterrent, electrical, unauthorized entry
- Brakes, 4-wheel antilock, 4-wheel disc, VAC power
- StabiliTrak, stability control system with brake assist, includes traction control
- Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions Note: Head curtain side-impact included for third row seating positions, even though seat has been deleted. (Included and only available with (AZ3) 40/20/40 split-bench front seat. With (9C1) Police Vehicle requires (AZ3) 40/20/40 split-bench front seat and (9U3) SEO front center seat (20% seat) delete. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Automatic Occupant Sensing System sensor indicator inflatable restraint, front passenger/child presence detector
- OnStar Directions and Connections plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance and Turn-by-Turn Navigation (Visit www.onstar.com for vehicle availability, details and system limitations. Services may vary by model and conditions.)
- Rear Park Assist with audible warning
- Rear Vision Camera
- Safety belts, 3-point, driver and right-front passenger
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats; lower anchors and top tethers located in all second row seating positions, top tethers located in third row seating positions
- Tire Pressure Monitor System air pressure sensors in each tire with pressure display in Driver Information Center (does not apply to spare tire)
- Warning tones headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
 ITEM# 39 2016
 City of San Antonio—CK15706
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 2

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr Commercial CK15706

WINDOW STICKER

2015 Chevrolet Tahoe 4WD 4dr Commercial	Interior: - No color has been selected.	
5.3L/- TBD - CID Gas/Ethanol V8	Exterior 1: - No color has been selected.	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CK15706	2015 Chevrolet Tahoe 4WD 4dr Commercial	\$49,300.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
ZW7	SUSPENSION PACKAGE, PREMIUM SMOOTH RIDE	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L83	ENGINE, 5.3L ECOTEC3 V8 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJE	\$0.00
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
GU4	REAR AXLE, 3.08 RATIO	\$0.00
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$1,180.00
RD6	WHEELS, 17" X 8" PAINTED STEEL	\$0.00
RC3	TIRES, P265/70R17 ALL-TERRAIN, BLACKWALL	\$0.00
RC4	TIRE, SPARE P265/70R17 ALL-SEASON, BLACKWALL	INC
ZY1	PAINT SCHEME, SOLID APPLICATION	\$0.00
GAZ	SUMMIT WHITE	\$0.00
A95	SEATING, FRONT BUCKET WITH PREMIUM CLOTH	\$250.00
H0U	JET BLACK, CLOTH SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER AND AUXILIARY INPUT J	\$0.00
NQH	TRANSFER CASE, ACTIVE, 2-SPEED ELECTRONIC AUTOTRAC	\$100.00
AG1	SEAT ADJUSTER, DRIVER 10-WAY POWER	\$0.00
AG2	SEAT ADJUSTER, FRONT PASSENGER 6-WAY POWER	INC
ATD	SEAT DELETE, THIRD ROW PASSENGER	-\$400.00
D07	CONSOLE, FLOOR	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:

ITEM# 39 2016

City of San Antonio--CK15706

100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanan
tonio.gov

Primary FAN: 000803392

Requested Quantity: 2

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr Commercial CK15706**WINDOW STICKER**

5HP	KEY, 6 ADDITIONAL KEYS	\$40.00
AYQ	AIR BAGS, FRONTAL AND SIDE-IMPACT FOR DRIVER AND FRONT PASSENG	INC
UE0	ONSTAR DELETE	-\$85.00
R9Y	FLEET FREE MAINTENANCE CREDIT	-\$135.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SUBTOTAL		\$47,890.00
Advert/Adjustments		\$0.00
Destination Charge		\$1,195.00
TOTAL PRICE		\$49,085.00
Est City: 16.00 mpg		
Est Highway: 22.00 mpg		
Est Highway Cruising Range: 572.00 mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 39 2016
City of San Antonio—CK15706
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:

Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr Commercial CK15706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15706 4WD 4dr Commercial

ENTERTAINMENT

- Audio system, AM/FM stereo with CD player and auxiliary input jack includes 2 USB ports and 1 SD card reader
- Audio system feature, single-slot CD/MP3 player
- Audio system feature, 6-speaker system
- SiriusXM radio delete
- Bluetooth for phone personal cell phone connectivity to vehicle audio system (Deleted when (UE0) OnStar delete is ordered.)

EXTERIOR

- Wheels, 17" x 8" painted steel (Standard unless (NHT) Max Trailering Package is selected. Must order (PZX) 18" aluminum wheels with (NHT) Max Trailering Package.)
- Tires, P265/70R17 all-terrain, blackwall (Standard unless (NHT) Max Trailering Package is ordered.)
- Tire, spare P265/70R17 all-season, blackwall
- Wheel, full-size spare, 17" (43.2 cm) steel
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Fascia, front body-color
- Fascia, rear color-keyed
- Assist steps, Black
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside heated power-adjustable, manual-folding and color keyed (With (9C1) Police Vehicle and (5W4) Special Service Vehicle includes body-color and driver spotter mirror.)
- Wipers, front intermittent, Rainsense
- Wiper, rear intermittent with washer
- Liftgate, rear manual

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

July 17, 2015 3:29:51 AM

Page 3

Prepared For:
ITEM# 39 2016
City of San Antonio—CK15706
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr Commercial CK15706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15706 4WD 4dr Commercial

INTERIOR

- Seating, front 40/20/40 split-bench, 3-passenger includes 6-way power driver and 2-way front passenger seat adjuster, driver and front passenger power lumbar control and power reclining, center fold-down armrest with storage, storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (With vinyl, does not include (AG1) Driver 6-way power seat adjuster or (AG2) Front passenger 6-way power adjuster.)
- OnStar with 4G LTE provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds (Only on vehicles built after 10/5/14. Included and only available with (UE1) OnStar. Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.)
- Seat trim, cloth
- Seats, second row 60/40 split-folding bench, manual
- Seat, third row manual 60/40 split-folding bench, fold flat
- Floor covering, Black rubberized-vinyl
- Steering column, Tilt-Wheel
- Steering wheel, urethane
- Steering wheel controls, mounted cruise
- Display, driver instrument information enhanced, one color
- Door locks, power programmable with lockout protection (With (9C1) Police Vehicle or (5W4) Special Service Vehicle, Auto Lockout is disabled on Driver door.)
- Remote Keyless Entry, extended-range (Not included when (PCK) Luxury Package is ordered.)
- Windows, power, all express down, front express up ((9C1) Police Vehicle and (5W4) Special Service Vehicle include lockout features)
- Cruise control, electronic with set and resume speed
- Climate control, tri-zone automatic with individual climate settings for driver, right-front passenger and rear passengers (With (9C1) Police Vehicle or (5W4) Special Service Vehicle, includes dual-zone automatic, front and rear air conditioning electronic controls)
- Defogger, rear-window electric

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 39 2016
City of San Antonio—CK15706
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:

Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr Commercial CK15706**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15706 4WD 4dr Commercial**

- Power outlet, 110-volt
- Power outlets, 5 auxiliary, 12-volt includes outlets in the instrument panel, console, back of console, 1 in 3rd row and 1 in cargo area (when bench seat is ordered, the outlet on the back of the console is lost) (Included and only available with (AZ3) 40/20/40 split-bench front seats. Not included with (9C1) Police Vehicle or (5W4) Special Service Vehicle)
- Mirror, inside rearview manual day/night
- Conversation mirror
- Assist handles, all seats (With (9C1) Police Vehicle or (5W4) Special Service Vehicle, front passenger assist handle is removed when (7X7) Spot lamps are ordered.)
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions. With (9C1) Police Vehicle or (5W4) Special Service Vehicle, interior lighting includes dome light, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Cargo management system
- Cargo net (Deleted when (ATD) third row passenger seat delete is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 39 2016

City of San Antonio--CK15706
100 Military Plaza2nd Floor, City Hall
San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 2

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 NSelma, TX 78154
Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr Commercial CK15706**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15706 4WD 4dr Commercial****MECHANICAL**

- Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N·m] @ 4100 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.08 ratio (Not available with (NHT) Max Trailering Package.)
- Suspension Package, Premium Smooth Ride
- E85 FlexFuel capable
- Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed (Requires 4WD model. Not available with (NHT) Max Trailering Package.)
- Differential, heavy-duty locking rear
- 4-wheel drive
- Air cleaner, high-capacity
- Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator (With (9C1) Police Vehicle or (5W4) Special Service Vehicle includes heavy-duty oil-to-coolant integral to driver-side of radiator.)
- Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
- Battery, 720 cold cranking amps with 80 amp hour rating
- Alternator, 150 amps
- Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver
- Recovery hooks, Black, front, frame-mounted (Required on 4WD models and all models going to Alaska, Guam, Hawaii, Puerto Rico and Virgin Islands. Not required on (5W4) Special Service Vehicle, but is available.)
- GVWR, 7300 lbs. (3311 kg)
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Steering, power

PROCESSING-OTHER

- 2015 Interim Processing Code (Required on all interim models produced starting in October 2014.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 39 2016
City of San Antonio—CK15706
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 2

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr Commercial CK15706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CK15706 4WD 4dr Commercial

SAFETY

- Theft deterrent, electrical, unauthorized entry
- Brakes, 4-wheel antilock, 4-wheel disc, VAC power
- StabiliTrak, stability control system with brake assist, includes traction control
- Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions Note: Head curtain side-impact included for third row seating positions, even though seat has been deleted. (Included and only available with (AZ3) 40/20/40 split-bench front seat. With (9C1) Police Vehicle or (5W4) Special Service Vehicle requires (AZ3) 40/20/40 split-bench front seat and (9U3) SEO front center seat (20% seat) delete. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Automatic Occupant Sensing System sensor indicator inflatable restraint, front passenger/child presence detector
- OnStar Directions and Connections plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance and Turn-by-Turn Navigation (Visit www.onstar.com for vehicle availability, details and system limitations. Services may vary by model and conditions.)
- Rear Park Assist with audible warning
- Rear Vision Camera
- Safety belts, 3-point, driver and right-front passenger
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats; lower anchors and top tethers located in all second row seating positions, top tethers located in third row seating positions
- Tire Pressure Monitor System air pressure sensors in each tire with pressure display in Driver Information Center (does not apply to spare tire)
- Warning tones headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 40 2016
 City of San Antonio--CC15906
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Suburban 2WD 4dr Commercial CC15906

WINDOW STICKER

2015 Chevrolet Suburban 2WD 4dr Commercial	Interior: - No color has been selected.	
5.3L/- TBD - CID Gas/Ethanol V8	Exterior 1: - No color has been selected.	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CC15906	2015 Chevrolet Suburban 2WD 4dr Commercial	\$49,000.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
ZW7	SUSPENSION PACKAGE, PREMIUM SMOOTH RIDE	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L83	ENGINE, 5.3L V8 ECOTEC3 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJECTION	\$0.00
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
GU4	REAR AXLE, 3.08 RATIO	\$0.00
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$1,030.00
RD6	WHEELS, 17" X 8" (43.2 CM X 20.3 CM) PAINTED STEEL	\$0.00
RC3	TIRES, P265/70R17 ALL-TERRAIN, BLACKWALL	\$0.00
RC4	TIRE, SPARE P265/70R17 ALL-SEASON, BLACKWALL	INC
ZY1	PAINT SCHEME, SOLID APPLICATION	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AZ3	SEATING, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER	\$0.00
H0U	JET BLACK, CLOTH SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER AND AUXILIARY INPUT JACK	\$0.00
AG1	SEAT ADJUSTER, DRIVER 10-WAY POWER	\$0.00
AG2	SEAT ADJUSTER, FRONT PASSENGER 6-WAY POWER	INC
5HP	KEY, 6 ADDITIONAL KEYS	\$40.00
UE0	ONSTAR DELETE	-\$85.00
R9Y	FLEET FREE MAINTENANCE CREDIT.	-\$135.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:

ITEM# 40 2016

City of San Antonio--CC15906
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Suburban 2WD 4dr Commercial CC15906**WINDOW STICKER**

VQ2	FLEET PROCESSING OPTION	\$0.00
	SUBTOTAL	\$47,790.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$48,985.00
Est City: 16.00 mpg		
Est Highway: 23.00 mpg		
Est Highway Cruising Range: 713.00 mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 40 2016

City of San Antonio--CC15906
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanan

tonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Suburban 2WD 4dr Commercial CC15906**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15906 2WD 4dr Commercial****ENTERTAINMENT**

- Audio system, AM/FM stereo with CD player and auxiliary input jack includes 2 USB ports and 1 SD card reader
- Audio system feature, single-slot CD/MP3 player
- Audio system feature, 6-speaker system
- SiriusXM radio delete
- Bluetooth for phone personal cell phone connectivity to vehicle audio system (Deleted when (UE0) OnStar delete is ordered.)

EXTERIOR

- Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel (Standard unless (NHT) Max Trailering Package is selected. Must order (PZX) 18" aluminum wheels with (NHT) Max Trailering Package.)
- Tires, P265/70R17 all-terrain, blackwall (Standard unless (NHT) Max Trailering Package is ordered.)
- Wheel, full-size spare, 17" (43.2 cm) steel
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Fascia, front body-color
- Fascia, rear color-keyed
- Luggage rack side rails, roof-mounted, Black
- Assist steps, Black
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside heated power-adjustable, manual-folding and color keyed driver mirror includes spotter mirror
- Wipers, front intermittent, Rainsense
- Wiper, rear intermittent with washer
- Liftgate, rear manual

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 40 2016
City of San Antonio-CC15906
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Suburban 2WD 4dr Commercial CC15906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15906 2WD 4dr Commercial

INTERIOR

- Seating, front 40/20/40 split-bench, 3-passenger includes 6-way power driver and 2-way front passenger seat adjuster, driver and front passenger power lumbar control and power reclining, center fold-down armrest with storage, storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (With vinyl, does not include (AG1) Driver 6-way power seat adjuster or (AG2) Front passenger 6-way power adjuster.)
- Seat trim, cloth
- Seats, second row 60/40 split-folding bench, manual
- Seat, third row manual 60/40 split-folding bench, fold flat
- Floor covering, Black rubberized-vinyl
- Steering column, Tilt-Wheel
- Steering wheel, urethane
- Steering wheel controls, mounted cruise
- Display, driver instrument information enhanced, one color
- Door locks, power programmable with lockout protection
- Remote Keyless Entry, extended-range
- Windows, power, all express down, front express up
- Cruise control, electronic with set and resume speed
- Theft deterrent, electrical, unauthorized entry
- Climate control, tri-zone automatic with individual climate settings for driver, right-front passenger and rear passengers
- Defogger, rear-window electric
- Power outlet, 110-volt
- Power outlets, 5 auxiliary, 12-volt includes outlets in the instrument panel, console, back of console, 1 in 3rd row and 1 in cargo area (when bench seat is ordered, the outlet on the back of the console is lost) (Included and only available with (AZ3) 40/20/40 split-bench front seats.)
- Conversation mirror

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Page 4

Prepared For:
ITEM# 40 2016
City of San Antonio—CC15906
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montermayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Suburban 2WD 4dr Commercial CC15906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC15906 2WD 4dr Commercial

- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Cargo management system
- Cargo net

MECHANICAL

- Engine, 5.3L V8 EcoTec3 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N·m] @ 4100 rpm)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.08 ratio (Not available with (NHT) Max Trailering Package.)
- Suspension Package, Premium Smooth Ride
- E85 FlexFuel capable
- Differential, heavy-duty locking rear
- Rear wheel drive
- Air cleaner, high-capacity
- Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator
- Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
- Battery, 720 cold cranking amps with 80 amp hour rating
- Alternator, 150 amps
- Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver
- GVWR, 7300 lbs. (3311 kg)
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Steering, power

PROCESSING-OTHER

- 2015 Interim Processing Code (Required on all interim models produced starting in October 2014.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
 ITEM# 41 2016
 City of San Antonio--15T60
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet City Express Cargo Van FWD 115" LT 15T6

WINDOW STICKER

2015 Chevrolet City Express Cargo Van FWD 115" LT	Interior: - No color has been selected.	
2.0L CID Gas I4	Exterior 1: - No color has been selected.	
* 1-Speed Continuously Variable Transmission	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
15T60	2015 Chevrolet City Express Cargo Van FWD 115" LT	\$23,515.00
OPTIONS		
ZW9	BODY, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
LOA	ENGINE, 2.0L DOHC I4	\$0.00
MRA	TRANSMISSION, XTRONIC CVT (CONTINUOUSLY VARIABLE TRANSMISSION)	\$0.00
1LT	1LT PREFERRED EQUIPMENT GROUP	\$0.00
RRJ	WHEELS, 15" (38.1 CM) STEEL	\$0.00
GQX	DESIGNER WHITE	\$0.00
	STANDARD PAINT	\$0.00
AS5	SEATS, FRONT BUCKET WITH CUSTOM CLOTH TRIM	\$0.00
93G	MEDIUM PEWTER, CUSTOM CLOTH SEAT TRIM	\$0.00
U1B	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ZW3	GLASS, DEEP TINT, REAR DOORS AND PASSENGER-SIDE SLIDING DOOR	\$225.00
C49	DEFOGGER, REAR-WINDOW ELECTRIC	INC
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT	INC
VQ2	FLEET PROCESSING OPTION	\$0.00
SUBTOTAL		
\$23,740.00		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
ITEM# 41 2016
City of San Antonio—15T60
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet City Express Cargo Van FWD 115" LT 15T6

WINDOW STICKER

Advert/Adjustments	\$0.00
Destination Charge	\$995.00
TOTAL PRICE	\$24,735.00

Est City: 24.00 mpg

Est Highway: 26.00 mpg

Est Highway Cruising Range: 377.00 mi

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 41 2016
City of San Antonio—15T60
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet City Express Cargo Van FWD 115" LT 15T6

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 15T60 FWD 115" LT

ENTERTAINMENT

- Audio system, AM/FM stereo with CD player, seek-and-scan, digital clock, TheftLock, random select, auxiliary audio jacks and 2 front door speakers (Not available with (CWM) Technology Package.)
- Audio system feature, 2-speakers in front doors, 6.5"
- Bluetooth for phone, personal cell phone connectivity to vehicle audio system (Not available with (CWM) Technology Package.)
- Antenna, fixed

EXTERIOR

- Wheels, 15" (38.1 cm) steel
- Body, standard
- Tire, spare, full-size with steel wheel
- Tires, 185/60R15C, 95/92T TL
- Paint, solid
- Luggage rack, provisions only
- Bumpers, front and rear, Black
- Grille, Dark Silver with Black accents
- Headlamps, halogen, single
- Mirrors, outside heated, power-adjustable, Black, manual-folding, convex spotter (wide angle)
- Glass, Solar-Ray light-tinted, windshield and front doors
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Door handles, Black
- Doors, sliding driver and passenger
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 41 2016
City of San Antonio--15T60
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet City Express Cargo Van FWD 115" LT 15T6

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 15T60 FWD 115" LT

- Lighting, interior, map and cargo area
- Storage, open pocket rear of passenger seat
- Cargo area, reinforced mounting points (weld nuts)
- Cargo hooks, 6 "D" rings in rear

MECHANICAL

- Engine, 2.0L DOHC I4 (131 hp [97.7 kW]@ 5200 rpm, 139-lb·ft of torque [187.6 N·m]@ 4900)
- Transmission, Xtronic CVT (Continuously Variable Transmission)
- Front wheel drive
- Alternator, 150 amps
- GVWR, 4751 lbs., (2155 kg)
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear multi-stage leaf springs
- Steering, power
- Brakes, 4-wheel antilock, front disc, rear drum
- Brake, parking, foot apply
- Fuel tank capacity, 14.5 gallons, 54.9 liters
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 41 2016
City of San Antonio—15T60
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet City Express Cargo Van FWD 115" LT 15T6

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail 15T60 FWD 115" LT

SAFETY

- Traction control and vehicle stability enhancement system
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System "Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information."
- Air bags, head/side-curtain "Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information."
- Rear Park Assist
- Safety belts, 3-point, driver and front passenger
- Tire Pressure Monitoring System (does not apply to spare tires)
- Theft-deterrent system
- Warning tones, headlamp on and key-in-ignition
- Horn, single-note

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
 ITEM# 42 2016
 City of San Antonio--CG33405
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 3500 135" CG334

WINDOW STICKER

2015 Chevrolet Express Cargo Van RWD 3500 135"	Interior: - Medium Pewter	
4.8L/293 CID Gas V8	Exterior 1: - Summit White	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CG33405	2015 Chevrolet Express Cargo Van RWD 3500 135"	\$32,875.00
OPTIONS		
ZW9	BODY, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L20	ENGINE, VORTEC 4.8L V8 SFI	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GU6	REAR AXLE, 3.42 RATIO	\$0.00
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT	\$0.00
1WT	PREFERRED EQUIPMENT GROUP	\$0.00
ZLP	TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AS5	SEATS, FRONT BUCKET WITH CUSTOM CLOTH TRIM	\$50.00
93G	MEDIUM PEWTER, CUSTOM CLOTH SEAT TRIM	\$0.00
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK B	\$0.00
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL	\$0.00
U0F	AUDIO SYSTEM, AM/FM STEREO WITH MP3 PLAYER	\$150.00
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND (K34) CRUISE CONTROL	\$395.00
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY	\$265.00
UY7	TRAILER WIRING, 7-PIN SEALED CONNECTOR	INC
DE5	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, BLACK, MANUAL-FOLDI	\$115.00
A18	GLASS, SWING-OUT REAR CARGO DOOR WINDOWS	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 42 2016
 City of San Antonio--CG33405
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montermayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 3500 135" CG334

WINDOW STICKER

A19	GLASS, SWING-OUT REAR SIDE DOOR AND REAR DOOR WINDOW	\$160.00
ZW6	GLASS, FIXED FULL-BODY WINDOW PACKAGE	\$315.00
BA3	CONSOLE, ENGINE COVER WITH SWING-OUT STORAGE BIN	INC
ATG	REMOTE KEYLESS ENTRY	\$170.00
K34	CRUISE CONTROL	INC
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT	INC
R9Y	FLEET FREE MAINTENANCE CREDIT.	-\$135.00
VQ2	FLEET PROCESSING OPTION	\$0.00
SUBTOTAL		\$34,360.00
Advert/Adjustments		\$0.00
Destination Charge		\$995.00
TOTAL PRICE		\$35,355.00
Est City: - TBD - mpg		
Est Highway: - TBD - mpg		
Est Highway Cruising Range: - TBD - mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
ITEM# 42 2016
City of San Antonio--CG33405
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 3500 135" CG334

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CG33405 RWD 3500 135"

ENTERTAINMENT

- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers

EXTERIOR

- Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare
- Tire, spare LT245/75R16E all-season, blackwall located at rear underbody of vehicle
- Door, swing-out passenger-side, 60/40 split
- Tires, front LT245/75R16E all-season, blackwall
- Tires, rear LT245/75R16E all-season, blackwall
- Bumpers, front and rear painted Black with step-pad (Deleted when (ZR7) Chrome Appearance Package is ordered.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)
- Mirrors, outside manual, Black
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 42 2016

City of San Antonio—CG33405
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 3500 135" CG334**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CG33405 RWD 3500 135"****INTERIOR**

- Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (Requires (**W) interior trim.)
- Seating arrangement, driver and front passenger high-back buckets with head restraints and vinyl or cloth trim (Not available with (AJ3) driver-side only frontal air bag.)
- Air conditioning, single-zone manual
- Console, engine cover with open storage bin
- Floor covering, full-length Black rubberized-vinyl (Not available with (YF2) Ambulance Package or (RFM) rear floor covering delete.)
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped. (When (FHZ) Dedicated Compressed Natural Gas (CNG) system is ordered, includes average speed, oil life, tire pressure monitoring, ice warning, engine hours, tachometer and maintenance reminders. Compass and outside temperature available if equipped.)
- Door locks, power with lock-out protection (NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)
- Tow/haul mode selector, instrument panel-mounted
- Theft-deterrent system, vehicle, PASS-Key III
- Defogger, side windows
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Power outlet, 120-volt
- Trim panels, hinged rear side doors and hinged rear doors

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 42 2016
City of San Antonio—CG33405
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 3500 135" CG334

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CG33405 RWD 3500 135"

- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, cloth, padded
- Assist handle, front passenger
- Lighting, interior with 4 dome lights 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches (When (UF2) Express Access Enhanced Lighting Package is ordered, 2 LED lights are replaced with fluorescent lights.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 42 2016
City of San Antonio—CG33405
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 3500 135" CG334

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CG33405 RWD 3500 135"

MECHANICAL

- Engine, Vortec 4.8L V8 SFI (285 hp [212.5 kW] @ 5400 rpm, 295 lb-ft of torque [398.3 N·m] @ 4600 rpm) (Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive tow/haul mode and internal transmission oil cooler (Reference the Engine/Axle page for availability.)
- Rear axle, 3.42 ratio (Required with (L20) Vortec 4.8L V8 SFI engine, (L96) Vortec 6.0L V8 SFI FlexFuel or (LC8) Gaseous 6.0L V8 SFI engine. Reference the Engine/Axle page for availability.)
- Body, standard
- Transmission oil cooler, external (Included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine.)
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps
- Frame, full-length box ladder-type
- GVWR, 9600 lbs. (4354 kg) (Standard on CG33405 or CG33705 models. Reference the Engine/Axle page for availability.)
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
- Exhaust, aluminized stainless-steel muffler and tailpipe

PACKAGE

- Convenience Package, power windows and door locks (Includes power windows and (AU3) power door locks. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 42 2016
City of San Antonio--CG33405
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 3500 135" CG334

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CG33405 RWD 3500 135"

SAFETY

- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal air bag. Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal, passenger-side (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 43 2016

City of San Antonio--CG23405
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG234**WINDOW STICKER**

2015 Chevrolet Express Cargo Van RWD 2500 135"	Interior: - No color has been selected.	
4.8L/293 CID Gas V8	Exterior 1: - No color has been selected.	
* 6-Speed Automatic	Exterior 2: - No color has been selected.	
CODE	MODEL	MSRP
CG23405	2015 Chevrolet Express Cargo Van RWD 2500 135"	\$29,555.00
OPTIONS		
ZW9	BODY, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L20	ENGINE, VORTEC 4.8L V8 SFI	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GU6	REAR AXLE, 3.42 RATIO	\$0.00
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT	\$0.00
1WT	PREFERRED EQUIPMENT GROUP	\$0.00
ZLP	TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM	\$0.00
93W	MEDIUM PEWTER, VINYL SEAT TRIM	\$0.00
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK B	\$0.00
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL	\$0.00
U0F	AUDIO SYSTEM, AM/FM STEREO WITH MP3 PLAYER	\$150.00
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND (K34) CRUISE CONTROL	\$395.00
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY	\$265.00
UY7	TRAILER WIRING, 7-PIN SEALED CONNECTOR	INC
DE5	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, BLACK, MANUAL-FOLDING	\$115.00
A18	GLASS, SWING-OUT REAR CARGO DOOR WINDOWS	INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
 ITEM# 43 2016
 City of San Antonio--CG23405
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG234

WINDOW STICKER

A19	GLASS, SWING-OUT REAR SIDE DOOR AND REAR DOOR WINDOW	\$160.00
ZW6	GLASS, FIXED FULL-BODY WINDOW PACKAGE	\$315.00
K34	CRUISE CONTROL	INC
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT	INC
	SPECIAL EQUIPMENT OPTIONS	
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
SUBTOTAL		\$31,000.00
Advert/Adjustments		\$0.00
Destination Charge		\$995.00
TOTAL PRICE		\$31,995.00
Est City: - TBD - mpg		
Est Highway: - TBD - mpg		
Est Highway Cruising Range: - TBD - mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:

ITEM# 43 2016

City of San Antonio—CG23405
100 Military Plaza

2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanan
tonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG234**STANDARD EQUIPMENT****STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CG23405 RWD 2500 135"****ENTERTAINMENT**

- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers

EXTERIOR

- Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare
- Tire, spare LT245/75R16E all-season, blackwall located at rear underbody of vehicle
- Door, swing-out passenger-side, 60/40 split
- Tires, front LT245/75R16E all-season, blackwall
- Tires, rear LT245/75R16E all-season, blackwall
- Bumpers, front and rear painted Black with step-pad (Deleted when (ZR7) Chrome Appearance Package is ordered.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)
- Mirrors, outside manual, Black
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 43 2016
City of San Antonio—CG23405
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG234

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CG23405 RWD 2500 135"

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (Requires (**W) interior trim.)
- Seating arrangement, driver and front passenger high-back buckets with head restraints and vinyl or cloth trim (Not available with (AJ3) driver-side only frontal air bag.)
- Air conditioning, single-zone manual
- Console, engine cover with open storage bin
- Floor covering, full-length Black rubberized-vinyl (Not available with (YF2) Ambulance Package or (RFM) rear floor covering delete.)
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped. (When (FHZ) Dedicated Compressed Natural Gas (CNG) system is ordered, includes average speed, oil life, tire pressure monitoring, ice warning, engine hours, tachometer and maintenance reminders. Compass and outside temperature available if equipped.)
- Door locks, power with lock-out protection (NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)
- Tow/haul mode selector, instrument panel-mounted
- Theft-deterrent system, vehicle, PASS-Key III
- Defogger, side windows
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Power outlet, 120-volt
- Trim panels, hinged rear side doors and hinged rear doors

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 43 2016
City of San Antonio—CG23405
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG234

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CG23405 RWD 2500 135"

- Headliner, cloth, over driver and passenger
- Visors, driver and front passenger, cloth, padded
- Assist handle, front passenger
- Lighting, interior with 4 dome lights 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches (When (UF2) Express Access Enhanced Lighting Package is ordered, 2 LED lights are replaced with fluorescent lights.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 43 2016
City of San Antonio—CG23405
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG234

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CG23405 RWD 2500 135"

MECHANICAL

- Engine, Vortec 4.8L V8 SFI (285 hp [212.5 kW] @ 5400 rpm, 295 lb-ft of torque [398.3 N·m] @ 4600 rpm)
(Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive tow/haul mode and internal transmission oil cooler (Reference the Engine/Axle page for availability.)
- Rear axle, 3.42 ratio (Required with (L20) Vortec 4.8L V8 SFI engine, (L96) Vortec 6.0L V8 SFI FlexFuel or (LC8) Gaseous 6.0L V8 SFI engine. Reference the Engine/Axle page for availability.)
- Body, standard
- Transmission oil cooler, external (Included and only available with (L20) Vortec 4.8L V8 SFI engine or (L96) Vortec 6.0L V8 SFI FlexFuel engine.)
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps
- Frame, full-length box ladder-type
- GVWR, 8600 lbs. (3901 kg) (Standard on CG23405 or CG23705 models. Reference the Engine/Axle page for availability.)
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
- Exhaust, aluminized stainless-steel muffler and tailpipe

PACKAGE

- Convenience Package, power windows and door locks (Includes power windows and (AU3) power door locks.
NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 43 2016

City of San Antonio--CG23405
100 Military Plaza
2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanan
tonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Express Cargo Van RWD 2500 135" CG234

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CG23405 RWD 2500 135"

SAFETY

- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal air bag. Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal, passenger-side (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 ITEM# 44 2016
 City of San Antonio—CC25753
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:
 Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

WINDOW STICKER

2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Double Cab		Interior: - No color has been selected.
6.0L/366 CID Gas/Ethanol V8		Exterior 1: - No color has been selected.
* 6-Speed Automatic		Exterior 2: - No color has been selected.
CODE MODEL MSRP		
CC25753	2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Double Cab 144.2" Work Truck	\$34,810.00
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QHQ	TIRES, LT245/75R17E ALL-SEASON, BLACKWALL	\$0.00
ZY1	PAINT, SOLID	\$0.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$320.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$350.00
AQQ	REMOTE KEYLESS ENTRY	INC
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:

ITEM# 44 2016

City of San Antonio--CC25753
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanantonio.gov
 Primary FAN: 000803392
 Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

WINDOW STICKER

R9Y	FLEET FREE MAINTENANCE CREDIT	-\$180.00
VQ2	FLEET PROCESSING OPTION	\$0.00
	SPECIAL EQUIPMENT OPTIONS	
5H1	KEY EQUIPMENT, TWO ADDITIONAL KEYS FOR SINGLE KEY SYSTEM	\$45.00
	SUBTOTAL	\$35,345.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$36,540.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

Prepared For:
ITEM# 44 2016
City of San Antonio--CC25753
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 44 2016

City of San Antonio—CC25753
100 Military Plaza
2nd Floor, City Hall

San Antonio, TX 78205

Phone: (210) 207-3900

Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392

Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor)
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
ITEM# 44 2016
City of San Antonio--CC25753
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 1

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 44 2016

City of San Antonio--CC25753
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov

Primary FAN: 000803392
Requested Quantity: 1

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD D

STANDARD EQUIPMENT**STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25753 2WD Double Cab 144.2" Work Truck****PROCESSING-OTHER**

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:

ITEM# 45 2016

City of San Antonio--CC25743
 100 Military Plaza
 2nd Floor, City Hall
 San Antonio, TX 78205
 Phone: (210) 207-3900
 Email: ian.montemayor@sanan
 tonio.gov
 Primary FAN: 000803392
 Requested Quantity: 5

Prepared By:

Danny Mireles (Chevy)
 Gunn Chevrolet Ltd
 16550 IH 35 N
 Selma, TX 78154
 Phone: (210) 599-5000
 Fax: (210) 599-4251
 Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C**WINDOW STICKER**

2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Crew Cab 6.0L/366 CID Gas/Ethanol V8 * 6-Speed Automatic		Interior: - No color has been selected. Exterior 1: - No color has been selected. Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
CC25743 2015 Chevrolet Silverado 2500HD Built After Aug 14 2WD Crew Cab 153.7" Work Truck		
OPTIONS		
AVF	2015 INTERIM PROCESSING CODE	\$0.00
Z85	SUSPENSION PACKAGE, STANDARD	\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, F	\$0.00
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CO	\$0.00
GEH	GVWR, 9500 LBS. (4309 KG)	\$0.00
GT5	REAR AXLE, 4.10 RATIO	\$0.00
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
PYN	WHEELS, 17" (43.2 CM) STEEL	\$0.00
QXT	TIRES, LT265/70R17E ALL-TERRAIN, BLACKWALL	\$0.00
ZY1	PAINT, SOLID	\$200.00
GAZ	SUMMIT WHITE	\$0.00
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT	\$0.00
H2R	DARK ASH WITH JET BLACK INTERIOR ACCENTS, CLOTH SEAT TRIM	\$0.00
IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO WITH US	\$0.00
PCR	WT FLEET CONVENIENCE PACKAGE	\$0.00
Z82	TRAILERING EQUIPMENT	\$320.00
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UP	\$280.00
AAQ	REMOTE KEYLESS ENTRY	\$350.00
		INC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Prepared For:
ITEM# 45 2016
City of San Antonio--CC25743
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 5

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

WINDOW STICKER

DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING	\$0.00
	SUBTOTAL	\$37,565.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$1,195.00
	TOTAL PRICE	\$38,760.00
Est City: mpg		
Est Highway: mpg		
Est Highway Cruising Range: mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Estimate Response Form Report



7/15/2015 1:14:15 PM

Ranch Hand Truck Access.
Broadway San Antonio Store
2625 Broadway
San Antonio TX 78215-1022

Customer: 28629

Prospect:

ITEM 45

CITY OF SAN ANTONIO
PO BOX 839976
SAN ANTONIO TX 78283-3976

Phone: 210-207-2064

Fax:

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer	Currency
ECP0000518	NET 30/PO REQ	7/15/2015	8/14/2015	FLEET	USD	US DOLLARS
	Quantity	Item		Unit Price	Extended Price	
	1.000			1,050.00000		
EA		PCE-JRF6985			1,050.00	
		BED CVR JACKRABBIT SHORT BED 2016				
	2.000			75.00000		
EA		ECC-ED0011A			150.00	
		HIDE-A-BULLET LED 2" AMBER 12-24 VDC				
	2.000			75.00000		
EA		ECC-ED0010A			150.00	
		HIDE-A-BULLET LED 3/4" AMBER 12-24 VDC				
	1.000			375.00000		
EA		INSTALLATION CHARGE			375.00	
		INSTALLATION OF BED COVER & STROBES				

ITEM 45 BED COVER AND STROBE LIGHTS

Sale Amount:	1,725.00
Order Disc(0.00%):	0.00
Sales Tax:	0.00
Misc Charges:	0.00
Total Amount:	1,725.00

Prepared For:
ITEM# 45 2016
City of San Antonio—CC25743
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanan
tonio.gov
Primary FAN: 000803392
Requested Quantity: 5

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25743 2WD Crew Cab 153.7" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot (Upgradeable to (I04) 4.2" diagonal color display radio with Chevrolet MyLink.)
- XM Satellite Radio, delete
- 6-speaker audio system

EXTERIOR

- Wheels, 17" (43.2 cm) steel includes 17" x 7.5" (43.2 cm x 19.1 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered.
- Tires, LT245/75R17E all-season, blackwall
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- CornerStep, rear bumper (Requires (E63) pickup box.)
- Bumper, rear chrome with bumper CornerSteps (Requires (E63) pickup box.)
- Grille surround, chrome
- Headlamps, halogen projector
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside manual, Black
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Deleted with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 45 2016
City of San Antonio—CC25743
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 5

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25743 2WD Crew Cab 153.7" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Cloth
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Steering column, manual Tilt-Wheel
- Steering wheel
- Floor covering, Graphite-colored rubberized-vinyl
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:
ITEM# 45 2016
City of San Antonio—CC25743
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montermayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 5

Prepared By:
Danny Mireles (Chevy)
Gunn Chevrolet Ltd
16550 IH 35 N
Selma, TX 78154
Phone: (210) 599-5000
Fax: (210) 599-4251
Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25743 2WD Crew Cab 153.7" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (E63) fleetside pickup box; (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [515.0 N·m] @ 4200 rpm) with (ZW9) pickup box delete (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box, Wideside
- GVWR, 9500 lbs. (4309 kg) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine. Not available with CK25943 model.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Frame, fully-boxed, hydroformed front section
- Recovery hooks, front, frame-mounted, black
- Steering, Recirculating Ball
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared For:

ITEM# 45 2016

City of San Antonio—CC25743
100 Military Plaza
2nd Floor, City Hall
San Antonio, TX 78205
Phone: (210) 207-3900
Email: ian.montemayor@sanantonio.gov
Primary FAN: 000803392
Requested Quantity: 5

Prepared By:

Danny Mireles (Chevy)

Gunn Chevrolet Ltd

16550 IH 35 N

Selma, TX 78154

Phone: (210) 599-5000

Fax: (210) 599-4251

Email: dmireles@gunnauto.com

2015 Fleet/Non-Retail Chevrolet Silverado 2500HD Built After Aug 14 2WD C

STANDARD EQUIPMENT**STANDARD EQUIPMENT - 2015 Fleet/Non-Retail CC25743 2WD Crew Cab 153.7" Work Truck****PROCESSING-OTHER**

- 2015 Interim Processing Code

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 394.0, Data updated 7/7/2015

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: