

**Laboratory Fees
Proposed Changes for 2016**

| SAN ANTONIO WATER SYSTEM | | |
|--|--------------------|-------------------|
| Laboratory Fee Proposal: 2016 | | |
| | Current | Proposed |
| Laboratory Fee | Fee Amounts | Fee Amount |
| Alkalinity | \$15.00 | \$17.22 |
| Ammonia Direct | \$17.50 | \$20.09 |
| Ammonia Distillation | \$35.00 | \$40.17 |
| Biochemical Oxygen Demand | \$30.00 | \$34.43 |
| Chemical Oxygen Demand | \$31.25 | \$35.87 |
| Conductivity | \$10.00 | \$11.48 |
| Cyanide - Total (with Post Amending) | \$40.25 | \$46.20 |
| Nitrogen, total Kjeldahle (TKN) | \$33.75 | \$38.74 |
| Phosphorus - Total | \$22.38 | \$25.69 |
| Total Dissolved Solids | \$13.50 | \$15.49 |
| Total Suspended Solids | \$16.00 | \$18.36 |
| Turbidity | \$12.86 | \$14.76 |
| Volatile Organic Compounds SDWA (Drinking Water) | \$112.50 | \$129.12 |
| Total Petroleum Hydrocarbons | \$100.00 | \$114.77 |
| Hardness | \$16.00 | \$18.36 |
| Hexavalent Chromium | \$28.75 | \$33.00 |
| Mercury | \$30.00 | \$34.43 |
| Metals | \$14.00 | \$16.07 |
| Total Coliform - Present/Absent | \$18.00 | \$20.66 |
| Escherichia Coli - Present/Absent | \$19.00 | \$21.81 |
| Fecal Coliform | \$18.00 | \$20.66 |
| Fecal Streptococcus | \$25.00 | \$28.69 |
| Escherichia Coli - Membrane Filtration | \$18.00 | \$20.66 |
| Fats, Oil and Grease | \$55.00 | \$63.13 |
| IC (Nitrite, Sulfate, Chloride, Nitrite/Nitrate Combined, Nitrate, Fluoride) | \$15.54 | \$17.84 |
| Organochlorine Pesticides | \$170.00 | \$195.12 |
| Organophosphorus Pesticides (8 compounds) | \$194.75 | \$223.52 |
| Semi-Volatile Organic Compounds (70 - 110 compounds) | \$375.00 | \$430.40 |
| Volatile Organic Compounds - Waste Water (31 compounds) | \$151.25 | \$173.60 |