

007 - SIGNATURE PAGE

By submitting a bid, whether electronically or by paper, Bidder represents that:

(s)he is authorized to bind Bidder to fully comply with the terms and conditions of City's Invitation for Bid for the prices stated therein;

(s)he has read the entire document, including the final version issued by City, and agreed to the terms therein;

Bidder is in good standing with the Texas State Comptroller's Office; and

to the best of his/her knowledge, all information is true and correct.

If submitting your bid by paper, complete the following and sign on the signature line below. Failure to sign and submit this Signature Page will result in rejection of your bid.

Middar.	Into	man attace
DIGUEL	11111111	mation:

Please	Print	or	Type:
		٠.	, <u> </u>

Vendor ID No.:	V1026114	
Signer's Name:	Patrick LeClaire	
Name of Business:	Rush Truck Center	
Street Address:	8810 IH - 10 East	`
Ćity, State, Zip Code;	San Antonio, TX 78219	
Email Address:	leclairep@rushenterprises.com	
Telephone No.:	210-380-6772	
Fax No.:	210-901-7275	
City's Solicitation No.	6100006381	******

Signature of Person Authorized to Sign Bid

009 - ATTACHMENTS

Attachment A 7/22/2015:

PRICE SCHEDULE

Local Preference Program (LPP) Ordinance

The 82nd Texas Legislature adopted a revision to the law that allowed the City of San Antonio (City) to adopt a policy that would grant contracting preferences to local businesses for certain types of contracts. The City adopted such a policy, known as the Local Preference Program, described in the San Antonio City Code Chapter 2, Article XII, effective for solicitations issued after May 1, 2013.

This solicitation is subject to the Local Preference Program. For more information on the program, refer to the Local Preference Program Identification Form attached to this solicitation.

In order to receive consideration the Local Bidder must complete and return the attached Local Preference Identification Form.

PRICE SCHEDULE

ITEM	QUANTITY	DESCRIPTION
-1	1	22K-28K, 15' Platform Dump Truck
PRICE EACH:	\$	NO BID
TOTAL: \$		
·		CHASSIS OFFERED:
		NGINE OFFERED (INCLUDE SAE NET HP);
TRANSMISSIO	N OFFERED:	
CAB & CHASSI	IS WARRANTY:	
CAB & CHASSI	IS WARRANTY SE	ERVICE PROVIDER NAME:
CAB & CHASSI	IS WARRANTY FA	ACÍLITY ÅDDRESS:

YEAR, MAK	KE & MODEL DU	MP BODY OFFER	RED:	_
DUMP BOD	Y WARRANTY:			
DUMP BOD		SERVICE PROVIC	DER NAME:	_
DUMP BOD		FACILITY ADDRE	SS:	
DELIVERY	WILL BE MADE	WITHIN	CALENDER DAYS AFTER ISSUANCE O	F PURCHASE ORDER.
	,		u - v - mea reservativa estata	-
INDICATE THE PROD	THE LAST DAY UCTION CUT OF	THAT THE CITY FF DATE:	CAN PLACE ORDERS UNDER THIS CON	ITRACT WITHOUT MISSING
THAT CITY	DOES NOT AV	ARD A CONTRA	LL ORDERS PLACED PRIOR TO THIS CUT ACT PRIOR TO PRODUCTION CUT OFF DA , AFTER THE PRODUCTION CUT OFF DATE	TE, CAN BIDDER PROVIDE
ITEM	QUANTITY	DESC	CRIPTION	
2	4		and Chassis, Minimum GVWR 30,000 lbs., 6,000 lb. Crane	Heavy Duty Service Bodies,
PRICE EAC	CH: \$	113,426.00		
TOTAL: \$		453,704.00		
	KE & MODEL CA , Hino 338	B & CHASSIS OF	FFERED:	
SPECIFIC	WAKE & MODEL		FERED (INCLUDE SAE NET HP):	
	o J08E-VB 2	00.1		
	SION OFFERED	•		
	ison 2500 RD			
CAB & CHA	ASSIS WARRAN	TV·		

5 year or 250k miles (7 year or 150k miles for \$ 295.00)
CAB & CHASSIS WARRANTY SERVICE PROVIDER NAME:
Rush Truck Center
CAB & CHASSIS WARRANTY FACILITY ADDRESS: 8810 IH - 10 East
San Antonio, TX 78219
YEAR, MAKE & MODEL SERVICE BODY OFFERED: 2016 Warner Bodies Warner Select Two Model WS2132-M-DW-HD-48H-22D-6K Crane Body
SERVICE BODY WARRANTY: 5 yr
SERVICE BODY WARRANTY SERVICE PROVIDER NAME: Cobalt Truck Equipment
SERVICE BODY WARRANTY FACILITY ADDRESS: 11218 IH - 10 East
Converse, TX 78109
DELIVERY WILL BE MADE WITHIN 120 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION CUT-OFF DATE: N/A
INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT WITHOUT MISSING THE PRODUCTION CUT OFF DATE: N/A .
BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? N/A
ITEM QUANTITY DESCRIPTION
3 1 60K GVWR 5 th Wheel Tractor
PRICE EACH: \$ NO BID
TOTAL: \$
YEAR, MAKE & MODEL CAB & CHASSIS OFFERED:

SPECIFIC MAI	KE & MODEL O	F ENGINE OFFERED (INCLUDE SAE NET HP):	
TRANSMISSIO	ON OFFERED:		
WARRANTY:			
WARRANTY S	ERVICE PROV	DER NAME:	
	ACILITY ADDRI	ESS:	
		ITHINCALENDER DAYS AFTER ISSUANCE	
	I CUI-OFF DAI	E.	
INDICATE THE	E LAST DAY T	HAT THE CITY CAN PLACE ORDERS UNDER THIS CO	NTRACT WITHOUT MISSING
THAT CITY DO	DES NOT AWA	FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CL RD A CONTRACT PRIOR TO PRODUCTION CUT OFF DA E SUBMITTED, AFTER THE PRODUCTION CUT OFF DA	ATE, CAN BIDDER PROVIDE
ITEM	QUANTITY	DESCRIPTION	
4	1	66K GVWR Concrete Truck	
PRICE EACH:	\$	NO BID	
TOTAL: \$			
YEÀR, MAKE	& MODEL CAB	& CHASSIS OFFERED:	
SPECIFIC MAI	KE & MODEL O	F ENGINE OFFERED (INCLUDE SAE NET HP):	_
TRÁNSMISSIC	ON OFFERED:		
CAB & CHASS	IS WARRANTY	:	THANK MAKES

		TY SERVICE PROVIDER NAME:	
CAB & CI	HASSIS WARRAI	TY FACILITY ADDRESS:	
	AKE & MODEL C	DNCRETE DRUM MIXER OFFERED:	
CONCRE	TE DRUM MIXER	WARRANTY:	
	TE DRUM MIXE	WARRANTY SERVICE PROVIDER NAME:	
	TE DRUM MIXE	WARRANTY FACILITY ADDRESS:	
		WITHIN CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
INDICATI	E THE LAST DA	THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT WITHOUT MISS	ING
THAT CE	TY DOES NOT A	AIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVI WARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROV RICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?	ENT IDE
ITEM	QUANTITY	DESCRIPTION	
5	3	35K GVWR Water Distribution Trucks	
PRICE E	ACH: \$	119,228.00	
TOTAL: \$)	357,684.00	
	AKE & MODEL C Hino 338	AB & CHÁSSIS OFFERED:	

SPECIF	IC MAKE & MODE! Hino J08E-VI	OF ENGINE OFFERED (INCLUDE SAE NET HP): 3 260 hp
TRANSI	MISSION OFFEREI); ·
.=	Allison 2500	RDS w/Syn Fluids
CAB & C	CHASSIS WARRAN	TY:
	5 year or 250	k miles(7 year or 150k miles for \$295.00)
CAB & C	CHASSIS WARRAN Rush Truck	TY SERVICE PROVIDER NAME: Center
CAB & C	CHASSIS WARRAN 8810 IH - 10	TY FACILITY ADDRESS:
.	San Antonio,	
	MAKE & MODEL W. Niece WT 200	ATER DISTRIBUTOR BODY OFFERED:
WATER	DISTRIBUTOR BO	DŸ WARRANTY:
	DISTRIBUTOR BO	DY WARRANTY SERVICE PROVIDER NAME:
 		
		DY WARRANTY FACILITY ADDRESS:
	<u>3030 Hwy 71 E</u> Del Valley, TX	
DELIVE	RY WILL BE MADE	WITHIN 120 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	CTION CUT-OFF D	7) L.
		THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT WITHOUT MISSING FF DATE: N/A
THAT C	ITY DOES NOT A	AIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT WARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE RICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?N/A
ITEM	QUANTITY	DESCRIPTION
s	5	35K GVWR 7 Cubic Yard Hydraulic Dumn Trucks

PRICE EACH: \$	75,145.00	
TOTAL: \$	375,725.00	_
YEAR, MAKE & MODE 2016 Hino 33	EL CAB & CHASSIS OFFERED: 8	_
SPECIFIC MAKE & MC	ODEL OF ENGINE OFFERED (INCLUDE SAE NET HP): (B 260hp	_
TRANSMISSION OFFE	ERED: RDS w/Syn Fluids (PTO)	<u>.</u>
CAB & CHASSIS WAR 5 year or 250	RRANTY: Ok miles (7year or 150k miles for \$295.00)	_
CAB & CHASSIS WAR Rush Truck	RRANTY SERVICE PROVIDER NAME: k Center	
CAB & CHASSIS WAR 8810 IH-10	RRANTY FACILITY ADDRESS: East	- <u></u> -
San Antoni	io, TX 78219	
	EL DUMP BODY OFFERED: Fabricating Inc.	
DUMP BODY WARRA	NTY:	
DUMP BODY WARRA	NTY SERVICE PROVIDER NAME:	enterina.
DUMP BODY WARRA	NTÝ FACILITY ADDRESS:	and the same of th
DELIVERY WILL BE M	MADE WITHIN 120 CALENDER DAYS AFTER ISSUANCE OFF DATE: N/A	OF PURCHASE ORDER.
INDICATE THE LAST	DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS COULT OFF DATE: N/A	INTRACT WITHOUT MISSING

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE, IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? ______N/A____.

ITEM	QUANTITY	DESCRIPTION
7	7	50K GVWR Minimum 10 Cu Yard Hi-Rise Dump Truck
PRICE EAG	CH: \$	NO BID
TOTAL: \$_	West of Marie	·
YEAR, MA	KE & MODEL CAB & C	
SPECIFIC	MAKE & MODEL OF E	ENGINE OFFERED (INCLUDE SAE NET HP):
TRANSMIS	SSION OFFERED:	
CAB & CH	ASSIS WARRANTY:	
CAB & CH	ÁSSIS WÄRRANTY SE	ERVICE PROVIDER NAME:
CAB & CH	ASSIS WARRANTY FA	ACILITY ADDRESS:
YEAR, MA	KE & MODEL DUMP B	SODY OFFERED:
DUMP BOI	DY WARRANTY:	
DUMP BOI	DY WARRANTY SERV	/ICE PROVÎDER NAME:
DUMP BOI	DY WARRANTY FACIL	LITY ADDRESS:

DELIVERY	WILL BE MA	DE WITHIN	CALENDER DAYS AFTER ISSUANCE OF F	PURCHASE ORDER.
INDICATE	THE LAST D		Y CAN PLACE ORDERS UNDER THIS CONTR	RACT WITHOUT MISSING
THAT CITY	DOES NOT	AWARD A CONTRA	LL ORDERS PLACED PRIOR TO THIS CUT OF ACT PRIOR TO PRODUCTION CUT OFF DATE O, AFTER THE PRODUCTION CUT OFF DATE?	, CAN BIDDER PROVIDE
ITEM .	QUANTI	TY DESC	CRIPTION	
8	3	9 cut	bic yard Sanitation Truck	
PRICE EAC	CH: \$	115,942.00		
TOTAL: \$		347,826.00		
	KE & MODEL Hino 195	CAB & CHASSIS OF	FFERED:	
	WAKE & MOD J05E-TP		FERED (INCLUDE SAE NET HP):	
	SION OFFER n A465 - 6	RED: speed automatic	:	
CAB & CHA	SSIS WARR	ANTY:		
5 y	ear or 175l	k miles and 2 yea	ar or 60k miles Maintenance	
	ASSIS WARR ISh Truck C	ANTY SERVICE PRO Center	OVIDER NAME:	
		ANTY FACILITY ADI	DRESS:	
	10 IH - 10			
Sa	an Antonio,	, TX 78219		
		9 CU YD DUMP BOI Heil Mini Rear Lo		
9 CU YD DI	UMP BODY V	VARRANTY:		

1 Year		
9 CU YD DUMP BODY S Heil of Texas	ERVICE PROVIDER NA	AME:
9 CU YD DUMP BODY F 503 Pop Gunn	1	
San Antonio,		
DELIVERY WILL BE MAI	NI/A	_ CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
INDICATE THE LAST D	AY THAT THE CITY C	CAN PLACE ORDERS UNDER THIS CONTRACT WITHOUT MISSING
THAT CITY DOES NOT	AWARD A CONTRACT	ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN'T PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDING THE PRODUCTION CUT OFF DATE?N/A
ITEM QUANTI	TY DESCRI	IPTION
9 11 Each	End Dum	np 15K Trailer
PRICE EACH: \$	NO BID	
TOTAL: \$		
YEAR, MAKE & MODEL	OF TRAILER OFFERED	D:
TRAILER WARRANTY S	ERVICE PROVIDER NA	AME:
TRAILER WARRANTY F.	ACILITY ADDRESS:	
DELIVERY: DELIVERY ORDER.	' WILL BE MADE WITI	THIN CALENDAR DAYS AFTER ISSUANCE OF PURCHAS
PRODUCTION CUT-OFF	F DATE:	

		HAT THE CITY CAN PLACED TO THE CONTROL OF THE CONTR	CE ORDERS UNDER THIS COM	NTRACT WITHOUT MISSING
THAT CITY	DOES NOT AWA	RD A CONTRACT PRIOR	PLACED PRIOR TO THIS CUT TO PRODUCTION CUT OFF DA E PRODUCTION CUT OFF DAT	ATE, CAN BIDDER PROVIDE
DELIVERY: ORDER.	DELIVERY WIL	L BE MADE WITHIN	CALENDAR DAYS AFTER	ISSUANCE OF PURCHASE
ITEM	QUANTITY	DESCRIPTION		
10	6	Semi-Trailer, Pus	sher Rear Ejection, Brush Traile	er
PRICE EACH	-f: \$	NO BID		
TOTAL: \$,			Meller da.
		RAILER OFFERED:		
TRAILER W		CE PROVIDER NAME:		
	ARRANTY FACIL	ITY ADDRESS:		_
<u></u>				POLICE.
DELIVERY: ORDER.	DELIVERY WIL	L BE MADE WITHIN	CALENDAR DAYS AFTER	ISSUANCE OF PURCHASE
PRODUCTION	ON CUT-OFF DA	É:		·····
INDICATE T	THE LAST DAY T JCTION CUT OF	HAT THE CITY CAN PLACE DATE:	CE ORDERS UNDER THIS CO	NTRACT WITHOUT MISSING
THAT CITY	DOES NOT AWA	RD A CONTRACT PRIOR	PLACED PRIOR TO THIS CU TO PRODUCTION CUT OFF D IE PRODUCTION CUT OFF DAT	ATE, CAN BIDDER PROVIDE
DELIVERY: ORDER.	DELIVERY WIL	L BE MADE WITHIN	CALENDAR DAYS AFTER	ISSUANCE OF PURCHASE

ITEM	QUANTITY	DESCRIPTION		
4.4	1 Each	Tri Axle Low Boy	Frailer	
PRICE EAC	H: \$	NO BID		_
TOTAL: \$				
•	E & MODEL OF TR			
TRAILER W	ARRANTY SERVIC	E PROVIDER NAME:		
TRAILER W	ARRANTY FACILIT	Y ADDRESS:		
			CALENDAR DAYS AFTER	
PRODUCTION	ON CUT-OFF DATE	·		-
		AT THE CITY CAN PLAC	E ORDERS UNDER THIS COM	ÍTRACT WITHÖUT MISSING
THAT CITY	DOES NOT AWAR	D A CONTRACT PRIOR	PLACED PRIOR TO THIS CUT TO PRODUCTION CUT OFF DA E PRODUCTION CUT OFF DATI	TE, CAN BIDDER PROVIDE
DELIVERY: ORDER.	DELIVERY WILL	BE MADE WITHIN	CALENDAR DAYS AFTER	ISSUANCE OF PURCHASE
ITEM	QUANTITY	DESCRIPTION		
12	1 Each	15 Ton Trailer		
PRICE EAC	H: \$	NO BID		
TOTAL: \$				MANAGEM.
	E & MODEL OF TR			

1 2 3 7 49 how buys. 5 4 7 4 7		PROVIDER NAME:	
	NRRÂNTY FACILITY	ADDRESS:	
DELIVERY: ORDER.	DELIVERY WILL	BE MADE WITHIN CALENDAR DAYS AFTER ISS	UANCE OF PURCHASE
PRODUCTIO	N CUT-OFF DATE:		
		T THE CITY CAN PLACE ORDERS UNDER THIS CONTRA	ACT WITHOUT MISSING
THAT CITY I	DOES NOT AWARD	IRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OF A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?	CAN BIDDER PROVIDE
		BE MADE WITHIN CALENDAR DAYS AFTER ISS	
ІТЕМ	QUANTITY	DESCRIPTION	
13	1 Each	Cab and Chassis, Minimum GVWR 26,000 lbs. with 8 35' Hi-Ranger Aerial Lift & Service Body	4"useable cab to axle,
PRICE EACH	Ł \$	NO BID	
TOTAL: \$			
YEAR, MAKE	E & MODEL CAB &	CHASSIS OFFERED:	
SPECIFIC M	AKE & MODEL OF	ENGINE OFFERED (INCLUDE SAE NET HP):	
TRANSMISS	ION OFFERED:		
	SSIS WARRANTY:		

CAB & CHASSIS WARRANTY SERVICE PROVIDER NAME:	
CAB & CHASSIS WARRANTY FACILITY ADDRESS:	
YEAR, MAKE & MODEL AERIAL LIFT OFFERED:	
YEAR, MAKE & MODEL SERVICE BODY OFFERED:	
AERIAL LIFT & SERVICE BODY WARRANTY:	
AERIAL LIFT & SERVICE BODY WARRANTY SERVICE PROVIDER NAME:	
AERIAL LIFT & SERVICE BODY WARRANTY FACILITY ADDRESS:	
DELIVERY WILL BE MADE WITHIN CALENDER DAYS AFTER ISSUANCE OF PRODUCTION CUT-OFF DATE:	PURCHASE ORDER.
INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONT THE PRODUCTION CUT OFF DATE:	FRACT WITHOUT MISSING
BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OF THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE:	TE. CAN BIDDER PROVIDE
Prompt Payment Discount:%days. (If no discount is offered, Net 30 v	will apply.)



Rush Truck Center, San Antonio 8810 IH-10 East San Antonio, TX 78219 210-661-4511

Customer Proposal Letter

City of San Antonio 100 Miltary Plaza, 2nd Floor, City Hall San Antonio, TX 78205 (210) 207-2078 ld.mcgarity@sanantonio.gov LD Mcgarity

Item #2

LD Mcgarity, thank you for the opportunity to earn your business. We look forward to working with you on your business needs. Please accept the following proposal.

VEHICLE				
Make Hino N	Model 338	Year 2016	Stock Number To Be	Determined
Additional Vehicle and A	Accessories Descrip		To be delivered on or a	
Quantity		•	4	Total
Truck Price per Unit			\$113,031.00	\$452,124.00
F.E.T. (Factory & Deale	er Paid)		\$0.00	\$0.00
Net Sales Price			\$113,031.00	\$452,124.00
Optional Extended War	ranty(ies)			
State Sales Tax				
Documentary Fee			\$395.00	\$1,580.00
Administration Fee			• • • •	
Vehicle Inventory Tax				
Additional Taxes				
Tire Recycling Program				
Battery Disposal Fee				
Out of State Vehicle Fee	e			
Rebate(s)	TOTAL PROPERTY OF THE SECOND S	THE STATE OF THE S		The second secon
Total Sales Price (Includ	ding Rebate(s))		\$113,426.00	\$453,704.00
Trade Allowance (see [\$0.00
Sales Representative		decide to the second	Detrict Legis	
	signature		Patrick LeClaire	
Purchaser	*/g		уппсызапе	
i di di dago:	signature		printed name	
	oig more		рикестыне	
	title	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	date	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Accepted by Sales Manager	or			
General Manager	signature		printed name	
Quote good until 9/4/2015	Note: The abo	ove Customer Proposal is a	quotation only. Sale terms subject to a	pproval of Sales Manager of Dealer.
DISCLAIMER: Any order based on this			Purchase Order incorporating ghous terms. And do	

DISC-AIMEN: Any order based on this Proposal subject to Customer executing Dealer's standard form Retail Purchase Order incorporating above terms. Any documentary fees, state tax, title, registration and license fees subject to adjustment and change. Actual F.E.T. to be paid by Dealer, subject to adjustment, Any F.E.T. variance will be responsibility of Dealer. Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, which is proposed in Dealer's stock, Dealer stock, Dealer reserves right to change Quotation Total to reflect any price increases from Manufacturer. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer not obligated to retain any specific vehicles in stock, nor maintain any specific inventory level. Dealer shall not be obligated to fulfil Proposal in event quoted vehicle(s) not in stock or available within requested delivery schedule at time Proposal accepted. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s), where such inability or delay is due, in whole or in part, to any cause beyond the reasonable control of Dealer or is without the gross negligence or intended misconduct of Dealer. Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of this Proposal by Customer.

Customer:

City of San Antonio

Dealership:

Rush Truck Center - San

Antonio 84221

Prepared By: Patrick LeClaire

Quote Name: Item # 2 of 2015 Bid Prop

55513 Quote Id:



Quotation Details

Quote Information **Quote Name Expiration Date** Model

Item # 2 of 2015 Bid Proposal 08/29/2015 2016 Hino 338

Auto - Allison 2500RDS w/Syn Fluids (PTO)

152.0

Transmission Wheelbase

Stand	ard Options		
Qty	Order Code	Description	Price
Ţ	ÉNGINE	Engine - HINO J08E-VB Turbo charged and intercooled with glow plugs, 6 cylinder, In-line water-cooled; Max Output 260hp @2500rpm; Max Torque 660lb.ft. @ 1500rpm; 7.68L displacement, EPA10 Emissions Certified.	\$0.00
1	OIL	Oil Capacity - 16.15 quarts	\$0.00
1	EXHBRAKE	Exhaust Brake - Driver controlled w/steering column Stalk Switch	\$0.00
1	FUELFILT	Fuel Filter - Davco 243 Diesel Pro Heated fuel/water separator. (Diesel Pro 243)	\$0.00
1	ALT	Alternator – Delco 12 volt 130 amp Brush Type	\$0.00
1	BATTERY	Battery - Two 12 volt parallel connection, 600 CCA x 2	\$0.00
1	STARTER	Starter - Denso 12 volt 4.8 kW / 6.4 HP rating	\$0.00
1	RADIO	Radio - AM/FM with single CD, two speakers.	\$0.00
. 1	AIRCOND	Air Conditioning - Denso Cab AC System designed specifically for Hino - Refrigerant 134A	\$0.00
1	DISPLAY	Meter Cluster - Information display: Instant and trip fuel consumption, Diesel Particulate Reduction System performance/status, maintenance intervals, engine and vehicle diagnostics.	\$0,00
·····» romericalisti elipi	GAUGES	Gauges - Speedometer mph (km/h), edometer, fue!/DEF gauges, coolant temp gauge, engine tachometer, air pressure gauge.	\$0.00
1	FTGRILL	Grille - Chrome plated	\$0.00
1	HEAT/DEF	Heater/Defroster - 18,357 BTU/h	\$0.00
1;	LAMPS	Lighting - Marker lamps, stop/tail lights, back-up lights, side-flasher lights.	\$0.00
1	MISC	Cab Features - Standard: Cruise control, power steering with tilt and telescopic steering column, cup holders, cigarette lighter, coat hook, bag hook, two overhead compartments, two door pockets, sun visors, side mirrors (1 flat, 1 convex) each side.	\$0.00
1	SEATS	Seats - Vinyl driver seat adjustable reclining, with AIR suspension and two person passenger bench seat. Three point seatbelt for driver and outer passenger, two point seatbelt for center position.	\$0.00

7/29/15 1

Customer: City of San Antonio

Dealership: Rush Truck Center - San

Antonio 84221

Prepared By: Patrick LeClaire

Quote Name: Item # 2 of 2015 Bid Prop

Quote Id: 55513



Stand	ard Options		Europopol (EV)
Qty	Order Code	Description	Price
†	INDICATORS	Warning Indicators - Oil pressure, brake pressure, coolant level, battery charge, high beam, turn signal, parking brake, engine control system and ABS.	\$0.00
1	EMISS10	Surcharge - EPA10 Emissions.	\$6,700.00
1	FREIGHT	Equalized Freight Charge	\$1,775.00
***********	COOLSYS	Cooling Capacity - 6.08 gallon cooling system capacity	\$0.00
*. ¶	WARRANTY_05	Warranty - Basic Vehicle-24 months unlimited mileage; Engine-36 months unlimited mileage; Engine-60 month Extended Coverage, 250,000 miles (includes injectors, fuel supply pump and turbo); Emission-60 months 100,000 miles; Frame Rails & Cross Members-48 months unlimited mileage; Cab-48 months unlimited mileage; ABS-24-36 months 300,000 miles.	\$0.00
	e the first of the	Hino Watch Roadside Assistance - 3-year unlimited	,
1	HWATCH_05	roadside assistance including lockout, *out of fuel/DEF, battery jumpstart, information, and warranty towing (2 year coverage). *Fluids are customer pay responsibility. Tire Service - assist customer in arranging for roadside tire service if requested	\$0.00
1.	FUELTNK	Fuel Tank - Aluminum 50 gallon capacity. Clean CA	മവ വര്
		position. (drivers side mounted)	\$0.00
1	GVWR	GVWR - Gross Vehicle Weight Rating - 33,000 lbs.	\$0.00
1	AIRTANK	Air Tank - Two 34 liter tanks (68L total),(15cfm@1250rpm)	\$0.00
1	BRAKES	Brakes - Full air dual circuit "S" cam type, leading and trailing shoes with automatic adjustment and Antilock Brake System (ABS). Front Brakes: 15.0" diameter x 4.0" x 0.73" thickness: Rear Brakes: 16.5" x 7.0" x 0.85".	\$0.00
1	AIRDRYER	Air Dryer - Bendix -AD-IS (Air Dryer Integrated Solution) heated air dryer.	\$0.00
n manan pipinan ining kapapinan 1,	FRAME.	Frame - Straight C Channel frame, ladder type, powder coated, 34" wide, yield strength 80,000 PSI, resistance bending moment (RBM) 1,280,800 in./lbs. (one side no reinforcement).	\$0.00
1	WHEELS	Wheels - Accuride powder coated 22.5" x 8.25" 10-stud disc.	\$0.00
1	TIRES	Front tires - Bridgestone 11R 22.5 R268 Rib pattern; Rear tires - Bridgestone 11R 22.5 M726EL Lug pattern.	\$0.00
1	AXLES	Front Axle - Meritor MFS12, 12,000 lb. capacity, Reverse Elliot "I" beam with oil lubricated hubs. Rear Axle - Meritor RS21-145, 21,000 lb. capacity, full-floating single reduction hypoid gearing.	\$0.00
1.	SPRINGS	Front Spring: Tapered leaf springs with shock absorbers, 12,000 lb. rating; Rear Spring: Semi-elliptical main, 21,000 lb. rating.	\$0.00
1	AXLESTD	Rear Axle Ratio - Standard 5.57	\$0.00

Customer:

City of San Antonio

Antonio 84221

Quote Name: Item # 2 of 2015 Bid Prop

55513

Dealership:

Rush Truck Center - San

Quote Id:



A Toyota Group Company

Prepared By: Patrick LeClaire

Premium/Upgrade Options Qty Order Code Description Price 1 338-16G 152" WB / 84.6" CA \$0.00 4 HBDRDS25 Auto - Allison 2500RDS w/Syn Fluids (PTO) \$0.00 **VPIPE** 1 Vertical Exhaust \$681.00 MXSPD65 Max Speed Setting 65mph 1 \$0.00 1 **HORZA** Air horn. \$85.00 BBUZZ Backup Alarm. \$121.00 **XSWITCH** Additional Dash Switch \$50.00 Fire Extinguisher ABC 2.5MP, Triangle Kit (17 1/4" wide x 16 SAFETY \$85.00 1/2" high). 1 PDI PDI at Factory. \$0.00 No SalesTax No Sales Tax \$0.00 Price \$70,776.00 Sales Tax **Unit Quantity** Total Quoted Price \$283,104.00

7/29/15

2016 HINO 338

4 x 2 CONVENTIONAL GVW: 33,000 LBS. BBC: 108" ENGINE MODEL: JOSE-VB (TURBO INTERCOOLED)



50.0

in.

at Rear axle Rear overhang

HSS CON 338 0216

63.0

75.0

75.0

97.0

97.0

97.0

79.0

A Toyota Group Company

ENGINE								NEIG	H	CA	PA	CITI	ES				7 3.4.4. <u>0</u>	FRAME			
n de a d'a f		1,1	LOOF	· Lon	Ser St			ront ax	de	ووسم			ibs.	ST	D -12k	(10k.13	.2k, 14k OPT)	Ladder type			Straight C Channel
Model		Hi	no J08E	-VB		+		Rear ax	e				lbs.	5	TD - 2	1,000 - (23,000 OPT)	Width		in.	34
			esel 4-c	•	•			ront sp	rin	g			lbs.	S	TD - 12	2,000 - (14,000 OPT)	Yield strength		PSI	STD -80,000 / OPT - 120,000
Type			line wa linder li		coole	d, dr	\sim $-$	lear sp	-				lbs.	S	TD - 21	1,000 - (23,000 OPT)	Resisting bendin	ıq	······································	CTD 1001 000
Free Company		- +			ъ.		-	XLE	7s	US	5EV	ISIO	N					moment (one sic	le, no	inlbs.	STD - 1,031,900 OPT - 1,280,800
Fuel System			mmon ection				-											reinforcement)			0,11,200,000
		""	rection.	·)pc	, (DCI	130)		ront ax	de			- 1			1, 1		Elliot, "l"	WHEELS/TI	RES		
Max. output (SAE Gross)	26	0hp at	2,500	0 rpm	1.						D	eam	UI IIO	ibrica	tea)		6 Wheels		22.5 x 8.	25 10-stud disc.
•			•		•		F	ront sp	ring	g		_				-	absorbers	Wheel style			owder coated
May targua!	SAE Cross)		O Ib 6	~+ 1 f	-00		ᅱ.									ating, s		6Tires			R22.5-14(G) OPT - 295/75R 22.5 -
Max. torque (3AE (31055)	00	0 lb.ft. a	di I,	ou rp	ЯΠ		Rear ax	e			- 1			ingle	-speed	, hypoid	Tire size (optiona	ai)		22.5–14(G) (available on 21K rear axle on
ngine displa	cement	8L					╁						earin		- mai	n OPT	· 4,500 lb.	Tire pattern		Fr - Rib	Rr - All Season
angine dispid	cement	100	•				١,	ear sp	rina	ı		au	uxilia:	v rub	c man ber re	ar sprir	· 4,500 ib. ag (available	CHASSIS EQ	UIPN	MENT	
							_			•					axie op		.g (aranabie	Fuel Tank		50gal.	
Bore and Stro	ke	4.4	11 x 5.1	2 in.				مثداء مسا	.1			Ai	ir ride	e susp	pensio	on dum	np valve -				gal. / Single 90gal.
							'	lendric	Oca.	711			electr					DEC Towle			
BRAKES																	Visit Vis	DEF Tank	4.7ga		
ervice brake		الدالا من	د طبیعا جا	irani+	ייטיי –	- m +		andina	0 4.	valities.								Clean CA		50 gal fu	el tank mounted under cab (driv
xhaust brake			, dual ci								y snc	ses wit	ın auı	omai	uc adj	ustmer	lt .	AND STREET	side)	en vinda viene a	
			ic-pneu		·				<u> </u>	·								ELECTRIC	ALE	QUIP	MENT
arking Brake	and the second second		brake				r axle) with :	R-7	eme	ergei	ncy br	rake s	yster	η.		1. 2. 6 mar = 6 mg = 200 mars	Batteries	STD -	two 12V	parallel circuit, 1200 CCA, 12V (
POWERT	RAIN AN	ID PI	ERFO	RM	ANG	Œ												batteries	27 ty	oe)	
ίVW										33	3,000	lbs.]			rallel circuit (GR 31 type) OPT - 2
iCWR*				33	3,000 I	bs.		4	8,00	00 lb:	5,				48,00	00 lbs.					AGM (925 CCA)
owertrain			STD	1	OI	PT			0	PT	OPT Alternator STD - 12 V, 130 A,			Alternator STD - 12 V, 130 A, Delco (bri			0 A, Delco (brush type)				
лах. speed m	ph**		70	7.	70		70	75 7	_ [.									OPT - 12V, 135 A,180 A, 200, De		A,180 A, 200, Delco (brushless)	
programmab	ile)		75	75	75	74	70	75 7	1	75 7	1 6	58 7	5 7	5 /	75 7	71	68				
Startability (%	of grade)		17.0	14.8	16.1	17.9	18.8	16.9 14	.6 1	6.0 1	7.8 1	8.7 22.	2.5 19	.6 2	13 2	3.8	24.9	Starter	Dense	o - 12 V, 6	0.4 hp
	21K Axle		5.57	4.86	5.29	5.86	6.14	5.57 4.8	<u>. l .</u>	5.29 5	86 6	.14 5.5	_ †_	83 5				Cab audio	AM/	FM/CD	Player / USB / AUX. input
	23K-Axle		337	4,00	529	3.60	0.14	5.57 4.0	88 3	3.29	.80 6	114 5.5		-	-	1.86	6.14	POPIII AR O	DTIA	NAL E	QUIPMENT (partial list)
	T TANKE				1 323	[1.00			2580	203777				5.	363	- 6.14	Complete Section 1975 The Complete Section 1975			YVIIII PALIAIR
					n 250													Bluetooth Radio	a. Dl.		(f++ m s)
Transmission	Model		. V		Shift E nagen			Allis	on :	3000	RDS		Allison 3500 RDS			OS .	Cab paint, exterior - Black or red (factory)				
·luids			<u> </u>	Mai	lager.	11CIII	L			С.	ynth							Differential lock		ntrois	
10105	Time			Six speed automatical City and I										<u></u>				Engine idle shute			
	Type			Six-speed automatic			atic Six-speed automatic 3.487							SIX-S	•	autom	atic	Front frame exte		nd statio	nary griffe
	1st			3.512								-				593		GVW Derate 25,9			
2nd				1.896						864						257		Hino INSIGHT 2.0			
	3rd		1.439						409		-				535					ne (both sides or passenger only	
latios	4th				1.000					000						000		Mirrors, outside			
	5th				0.737	7			0.1	750					0.7	749		Mirrors, power h			
6th 0.640)			0.6	650					0.6	551		Power windows and power door locks (available with keyless en							
Rev 5.086				5.0	027					4.9	999		Programmable s	peed li	mit 65, 70) mph					
ires (standar	d)									11	R22.	5-14						Rear helper sprin			
Condition is City de	elivery and 8% A	Max Gra	des	** N	lax spee	ed is li	mited t	y speed li	niter									Stabilizer bar, rea			on only)
DIMENSI	ons_	diagrams in	A PROPERTY AND A PROP	in and the second	was properly	WINNEN	er inglise	i Neisen Kolonia	Visali.			Li i Marie I Mili		land of the same		nia kanana k Kanana kanana kanan		Wheels - Polished	d alumi	num	
Wheelbase	in		152/G	1	75/J	1	87/L	205,	/AA	21	7/Þ	220	5/R	253	·/T		.71 / V	Wheels - Powder	coated	gray	
				+-		-	-	-		 		 			-+			NOTES			
Cab to Axle	in). -	84.6	11	07.6	1	19.6	137	.6	14	9.6	167	7.6	185	5.6		203.6		of the	prod	ts are with normal manufactur
Frame hei	~ I in	١.	37.0	3	7.0] 3	37.0	37.	0	37	7.0	37	7.0	37.	.0		37.0	allowances and to	oierance	s. Hino i	Motors Sales U.S.A., Inc. reserves time without previous notice.
Frame hei		ղ.	39.0	3	9.0] 3	39.0	39.	0	30	9.0	39	9.0	39.	η		39.0		**************************************		e de la companya del companya de la companya de la companya del companya de la companya del la companya de la c





Quote Number: # 27242-R

Page 1 of 6

CUSTOMER: Rush Truck Center / City of SA, Item # 2

CONTACT: Par LeClaire ADDRESS: 8810 IH-10 East

www.cobalttruck.com

San Antonio, Texas 78219

Quote Number: 27242-R Quote Date: 8/3/2015

Quote valid until: 9/2/2015

PHONE: 210-901-7100

City of San Antonio, Bid item # 2

IFB # 6100006381

Salesperson: Andre Hollins Quote Prepared By: J. Sassman

Make: Hino	Model: 338	Year: 2016	GVWR: 30000	Single/Dual: Dual
Cab to Axle: 84"			Trans: Automatic	

QUANTITY	DESCRIPTION	AMOUN
1	Warner Bodies Warner Select Two Model WS2132-M-DW-HD-48H-	
	220-6K crane body, installed complete as per the following:	 AND THE RESIDENCE OF METERS OF PROPERTY OF THE
	Construction:	
	- Steel A60 Galvanneal steel construction,	
	(50% more rust resistant than competitors using A40 galvanneal).	
	- Body shell constructed of 14-gauge A60 galvanneal.	
	- Doors constructed of 14 & 16-gauge A 60 galvanneal.	
	14-gauge outer panel. 16-gauge inner panel.	
	- Stamped wheel panels Adjustable shelving constructed of 18-gauge G90-min spangle galvanized	
	material 250lb capacity.	}
	- Structural tubing and channel torque floor design for up to 6,000lb capacity	
	corner mount crane.	
	- 3/16" Tread plate cargo floor.	:
	Doors:	
	- Recessed Flush mount doors.	
	- Heavy duty flush mounted doors, 14-gauge galvanneal outer panel with	
	double return edge flanges. 1 1/2" thick 16-gauge galvanneal inner panel Stainless steel piano hinges. Bolted to body and bolted to doors.	
	- Gas shock door holders on vertical doors,	
	- Coated air craft cable horizontal door supports.	
	- Automotive door seal is factory installed.	
	- All latches are keyed alike.	
	Latches: Stainless steel 3-point T-handle latches. All keyed alike.	
	Tail gate:	
	- 12" High slam type tailgate with part # 31294 stainless steel blind mount 2-point	
	paddle latch and reinforcing tread plate overlay on cargo side and reinforced hinge	
	design with 1/2" stainless steel hinge pin.	

COBALT TRUCK EQUIPMENT

www.cobalttruck.com

QUOTATION

Quote Number: # 27242-R

QUANTITY	DESCRIPTION		AMOUN
	Master locks:		
	- Spring action master locking side compartment doors with pad lockable		
	handle each side at the rear of the body. Includes raised Oxy/Act compartment.		
	Overlay:		
	- 3/16" Tread plate overlay installed on cargo walls and inside of bulkhead.		
	- 12-Gauge tread plate overlay installed on compartment tops and inside of tailgate.		
	- 12 Garage state plants of talley allocated on temperature topo and morae of tallegator		
	Cab guard:		
	-2"x2"x.120" wall tubing bulkhead with <i>punched metal screen</i>		
	(ILO expanded metal) to protect rear of chassis cab.		
	- Punched 12-gauge cab protector. Welded to front of body.		
	- Beacon pedestal in front of body bed. Pedestal to be made from a minimum		
	of 1" angle iron and 3/16" steel base plate. Base of light must be flush with		
	top of cab.		
	Basic Body Configuration:		
	- Compartment depth to be 22". No offsets.		
	- Compartment height to be 48".		
	- Floor width is 52" (No wheel boxes)	}	
	- Structural tubing and channel torque floor design for up to 6,000lb capacity		
	corner mount crane.		
	Passenger side:		
	1st Vertical is 33.5" wide x 22" deep x 45" high.		
	- (1) Pull out tool box tray installed on 300ib roller bearing slides that lock in		
	the open and closed position.		
	2nd Vertical is 24" wide x 22" deep x 48" high.		
	- (2) Adjustable flat shelves w/5 dividers each.		
* -	Horizontal is 49" wide x 22" deep x 24" high.		
	- Lapping doors.		
	- (1) Pull out divider shelf w/5 dividers. Installed on 300lb capacity roller		
	bearing slides that lock in the open and closed position. Installed on channel		
	style rails for adjustability.		
	- (1) Removable divider shelf on compartment floor w/5 dividers.		
	Rear vertical is 25.5" wide x 22" deep x 48" high.		
	- Reinforcement for up to an 8,000lb capacity corner mount crane.		
	- Mounting holes are provided.		
	- (2) Fixed flat shelves w/no dividers. Evenly spaced in vertical height.		
	Driver side:		
	1st Vertical is 33.5" wide x 22" deep x 60" high.		
	- Lapping doors with stainless steel 3-point T-handle latch.		
	- Oxy/act bottle storage brackets on cargo side wall. 9.5 dia. x 43 H act. Bottle		
	and 12" dia. X 56" H bottles. Screw in bottle retaining clamp.		
	- Reinforced floor.	j	

COBALT TRUCK EQUIPMENT

www.cobalttruck.com

<u>QUOTATIO</u>N

Quote Number: # 27242-R

~12 E 2 PM - M		Page 3 of
QUANTITY	DESCRIPTION	AMOUN
	- Hose wrap with 4" deep throat upper and lower hook points with 4" high	
	retaining lip.	
	- (1) Welding rod storage bin.	
	- Vented.	
	2nd Vertical is 24" wide x 22" deep x 48" high.	
	- (2) Adjustable flat shelves w/5 dividers each.	
	Horizontal is 49" wide x 22" deep x 24" high.	
	- Lapping doors.	
	- (1) Pull out divider shelf w/5 dividers. Installed on 300lb capacity roller bearing	
	slides that lock in the open and closed position. Installed on channel style rails for	
	adjustability.	
	- (1) Removable divider shelf on compartment floor w/5 dividers.	
	Rear vertical is 25.5" wide x 22" deep x 48" high.	
	- (2) Adjustable flat shelves w/5 dividers each. Evenly spaced in vertical height.	
	Cable step:	
	- One (1) Cable step. 12" wide x 12" high, for bolt to bumper application.	
	Grab handles:	
	- Two (2) chrome 12" grab handles. (1) Installed each side of body near cargo area.	
	1 110 (m) on one 12 Side mandies. (1) moderned catch side of body near cargo mod.	
	Fire Ext. Bracket:	
	_ 	
	- (1) fire extinguisher bracket. L-style with retaining pan and rigid retaining strap, bolt in.	
	DOIL III.	
	Dattam, David	
	Battery Box:	
	- (1) Bolt in battery box. 12-Gauge construction. Size to house (2) GP-27 batteries.	
	- Minimum size is 18" long x 16" wide x 11" high. Includes hood latches to hold	
	lid in place.	
	- (2) Polypropylene battery boxes that are to house batteries within steel battery box.	
	Bumper:	
	- 12-Gauge treadplate 12" deep step non-lighted rear step bumper with a center	
	recess.	
	- Bumper is designed to work with the customer supplied and installed out and	
	down outriggers (outriggers must be tied into the chassis frame during	
	installation).	
	- (1) Class V 2" receiver hitch.	
	- Bumper has (2) safety chain D-rings installed (1) each side of recess appropriately	
	for use with safety chains.	
	- Body must weld hitch into bumper brackets during installation.	
	Vise mount:	
	- One (1) vise mounting plate welded to passenger side of bumper 12" x 12" x .25".	
	(No Vise included in pricing)	



Quote Number: # 27242-R

QUANTITY	DESCRIPTION	AMOUN
	Lighting: - 3-Light hole light boxes on rear body panels. (1) Each side One of the holes is for customer supplied and installed 4" round strobe light - (1) LED body light kit, (incandescent back-up lights) (1) LED over 80" wide body marker light kit Current production chassis harness adapter.	
	Mounting: 6-Point mounting (Shear plate mounting) & Bumper mounting brackets.	
	Powder coat: - Powder coated fleet white inside and outside. No chassis color match available.	
	Zolatone: Compartment interiors are painted with Zolatone 20-series Color is light gray (Marble Stone # 20-63).	
	Durabull: — Durabull coating applied to cargo area floor, walls, inside of bulkhead, inside/top of tailgate.	
	General: - Entire underside of body undercoated with asphalt based undercoating (1) Instruction manual with CD furnished per load 5 year warranty	
1	Install Warner DRW service body as follows: - LED lights, Mud flaps, (1) fuel spout, Install bumper	i
1	Diesel exhaust extension to bring exhaust out beyond the body	
	Liftmoore model 6036DX-22, DC Powered Crane, installed complete as per the following; 36,000 FT LB. Moment Rating and 6,000 Lb. Max Capacity. - Full power extension from 11ft to 22ft. - Unlimited power rotation. - Rotates on Gear Bearing slewing ring. - Power elevation from -5 degrees to + 75 degrees. - Anti two-block and pressure switch are standard. - Planetary gear driven winch with 2.5 Hp series wound motor - On / Off 12 Volt Electric - Remote Pendant Control 25 Ft. with E-Stop & audible signal function - 90ft of 5/16" 6X36 wire rope with 10,540 lbs breaking strength - Traveling Block with Roller Bearing Swivel Safety Hook - All cylinders incorporate an integrally mounted counterbalance valve for safety. - Overload Protection System - Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063	

www.cobalttruck.com

www.cobalttruck.com





Quote Number: # 27242-R Page 5 of 6

Manual outriggers include a crank down jack w/detents at both the extended & retracted positions. Model # 38038 Outriggers, 40K 36CMOCD-12SMOCD Boom Rest assembly mounted on curbside compartment top. Heavy duty rear spring work as follows: - Chassis to be leveled after the installation of the crane, body & accessories Vanair Pro 35 Honda gas engine air compressor installed as follows: - 35 cfm @ 100 psi - Honda 11 hp gas engine with electric start - 30 gallon horizontal air receiver Remote mount ignition and choke on IR 2475F13GH gas engine compressor Ignition switch to be relocated from the side of the engine to LV1 compartment - Choke cable control to be mounted on ignition mounting bracket Miller Bobcat 250 welder installed as follows: - 250 amp welder - 11,000 watts peak auxiliary power output, 9,500 watts continuous - Kohler 23 hp twin cylinder 4-cycle OHV gas engine, 3-year warranty - 12 gallon fluet tank - 45-1/2" long x 20" wide x 33" high, 560 lbs Mounted on street side compartment top 50' 1/0 welder leads with ground clamp and electrode holder 250 AMP max capacity 20 lb. A-B-C fire extinguisher with bracket mounted in LH rear compartment. Ecco 5813A 6" strobe light installed as follows: - Weld mounting plate to cabguard - Wire to existing upfitter switch in cab Multi-strobe system installed: (4) Ecco 3811A strobe lights installed - (2) installed in the front and rear Muxiliary Batteries (2) mounted in RH front side of bed, in protected box. Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows: - Mounted in right rear compartment with rear external access	QUANTITY	DESCRIPTION	Barrier San		Page 5 of AMOUN
Heavy duty rear spring work as follows: - Chassis to be leveled after the installation of the crane, body & accessories Vancir Pro 35 Honda gas engine air compressor installed as follows: - 35 cfm @ 100 psi - Honda 11 hp gas engine with electric start - 30 gallon horizontal air receiver Remote mount ignition and choke on IR 2475F13GH gas engine compressor Ignition switch to be relocated from the side of the engine to LV1 compartment - Choke cable control to be mounted on ignition mounting bracket Miller Bobcat 250 welder installed as follows: - 250 amp welder - 11,000 watts peak auxiliary power output, 9,500 watts continuous - Kohler 23 hp twin cylinder 4-cycle OHV gas engine, 3-year warranty - 12 gallon fluet tank - 45-1/2" long x 20" wide x 33" high, 560 lbs Mounted on street side compartment top 50' 1/0 welder leads with ground clamp and electrode holder 250 AMP max capacity 20 lb. A-B-C fire extinguisher with bracket mounted in LH rear compartment. Ecco 5813A 6" strobe light installed as follows: - Weld mounting plate to cabguard - Wire to existing upfitter switch in cab Multi-strobe system installed: (4) Ecco 3811A strobe lights installed - (2) installed in the front and rear Auxiliary Batteries (2) mounted in RH front side of bed, in protected box. Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows:		Manual outriggers include a crank down jack w/detents at both the extended	i		AMOUN
- Chassis to be leveled after the installation of the crane, body & accessories Vanair Pro 35 Honda gas engine air compressor installed as follows: - 35 cfm @ 100 psi - Honda 11 hp gas engine with electric start - 30 gallon horizontal air receiver Remote mount ignition and choke on IR 2475F13GH gas engine compressor Ignition switch to be relocated from the side of the engine to LV1 compartment - Choke cable control to be mounted on ignition mounting bracket Miller Bobcat 250 welder installed as follows: - 250 amp welder - 11,000 watts peak auxiliary power output, 9,500 watts continuous - Kohler 23 hp twin cylinder 4-cycle OHV gas engine, 3-year warranty - 12 gallon fuel tank - 45-1/2" long x 20" wide x 33" high, 560 lbs Mounted on street side compartment top 50' 1/0 welder leads with ground clamp and electrode holder 250 AMP max capacity 20 lb. A-B-C fire extinguisher with bracket mounted in LH rear compartment. Ecco 5813A 6" strobe light installed as follows: - Weld mounting plate to cabguard - Wire to existing upfitter switch in cab Multi-strobe system installed: (4) Ecco 3811A strobe lights installed - (2) installed in the front and rear Auxiliary Batteries (2) mounted in RH front side of bed, in protected box. Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows:	1	Boom Rest assembly mounted on curbside compartment top.			
Variatir Pro 3 Protect gas engine dir compressor installed as follows: - 35 cfm @ 100 psi - Honda 11 hp gas engine with electric start - 30 gallon horizontal air receiver Remote mount ignition and choke on IR 2475F13GH gas engine compressor Ignition switch to be relocated from the side of the engine to LV1 compartment - Choke cable control to be mounted on ignition mounting bracket Miller Bobcat 250 welder installed as follows: - 250 amp welder - 11,000 watts peak auxiliary power output, 9,500 watts continuous - Kohler 23 hp twin cylinder 4-cycle OHV gas engine, 3-year warranty - 12 gallon fuel tank - 45-1/2" long x 20" wide x 33" high, 560 lbs Mounted on street side compartment top 50' 1/0 welder leads with ground clamp and electrode holder 250 AMP max capacity 20 lb. A-B-C fire extinguisher with bracket mounted in LH rear compartment. Ecco 5813A 6" strobe light installed as follows: - weld mounting plate to cabguard - Wire to existing upfitter switch in cab Multi-strobe system installed: (4) Ecco 3811A strobe lights installed - (2) installed in the front and rear Auxiliary Batteries (2) mounted in RH front side of bed, in protected box. Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows:	1				
- Ignition switch to be relocated from the side of the engine to LV1 compartment - Choke cable control to be mounted on ignition mounting bracket Miller Bobcat 250 welder installed as follows: - 250 amp welder - 11,000 watts peak auxiliary power output, 9,500 watts continuous - Kohler 23 hp twin cylinder 4-cycle OHV gas engine, 3-year warranty - 12 gallon fuel tank - 45-1/2" long x 20" wide x 33" high, 560 lbs Mounted on street side compartment top 1 50' 1/0 welder leads with ground clamp and electrode holder 250 AMP max capacity 20 lb. A-B-C fire extinguisher with bracket mounted in LH rear compartment. Ecco 5813A 6" strobe light installed as follows: - Weld mounting plate to cabguard - Wire to existing upfitter switch in cab Multi-strobe system installed: (4) Ecco 3811A strobe lights installed - (2) installed in the front and rear Auxiliary Batteries (2) mounted in RH front side of bed, in protected box. Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows:	1	- 35 cfm @ 100 psi - Honda 11 hp gas engine with electric start			
- 250 amp welder - 11,000 watts peak auxiliary power output, 9,500 watts continuous - Kohler 23 hp twin cylinder 4-cycle OHV gas engine, 3-year warranty - 12 gallon fuel tank - 45-1/2" long x 20" wide x 33" high, 560 lbs Mounted on street side compartment top 1 50' 1/0 welder leads with ground clamp and electrode holder 250 AMP max capacity 20 lb. A-B-C fire extinguisher with bracket mounted in LH rear compartment. Ecco 5813A 6" strobe light installed as follows: - Weld mounting plate to cabguard - Wire to existing upfitter switch in cab Multi-strobe system installed: (4) Ecco 3811A strobe lights installed - (2) installed in the front and rear Auxiliary Batteries (2) mounted in RH front side of bed, in protected box. Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows:	1	- Ignition switch to be relocated from the side of the engine to LV1 compartment			
20 lb. A-B-C fire extinguisher with bracket mounted in LH rear compartment. Ecco 5813A 6" strobe light installed as follows: - Weld mounting plate to cabguard - Wire to existing upfitter switch in cab Multi-strobe system installed: (4) Ecco 3811A strobe lights installed - (2) installed in the front and rear Auxiliary Batteries (2) mounted in RH front side of bed, in protected box. Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows:	ana ana ana ang Panta arrawa at rain a manama	- 250 amp welder - 11,000 watts peak auxiliary power output, 9,500 watts continuous - Kohler 23 hp twin cylinder 4-cycle OHV gas engine, 3-year warranty - 12 gallon fuel tank - 45-1/2" long x 20" wide x 33" high, 560 lbs.			
Ecco 5813A 6" strobe light installed as follows: - Weld mounting plate to cabguard - Wire to existing upfitter switch in cab Multi-strobe system installed: (4) Ecco 3811A strobe lights installed - (2) installed in the front and rear Auxiliary Batteries (2) mounted in RH front side of bed, in protected box. Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows:	1	50' 1/0 welder leads with ground clamp and electrode holder 250 AMP max capacity			
- Weld mounting plate to cabguard - Wire to existing upfitter switch in cab 1 Multi-strobe system installed: (4) Ecco 3811A strobe lights installed - (2) installed in the front and rear 1 Auxiliary Batteries (2) mounted in RH front side of bed, in protected box. 1 Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows:	1	20 lb. A-B-C fire extinguisher with bracket mounted in LH rear compartment.			
(4) Ecco 3811A strobe lights installed - (2) installed in the front and rear Auxiliary Batteries (2) mounted in RH front side of bed, in protected box. Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows:	1	- Weld mounting plate to cabguard	and the same of th		
Spring Loaded Hose Reel 3/8" x 50' air hose reel installed as follows:	1	(4) Ecco 3811A strobe lights installed			
T8	1	Auxiliary Batteries (2) mounted in RH front side of bed, in protected box.			
	1		·		
Each		I	Equipment ⁻	1	\$51,100.



Rush Truck Center, San Antonio 8810 IH-10 East San Antonio, TX 78219 210-661-4511

Customer Proposal Letter

City of San Antonio 100 Miltary Plaza, 2nd Floor, City Hall San Antonio, TX 78205 (210) 207-2078 ld.mcgarity@sanantonio.gov LD Mcgarity



LD Mcgarity, thank you for the opportunity to earn your business. We look forward to working with you on your business needs. Please accept the following proposal.

VEHICLE				
Make <u>Hino</u>	Model_338	Year 2016	Stock Number To Be	Determined
Additional Vehicle and	d Accessories Descri	ption	To be delivered on or	
Quantity			3	Total
Truck Price per Unit			\$118,833.00	\$356,499.00
F.E.T. (Factory & De	aler Paid)		\$0.00	\$0.00
Net Sales Price			\$118,833.00	\$356,499.00
Optional Extended V	Varranty(ies)			
State Sales Tax				
Documentary Fee			\$395.00	\$1,185.00
Administration Fee				
Vehicle Inventory Ta	¥			
Additional Taxes				
Tire Recycling Progra	am			
Battery Disposal Fee				
Out of State Vehicle	Fee			
Rebate(s)				The state of the s
Total Sales Price (Inc	cluding Rebate(s))		\$119,228.00	\$357,684.00
Trade Allowance (se	ee DISCLAIMER Below)) }		\$0.00
				φυ.υυ
Sales Representative			Patrick LeClaire	
	signature		printed name	
Purchaser				
	signature		printed name	
	fitle			
Annoning his Out- a tit			date	
Accepted by Sales Manag General Manager		·		
	signature		printed name	
Quote good until 9/4/2015	5 Note: The at	ove Customer Proposal is a	quotation only. Sale terms subject to a	pproval of Sales Manager of Dealer.

DISCLAIMER: Any order based on this Proposal subject to Customer executing Dealer's standard form Retail Purchase Order incorporating above terms. Any documentary fees, state tax, title, registration and license fees subject to adjustment and change. Actual F.E.T. to be paid by Dealer, subject to adjustment. Any F.E.T. variance will be responsibility of Dealer. Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer. If Quoted Vehicle(s) not currently in Dealer's stock, Dealer reserves right to change Quotation Total to reflect any price increases from Manufacturer. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer not obligated to retain any specific vehicles in stock, nor maintain any specific inventory level. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) not in stock or available within requested delivery schedule at time Proposal accepted. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s), where such inability or delay is due, in whole or in part, to any cause beyond the reasonable control of Dealer or is without the gross negligence or intended misconduct of Dealer. Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of this Proposal by Customer.

Customer:

City of San Antonio

Dealership: Rush Truck Center - San

Antonio 84221

Prepared By: Patrick LeClaire

Quote Name: Item # 5 of 2015 Bid Prop

Quote Id:

55507



Quotation Details

Quote Information Quote Name **Expiration Date** Model Transmission

Wheelbase

Item # 5 of 2015 Bid Proposal 08/29/2015 2016 Hino 338

Auto - Allison 2500RDS w/Syn Fluids (PTO)

152.0

Stand	ard Options		
Qty	Order Code	Description	MSRP
, 1	ENGINE	Engine - HINO J08E-VB Turbo charged and intercooled with glow plugs, 6 cylinder, In-line water-cooled; Max Output 260hp @2500rpm; Max Torque 660lb.ft. @ 1500rpm; 7.68L displacement, EPA10 Emissions Certified.	\$0.00
1	OIL	Oil Capacity - 16.15 quarts	\$0.00
7	EXHBRAKE	Exhaust Brake - Driver controlled w/steering column Stalk Switch	\$0.00
1	FUELFILT	Fuel Filter - Dayco 243 Diesel Pro Heated fuel/water separator. (Diesel Pro 243)	\$0.00
1	ALT	Alternator – Delco 12 volt 130 amp Brush Type	\$0.00
1	STARTER	Starter - Denso 12 volt 4.8 kW / 6.4 HP rating	\$0.00
1	RADIO	Radio - AM/FM with single CD, two speakers.	\$0.00
1	AIRCOND	Air Conditioning - Denso Cab AC System designed specifically for Hino - Refrigerant 134A	\$0.00
1	DISPLAY	Meter Cluster - Information display: Instant and trip fuel consumption, Diesel Particulate Reduction System performance/status, maintenance intervals, engine and vehicle diagnostics.	\$0.00
	GAUGES	Gauges - Speedometer mph (km/h), odometer, fuel/DEF gauges, coolant temp gauge, engine tachometer, air pressure gauge.	\$0.00
1	FTGRILL	Grille - Chrome plated	\$0.00
1	HEAT/DEF	Heater/Defroster - 18,357 BTU/h	\$0.00
1	LAMPS	Lighting - Marker lamps, stop/tail lights, back-up lights, side-flasher lights.	\$0.00
1	MISC	Cab Features - Standard: Cruise control, power steering with tilt and telescopic steering column, cup holders, cigarette lighter, coat hook, bag hook, two overhead compartments, two door pockets, sun visors, side mirrors (1 flat, 1 convex) each side.	\$0.00
1	SEATS	Seats - Vinyl driver seat adjustable reclining, with AIR suspension and two person passenger bench seat. Three point seatbelt for driver and outer passenger, two point seatbelt for center position.	\$0.00

7/29/15

1

Customer:

City of San Antonio

Dealership: Rush Truck Center - San

Antonio 84221

Prepared By: Patrick LeClaire

Quote Name: Item # 5 of 2015 Bid Prop

Quote Id:

55507



Stand	ard Options		,
Qty	Order Code	Description	MSRP
1	INDICATORS	Warning Indicators - Oil pressure, brake pressure, coolant level, battery charge, high beam, turn signal, parking brake, engine control system and ABS.	\$0.00
1	EMISS10	Surcharge - EPA10 Emissions.	\$6,700.00
1	FREIGHT	Equalized Freight Charge	\$1,775.00
. 1.	COOLSYS	Cooling Capacity - 6.08 gallon cooling system capacity	\$0.00
Ì	WARRANTY_05	Warranty - Basic Vehicle-24 months unlimited mileage; Engine-36 months unlimited mileage; Engine-60 month Extended Coverage, 250,000 miles (includes injectors, fuel supply pump and turbo); Emission-60 months 100,000 miles; Frame Rails & Cross Members-48 months unlimited mileage; Cab-48 months unlimited mileage; ABS-24-36 months 300,000 miles.	\$0.00
1	HWATCH_05	Hino Watch Roadside Assistance - 3-year unlimited roadside assistance including lockout, *out of fuel/DEF, battery jumpstart, information, and warranty towing (2 year coverage). *Fluids are customer pay responsibility. Tire Service - assist customer in arranging for roadside tire service if requested.	\$0.00
1	FUELTNK	Fuel Tank - Aluminum 50 gallon capacity. Clean CA position. (drivers side mounted)	\$0.00
1	GVWR	GVWR - Gross Vehicle Weight Rating - 33,000 lbs.	\$0.00
1	AIRTANK	Air Tank - Two 34 liter tanks (68L total),(15cfm@1250rpm)	\$0.00
1	BRAKES	Brakes - Full air dual circuit "S" cam type, leading and trailing shoes with automatic adjustment and Antilock Brake System (ABS). Front Brakes: 15.0" diameter x 4.0" x 0.73" thickness: Rear Brakes: 16.5" x 7.0" x 0.85".	\$0.00
1	AIRDRYER	Air Dryer - Bendix -AD-IS (Air Dryer Integrated Solution) heated air dryer.	\$0.00
ma. nije riza, pompun va	rajoi rimmataguungu palauluu ku pi mati sala sa sasakin saan qaan saan ada FRAME	Frame - Straight C Channel frame, ladder type, powder coated, 34" wide, yield strength 80,000 PSI, resistance bending moment (RBM) 1,280,800 in./lbs. (one side no reinforcement).	\$0.00
1	WHEELS	Wheels - Accuride powder coated 22.5" x 8.25" 10-stud disc.	\$0.00
1	TIRES	Front tires - Bridgestone 11R 22.5 R268 Rib pattern; Rear tires - Bridgestone 11R 22.5 M726EL Lug pattern.	\$0.00
Premi	um/Upgrade Options		
Qt	y Order Code	Description	MSRP
government of the particular o	1 338-16G	152" WB / 84.6" CA	\$0.00
	1 HBDRDS25	Auto - Allison 2500RDS w/Syn Fluids (PTO)	\$0.00
	1 BATZA	Battery - GR27x3 (600 CCA x 3).	\$81.00
	1 ENGSHUT	Engine Shutdown Protection	\$28.00
	1 MXSPD65	Max Speed Setting 65mph	\$0.00

Customer: City of San Antonio

Quote Name: Item # 5 of 2015 Bid Prop

Dealership: Rush Truck Center - San Antonio 84221

Quote Id: 55507



Prepared By: Patrick LeClaire

Premiun	n/Upgrade Options		
Qty	Order Code	Description	MSRP
1	MRRH	Side mirrors - power heated mirrors.	\$380.00
1	HORZA	Air horn.	\$111.00
1	BBUZZ	Backup Alarm.	\$159,00
1;	XSWITCH	Additional Dash Switch	\$66.00
1 	SAFETY	Fire Extinguisher ABC 2.5MP, Triangle Kit (17 1/4" wide x 16 1/2" high)	\$112.00
1	PDI	RDI at Factory.	\$0.00
1	RSUS23K02	4500 lbs. auxillary rubber springs (only available with 23K rear axle option)	\$173.00
1	R23-614AT	Rear Axle Ratio 6.14AT 23K axle/springs.	\$880.00
1	FAG12K	12K lbs front axle with 23K lbs rear axle option	\$0.00
1	No_SalesTax	No Sales Tax	\$0.00
MSRP	e so s s s s sector estas	· · · · · · · · · · · · · · · · · · ·	\$91,095.00
Sales Tax	X S		
Unit Qua	ntity		3
Total Que	oted MSRP		\$273,285.00

2016 HINO 338

4 x 2 CONVENTIONAL GVW: 33,000 LBS. BBC: 108" ENGINE MODEL: J08E-VB (TURBO INTERCOOLED)

				#			-			16																
ENGINE			NESS (75	Shalle-ci.	*******		1	MEK	<u>ਰ</u> :	K		ΑŒ		5				FRAME								
Model		Hino	J08E	-VB	t dire	14.91	Front axle Ibs. STD-12k (10k,13.2k, 14k OPT)) Ladder type			Straight C Channel					
		Diece	14-0	velo	6-cv	linder	\vdash	lear a	-				+	bs.			0 - (23,000 OPT)	Width		in.	34					
Туре		in-line			•		-	ront				<u> </u>	+	bs.			0 - (14,000 OPT)	Yield strength		PSI	STD -80,000 / OPT - 120,000					
-31-		cylino				-,,		lear s					4 6	os.	STD	- 21,00	0 - (23,000 OPT)	Resisting bending	- 1		STD - 1,031,900					
Fuel System		Comr	non	Rail,	Direc	:t	Ľ	XL	= /	SU	SP	=1/15	O	1		3133	ىكىرىنەر ئۇ مۇ بىتىدە. ئالىرىنەر ئۇ مۇ بىتىدە	moment (one sid reinforcement)	e, no	inibs.	OPT - 1,280,800					
		inject	ion t	type.	(Der	150)	1_						ME	S-12 <	eries	revers	ed Elliot, "I"	WHEELS/TI	1.6							
							F	Front axle				I be a none / will be be at a second!				,	6 Wheels	Action Co.	22500	25 10-stud disc.						
Max. output (S	SAE Gross;) 260hr	p at 2,500 rpm.			-	ront	cori								ack absorbass	Wheel style			owder coated						
							ľ	Front spring				Taper-leaf spring, shock absorbers RS21-145, full-floating, single					6 Tires			R22.5-14(G) OPT - 295/75R 22.5 -14						
Max. torque (S	AE Gross)	oss) 660 lb.ft. at 1,500 rpm		o.ft. at 1,500 rpm			o.ft. at 1,500 rpm				ft. at 1,500 rpm			F	lear a	xle				reduction, single-speed, hypoid			Tire size (optiona			22.5-14(G) (available on 21K rear axle only)
							_						1				, ,	Tire pattern	·	Fr-Rib Rr-All Season						
Engine displac	ement	8L										Semi-elliptic main OPT - 4,500 lb.					Hale was the	64. ş								
				Rear spring					auxiliary rubber rear spring (available				Marie 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		بيرين والمستوي											
Bore and Stroke 4.41 x 5.12 in.			╊							on 23K rear axle option)				Fuel Tank STD - 50gal.												
							Hendrickson					Air ride suspension dump valve - (electric)				dump valve -	OPT - Dual 50gal. / Single 90gal.									
DDAVEC	and Marie						(electric)											DEF Tank 4.7gal.								
BRAKES	S. 12 (44) 1 1																	STD - 50 gal fuel tank mounted under cab (drive								
Service brake		Full air, du	ıal cir	rcuit,	*S" c	am ty	oe, leading & trailing shoes with automatic adjustment								natic	adjust	ment	Clean CA side)								
Exhaust brake		Electric-p	neui	matic	witl	h valv	e in exhaust pipe											ELECTRICAL EQUIPMENT								
Parking Brake	The state of the s	Spring br	ake o	cham	ber	(rear a	exle) with SR-7 emergency brake system.											STD - two 12V parallel circuit, 1200 CCA, 12V (G								
POWERTR	in the president of mile and																	Batteries	27 typ		parallel circuit, 1200 CCA, 12V (GF					
GVW		and the state was an	1.47(.)	33.000 lbs.															rallel circuit (GR 31 type) OPT - 2							
GCWR*				33,000 lbs. 48,000 lbs. 48,000 lbs.). 		A	_	paralle	el circuit	AGM (925 CCA)							
			STD	75	OI		\dashv			OPT						OPT	JS	Alternator	STD -	12 V, 130) A, Delco (brush type)					
Max. speed mp			75	75	75		70	75	75	75	71	68	75	75	75	71	68		OPT -	12 V, 135	A,180 A, 200, Delco (brushless)					
(programmabl	 -			<u> </u>			4					<u> </u>	<u> </u>			ļ′'	00	Starter	Denso	- 12 V, 6	6.4 hp					
Startability (% of grade)			17.0	14.8	16.1	17.9	8.8	16.9	14.6	16.0	17.8	18.7	22.5	19.6	21.3	23,8	24.9									
Rear Axle 2	1K Axle		5.57	4.88	5.29	5.86	5.14	5.57	4.88	5,29	5.86	6.14	5.57	4.88	5.29	5.86	6.14	Cab audio	AMI / F	M/CDI	Player / USB / AUX. input					
The state of the s				14								538	5.63				QUIPMENT (partial tist)									
				Mico	n 250	ORDS					<u> </u>	.1.	-	'			L	Bluetooth Radio								
Transmission	Model					inergy		All	isor	1 300	O RI	os			Alliso	n 350	0 RDS	Cab paint, exterior - Black or red (factory)								
				Man				. ***				_		Allison 3500 RDS				Differential lock with controls								
Fluids											Syr	theti														
	Turns Six speed automa				.d 211	tomat	;_	Civr	naa	-d -1	ıtom	atic		C	v cma	od au	tamatic	Englished State of the state of								

		Allison 2500RDS			Bluetooth kadio
Transmission	Model	with Shift Energy	Allison 3000 RDS	Allison 3500 RDS	Cab paint, exterior - Black or red (factory)
		Management			Differential lock with controls
Fluids			Synthetic		Engine idle shutdown
	Туре	Six-speed automatic	Six-speed automatic	Six-speed automatic	Front frame extension and stationary grille
	1st	3.512	3.487	4.593	GVW Derate 25,950
	2nd	1.896	1.864	2.257	Hino INSIGHT 2.0 Telematics System
	3rd 1.439		1.409	1.535	Mirrors, fender mounted - Chrome (both sides or passenger only)
Ratios	4th	1.000	1.000	1.000	Mirrors, outside rearview - Chrome
	5th	0.737	0.750	0,749	Mirrors, power heated (available in Chrome)
	6th	0.640	0.650	0.651	Power windows and power door locks (available with keyless entry)
	Rev	5.086	5.027	4.999	Programmable speed limit 65, 70 mph
Tires (standard	d)		11R22.5-14		Rear helper spring - Sub leaf type
*Condition is City de	elivery and 8% Max G	rades ** Max speed is limited	by speed limiter		Stabilizer bar, rear (leaf suspension only)
DIMENSI	ons —				Wheels - Polished aluminum
1A/In a alla a an		153/5 175/3 107/	205/14 23-15 23	F/C 0=0 F 0=10/	Wheels - Powder coated gray

Wheelbase 152/G 175/3 187/L 205/M 217/P 235/R 253/T 271/V NOTES Cab to Axle 107.6 119.6 in. 84.6 137.6 149.6 167.6 185.6 203.6 All specifications of the products are with normal manufacturing Frame height allowances and tolerances. Hino Motors Sales U.S.A., Inc. reserves the in. 37.0 37.0 37.0 37.0 37.0 37.0 37.0 37.0 at Front axle right to alter specifications at any time without previous notice. Frame height in. 39.0 39.0 39.0 39.0 39.0 39.0 39.0 39.0 at Rear axle Rear overhang 50.0 63.0 75.0 75.0 97.0 97.0 97.0 79.0 HSS CON 338 0316







3039 HWY 71E, PO Box 128 Del Valle, TX 78617 Phone 512-252-3808 Fax 512-252-7078

CREATED BY: RICH ANTOINE DATE: AUGUST 4, 2015

TO:

Rush Truck Center - San Antonio

Attn: Patrick LeClaire

FOR:

2000 Gallon Water Tank, Installed

City of San Antonio

DESCRIPTION	AMOUNT
Niece WT2000 - 2000 gallon Niece tank with 3/16" A36 carbon steel construction, ¼" Z-frame, dished and flanged heads, fully welded baffle, 24" manway, rear ladder, 2½" hydrant fill, fenders w/ hose hooks - Tank interior sandblasted and coated w/ epoxy liner - Plumbing — 3" SCH 40 pipe, painted black, manifold mounted on left side, 1½" gate valve and ¾" hose bib. - DOT lighting - Berkeley B3ZRM 3" x 4" centrifugal pump - Hot shift PTO* and driveline to pump (for automatic transmission) - (2) front, (2) rear, and left side air operated spray heads, independent operation, in-cab controls - 4' rear deck for hosereels	\$36,988.00 -Government discount applied
- (1) 1.5"x100-12V Electric Rewind Hose Reel Installed with Fog Nozzle - (2) 3/4"x100' 12V Electric Rewind Hose Reel Installed with Fog Nozzle - Flush mounted rear bumper - (1) 15" LED Amber light bar mounted on front/top of tank - (2) 4"x6" LED work lights mounted on rear of tank (Left and right) - (4) 3 LED Amber mini-strobes (2 mounted in front bumper, 2 mounted in rear bumper) - 1 year warranty on tank construction - Installed on customer's chassis and painted white to match your cab. Chassis Requirements: 96" Cab to axle length Clean "back of cab" on left side Factory installed air compressor.	
Completed trucks can be taken within 6-8 weeks of order (based on current production schedule). Will require 2 weeks per chassis for plumbing.	
Quote is valid for 30 days; FOB Austin, TX *Price does not include applicable taxes/fees.	
TOTAL.	\$36,988.00
Customer Acceptance Signature Date	
Niece Signature	



Rush Truck Center, San Antonio

8810 IH-10 East San Antonio, TX 78219 210-661-4511

Truck Sales Worksheet

Custo	8/5/15	Can A-4/		2016 Hino 338		eference Number		0.0000
~	omer City of	San Antonio	Inventory or (Order <u>Order</u>	Ap _i	proved Discount%		0.00%
	ntity 3	de La Coleian	Stock #	· · · · · · · · · · · · · · · · · · ·		List Price	<u>s 91</u>	,095.00
	sperson Patric		Make <u>Hinc</u>			List Discount		0.00
Title	Item # 5 City Bio	1	Model338		TIPLY TO THE TOTAL TO THE TIPLE	Total List	s 91	,095.00
١.	Adjusted Dea	ler Net Price FOB Factory			******	*********************	s 91	,095.00
2.	Pre-paid Frei	jht,	*************	······································	**************************	***********************	\$	0.00
3.		F.E.T						
4.	Factory Tire F	E.T Credit	***************************************			0.00		
5.	Total Factory-	paid F.E.T		*************************************	***************************************		\$	0.00
6.	Additional Adj	ustments		· · · · · · · · · · · · · · · · · · ·	***************************************		\$	0.00
7.	Rush Addition	al Cost					\$	0.00
₿.	Optional Fact	ory Extended Warranty	************************				\$	0.00
Э.	Total of Items	1,2,5,6,7 and 8	*******************************	**!************************************	***************************************	***************************************	s 91	,095.00
10. 11.		rest or Stock Truck Dock					>	0.00
		rest or Stock Truck Pack		***************************************	407-4-468664	***************************************	<u> </u>	0.00
12.	Dealer Adds -	F.E.T. APPLICABLE						
	VENDOR	DESCRIPTION				AMOUNT		
				The second secon				
				· · · · · · · · · · · · · · · · · · ·		Total F.E.T. Adds	, St	0.00
13.	Dealer-paid F	E.T				s 0.00	*	
14.		E.T. Credit				M	,-,	
15.		aid F.E.T.				*		
16.	-	d Dealer F.E.T.				<u> </u>	•	
17.		Dealer-paid F.E.T.			· · · · · · · · · · · · · · · · · · ·		\$	0.00
		DESCRIPTION		This is been likely there are britished.		AMOUNT		
	Rush Niece	Misc.				250.00		

19,	Niece	Misc.			Te	250.00	s 37	,238.00
19,	Niece	Misc. 2000 gal. Water Truck			Ti	250.00 36,988.00 otal Exempt Adds	\$ 37	,238.00
19,	Niece Optional Exte	Misc. 2000 gal. Water Truck			T	250.00 36,988.00	\$ 37	,238.00
19,	Niece Optional Exte	Misc. 2000 gal. Water Truck			Т	250.00 36,988.00 otal Exempt Adds	<u>\$ 37</u>	,238.00
19,	Niece Optional Exte	Misc. 2000 gal. Water Truck			Ti	250.00 36,988.00 otal Exempt Adds	<u>s</u> 37	<u>,238.00</u>
-	Optional Exte	Misc. 2000 gal. Water Truck				250.00 36,988.00 otal Exempt Adds	-	0.00
-	Optional Exte	Misc. 2000 gal. Water Truck Inded Warranties DESCRIPTION			Total Optional Exte	250.00 36,988.00 Dtal Exempt Adds AMOUNT	-	
-	Optional Exte	Misc. 2000 gal. Water Truck Inded Warranties DESCRIPTION DESCRIPTION				250.00 36,988.00 otal Exempt Adds	-	
-	Optional Exte VENDOR Credits VENDOR Hino	Misc. 2000 gal. Water Truck Inded Warranties DESCRIPTION DESCRIPTION Additional CPA			Total Optional Exte	250.00 36,988.00 otal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00)	-	
-	Optional Exte	Misc. 2000 gal. Water Truck Inded Warranties DESCRIPTION DESCRIPTION			Total Optional Exte	250.00 36,988.00 Dtal Exempt Adds AMOUNT ended Warranties AMOUNT	-	
- - 20.	Optional Exte VENDOR Credits VENDOR Hino	Misc. 2000 gal. Water Truck Inded Warranties DESCRIPTION DESCRIPTION Additional CPA			Total Optional Exte	250.00 36,988.00 otal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00) (10,000.00)	\$	0.00
-	Optional Exte VENDOR Credits VENDOR Hino Hino	Misc. 2000 gal. Water Truck Inded Warranties DESCRIPTION DESCRIPTION Additional CPA			Total Optional Exte	250.00 36,988.00 otal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00)	\$	
20.	Optional Exte VENDOR Credits VENDOR Hino Hino Overallowance	Misc. 2000 gal. Water Truck nded Warranties DESCRIPTION DESCRIPTION Additional CPA Municiple CPA		uantity)	Total Optional Exte	250.00 36,988.00 otal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00) (10,000.00)	\$ \$ \$ (11,	0.00
20.	Optional Exte VENDOR Credits VENDOR Hino Hino Overallowance Trace	Misc. 2000 gal. Water Truck nded Warranties DESCRIPTION DESCRIPTION Additional CPA Municiple CPA	de Allowance) / 3 (Q	**	Total Optional Exte	250.00 36,988.00 otal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00) (10,000.00) Total Credits	\$ \$ \$ (11,	0.00
20.	Optional Exte VENDOR Credits VENDOR Hino Hino Overallowanc Actu	Misc. 2000 gal. Water Truck nded Warranties DESCRIPTION DESCRIPTION Additional CPA Municiple CPA e (if applicable) de Allowance: \$0.00 (Total Tra-	de Allowance) / 3 (Qual Appraisal) / 3 (Qu	antity)	Total Optional Ext	250.00 36,988.00 otal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00) (10,000.00) Total Credits \$ 0.00	\$ \$ \$ (11,	0.00
- 20. 21.	Optional Exte VENDOR Credits VENDOR Hino Hino Overallowanc Actu	Misc. 2000 gal. Water Truck nded Warranties DESCRIPTION Additional CPA Municiple CPA e (if applicable) de Allowance: \$0.00 (Total Traital Appraisal: \$0.00 (Total Actual Apparaisal: \$0.0	de Allowance) / 3 (Qual Appraisal)	antity)	Total Optional Exte	250.00 36,988.00 Dtal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00) (10,000.00) Total Credits \$ 0.00 \$ 0.00	\$ (11,	0.00
- 20. 21.	Optional Exte VENDOR Credits VENDOR Hino Hino Overallowanc Act. Overallowanc Cost	Misc. 2000 gal. Water Truck nded Warranties DESCRIPTION DESCRIPTION Additional CPA Municiple CPA de (if applicable) de Allowance: \$0.00 (Total Traital Appraisal: \$0.00 (Total Actual Appraisal: \$0.00 (Total Actua	de Allowance) / 3 (Qual Appraisal) / 3 (Qu	antity)	Total Optional Exte	250.00 36,988.00 otal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00) (10,000.00) Total Credits \$ 0.00 \$ 0.00	\$ (11, \$ 117	0.00
- 20. 21. 22. 23.	Optional Exte VENDOR Credits VENDOR Hino Hino Overallowanc Actu Overallowanc Cost	Misc. 2000 gal. Water Truck nded Warranties DESCRIPTION DESCRIPTION Additional CPA Municiple CPA de (if applicable) de Allowance: \$0.00 (Total Trada Appraisal: \$0.00 (Total Actual	de Allowance) / 3 (Qual Appraisal) / 3 (Quopraisal)	118,833.00)	Total Optional Exte	250.00 36,988.00 Dtal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00) (10,000.00) Total Credits \$ 0.00 \$ 0.00	\$ (11, \$ 117 \$ 118	0.00
- 20. 21. 22. 23. 24.	Optional Exter VENDOR Credits VENDOR Hino Hino Overallowance Actu Overallowance Cost	Misc. 2000 gal. Water Truck Inded Warranties DESCRIPTION DESCRIPTION Additional CPA Municiple CPA de (if applicable) de Allowance: \$0.00 (Total Tradal Appraisal: \$0.00 (Total Actual Appraisal: \$0.00 (Total Actua	de Allowance) / 3 (Qual Appraisal) / 3 (Quopraisal)	118,833.00)	Total Optional Exte	250.00 36,988.00 Dtal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00) (10,000.00) Total Credits \$ 0.00 \$ 0.00	\$ (11, \$ 117 \$ 118 \$ 1	0.00 0.00 0.00 333.00 833.00 500.00
- 20. 21. 22. 23. 24. 25.	Optional Exte VENDOR Credits VENDOR Hino Hino Overallowanc Cost	Misc. 2000 gal. Water Truck nded Warranties DESCRIPTION DESCRIPTION Additional CPA Municiple CPA de (if applicable) de Allowance: \$0.00 (Total Trada Appraisal: \$0.00 (Total Actual	de Allowance) / 3 (Qual Appraisal) / 3 (Quopraisal)	118,833.00)	Total Optional Exte	250.00 36,988.00 otal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00) (10,000.00) Total Credits \$ 0.00 \$ 0.00	\$ (11, \$ 118 \$ 1 \$ 1 \$ 4	0.00 000,00) 0.00 0.333.00 0.500.00
- 20. 21.	Optional Exte VENDOR Credits VENDOR Hino Hino Overallowanc Act. Overallowanc Cost	Misc. 2000 gal. Water Truck nded Warranties DESCRIPTION DESCRIPTION Additional CPA Municiple CPA de (if applicable) de Allowance: \$0.00 (Total Traital Appraisal: \$0.00 (Total Actual Appraisal: \$0.00 (Total Actua	de Allowance) / 3 (Qual Appraisal) / 3 (Qu	antity)	Total Optional Exte	250.00 36,988.00 otal Exempt Adds AMOUNT ended Warranties AMOUNT (1,000.00) (10,000.00) Total Credits \$ 0.00 \$ 0.00	\$ (11, \$ 117	000



Rush Truck Center, San Antonio 8810 IH-10 East San Antonio, TX 78219 210-661-4511

Customer Proposal Letter

City of San Antonio 100 Miltary Plaza, 2nd Floor, City Half San Antonio, TX 78205 (210) 207-2078 ld.mcgarity@sanantonio.gov LD Mcgarity



LD Mcgarity, thank you for the opportunity to earn your business. We look forward to working with you on your business needs. Please accept the following proposal.

VEHICLE				
Make <u>Hino</u>	Model 338	Year 2016	Stock Number To Be	Determined
Additional Vehicle	e and Accessories Descr		To be delivered on or	
Quantity		•	_	Table
Truck Price per	Linit		5	Total
F.E.T. (Factory			\$74,750.00	\$373,750.00
Net Sales Price			\$0.00	\$0.00
	led Warranty(ies)		\$74,750.00	\$373,750.00
State Sales Tax				, , , , , , , , , , , , , , , , , , ,
Documentary Fe	96		\$395.00	\$1,975.00
Administration F	- Fee			
Vehicle Inventor	ry Tax			
Additional Taxes	S			
Tire Recycling F				
Battery Disposa				
Out of State Vel				
Rebate(s)		N CHARGES AND SECURITIONS AND SECURITIONS OF SECURITION OF SECURITIES OF		
Total Sales Pric	e (Including Rebate(s))		\$75,145.00	\$375,725.00
Trade Allowance		r) kakka sit iki ma wa iki iki iki ka kasa	Patrick LeClaire	\$0.00
	signature		printed name	
Purchaser				
	signature		printed name	
	title		date	
Accepted by Sales N General Manager				
•	signature		printed name	
Quote good until 9/4	/ZU15 Note: The a	bove Customer Proposal is a c	quotation only. Sale terms subject to a	pproval of Sales Manager of Dealer.

DISCLAIMER: Any order based on this Proposal subject to Customer executing Dealer's standard form Retail Purchase Order incorporating above terms. Any documentary fees, state tax, title, registration and license fees subject to adjustment and change. Actual F.E.T. to be paid by Dealer, subject to adjustment. Any F.E.T. variance will be responsibility of Dealer. Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer. If Quoted Vehicle(s) not currently in Dealer's stock, Dealer reserves right to change Quotation Total to reflect any price increases from Manufacturer. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer not obligated to retain any specific vehicles in stock, nor maintain any specific inventory level. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) not in stock or available within requested delivery schedule at time Proposal accepted. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s), where such inability or delay is due, in whole or in part, to any cause beyond the reasonable control of Dealer is without the gross negligence or intended misconduct of Dealer. Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Value of Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of this Proposal by Customer.

Customer:

City of San Antonio

Dealership: Rush Truck Center - San

Antonio 84221

Prepared By: Patrick LeClaire

Quote Name: Item # 6 of Bid Proposal

Quote Id:

55516



Quotation Details

Quote Information Quote Name **Expiration Date** Model Transmission Wheelbase

Item # 6 of Bid Proposal 08/29/2015 2016 Hino 338 Auto - Allison 2500RDS w/Syn Fluids (PTO) 175.0

Stand	ard Options		
Qty	Order Code	Description	Price
1	ENGINE	Engine - HINO J08E-VB Turbo charged and intercooled with glow plugs, 6 cylinder, in-line water-cooled; Max Output 260hp @2500rpm; Max Torque 660lb.ft. @ 1500rpm; 7.68L displacement, EPA10 Emissions Certified.	\$0.00
1	OIL	Oil Capacity - 16.15 quarts	\$0.00
Ť	EXHBRAKE	Exhaust Brake - Driver controlled w/steering column Stalk Switch	\$0.00
1	FUELFILT	Fuel Filter - Davco 243 Diesel Pro Heated fuel/water separator. (Diesel Pro 243)	\$0.00
1	ALT	Alternator – Delco 12 volt 130 amp Brush Type	\$0.00
1	BATTERY	Battery - Two 12 volt parallel connection, 600 CCA x 2	\$0.00
1	STARTER	Starter - Denso 12 volt 4.8 kW / 6.4 HP rating	\$0.00
1	RADIO	Radio - AM/FM with single CD, two speakers.	\$0.00
Ĩ	AIRCOND	Air Conditioning - Denso Cab AC System designed specifically for Hino - Refrigerant 134A	\$0.00
1	DISPLAY	Meter Cluster - Information display: Instant and trip fuel consumption, Diesel Particulate Reduction System performance/status, maintenance intervals, engine and vehicle diagnostics.	\$0.00
1	GAUGES	Gauges - Speedometer mph (km/h), edometer, fuel/DEF gauges, coolant temp gauge, engine tachometer, air	\$0.00
		pressure gauge.	
1	FTGRILL	Grille - Chrome plated	\$0.00
1	HEAT/DEF	Heater/Defroster - 18,357 BTU/h	\$0.00
1	LAMPS	Lighting - Marker lamps, stop/tail lights, back-up lights, side-flasher lights.	\$0.00
1	MISC	Cab Features - Standard: Cruise control, power steering with tilt and telescopic steering column, cup holders, cigarette lighter, coat hook, bag hook, two overhead compartments, two door pockets, sun visors, side mirrors (1 flat, 1 convex) each side.	\$0.00
1	SEATS	Seats - Vinyl driver seat adjustable reclining, with AIR suspension and two person passenger bench seat. Three point seatbelt for driver and outer passenger, two point seatbelt for center position.	\$0.00

8/6/15 1

Customer: City of San Antonio

Dealership: Rush Truck Center - San

Antonio 84221

Prepared By: Patrick LeClaire

Quote Name: Item # 6 of Bid Proposal

Quote Id:

55516



Stand	ard Options		
Qty	Order Code	Description	Price
1	INDICATORS	Warning Indicators - Oil pressure, brake pressure, coolant level, battery charge, high beam, turn signal, parking brake, engine control system and ABS.	\$0.00
1	EMISS10	Surcharge - EPA10 Emissions.	\$6,700.00
1	FREIGHT	Equalized Freight Charge	\$1,775.00
1	COOLSYS	Cooling Capacity - 6.08 gallon cooling system capacity	\$0.00
1	WARRANTY_05	Warranty - Basic Vehicle-24 months unlimited mileage; Engine-36 months unlimited mileage; Engine-60 month Extended Coverage, 250,000 miles (includes injectors, fuel supply pump and turbo); Emission-60 months 100,000 miles; Frame Rails & Cross Members-48 months unlimited mileage; Cab-48 months unlimited mileage; ABS-24-36 months 300,000 miles.	\$0.60
	¥-	Hino Watch Roadside Assistance - 3-year unlimited	
1	HWATCH_05	roadside assistance including lockout, *out of fuel/DEF, battery jumpstart, information, and warranty towing (2 year coverage). *Fluids are customer pay responsibility. Tire Service - assist customer in arranging for roadside tire	\$0.00
4	CVW/D:	service if requested	
1	GVWR	GVWR - Gross Vehicle Weight Rating - 33,000 lbs.	\$0.00
1	AIRTANK	Air Tank - Two 34 liter tanks (68L total) (15cfm@1250rpm)	\$0.00
1	BRAKES	Brakes - Full air dual circuit "S" cam type, leading and trailing shoes with automatic adjustment and Antilock Brake System (ABS). Front Brakes: 15.0" diameter x 4.0" x 0.73" thickness: Rear Brakes: 16.5" x 7.0" x 0.85".	\$0.00
1	AIRDRYER	Air Dryer - BendixAD-IS (Air Dryer Integrated Solution) heated air dryer.	\$0.00
1_	FRAME	Frame - Straight C Channel frame, ladder type, powder coated, 34" wide, yield strength 80,000 PSI, resistance bending moment (RBM) 1,280,800 in /lbs. (one side no	\$0.00
		reinforcement).	
1	WHEELS	Wheels - Accuride powder coated 22.5" x 8.25" 10-stud disc.	\$0.00
1	TIRES	Front tires - Bridgestone 11R 22.5 R268 Rib pattern; Rear tires - Bridgestone 11R 22.5 M726EL Lug pattern.	\$0.00
Premi	um/Upgrade Options		
Qt	y Order Code	Description	Price
	1 338-16J	175" WB / 107.6" CA	\$0.00
	1 HBDRDS25	Auto - Allison 2500RDS w/Syn Fluids (PTO)	\$0.00
	1 VPIPE	Vertical Exhaust	\$681.00
	1 ENGSHUT	Engine Shutdown Protection	\$21.00
	1 MXSPD65	Max Speed Setting 65mph	\$0.00
	1 HORZA	Air horn.	\$85.00

Customer: City of San Antonio

Dealership: Rush Truck Center - San

Antonio 84221

Prepared By: Patrick LeClaire

Quote Name: Item # 6 of Bid Proposal

Quote Id: 55516




Premiun	n/Upgrade Options		
Qty	Order Code	Description	Price
1	BBUZZ	Backup Alarm.	\$121.00
1	XSWITCH	Additional Dash Switch	\$50.00
1	SAFETY	Fire Extinguisher ABC 2.5MP, Triangle Kit (17 1/4" wide x 16 1/2" high).	\$85.00
1	STD90X1	Single 90 gallon aluminum fuel tank	\$536.00
**1	R23-614AT	Rear Axle Ratio 6.14AT 23K axle/springs.	\$669.00
1	FAG12K	12K lbs front axle with 23K lbs rear axle option	\$0.00
1	No_SalesTax	No Sales Tax	\$0.00
Price		· ·	\$72,002.00
Sales Ta	x		NW 1
Unit Qua	ntity		5
Total Que	oted Price		360,010.00

2016 HINO 338

A Toyota Group Company

4 x 2 CONVENTIONAL GVW: 33,000 LBS. BBC: 108" ENGINE MODEL: JOSE-VB (TURBO INTERCOOLED)



Rear overhang

HSS CON 338 0216

75.0

75.0

97.0

97.0

97.0

79.0

ENGINE								WEIG	į	T CA	PA	CITI	ES ,		W DA		FRAME		
Model		ĺ	lino J0	8E-V	В	en in		Front a	xle				lbs.	STD -	12k (1	0k,13.2k, 14k OPT)	Ladder type		Straight C Channel
			Diesel 4			الم ما أم	~~ I	Rear ax					lbs.	STD	21,0	00 - (23,000 OPT)	Width	in.	34
Туре			n-line v				νŀ	Front s					los.	STD	- 12,0	00 - (14,000 OPT)	Yield strength	PSI	STD - 80,000 / OPT - 120,000
			ylinde				´ [Rear sp	_	_			lbs.	STD	- 21.0	00 - (23,000 OPT)	Resisting bending		STD- 1,031,900
Fuel System		C	ommo	n Ra	il, Dire	ect		AXLE	4	รบร	E.	ISIO	N	[y= 0/3		oje si Sala ani Kasal	moment (one side, no reinforcement)	inlbs	OPT - 1,280,800
		ir	njectio	n typ	e. (De	enso)	- 1					lм	FS-12	series	rever	sed Elliot, "I"	WHEELS/TIRES	-	
Max. output (CAFC	, ,	col					Front a	xle					oil lübr	**		6 Wheels		8.25 10-stud disc.
wax. output (SAE GIUSS	' 2	:60hp a	IT 2,5	ou rpi	m.	h	Front spring				Ta				ock absorbers	Wheel style	_	oowder coated
							_[- 3						ng, single	6 Tires		1R22,5-14(G) OPT - 295/75R 22.5
Viax. torque (!	SAE Gross) 6	60 lb.fi	t. at 1	,500 r	pm		Rear ax	e							eed, hypoid	Tire size (optional)		R22,5-14(G) (available on 21K rear axle o
ingino dienia							-						earing.				Tire pattern		Rr - All Season
ingine displa	cement	8	E_				J,	oor co	-in-	~		Se	mi-ell	liptic n	nain C	PT - 4,500 lb.	CHASSIS EQUIP	A CONTRACTOR OF THE PARTY OF TH	ay a manana madii fara a lahii lahii tarii qayan ka sara sara ay ay
		. 					_ '	Rear sp	unç	9				ruppe ear axle		spring (available	The state of the s	10.000	<u>a da ang atau atau atau atau atau atau atau ata</u>
ore and Stro	ke	4.	.41 x 5.	.12 in	١.		T.		_							dump valve -		D - 50gal.	na il tota ale 00eel
		1					ا [–	lendric	ksc	on			lectric			acin'p valve -		i - Duat 50	Ogal. / Single 90gal.
RAKES											1/4						DEF Tank 4.7	gal.	·
ervice brake	ar ngankis ker	Full si	ir dual	circu	it to	cam t	VPC	leading	9.	roili	مان - مامی	00.00				A comment of the second	ILLEANTA	_	uel tank mounted under cab (d
chaust brake								exhau			sno	es witt	n auto	matic	adjust	ment	Side		
arking Brake																	ELECTRICAL	EQUI	PMENT
de transmission de la company de la comp							axie) with 9	oK	/ eme	rger	icy bra	ike sy:	stem.			Batteries STE) - two 12	V parallel circuit, 1200 CCA, 12V
OWERTR	AIN AN	ץ עוי	Elita	AKU,	WAIN.	CE	;; ;;							huj			271	type)	
VW								33,000 lbs.									oarallel circuit (GR 31 type) OPT		
CWR*			- -		33,000			48,000 lbs. 48,000 lbs.				os.			t AGM (925 CCA)				
owertrain			Sī	D	c	PT		OPT OPT					Alternator STD	J- 12 V, 13	0 A, Delco (brush type)				
lax. speed mp programmabl			7.	5 7:	5 75	74	70	75 7	5 :	75 7	ī 6	8 75	75	75	71	68	OPT	T - 12V, 13	5 A,180 A, 200, Delco (brushless
artability (%						 			+		+			-			Starter Der	nso - 12 V,	6.4 hp
ai tability (70	ui giade)		17	.0 14.	.8 16.1	17.9	18.8	16.9 14.	6 7	16.0 17.	8 18	7 22.5	19.6	21.3	23.8	24.9			
	1K Axle		5.5	57 4.8	8 5.29	5.86	6.14	5.57 4.8	8 :	5.29 5.8	6 6.	4 5.57	4.88	5.29	5.86	6.14	Cab audio AM	/ FIVI / CD	Player / USB / AUX. input
Sear Ratios 2	3K Axle			- -	- 5.38	5.63	6.14			5.38 5.6	3 6.1	4 .		5.38	5.63	6.14	POPULAR OPTI	ONALE	OUIPMENT (partial list)
				Allis	on 25	OORD	S						Bluetooth Radio						
ansmission	Model				Shift			Allis	on .	3000 F	RDS			Alliso	n 350	RDS	Cab paint, exterior - Bl	lack or rec	l (factory)
•				Ma	anagei	ment	l						Differential lock with controls						
uids								Synthetic							Engine idle shutdown				
	Туре	-··· .	S	ix-sp	eed au		atic	c Six-speed automatic Six-speed automatic					ed aut	omatic	Front frame extension and stationary grille				
	1st				3.51		_	3.487 4.593					GVW Derate 25,950						
	2nd		_		1.89					864			2.257				Hino INSIGHT 2.0 Telematics System		
	3rd				1.439					409	_		1.535				Mirrors, fender mounted - Chrome (both sides or passenger on		
atios	4th		-		1.00					000					1.000		Mirrors, outside rearview - Chrome Mirrors, power heated (available in Chrome)		
	5th				0.73					750		-			0.749				
	6th				0.640		_			550					0.651		Power windows and power door locks (available with keyless entr		
	Rev				5.086	5			5.0	027					4.999		Programmable speed		
es (standard)										11F	22.5	-14					Rear helper spring - Su		
ndition is City deli	Supplemental Services	nax Gra	des	** /	Max spe	ed is lin	ited b	speed lin	iter			90 5 882		al (legis) be in	en (60 s)		Stabilizer bar, rear (lea		on only)
IMENSIO	אוג									000							Wheels - Polished alun		
heelbase	in	.	152/G	1	175/J	18	7/L	205/	Μ	217	/P	235/	'R 2	253/T		271/V	Wheels - Powder coate	ed gray	
ab to Axle	in	.	84.6	1	07.6	11	9.6	137.	6	149	.6	167.	6	185.6		203.6	NOTES		
Frame heig	i in		37.0	+	37.0		7.0	37.0		37.		37.0	_	37.0		37.0	allowances and tolerand	ces. Hino	ts are with normal manufactu Motors Sales U.S.A., Inc. reserves
Frame heig	ht in	1.	39.0		39.0	39	9.0	39.0)	39.	0	39.0	,	39.0	<u> </u>	39.0	right to alter specificatio	ons at any 1	ime without previous notice.
				-		ļ		 -					_ _		1				Patrona

HERRERA FABRICATING INC

have agreed to pay in full the total amount or be liable for a 10% interest charge

and or mechanic's lein.

7118 JOHN RALSTON HOUSTON TX 77044

Date Estimate # 8/4/2015 12953

Phone # 281-454-5166 Fax # 281-416-5677 blanca@herrerafabricating.com www.herrerafabricating.com

281-416-5677 www.herrerafabricating.com

Name / Address

RUSH TRUCK CENTER-SAN ANTONIO 8810 IH-10-E SAN ANTONIO, TX 78219 210-661-4511

P.O. No.

TRUCK MAKE

Description	Pays R	te Rate/Hous	
7 CU. YARD BOX			
Build and Install a 10 ft x 7 ft x 5 1/2 sides square	, 1	11,998.00	11,998.00
dump box made out of 10-gauge walls ASTM A572			
WITH A 2" radius and 3/16" floor. Body will have a			
2" radius between sides and floor.			
Rub Rails: sloped dirt-free self cleaning type Side Boards: min: 2" x 6" x 1/4" structural			
rectangular tubing.			
Cab Protector: 1/2 size	•		
Tail Gate: double-acting type			
Apron:	,		
Tail Gate Spreader chains			
Hydraulics: Muncie Power pump	r ·		
Controls: Air Shift			
Hoist: Rugby LR-623 (underbody scissors)			
Led lights, reflector, mud flaps, back up alarm.	A CONTRACTOR OF THE PROPERTY O	· and the second of the second	-, • • •
Tarp Motor: Electric motor mounted in the "down"	-		
position, heavy duty steel arms,			
**Price does not include Federal Excise Tax.			
Customer would need to provide certificate or pay			
additional 12%.			
		Subtotal	\$11,998.00
			φ11,550.00
Signature		Sales Tax (0.0%)	ድላ ላላ
•••		,y	\$0.00
		Total	
This assignate is good for 15 business day and in allerth			\$11,998.00
This estimate is good for 15 business day and is eligible	ie to change. By signing you		



Rush Truck Center, San Antonio 8810 IH-10 East San Antonio, TX 78219 210-661-4511

Customer Proposal Letter

City of San Antonio 100 Miltary Plaza, 2nd Floor, City Hall San Antonio, TX 78205 (210) 207-2078 ld.mcgarity@sanantonio.gov LD Mcgarity



LD Mcgarity, thank you for the opportunity to earn your business. We look forward to working with you on your business needs. Please accept the following proposal.

VEHICLE				
Make <u>Hino</u>	Model_195	Year 2016	Stock Number To Be	Determined
Additional Vehicle	and Accessories Descr	iption	To be delivered on or a	
Quantity			3 .	Total
Truck Price per l	Unit		\$115,547.00	\$346,641.00
F.E.T. (Factory &	& Dealer Paid)		\$0.00	\$0.00
Net Sales Price			\$115,547.00	\$346,641.00
Optional Extend	ed Warranty(ies)	THE RESERVE OF THE PROPERTY OF		
State Sales Tax				
_				
Documentary Fe	99		\$395.00	\$1,185.00
Administration F	ee			
Vehicle Inventor	у Тах			
Additional Taxes	3			
Tire Recycling P	rogram			
Battery Disposal	Fee			
Out of State Veh	icle Fee	,		
Rebate(s)		The second of th		
Total Sales Price	e (Including Rebate(s))		\$115,942.00	\$347,826.00
Trade Allowance	e (see DISCLAIMER Below	v)		\$0.00
				V
Sales Representative			Patrick LeClaire	
_	signature		printed name	
Purchaser	***************************************			
	signature		printed name	
	title			
Assented to Calle 144			date	
Accepted by Sales M General Manager	-		and the same of th	
-	signature		printed name	
Quote good until 9/4/	2015 Note: The a	ibove Customer Proposal is a	quotation only. Sale terms subject to a	pproval of Sales Manager of Dealer.

DISCLAIMER: Any order based on this Proposal subject to Customer executing Dealer's standard form Retail Purchase Order incorporating above terms. Any documentary fees, state tax, title, registration and license fees subject to adjustment and change. Actual F.E.T. to be paid by Dealer, subject to adjustment. Any F.E.T. variance will be responsibility of Dealer. Manufacturer has reserved the right to change the price to Dealer of any vehicle not currently in Dealer's stock, without notice to Dealer. if Quoted Vehicle(s) not currently in Dealer's stock, Dealer reserves right to change Quotation Total to reflect any price increases from Manufacturer. This Proposal is based upon Dealer's current and expected inventory, which is subject to change. Dealer not obligated to retain any specific vehicles in stock, nor maintain any specific inventory level. Dealer shall not be obligated to fulfill Proposal in event quoted vehicle(s) not in stock or available within requested delivery schedule at time Proposal accepted. Dealer shall not be liable for any delay in providing or inability to provide Quoted Vehicle(s), where such inability or delay is due, in whote or in part, to any cause beyond the reasonable control of Dealer or is without the gross negligence or intended misconduct of Dealer. Above listed Trade Value based upon current appraisal of Trade Vehicle(s). Dealer may adjust Trade Vehicle(s) to reflect changes in condition and/or mileage of Trade Vehicle(s) between date of current appraisal and acceptance of this Proposal by Customer.

Customer:

City of San Antonio

Dealership: Rush Truck Center - San

Antonio 84221

Prepared By: Patrick LeClaire

Quote Name: Item # 8 of Bid Proposal

Quote Id: 55520



Quotation Details

Quote Information Quote Name **Expiration Date** Model

Transmission

Wheelbase

Item # 8 of Bid Proposal 08/29/2015 2016 Hino 195

Aisin A465 - 6 speed automatic transmission

149.6

Stand	ard Options		
Qty	Order Code	Description	Price
1	ENGINE	Engine - HINO J05E-TP Turbo charged and intercooled, diesel 4 cycle, 4 cylinder, In-line water-cooled; Max Output 210hp @ 2500rpm; Max Torque 440lb.ft. @1500rpm; 5L displacement, EPA10 Emissions Certified.	\$0.00
1	OLL	Oil Capacity - 9.9 quarts	\$0.00
7	EXHBRAKE	Exhaust brake, electric-pneumatic with valve in exhaust pipe.	\$0.00
1	FUELFILTCOE	Fuel Filter - Pre Filter Heated Water Separator	\$0.00
	ALT	_12 volt 130 amp brushless alternator	\$0.00
1	BATTERY	Two 12 volt parallel connection, 1244 CCA.	\$0.00
1	STARTER	12 volt 3.35 kW Denso starter	\$0.00
1	RADIO	Radio - AM/FM with single CD	\$0.00
1	AIRCOND	Air conditioned	\$0.00
1	DISPLAY	Meter Cluster - Information display: Instant and trip fuel consumption, Diesel Particulate Reduction System performance/status, maintenance intervals, engine and vehicle diagnostics.	\$0.00
1	PWDL-COE	Power Windows and Door Locks	\$0.00
1	GAUGES	Gauges - Speedometer mph (km/h), odometer, fuel/DEF gauges, coolant temp gauge, engine tachometer	\$0.00_
ï	FTGRILLCOE	Grille - Chrome plated	\$0.00
1	HORNCOE	Horn - Electric Horn	\$0.00
1	HEAT/DEF	Heater/Defroster - 18,596 BTU/h	\$0.00
1	LAMPS	Lighting - Stop/tail lights, marker and identification lamps (roof), back-up lamps	\$0.00
1	MISC	Cab Features - Standard: Cruise control, tilt and telescopic steering. Overhead compartments, door pockets, cup holders, side mirrors (1 flat, 1 convex) on each side	\$0.00
1,	INDICATORS	Warning Indicators - Oil pressure, brake fluid, battery charge, high beam, turn signal, parking brake, engine control system and ABS.	\$0.00
1	EMISS10	Surcharge - EPA10 Emissions.	\$4,500.00
1	OBD	On-Board Diagnostics	\$600.00
1	FREIGHT	Equalized Freight Charge	\$1,125.00

7/30/15

Customer: City of San Antonio

Dealership: Rush Truck Center - San

Antonio 84221

Prepared By: Patrick LeClaire

Quote Name: Item # 8 of Bid Proposal

Quote Id: 55520



Stand	ard Options		
Qty	Order Code	Description	Price
1	COOLSYS	Cooling Capacity - 5.90 gallon cooling system capacity	\$0.00
1	WARRANTY_05	Warranty - Basic Vehicle - 36 months unlimited mileage (exception batteries and expendables), Extended Engine and Vehicle - 60 months or 175,000 miles (includes injectors, fuel supply pump, turbo, transmission, and rear axle); Emissions - 60 months or 100,000 mile warranty;	\$0.00
1	HWATCH_05	Hino Watch Roadside Assistance - 3-year unlimited roadside assistance including lockout, *out of fuel/DEF, battery jumpstart, information, and warranty towing (2 year coverage). *Fluids are customer pay responsibility. Tire Service - assist customer in arranging for roadside tire service if requested	\$0.00
1	FUELTNK	Fuel Tank - 30 gallon rear center mount	\$0.00
1	GVWR	GVWR - Gross Vehicle Weight Rating - 19,500 lbs.	\$0.00
1	BMP	Bumper - painted, match to cab	\$0.00
†	BRAKES	Brakes - Hydraulic system with disc brakes, hydraulic assist with dual circut. Brakes: 13.72" diameter x 4.37" x 0.51" thickness.	\$6.00
	FRAME -	Frame straight section ladder type, 33" width, yield strength 56,900 PSI, resistance bending moment 706,800 in./lbs. (two side no reinforcement).	\$0.00
1	WHEELS	Wheels - Steel painted wheels 19.5X6K-127 6-stud disc.	\$0.00
1	FSTAB-COE	Front Stabilizer Bar	\$0.00
1	BKBUZZ	Backup Buzzer	\$0.00
1	TIRES	Front tires - Bridgestone 225/70R 19.5 Rib Pattern; Rear Tires - Bridgestone 225/70R 19.5 All Season.	\$0.00
1	AXLES	Front Axle - Reversed Elliot "I" beam. Front axle capacity is 7,275lbs.	\$0.00
		Front Spring: Tapered leaf springs with shock absorbers,	
1	SPRINGS	7,275lb. rating. Rear Spring: Tapered leaf springs with shock absorbers and auxillary helper leaf spring, 13,669 lb. rating.	\$0.00
1	AXLESTO	Rear Axle Ratio - Standard 5.57 with Aisin A465 six speed automatic	\$0.00
Premi	um/Upgrade Options		
Qt	y Order Code	Description	Price
and the street of the state of	1 195-1672	150" WB / 127,6" CA	\$0.00
	1 AISA	Aisin A465 - 6 speed automatic transmission	\$0.00
	1 MXSPD65-LO	Maximum Speed Setting-65mph.	\$75.00
	1 SEATV	Vinyl driver and passenger bench seat	(\$37.00)
	1 SAFETY KIT-LO	Fire Extinguisher ABC 2.5MP, Triangle Kit (17 1/4" wide x 16 1/2" high).	\$66.00
,	1 PDID	PDI at Port (Diesel)	\$0.00

Customer: City of San Antonio

Dealership: Rush Truck Center - San

Antonio 84221

Prepared By: Patrick LeClaire

Quote Name: Item # 8 of Bid Proposal

Quote Id: 55520



Premium/Upg	rade Options		
Qty Ord	er Code	Description	Price
1 No_3	SalesTax	No Sales Tax	\$0.00
Priče			\$48,272.00
Sales Tax		•	
Unit Quantity			3
Total Quoted P	rice		\$144,816.00

7/30/15

2016 HINO 195

CAB OVER ENGINE GVW: 19,500 LBS. BBC: 66.5" ENGINE MODEL: JOSE-TP



ENGINE	
Model	HINO JOSE-TP
Туре	Diesel 4-cycle, 4-cylinder in-line, water-cooled, dry cylinder line
Fuel System	Common Rail, Direct injection type. (Denso)
Max. output (SAE Gross)	210hp at 2,500 rpm.
Max. torque (SAE Gross)	440 lbft. at 1,500 rpm.
Engine displacement	5L
POWERTRAIN AND	PERFORMANCE

GVW		19,500 lbs.		
GCWR	4 .	25,500 lbs.		
Powertrain		STD	OPT	
Max. speed mph		68.4	64.6	
Startability (% of g	rade)	27.2	28.6	
Rear Axle Gear Rat	ios	5,571	5.857	
Transmission	Model	Aisin A465 (PTO capable)		
	Туре	Six speed automatic		
	1st	3.742		
	2nd	2.003		
	3rd	1.343		
Ratios	4th	1.000		
. V. Port shall hell to a second property and the fine from the second property with the second part of the	5th	0.773		
	6th	0.634		
	Rev	3.539		
Tires (standard)		225/70R19	.5	

The same of the same of the same of				
WEIGHT CA	PACITIES			
Front axle	lbs.	6,830 - 7,270		
Rear axle	lbs.	13,660		
Front spring	lbs.	6,830		
Rear spring	lbs. 13,660			
AXLE / SUSP	ENSION			
Front axle	Reversed Elliot, "1" beam.			
Front spring	Taper-leaf springs shock absorbers and stabilizer.			
Rear axle	Full-floating, single reduction; Single-speed by hypoid gearings.			
Rear spring	Taper-leaf springs shock absorbers.			
FRAME		9		
Ladder type	<u></u>	Straight section		
Width	in.	33		
Yield strength	PSI	56,900		
Resisting bending	in,-lbs.	353,450 - 423,050		
moment (one side)	entropy and the second arrange property again	(no reinforcement)		
WHEELS / TII	RES			
6 Wheels	19.5X6 6-s	tud disc.		
Wheel style	Steel, pain	ted		
б Tires	225/70R19	0.5		
Tire pattern	Fr-Rib Rr-A	All Season		
BRAKES	and the			
Service brake	Hydraulic sys front and rea	tem with disc brake for r wheels.		
Parking brake	Mechanical, ii on transmissi	nternal expanding acting on output shaft.		
F		matic with valve in		

Front axle	lbs.	6,830 - 7,270				
Rear axle	lbs.	13,660				
Front spring	lbs.	6,830				
Rear spring	lbs.	13,660				
AXLE / SUSF	PENSION					
Front axle	Reversed E	Reversed Elliot, "I" beam.				
Front spring	Taper-leaf s and stabiliz	prings shock absorbers er.				
Rear axle	Full-floating Single-spec	Full-floating, single reduction; Single-speed by hypoid gearings.				
Rear spring	Taper-leaf s absorbers.	prings shock				
FRAME		1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2				
Ladder type		Straight section				
Width	in.	33				
Yield strength	PSI	56,900				
Resisting bendin moment (one side)	√ in lbc	353,450 - 423,050 (no reinforcement)				
WHEELS/TI	RES					
6 Wheels	19.5X6 6-stı	ıd disc.				
Wheel style	Steel, painte	eel, painted				
6 Tires	225/70R19.5	5				
Tire pattern	Fr-Rib Rr-Al	l Season				
BRAKES	BRAKES					
Service brake	iervice brake Hydraulic system with disc brake for front and rear wheels.					
Parking brake	Mechanical, internal expanding acting on transmission output shaft.					
Exhaust brake	Electric-pneumatic with valve in exhaust pipe.					

Ī	CHASSIS E	QUIPMENT
		STD Center mount 30 gal,
	Fuel tank	OPT Side mount 33 gal.
	Fuel pre-filter	Heated fuel water separator.
l	Radiator grille	Chrome
	DEF tank	4.7 gal.
	ELECTRICA	L EQUIPMENT
	Batteries	Two, parallel connection, each 12V
	Alternator	12V, 130A, brushless
	Starter	12V, 4.5hp, Denso
	A *II*	

CITICAL LOUPMENT				
Batteries	Two, parallel connection, each 12V			
Alternator	12V, 130A, brushless			
Starter	12V, 4.5hp, Denso			
Auxilliary Switches	9 vacant switch blanks for body and equipment use.			
Stereo	AM/FM radio with CD Player			

POPUL			

Cab paint, exterior - Black, red, yellow, blue, green, silver GVW Derate 17,950 (factory order only) INSIGHT 2.0 Telematics System Transmission PTO

Bluetooth radio

HINOWATCH (service free of charge)

3 year unlimited roadside assistance

- · Lockout Service
- · Battery Jumpstart
- Warranty Towing (2 year coverage)

HINOCARE (service free of charge)

Hino trucks includes a 2-year or 60,000 mile preventive service care program for the 155/155-DC diesel model called HinoCare. All 2013MY through 2016MY 195 and 195-DC models are also eligible.

NOTES

All specifications of the products are with normal manufacturing allowances and tolerances. Hino Motors Sales U.S.A., Inc. reserves the right to alter specifications at any time without previous notice.

DIMENSIONS			bestomBorres con conti	California de la Califo			
DIMENSIONS							200000
Cab Type		Standard	Standard	Standard	Standard	Standard	/
Wheelbase	in.	114.2	137.8	149.6	161.4	173.2	į
Useable cab to axle	in,	86.4	110	121.9	133.7	145.5	
Cab to body clearance	in.	5.8	5.8	5.8	5.8	5.8	
Rear overhang	in.	46.3	46.3	46.3	46.3	46.3	
FRAME HEIGHT AT							
Front axle	in.	29.7	29.6	29.6	29.5	29.5	
Rear axle	in.	33.4	33.4	33.5	33.5	33.5	



Heil of Texas

503 Pop Gunn San Antonio, TX, 78219

Ship To:

Rush Truck Center – San Antonio

Quotation

Quote #:

Q-00413-1

Date:

8/04/2015 11:02 A.M.

Expires On: 11/10/2015



SALESPERSON	EXT	EMAIL	DELIVERY METHOD	PAYMENT METHOD
George Gutierrez	x	georgegutierrez@heiloftexas.com		Net 30

Bill To

Antonio

Rush Truck Center - San

BuyBoard Quote 425-13

QTY	PART#	PRODUCT NAME	DESCRIPTION
1		Heil	Heil Mini Rear Loader PT Class
Q	TY PART#	PRODUCT NAME	DESCRIPTION
1	DP7 003	Factory Mount	Full Factory Mount for Service Hoist or Eject Models
1	DP7 009	Pump	Hydraulic Pump
11	DP7 014	Lighting	Hopper Work Light
1	DP7 016	Lighting	Strobe Light Amber
1	DP7 018	Floor Upgrade	Hopper Floor Kit (3/16 - 150,000 psi)
1	DP7 019	Tipper	Revolution Tipper
1	DP7 027	Lighting	LED Body Lighting
1	DP7 040	Warranty	One Year Warranty
1	DP7 045	Fire Extinguisher	20 lb. Fire Extinguisher with Bracket
1	GRP 220	Graphics	Decal Kit - Body
1	T52	Lighting	Lighting Kit - Rear Lighting for Container Management

Total - \$ 68,120.00