# ORIGINAL



## CITY OF SAN ANTONIO

PURCHASING AND GENERAL SERVICES DEPARTMENT

FORMAL INVITATION FOR BID ("IFB") NO.: 6100007067

## PURCHASE OF LIGHT DUTY TRUCKS & VEHICLES

Date Issued: FEBRUARY 12, 2016

### BIDS MUST BE RECEIVED NO LATER THAN: 2:00 PM, C.T., MARCH 2, 2016

Bids may be submitted by any of the following means: Electronic submission through the Portal Hard copy in person or by mail

Address for hard copy responses:

Physical Address: City Clerk's Office 100 Military Plaza, City Hall San Antonio, Texas 78205

Mailing Address: City Clerk's Office P.O. Box 839966 San Antonio, Texas 78283-3966

For Hard Copy Submissions, Mark Envelope "PURCHASE OF LIGHT DUTY TRUCKS & VEHICLES"

Bid Due Date: 2:00 p.m., C.T., MARCH 2, 2016

Bid No.: 6100007067

Bidder's Name and Address

Bid Bond: N/A

Performance Bond: N/A

Payment Bond: N/A

Other: N/A

See Supplemental Terms & Conditions for information on these requirements.

Affirmative Procurement Initiative: No

DBE / ACDBE Requirements: No

See Instructions for Bidders and Attachments sections for more information on these requirements.

Pre-Submittal Conference \* YES

\* If YES, the Pre-Submittal conference will be held on FEBRUARY 22, 2016 at 9:00 AM C.T., at the Fleet Operations

Staff Contact Person: IAN MONTEMAYOR, PS II, P.O. Box 839966, San Antonio, TX 78283-3966. Email: IAN.MONTEMAYOR@SANANTONIO.GOV

SBEDA Contact Information: , 210-207-3900,

#### 002 - TABLE OF CONTENTS

1002 - TABLE OF CONTENTS	2
003 - INSTRUCTIONS FOR BIDDERS	
004 - SPECIFICATIONS / SCOPE OF SERVICES	
005 - SUPPLEMENTAL TERMS & CONDITIONS	
006 - GENERAL TERMS & CONDITIONS	
007 - SIGNATURE PAGE	62
008 - STANDARD DEFINITIONS	
009 - ATTACHMENTS	

#### 003 - INSTRUCTIONS FOR BIDDERS

#### Submission of Bids.

<u>Submission of Hard Copy Bids</u>. Submit one original bid, signed in ink, and two copies of the bid enclosed in a sealed envelope addressed to the City Clerk at the address and by the due date provided on the Cover Page. The name and address of Bidder, the date and hour of the bid opening, bid number and title of the bid solicitation shall be marked on the outside of the envelope(s). All times stated herein are Central Time. Any bid or modification received after the time and date stated on the Cover Page shall be rejected.

<u>Submission of Electronic Bids</u>. Submit one bid electronically by the due date provided on the Cover Page. All times stated herein are Central Time. Any bid or modification received after the time and date stated on the Cover Page shall be rejected. All forms in this solicitation which require a signature must have a signature affixed thereto, either by manually signing the document, prior to scanning it and uploading it with your submission, or affixing it electronically.

Bids sent to City by facsimile or email shall be rejected.

<u>Modified Bids</u>. Bids may be modified provided such modifications are received prior to the time and date set for submission of bids, and submitted in the same manner as original bids. For hard copy bids, provide a cover letter with the bid, indicating it is a modified bid and that the Original bid is being withdrawn. For electronic bids, a modified bid will automatically replace a prior bid submission. See below for information on submitting Alternate Bids.

City shall not be responsible for lost or misdirected bids or modifications.

Bidders must sign the Signature Page on hard copy bids and return the IFB document to City. For electronic bids, Bidder's electronic submission, with accompanying affirmations, constitutes a binding signature for all purposes.

Bidders are cautioned that they are responsible for the security of their log on ID and password, since unauthorized use could result in Bidder's being held liable for the submission.

<u>Certified Vendor Registration Form.</u> If Bidder has not completed City's Certified Vendor Registration (CVR) Form, Bidder is required to do so prior to the due date for submission of bids. The CVR form may be accessed at: http://www.sanantonio.gov/purchasing/. Bidders must identify the correct name of the entity that will be providing the goods and/or services under the contract. No nicknames, abbreviations (unless part of the legal title), shortened or short-hand names will be accepted in place of the full, true and correct legal name of the entity.

Alternate Bids. Alternate bids may be allowed at the sole discretion of City.

<u>Hard Copy Alternate Bids</u>. Alternate bids must be submitted in separate sealed envelopes in the same manner as submission of other bids. Alternate bids must be marked consecutively on the envelope as Alternate Bid No. 1, 2, etc. Failure to submit alternate bids in separate envelopes may result in rejection of a bid.

<u>Electronic Alternate Bids Submitted Through the Portal</u>. All alternate bids are recorded with original bids when submitted electronically.

Catalog Pricing. (This section applies to bids using catalog pricing.)

The bid will be based on manufacturer's latest dated price list(s). Said price list(s) must denote the manufacturer, latest effective date and price schedule.

Bidders shall be responsible for providing one copy of the manufacturer's catalog for each manufacturer for which a bid is submitted. Bidder shall provide said catalog at the time of submission of its bid. Manufacturers' catalogs may be submitted in any of the following formats: paper copy or CD ROM for bids submitted on paper, or PDF file for bids submitted electronically.

Bidders may submit price lists other than the manufacturer's price list. Said price list(s) must denote the company name, effective date and price schedule. These price lists are subject to approval of City Purchasing & General Services Department.

Specified items identified herein, if any, are for overall bid evaluation and represent the commonly and most used items. Net prices entered for those specified items must reflect the actual price derived from quoted price list less all discounts offered.

#### Restrictions on Communication.

Bidders are prohibited from communicating with: 1) elected City officials and their staff regarding the IFB or bids from the time the IFB has been released until the contract is posted as a City Council agenda item; and 2) City employees from the time the IFB has been released until the contract is awarded. These restrictions extend to "thank you" letters, phone calls, emails and any contact that results in the direct or indirect discussion of the IFB and/or bid submitted by Bidder. Violation of this provision by Bidder and/or its agent may lead to disqualification of Bidder's bid from consideration.

Exceptions to the restrictions on communication with City employees include:

Bidders may ask verbal questions concerning this IFB at the Pre-Submittal Conference.

Bidders may submit written questions, or objections to specifications, concerning this IFB to the Staff Contact Person listed on the Cover Page on or before 7 calendar days prior to the date bids are due. Questions received after the stated deadline will not be answered. Questions submitted and City's responses will be posted with this solicitation. All questions shall be sent by e-mail or through the portal.

Bidders may provide responses to questions asked of them by the Staff Contact Person after bids are received and opened. The Staff Contact Person may request clarification to assist in evaluating Bidder's response. The information provided is not intended to change the bid response in any fashion. Such additional information must be provided within two business days from City's request.

Bidders and/or their agents are encouraged to contact the Small Business Office of the International and Economic Development Department for assistance or clarification with issues specifically related to the City's Small Business Economic Development Advocacy (SBEDA) Program policy and/or completion of the SBEDA form(s), if any. The point of contact is identified on the Cover Page. Contacting the Small Business Office regarding this IFB after the bid due date is not permitted. If this solicitation contains Affirmative Procurement Initiatives, it will be noted on the Cover Page.

If this solicitation contains DBE/ACDBE requirements, bidders and/or their agents may contact the Aviation Department's DBE/ACDBE Liaison Officer for assistance or clarification with issues specifically related to the DBE/ACDBE policy and/or completion of the required form(s). Point of contact is Ms. Lisa Brice, who may be reached via telephone at (210) 207-3505 or through e-mail at lisa.brice@sanantonio.gov. Bidders and/or their agents may contact Ms. Brice at any time prior to the due date for submission of bids. Contacting her or her office regarding this IFB after the bid due date is not permitted. If this solicitation contains DBE/ACDBE requirements, it will be noted on the Cover Page.

#### Pre-Submittal Conference.

If a Pre-Submittal Conference is scheduled, it will be held at the time and place noted on the Cover Page. Bidders are encouraged to prepare and submit their questions in writing in advance of the Pre-Submittal Conference in order to expedite the proceedings. City's responses to questions received prior to the conference may be distributed at the Pre-Submittal Conference and posted with this solicitation. Attendance at the Pre-Submittal Conference is optional, but highly encouraged.

This meeting place is accessible to disabled persons. Call the Staff Contact Person for information on the location of the wheelchair accessible entrance, or to request an interpreter for the deaf. Interpreters for the deaf must be requested at least 48 hours prior to the meeting. For other assistance, call (210) 207-7245 Voice/TTY.

Any oral response given at the Pre-Submittal Conference that is not confirmed in writing and posted with this solicitation shall not be official or binding on the City.

#### Changes to IFB.

Changes to this IFB made prior to bid opening shall be made directly to the original IFB. Changes are captured by creating a replacement version each time the IFB is changed. It is Bidder's responsibility to check for new versions

until the bid due date. City will assume that all bids received are based on the final version of the IFB as it exists on the day bids are due.

No oral statement of any person shall modify or otherwise change or affect the terms, conditions or specifications stated in the IFB.

#### Preparation of Bids.

All information required by the IFB must be furnished or the bid may be deemed non-responsive and rejected. Any ambiguity in the bid as a result of omission, error, unintelligible or illegible wording shall be construed in the favor of City.

<u>Correct Legal Name</u>. If Bidder is found to have incorrectly or incompletely stated the name of the entity that will provide goods and/or services, the bid may be rejected.

<u>Line Item Bids</u>. Any bid that is considered for award by each unit or line item, must include a price for each unit or line item for which Bidder wishes to be considered. All bids are awarded on the basis of low line item, low total line items, or in any other combination that serves the best interest of City, unless City designates this solicitation as an "all or none" bid in the Supplemental Terms & Conditions.

<u>All or None Bids</u>. Any bid that is considered for award on an "all or none" basis must include a price for all units or line items. In an "All or None" bid, a unit price left blank shall result in the bid being deemed nonresponsive and disqualified from consideration. An "All or None" bid is one in which City will award the entire contract to one bidder only.

<u>Delivery Dates</u>. Proposed delivery dates must be shown in the bid form where required and shall include weekends and holidays, unless specified otherwise in this IFB. Proposed delivery times must be specific. Phrases such as "as required", "as soon as possible" or "prompt" may result in disqualification of the bid. Special delivery instructions, if any, may be found in the Specifications / Scope of Services section of this document, or in the Purchase Order.

<u>Tax Exemption</u>. The City of San Antonio is exempt from payment of federal taxes, and State of Texas limited sales excise and use taxes. Bidders must not include such taxes in bid prices. An exemption certificate will be signed by City where applicable upon request by Bidder after contract award.

#### Description of Supplies.

Any brand names, catalog or manufacturer's reference used in describing an item is merely descriptive, and not restrictive, unless otherwise noted, and is used only to indicate quality and capability desired.

Bids submitted for comparable items must clearly identify the proposed product, model, and type, as applicable, and shall include manufacturer specification sheet(s) for each proposed item with bid response. Product specifications shall be the most current available and be sufficiently detailed and descriptive so as to permit City to determine the item's suitability and compliance with bid specifications. City shall be the sole judge of equality and suitability of comparable items.

Pro-rata adjustments to packaging and pricing may be allowed at the sole discretion of City.

<u>Samples</u>, <u>Demonstrations</u> and <u>Pre-award Testing</u>. If requested by City, Bidder shall provide product samples, demonstrations, and/or testing of items bid to ensure compliance with specifications prior to award of the contract. Samples, demonstrations and/or testing must be provided within 7 calendar days of City's request. Failure to comply with City's request may result in rejection of a bid. All samples (including return thereof), demonstrations, and/or testing shall be at Bidder's expense. Samples will be returned upon written request. Requests for return of samples must be made in writing at the time the samples are provided. Otherwise, samples will become property of City at no cost to City. Samples that are consumed or destroyed during demonstrations or testing will not be returned.

#### Estimated Quantities for Annual Contracts.

Designation as an "annual" contract is found in the contract's title on the Cover Page of this document. The quantities stated are estimates only and are in no way binding upon City. Estimated quantities are used for the purpose of evaluation. City may increase or decrease quantities as needed. Where a contract is awarded on a unit price basis, payment shall be based on the actual quantities supplied.

Bidders shall thoroughly examine the drawings, specifications, schedule(s), instructions and all other contract documents.

Bidders shall make all investigations necessary to thoroughly inform themselves regarding plant and facilities for delivery of material and equipment, or conditions and sites/locations for providing goods and services as required by this IFB. No plea of ignorance by Bidder will be accepted as a basis for varying the requirements of City or the compensation to Bidder.

Confidential or Proprietary Information. All bids become the property of the City upon receipt and will not be returned. Any information deemed to be confidential by Bidder should be clearly noted; however, City cannot guarantee that it will not be compelled to disclose all or part of any public record under the Texas Public Information Act, since information deemed to be confidential by Bidder may not be considered confidential under Texas law, or pursuant to a Court order. Note that pursuant to state law, bids are opened publicly and read aloud. In addition, bids are tabulated and posted to the City's website, so shall not be considered proprietary or confidential.

#### Interlocal Participation.

City may engage in cooperative purchasing with other governmental entities or governmental cooperatives ("Entity" or "Entities") to enhance City's purchasing power. At City's sole discretion and option, City may inform other Entities that they may acquire items listed in this IFB. If this contract will be subject to cooperative purchasing, such fact will be indicated in the Supplemental Terms and Conditions portion of this IFB. Such acquisition(s) shall be at the prices stated in the bid, and shall be subject to Bidder's acceptance. Entities desiring to acquire items listed in this IFB shall be listed on a rider attached hereto, if known at the time of issuance of the IFB. City may issue subsequent riders after contract award setting forth additional Entities desiring to utilize this bid.

Bidder must sign and submit the rider, if attached to this IFB, with its bid, indicating whether Bidder wishes to allow other Entities to use its bid. Bidder shall sign and return any subsequently issued riders within ten calendar days of receipt. Bidder's decision on whether to allow other Entities to use the bid shall not be a factor in awarding this IFB.

<u>Costs of Bidding</u>. Bidder shall bear any and all costs that are associated with the preparation of the Bid, attendance at the Pre-Submittal Conference, if any, or during any phase of the selection process.

#### Rejection of Bids.

City may reject any and all bids, in whole or in part, cancel the IFB and reissue the solicitation. City may reject a bid if:

Bidder misstates or conceals any material fact in the bid; or

The bid does not strictly conform to law or the requirements of the solicitation;

The bid is conditional; or

Any other reason that would lead City to believe that the bid is non-responsive or Bidder is not responsible.

City, in its sole discretion, may also waive any minor informalities or irregularities in any bid, such as failure to submit sufficient bid copies, failure to submit literature or similar attachments, or business affiliation information.

<u>Variances and Exceptions to Bid Terms</u>. In order to comply with State law, bidders must submit bids on the same material terms and conditions. Bids that contain material variances or exceptions to the terms and conditions, including additional terms and conditions, will be rejected.

<u>Changes to Bid Form</u>. Bids must be submitted on the forms furnished. Bids that change the format or content of City's IFB will be rejected.

<u>Withdrawal of Bids</u>. Bids may be withdrawn prior to the time set for the bid opening. Written notice of withdrawal shall be provided to the City Clerk for bids submitted in hard copy. Bids submitted electronically may be withdrawn electronically.

<u>Bid Opening.</u> Bids will be opened publicly and read aloud at 2:30 on the day the bids are due. Bid openings are held at Purchasing & General Services, Riverview Tower, 11<sup>th</sup> Floor, 111 Soledad, Suite 1100, San Antonio, Texas 78205.

#### **Evaluation and Award of Contract.**

Per Section §252.043 of the Texas Local Government Code, the contract will be awarded to the lowest responsible bidder. The Purchasing Division evaluates bids for responsiveness and the responsibility of the bidder, and makes a recommendation to the City Council. The City Council makes the final determination regarding award.

City reserves the right to make an award on the basis of low line item, low total line items, or in any other combination that serves the best interest of City, unless City designates this solicitation as an "all or none" bid in the Supplemental Terms & Conditions.

A written award of acceptance (manifested by a City Ordinance) and Purchase Order furnished to Bidder results in a binding contract without further action by either party. Vendor must have the Purchase Order before making any delivery.

City reserves the right to utilize historical usage data as a basis for evaluation of bids when future usages are unable to be determined.

Breaking of tie bids shall be in accordance with the Texas Local Government Code §271.901.

City reserves the right to delete items prior to the awarding of the contract, and purchase said items by other means.

#### Inspection of Facilities/Equipment.

Depending on the nature of the IFB, Bidders' facilities and equipment may be a determining factor in making the bid award. All bidders may be subject to inspection of their facilities and equipment.

Prospective bidders must prove beyond any doubt to City Purchasing Administrator that they are qualified and capable of performing the contract's requirements.

#### Prompt Payment Discount.

Provided Bidder meets the requirements stated herein, City shall take Bidder's offered prompt payment discount into consideration. The evaluation will not be based on the discount percentage alone, but rather the net price as determined by applying the discount to the bid price, either per line item or total bid amount. However, City reserves the right to reject a discount if the percentage is too low to be of value to City, all things considered. City may also reject a discount if the percentage is so high as to create an overly large disparity between the price City would pay if it is able to take advantage of the discount and the price City would pay if it were unable to pay within the discount period. City may always reject the discount and pay within the 30 day period, at City's sole option.

City will not consider discounts that provide fewer than 10 days to pay in order to receive the discount.

For example, payment terms of 2% 5, Net 30 will NOT be considered in bid evaluations or in the payment of invoices. However, payment terms of 2% 10, Net 30 will result in a two percent reduction in the bid price during bid evaluation, and City will take the 2% discount if the invoice is paid within the 10 day time period.

<u>Tabulations</u>. The Purchasing Division will post preliminary tabulations within 7 days of the advertised bid opening. The information on these tabulations will be posted for informational purposes only, and will be posted as read during the bid opening. This tabulation is not a notice of award of the contract. All bids are subject to review for completeness, accuracy and compliance with the terms set forth in the bid documents.

#### Bid Protest Procedures.

Any bidder who is adversely affected in connection with the solicitation, evaluation, or proposed award of a contract may file a protest with the Director and appeal any adverse decision to the City Manager of the City of San Antonio.

Bidder must deliver a written notice of protest to the Director within 7 calendar days of the posting of the intent to award. If Bidder does not file a written notice within this time, Bidder will have waived all rights to formally protest the intent to award. It is Bidder's responsibility to check the City's website posting.

Debriefing. Debriefing of contract award is available upon request and after award of the Contract.

<u>Prohibited Financial Interest</u>. The Charter of the City of San Antonio and its Ethics Code prohibit a City officer or employee, as those terms are defined in the Ethics Code, from having a financial interest in any contract with City or any City agency such as City-owned utilities. An officer or employee has a "prohibited financial interest" in a contract with City

or in the sale to City of land materials, supplies or service, if any of the following individual(s) or entities is a party to the contract or sale: the City officer or employee; his parent, child or spouse; a business entity in which he or his parent, child or spouse owns ten (10) percent or more of the voting stock or shares of the business entity, or ten (10) percent or more of the fair market value of the business entity; or a business entity in which any individual or entity above listed is a subcontractor on a City contract, a partner or a parent or subsidiary business entity.

State of Texas Conflict of Interest Questionnaire (Form CIQ). Chapter 176 of the Texas Local Government Code requires that persons, or their agents, who seek to contract for the sale or purchase of property, goods, or services with the City, shall file a completed Form CIQ with the City Clerk if those persons meet the requirements under 176.006(a) of the statute.

By law this questionnaire must be filed with the City Clerk not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. See Section 176.006(a-1), Texas Local Government Code.

Form CIQ is available from the Texas Ethics Commission by accessing the following web address:

https://www.ethics.state.tx.us/fillinginfo/conflict\_forms.htm

In addition, please complete the City's Addendum to Form CIQ (Form CIQ-A) and submit it with Form CIQ to the Office of the City Clerk. The Form CIQ-A can be found at:

http://www.sanantonio.gov/atty/ethics/pdf/OCC-CIQ-Addendum.pdf

When completed, the CIQ Form and the CIQ-A Form should be submitted together, either by mail or hand delivery, to the Office of the City Clerk. If mailing, mail to:

Office of the City Clerk, P.O. Box 839966, San Antonio, TX 78283-3966.

If delivering by hand, deliver to:

Office of the City Clerk, City Hall, 100 Military Plaza, San Antonio, TX 78205.

Do not include these forms with your sealed bid. The Purchasing Division will not deliver the forms to the City Clerk for you.

Certificate of Interested Parties (Form 1295).

The Texas Government Code §2252.908, and the rules issued by the Texas Ethics Commission found in Title 1, Sections 46.1, 46.3 and 46.5 of the Texas Administrative Code, require a business entity to submit a completed Form 1295 to the City before the City may enter into a contract with that business entity.

Form 1295 must be completed online. In Box 3 of the form, provide the solicitation number shown on the cover page of this solicitation (e.g. IFB 6100001234, RFO 6100001234 or RFCSP 6100001234). The form is available from the Texas Ethics Commission by accessing the following web address:

https://www.ethics.state.tx.us/whatsnew/elf\_info\_form1295.htm

Print your completed Form 1295 showing the Certification Number and Date Filed in the Certification of Filing box at the upper right corner. Sign Form 1295 in front of a notary and submit it with your response to this solicitation.

The following definitions found in the statute and Texas Ethics Commission rules may be helpful in completing Form 1295.

"Business entity" includes an entity through which business is conducted with a governmental entity or state agency, regardless of whether the entity is a for-profit or nonprofit entity. The term does not include a governmental entity or state agency.

"Controlling interest" means: (1) an ownership interest or participating interest in a business entity by virtue of units, percentage, shares, stock, or otherwise that exceeds 10 percent; (2) membership on the board of directors or other

governing body of a business entity of which the board or other governing body is composed of not more than 10 members; or (3) service as an officer of a business entity that has four or fewer officers, or service as one of the four officers most highly compensated by a business entity that has more than four officers.

"Interested party" means: (1) a person who has a controlling interest in a business entity with whom a governmental entity or state agency contracts; or (2) a person who actively participates in facilitating a contract or negotiating the terms of a contract with a governmental entity or state agency, including a broker, intermediary, adviser, or attorney for the business entity.

"Intermediary", for purposes of this rule, means a person who actively participates in the facilitation of the contract or negotiating the contract, including a broker, adviser, attorney, or representative of or agent for the business entity who:

- (1) receives compensation from the business entity for the person's participation;
- (2) communicates directly with the governmental entity or state agency on behalf of the business entity regarding the contract; and
- (3) is not an employee of the business entity.

#### 004 - SPECIFICATIONS / SCOPE OF SERVICES

- 4.1 SCOPE: The City of San Antonio is soliciting bids to furnish 185 light duty trucks, vans, SUV's, aerials, and flat/stake beds in accordance with the specifications listed herein. These vehicles will be utilized by various departments including Transportation & Capital Improvements, Parks and Recreation, Convention Facilities, Solid Waste Management, San Antonio Police, Aviation, Animal Care Services, Department of Human Services Head Start Program, San Antonio Public Library, and the San Antonio Fire.
- 4.1.1 NEW 2016 or current production completely assembled vehicles are required. Vehicle shall have published specifications. Vehicles that are classified as demonstrations, prototype or discontinued or modified models WILL NOT be acceptable. Vehicle offered shall meet current EPA exhaust emission standard.
- 4.2 **GENERAL CONDITIONS**: The following general conditions will apply to all items within this bid unless specifically excluded within any item.
- 4.2.1 City of San Antonio reserves the right to increase or decrease quantity of vehicles being purchased up to the production "cut-off" date submitted on the bid for the particular item, depending on availability of funds. Prices may not be increased during this period; however, the City should benefit from any price decrease. Successful vendor is required to notify the City of all production "cut-off" dates necessary for order submission. Vehicles are to be year model 2016 or newer. It is anticipated this item will be considered by City Council on April 21, 2016 with purchase orders being issued by April 25, 2016. Bidders should consider these dates when determining model year offered.
- 4.2.2 All components shall be installed new, unused, standard production model, and equipment is to be serviced in accordance with manufacturer's recommended pre-delivery check list, and ready for operation upon delivery, and shall include all manufacturers' standard equipment unless otherwise specified or replaced therein. Equipment offered under the below listed specifications will be considered unacceptable if for any reason its long term availability on the U.S. Market or in the local area is in doubt.
- 4.2.3 All items bid must include the maximum standard manufacturer's warranty available, including both parts and labor, for all components and attachments. All warranties must be for a minimum period of twelve months. The warranty shall begin on the date the vehicle is placed in service, not on the delivery date. Vendor shall attach a copy of the manufacturer's warranty to Vendor's bid. City will notify Vendor by letter of the in-service date for each item by serial number. Such parts and service must be available within Bexar County from and by a factory authorized dealer. Bids submitted by dealers located outside Bexar County will include a signed agreement with a factory authorized dealer located within Bexar County, providing warranty, parts and service for items bid. All warranty repairs shall be completed within 3 business days from the date equipment is delivered to the vendor unless otherwise approved by the appropriate City of San Antonio BESD Fleet Operations Manager or designee.

Authorized Warranty Provider

Warranty Provider Address:

4.2.4 Delivery - All deliveries are to be made inside the City limits of San Antonio. Vendor must deliver equipment to the following address:

City of San Antonio, Northeast Service Center, 10303 Tool Yard, Bldg #2 San Antonio, TX 78233 Attn: Acquisitions

- Delivery to a non-specified location will result in non-acceptance of the equipment by the City. All deliveries must be pre-arranged with a minimum 24-hour notification, NO EXCEPTIONS. Vehicles will be accepted 8:00 A.M. to 3:00 P.M. CST. Vehicles with more than 1500 miles accumulated on the odometer will not be accepted. All vehicles are required to have(a full tank(s) when delivered to City specified location.
- 4.2.6 Literature and Equipment Manuals The supplier shall furnish 2 complete sets per unit, of the following: Parts Manual, Maintenance Manual, Service Manual, and Operators Manual or CD ROM per model of all equipment,

accessories, and components. The supplier shall furnish 2 complete sets per unit of detailed literature and specifications of each vehicle upon contract award.

- 4.2.7 The Manufacturer's Statement of Origin (MSO), Dealer Temporary license plates/tags, proper Invoice, Texas state inspection decal, signed 130U form and State Weight Certificate/slip (for trucks over one ton) are required upon delivery of each vehicle. Any of these missing items will deem the vehicle delivered *Not as Specified* and will not be processed or accepted. All completed paperwork is to be provided to Fleet Acquisition staff.
- 4.2.8 All bodies and components in this bid will be installed in accordance with the appropriate complete Vehicle Data Manual. Certification of compliance will be posted on the left door post of the vehicle. Except for manufacturer's data plates (maximum 4" x 6"), vendor's or manufacturer's identifying markings (decals and plates) will not be applied to the vehicle or mounted components. Installation will be completed in compliance with Federal Motor Vehicle Department of Transportation Standards and Texas State Highway requirements. Installation of body and accessories on City furnished vehicles will be accomplished by drilling holes in the frame. Welding on or cutting of frame is not authorized forward of the rear spring hanger or support. Bidders will be responsible for the relocation of any truck components to facilitate installation of the body and equipment. Such relocation must be included as part of the basic bid. No dealership nameplates, markings or decals will be permitted on the vehicles.
- 4.2.9 All vehicles are to be equipped at the factory with air conditioning/heater/defroster, (with the maximum capacity cooling system offered by manufacturer), full headliner minimum OEM AM/FM radio, power steering, power ABS brakes, power windows, power door locks, power mirrors and manual tilt steering wheel. All units must be equipped with steering column mounted gear selector unless otherwise specified. Each unit shall have a minimum of two keyless remotes (fobs) and shall have a minimum of 3 sets of keys. If vehicle utilizes a push button ignition system, then a minimum of 3 keyless remote fobs are required.
- 4.2.10 All units shall be equipped with safety equipment as required by the Federal Government and must MEET ALL SAFETY STANDARDS AND REQUIREMENTS.
- 4.2.11 Fuel systems shall be gasoline and have a minimum 20 gallon capacity unless otherwise specified.
- 4.2.12 Any diesel engine being bid must conform to latest NOx EPA-2010 emission standard in effect at the time of offer. Vendor must supply a copy of the EPA Certificate of Conformity for 2010 with its offer. Only engines using selective catalytic reduction (SCR) technology will be accepted.
- 4.2.13 Electrical Vehicles require a standard duty battery and minimum 100 amp alternator offered by manufacturer for models being bid. All units to be equipped with oil pressure, water temperature, and volt or amp gauges.
- 4.2.14 Doors, Mirrors & Windows: Vehicles shall be equipped with power windows, mirrors, and door locks.
- 4.2.15 Vehicles shall be equipped with OEM tinted glass.
- 4.2.16 All vehicles shall have vinyl type seating for front and rear seats, if applicable, along with rubber or carpet flooring unless otherwise specified.
- 4.2.17 All Four Full Door Cab configurations provided will have the largest forward facing door available and have "B" pillar door hinges so rear doors will open in the same direction as front doors.
- 4.2.18 All pickup trucks and vans shall be provided with limited slip axles.
- 4.2.19 Spare tires required by the below listed specifications must be identical in manufacturer's tread design, ply rating (load range) etc., as those furnished on driving and steering axles, unless otherwise noted. Tires still under evaluation will not be acceptable.
- 4.2.20 All accessories and equipment shall be OEM. The manufacturer will rate all equipment provided as low emission on all models available.
- 4.2.21 Safety: Vehicles shall be equipped with driver and passenger airbags, seatbelts running daytime lights, and standard front and rear bumpers unless otherwise specified.
- 4.2.22 **Exhaust**: Vehicles shall be equipped with stainless steel rear pipe with catalytic converter unless otherwise specified.

4.2.23 Convenience Features: Vehicles shall be equipped with intermittent wipers, automatic-off headlights, and cruise control. 4.2.24 Exterior and Interior Color: Unless otherwise specified, each vehicle shall have a white exterior body color. Unless otherwise specified, interior coloring shall be dark grey. 4.2.25 (Lighting: All vehicles that require amber color LED strobe lights are to be installed on the front grill of chassis and rear panel body. Strobes to be wired to a factory type or toggle switch inside of the cab. QUANTITY DESCRIPTION 4.3 ITEM 1/2 Ton Extended Cab 4x2 Compact Pickup Truck **ENGINE**: 6 cylinders or greater with a minimum 236 HP. 4.3.1 4.3.2 GVWR: Minimum of 4,900 lbs. TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design. 4.3.3 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with 4.3.4 stabilization. DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 60 inches. Wheelbase to 4.3.5 be a minimum of 119 inches. BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum. 4.3.6 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross 4.3.7 vehicle weight rating of vehicle. FUEL SYSTEM: Fuel tank shall-hold a minimum of 17 gallons of Unleaded 87 Octane. 4.3.8 SEATING: Vinyl seating and upholstery. 4.3.9 DESCRIPTION ITEM QUANTITY 4.4 1/2 Ton Full Size Regular Cab 4x2 2 20 ENGINÉ: 6 cylinders or greater with a minimum 270 HP. 4.4.1 GVWR: Minimum of 6,000 lbs. 4.4.2 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design. 4.4.3 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with 4.4.4 stabilization. DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to 4.4.5 be a minimum of 119 inches. BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum. 4.4.6 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross 4.4.7 vehicle weight rating of vehicle. FUEL SYSTEM Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane. 4.4.8 4.4.9 SEATING: Vinyl seating and upholstery LIGHTING: See 4.2.25 4.4.10

12 of 129

4.5	ITEM	QUANTITY	DESCRIPTION
	3	1	1/2 Ton Full Size Regular Cab 4x2 w/ Headache Rack
4.5.1	ENGINE: 6	cylinders or greater witl	h a minimum 270 HP.
4.5.2	GVWR: Min	imum of 6,000 lbs.	
4.5.3	TRANSMIS	SION/DRIVE: Automati	ic with overdrive; 5 speed minimum; Power Steering; 4x2 design.
4.5.4	SUSPENSION stabilization		ailable to include heavy duty shock absorbers and independent struts with
4.5.5	<b>DIMENSION</b> be a minimu	NS: Regular cab configum of 119 inches.	turation. Pick-up box length shall be a minimum of 75 inches. Wheelbase to
4.5.6	BRAKES: E	equipped with 4-wheel a	automatic braking system and front vented discs at minimum.
4.5.7	TIRES & W vehicle weig	/HEELS: Tire pressure photonic	e monitoring system required. Tires must meet or exceed minimum gross
4.5.8	FUEL SYST	EM: Fuel tank shall hol	ld a minimum of 20 gallons of Unleaded 87 Octane.
4.5.9	SEATING: \	/inyl seating and uphols	stery.
4.5.10	LIGHTING:	See 4.2.25	
4.5.11	HEADACHE steel or meta	RACK: Unit is to be all mesh in order to view	equipped with a steel or metal headache rack behind the cab and to have rear. Headache rack to be black in color.
4.6	ITEM	QUANTITY	DESCRIPTION
	4	1	1/2 Ton Full Size Regular Cab 4x2 School Bus Yellow
4.6.1	ENGINE: 6	cylinders or greater with	n a minimum 270 HP.
4.6.2	GVWR: Mini	imum of 6,000 lbs.	
4.6.3	TRANSMISS	SION/DRIVE: Automatic	c with overdrive, 5 speed minimum; Power Steering, 4x2 design.
4.6.4	SUSPENSIOn.	ON: Heaviest Duty ava	ailable to include heavy duty shock absorbers and independent struts with
4.6.5	DIMENSION be a minimu	IS: Regular cab configu m of 119 inches.	uration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to
4.6.6	BRAKES: E	quipped with 4-wheel a	utomatic braking system and front vented discs at minimum.
4.6.7		HEELS: Tire pressure ht rating of vehicle.	monitoring system required. Tires must meet or exceed minimum gross
4.6.8	FUEL SYST	<b>EM</b> : Fuel tank shall hold	d a minimum of 20 gallons of Unleaded 87 Octane.
469	SEATING: V		

COLOR: Unit to be School Bus Yellow.

4.7	ITEM	QUANTITY	DESCRIPTION
	5	3	1/2 Ton Full Size Regular Cab 4x2 - One (1) Dark Blue/ Two (2) Black
4.7.1	ENGINE: 6	cylinders or greater with	a minimum 270 HP.
4.7.2	GVWR: Minimum of 6,000 lbs.		
4.7.3	TRANSMIS	SION/DRIVE: Automatic	with overdrive; 5 speed minimum; Power Steering; 4x2 design.
4.7.4	SUSPENSIOn.		able to include heavy duty shock absorbers and independent struts with
4.7.5	DIMENSION be a minimu	NS: Regular cab configur yn of 119 inches.	ation. Pick-up box length shall be a minimum of 75 inches. Wheelbase to
4.7.6	BRAKES: E	quipped with 4-wheel au	tomatic braking system and front vented discs at minimum.
4.7.7	TIRES & W vehicle weig	/HEELS: Tire pressure in the street of the s	monitoring system required. Tires must meet or exceed minimum gross
4.7.8	FUEL SYST	EM: Fuel tank shall hold	a minimum of 20 gallons of Unleaded 87 Octane.
4.7.9	SEATING: \	Vinyl seating and upholste	ery.
4.7.0	LIGHTING:	See 4.2.25	
4.7/1	COLOR: On	e unit to be OEM Dark B	lue and two units to be OEM Black.
4.8	ITEM	QUANTITY	DESCRIPTION
	6	17	1/2 Ton Full Size Extended Cab 4x2 Pickup Truck
4.8.1	ENGINE: 6	cylinders or greater with a	a minimum 270 HP.
4.8.2	GVWR: Mini	imum of 6,000 lbs.	· .
4.8.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design.		
4.8.4		SION/DRIVE: Automatic	with overdrive; 5 speed minimum; Power Steering; 4x2 design.
1.0.1	SUSPENSIOn.	ON: Heaviest Duty availa	with overdrive; 5 speed minimum; Power Steering; 4x2 design.  able to include heavy duty shock absorbers and independent struts with
4.8.5	stabilization.	ON: Heaviest Duty availa	
	stabilization. <b>DIMENSION</b> be a minimu	ON: Heaviest Duty availants  IS: Extended cab configure  m 140 inches.	able to include heavy duty shock absorbers and independent struts with
4.8.5	DIMENSION be a minimu BRAKES: E	ON: Heaviest Duty availance IS: Extended cab configure m 140 inches. quipped with 4-wheel aut	able to include heavy duty shock absorbers and independent struts with ration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to
4.8.5	DIMENSION be a minimu  BRAKES: E  TIRES & W vehicle weig	ON: Heaviest Duty available: Extended cab configured 140 inches.  Quipped with 4-wheel autory of the pressure of the rating of vehicle.	able to include heavy duty shock absorbers and independent struts with tration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to comatic braking system and front vented discs at minimum.
4.8.5 4.8.6 4.8.7	be a minimu  BRAKES: E  TIRES & W  vehicle weig	ON: Heaviest Duty available: Extended cab configured 140 inches.  Quipped with 4-wheel autory of the pressure of the rating of vehicle.	able to include heavy duty shock absorbers and independent struts with tration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to comatic braking system and front vented discs at minimum.  The monitoring system required. Tires must meet or exceed minimum gross a minimum of 20 gallons of Unleaded 87 Octane.
4.8.5 4.8.6 4.8.7 4.8.8	be a minimu  BRAKES: E  TIRES & W  vehicle weig	IS: Extended cab configure 140 inches.  quipped with 4-wheel autority trating of vehicle.  EM: Fuel tank shall hold finyl seating and upholster.	able to include heavy duty shock absorbers and independent struts with tration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to comatic braking system and front vented discs at minimum.  The monitoring system required. Tires must meet or exceed minimum gross a minimum of 20 gallons of Unleaded 87 Octane.
4.8.5 4.8.6 4.8.7 4.8.8 4.8.9	be a minimu  BRAKES: E  TIRES & W  vehicle weigi  FUEL SYST  SEATING: V	IS: Extended cab configure 140 inches.  quipped with 4-wheel autority trating of vehicle.  EM: Fuel tank shall hold finyl seating and upholster.	able to include heavy duty shock absorbers and independent struts with tration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to comatic braking system and front vented discs at minimum.  The monitoring system required. Tires must meet or exceed minimum gross a minimum of 20 gallons of Unleaded 87 Octane.

٠	•
	Cover- Black & White
4.9.1	ENGINE: 6 cylinders or greater with a minimum 270 HP.
4.9.2	GVWR: Minimum of 6,000 lbs.
4.9.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design.
4.9.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
4.9.5	<b>DIMENSIONS:</b> Extended cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum 140 inches.
4.9.6	BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
4.9.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
4.9.8	FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane. Flex Fuel engine is
4.9.9	SEATING: Vinyl seating and upholstery.
4.9.10	LIGHTING: See 4.2.25
4.9.11	COLOR: Two-tone unit to be all OEM Black with the cab doors and roof to be OEM White.
4.9.12	BED COVER: Unit shall be equipped with lockable fiberglass bed cover. Bed cover shall be OEM Black (same as bed of unit) and have suspension bars to securely hold cover upright when in use.
4.10	ITEM QUANTITY DESCRIPTION
	0
4.10.1	2 1/2 Ton Full Size Extended Cab 4x2 Pickup Truck w/ Bucket Seats ENGINE: 6 cylinders or greater with a minimum 270 HP.
4.10.2	GVWR: Minimum of 6,000 lbs.
4.10.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design.
4.10.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
4.10.5	<b>DIMENSIONS:</b> Extended cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum 140 inches.
4.10.6	BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
4 10 7	TIPES & WILES OF THE STATE OF T

TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle. FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane. Flex Fuel engine is 4.10.8 SEATING: Unit will be equipped with front bucket seats, no center console and a rear bench seat. 4.10.9 4.10.10 **LIGHTING**: See 4.2.25 4.11 ITEM **QUANTITY DESCRIPTION** 

4.10.7

9

### 1/2 Ton Full Size Extended Cab 4x2 Pickup Truck w/ Bucket Seats and Lift Gate

- 4.11.1 **ENGINE:** 6 cylinders or greater with a minimum 270 HP.
- 4.11.2 **GVWR:** Minimum of 6,000 lbs.
- 4.11.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design.
- 4.11.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.11.5 **DIMENSIONS:** Extended cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum 140 inches.
- 4.11.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
- 4.11.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.11.8 **FUEL SYSTEM**: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane. Flex Fuel engine is acceptable.
- 4.11.9 SEATING: Unit will be equipped with front bucket seats, no center console and a rear bench seat.
- 4.11.10 LAGHTING Se 4.2.25
- 4.11.11 LIFT GATE: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.
- 4.12 ITEM QUANTITY DESCRIPTION

10 4

72 Ton Four Full Door Full Size 4x2 Pickup Truck

- 4.12.1 ENG(NE: 6 cylinders or)greater with a minimum 270 HP.
- 4.12.2 GVWR: Minimum 6,000 lbs.
- 4.12.3 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering; 4x2 design.
- 4.12.4 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.12.5 **DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of <del>75 inches</del> 67 inches. Wheelbase to be a minimum of 139 inches.
- 4.12.6 BRAKES: Equipped with 4-wheel automatic breaking system and front vented discs minimum.
- 4.12.7 **TIRES & WHEELS:** Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.12.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.12.9 SEATING: Vinyl seating and upholstery.
- 4.12.10 **LIGHTING**: See 4.2.25
- 4.13 ITEM QUANTITY DESCRIPTION

- 4.13.1 ENGINE: 6 cylinders or greater with a minimum 270 HP.
- 4.13.2 **GVWR:** Minimum 6.000 lbs.
- 4.13.3 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering; 4x2 design.
- 4.13.4 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.13.5 **DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 4.13.6 BRAKES: Equipped with 4-wheel automatic breaking system and front vented discs at minimum.
- 4.13.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.13.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.13.9 **SEATING:** Vinyl spating and upholstery.
- 4.13.10 **LIGHTING**: See 4.2.25

4.14	ITEM	QUANTITY	DESCRIPTION
	12	2	1/2 Ton Four Full Door Full Size 4x2 Pickup Truck w/ Lockable Bed Cover

- 4.14.1 **ENGINE:** 6 cylinders or greater with a minimum 260 HP.
- 4.14.2 **GVWR:** Minimum 6,800 lbs.
- 4.14.3 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering; 4x2 design.
- 4.14.4 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.14.5 **DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 4.14.6 BRAKES: Equipped with 4-wheel automatic breaking system and front vented discs at minimum.
- 4.14.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.14.8 **FUEL SYSTEM**: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.14.9 **SEATING:** Vinyl seating and upholstery.
- 4.14.10 **LIGHTING**: See 4.2.25
- 4.14.11 BED COVER: Unit shall be equipped with a lockable fiberglass bed cover. Bed cover shall be OEM white (same as unit) and have suspension bars to securely hold cover-upright when in use.
- 4.15 ITEM

13

#### 1/2 Ton Four Full Door Full Size 4x4 Pickup Truck

- 4.15.1 ENGINE: 6 cylinders or greater with a minimum 270 HP.
- 4.15.2 **GVWR:** Minimum 6,000 lbs.
- 4.15.3 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering; 4x4 drive train with an electric shift control two speed transfer case.
- 4.15.4 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.15.5 **DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 4.15.6 BRAKES: Equipped with 4-wheel automatic breaking system and front vented discs at minimum.
- 4.15.7 **TIRES & WHEELS:** Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.15.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.15.9 SEATING: Vinyl seating and upholstery.
- 4.15.10 **LIGHTING**: See 4.2.25

4.16	ITEM	QUANTITY	DESCRIPTION

14 2

34 Ton Regular Cab Gasoline 4x2 Pickup Truck

- 4.16.1 **ENGINE**: Minimum 6 cylinders with a minimum 360 HP.
- 4.16.2 **GVWR**: Minimum 8,501 lbs.
- 4.16.3 TRANSMISSION/ DRIVE: Automatic transmission with overdrive; 5 speed minimum.
- 4.16.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.16.5 **DIMENSIONS**: Regular cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum of 133 inches.
- 4.16.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
- 4.16.7 **TIRES & WHEELS:** Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.16.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 4.16.9 MIRRORS: OEM standard type inside Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.16.10 **SEATING:** Viny seating and upholstery.
- 4.16(11 LIGHTING: See 4.2.25
- 4.16.12 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM incab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

4 4 7	177 - 44	CHANTTY	DECODITION
4.17	<b>ITEM</b> 15	QUANTITY	DESCRIPTION  3/ Tan Barrulas Cala Bissasi As C Bislam Turals
4 47 4	•	1	3/4 Ton Regular Cab Diesel 4x2 Pickup Truck
4.17.1		nimum 6 cylinders with a	a minimum 360 HP.
4.17.2		imum 8,501 lbs.	
4.17.3			transmission with overdrive; 5 speed minimum.
4.17.4	suspension.		able to include heavy duty shock absorbers and independent struts with
4.17.5		<b>IS</b> : Regular cab configur m of 133 inches.	ration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to
4.17.6	BRAKES: E	quipped with 4-wheel au	tomatic braking system and front vented discs at minimum.
4.17.7		HEELS: Tire pressure ht rating of vehicle.	monitoring system required. Tires must meet or exceed minimum gross
4.17.8	FUEL SYST	EM: Fuel tank shall hold	a minimum of 20 gallons of Ultra Low Sulfur Diesel.
4.17.9	MIRRORS: Recreational	OEM standard type insides in the second standard type in the second standard	de. Power mirrors outside, left and right, collapsible, below eye level type. De. Largest size available in model offered. Remote controlled from driver.
4.17.10	SEATING: V	/inyl seating and upholst	ery.
4.17. 1	LIGHTING:	See 4.2.25	
4.17.12	REAR BUM cab mounte connector (F	d trailer brake controlle	and tow package to include receiver hitch with 2" hitch opening, OEM in- er and both a 4-Way flat vehicle connector and 7-Way round vehicle
4.18	ITEM	QUANTITY	DESCRIPTION
	16	1	3/4 Ton Regular Cab 4x2 Pickup Truck w/ Lift Gate
4.18.1	ENGINE: Mi	nimum 6 cylinders with a	minimum 360 HP.
4.18.2	GVWR: Mini	mum 8,501 lbs.	
4.18.3	TRANSMISS	SION/ DRIVE: Automatic	transmission with overdrive; 5 speed minimum.
4.18.4	SUSPENSIO stabilization.		able to include heavy duty shock absorbers and independent struts with
4.18.5		I <b>S</b> : Regular cab configur m of 133 inches.	ration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to
4.18.6	BRAKES: E	quipped with 4-wheel au	tomatic braking system and front vented discs at minimum.
4.18.7		HEELS: Tire pressure in trating of vehicle.	monitoring system required. Tires must meet or exceed minimum gross
4.18.8	FUEL SYST	<b>EM</b> : Fuel tank shall have	a 20 gallon minimum capacity.
4.18.9			de. Power mirrors outside, left and right, collapsible, below eye level type.  De. Largest size available in model offered. Remote controlled from driver.

- 4.18.10 **SEATING:** Vinyl seating and upholstery.
- 4.18.11 **LIGHTING**: See 4.2.25
- 4.18.12 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM incab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).
- 4/18.13 LIFT GATE: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be in place of tailgate. Material shall be read plate steel with two piece platform, minimum 42" loading deck.
- 4.19 ITEM QUANTITY DESCRIPTION

  17 2 % Ton Live Animal Control/Transport Pickup Truck
- 4.19.1 ENGINE: Minimum 6 cylinder with a minimum of 360 HP
- 4.19.2 **GVWR:** Minimum 8,501 lbs.
- 4.19.3 **TRANSMISSION/DRIVE:** Automatic transmission with overdrive; 5 speed minimum.
- 4.19.4 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.19.5 **DIMENSIONS**: Regular cab configuration. Pick-up box length shall be a minimum of 96 inches. Unit shall be 56" Cab to Axle and to be SRW with 6 Cages and 1 two-way accessible storage compartment with an Animal Control Unit Body. Wheelbase to be a minimum of 133 inches.
- 4.19.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs minimum.
- 4.19.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.19.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.19.9 **MIRRORS**: OEM Standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest available in model offered. Remote controlled from driver.
- 4.19.10 **SEATING:** Vinyl seating and upholstery.
- 4.19.11 **LIGHTING**: See 4.2.25
- 4.19.12 ANIMAL CONTROL UNIT (ACU) ANIMAL COMPARTMENTS: ACU will be utilized for live animal transport and should consist of 3 compartments on curbside and 3 compartments on street side. All street side and curb side compartments shall measure as follows: Minimum 28"W x 37" H x 38" D. Each compartment shall be internally flush against one another. To allow the removal of fluids, all floors should be on a ¼" slope per foot towards the middle of the compartment to a minimum 1.5" ID drain. All dog compartments shall be designed in a square format as to allow washing with hose without spray-back. Drain holes are to be centered in each compartment. For safety of operators, all doors (excluding rear storage compartment) should have secondary interior safety doors made of stainless steel with catch-pole opening. The interior door must be secured with a chrome-plated or stainless steel latch which is easily operated while securing animals. All dog compartments shall not have areas that can hide or prevent pestilence carrying debris from being easily washed out.
- 4.19.13 **REAR, DUAL DOOR, LOCKABLE STORAGE SHALL MEASURE AS FOLLOWS:** One additional compartment will be added to the rear of the unit. This unit shall be an accessible, rear, dual door, lockable storage measuring a minimum of 28"W x 37"H x 80"D (from door to door). All lights shall be operable by a switch within the truck cab. ACU shall include a total of 8 lights (one per cage) and 2 for the last dual door accessible lockable storage compartment. The last compartment towards the rear is to be a dual accessible storage unit to hold a cage measuring (minimum) 48"L x 20"W x 26"H and catch poles. Inside the storage space, 2 inch, 4 ½ inch, and 2 feet apart "U-Hooks" are to be mounted near the top to hold 5 foot catch poles. The catch poles are to hang as storage between transportation. All compartments should have at minimum 20

gauge aluminum floors or fiberglass. All dog compartments shall have  $\frac{1}{2}$ " thick, chew proof, rubber mats to fit the entire floor of the dog compartment. Minimum overall dimensions are: 24"W x 36"H x 110"D.

- 4.19.14 ANIMAL CONTROL UNIT (ACU) HEATING, AIR CONDITIONING, AND AIR CIRCULATION: A/C unit shall consist of an auxiliary compressor separate from the cab and chassis a/c system. Duct work should be installed to allow for heating and air conditioning. The BTU capacity of the HVAC unit should allow for a minimum of 28,000 BTU cooling and 32,000 BTU heat. The minimum CFM rating of the blower is 295. Console-mounted heat and air conditioning panel should be located in the truck cab. Panel shall display the temperature of each individual dog compartment. Variations of temperature outside the programmed settings shall set off an audible alarm inside cab. Each of the 6 storage units will be properly insulated and shall have ventilation ducts for proper air circulation. Each of the 6 storage units will also have "rain cap" / removable cover over the circulation duct to prevent rain from filling the compartment while in transport or staged at a location.
- 4.19.15 ANIMAL CONTROL UNIT (ACU) EXTERIOR LIGHTING: Unit shall have high-mounted amber colored LED strobe lights mounted on each side of rear of unit. Unit shall have low-mounted white colored LED strobe lights mounted on each side of rear of unit. All strobe lights will be wired to a switch mounted in the cab of the truck.
- 4.19.16 TAIL LIGHTS: Recessed-mounted LED stop/turn and parking capabilities.
- 4.19.17 BRAKE LIGHTS: Additional high-level red LED.
- 4.19.18 **SAFETY**: Audible Back-Up alarm shall be installed.

4.20	ITEM	QUANTITY	DESCRIPTION
	18	1	3/4 Ton, 56" Cab to Axle, Utility Bed Truck w/ Ladder Rack
4.20.1	ENGINE: M	inimum 6 cylinders with a	a minimum 360 H.P.
4.20.2	WHEELBAS	SE: Minimum 133".	
4.20.3	BODY/BED	: Regular cab configurati	on. Wheelbase to be a minimum of 133".
4.20.4	TRANSMISSION: Automatic transmission with overdrive; 5 speed minimum.		
4.20.5	GVWR: Min	imum 8,501 lbs.	
4.20.6	MIRRORS Largest size	OEM standard type inside available in model offere	de. Power mirrors outside, left and right, collapsible, below eye level typed. Remote controlled from driver.
4.20.7	TIRES & W	HEELS: Tires to meet o	r exceed minimum gross vehicle weight rating of vehicle, all terrain design

- with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- 4.20.8 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers.
- 4.20.9 BRAKES: Power brakes with minimum front disc and rear drums, ABS system.
- 4.20.10 STEERING: Power steering
- 4.20.11 **LIGHTING**: See 4.2.25
- 4.20.12 **SEATING:** Vinyl or premium synthetic upholstery.
- 4.20.13 UTILITY BODY SPECIFICATIONS:
  - 4.20.13.1 MATERIAL: Minimum 14 gauge Steel Construction.
  - 4.20.13.2 **LENGTH:** 96 inches approximately.
  - 4.20.13.3 WIDTH: 78 inches approximately.
  - 4.20.13.4 HEIGHT: Minimum 39 inches.
- 4.20.14 **COMPARTMENTS:** Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have 2 adjustable removable shelves with a minimum of 6 adjustable

dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear vertical compartments to be 19 ½" W X 38" H X 14 ½" D with 2 adjustable shelves. All doors shall be weather-sealed and include positive horizontal door holders.

- 4.20.15 BODY: All steel, all welded.
- 4.20.16 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 4.20.17 MASTER LOCKING SYSTEM MUST BE INCLUDED.
- 4.20.18 **LADDER RACK**: Ladder rack to be as wide and long as utility bed. Rack to be painted black in color. Rack shall be at a height tall enough to clear cab of vehicle by a minimum of 8 inches. Rack shall mount to service body.
- 4.20.19 **REAR BUMPER:** All units are required to have minimum OEM rear bumper, tow package and receiver type hitch (no rear bumper or hitch required on cab and chassis). Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. *Wilton 656 HD* or equal.

4.21	ITEM	QUANTITY	DESCRIPTION
	19	1	3/4 Ton, 56" Cab to Axle, Utility Bed Truck w/ Pipe Rack
4.21.1	ENGINE: Mi	nimum 6 cylinders with a	minimum 360 H.P.
4.21.2	WHEELBAS	E: Minimum 133 inches.	471
4.21.3	BODY/BED:	Regular cab configuration	on. Wheelbase to be a minimum of 133".
4.21.4	TRANSMISS	SION: Automatic transmis	ssion with overdrive; 5 speed minimum.
4.21.5	GVWR: Minir	mum 8,501 lbs.	
4.21.6	MIRRORS: ( Largest size	DEM standard type insid available in model offere	le. Rower mirrors outside, left and right, collapsible, below eye level type. d. Remote controlled from driver.

- 4.21.7 TIRES & WHEELS: Tires must meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- 4.21.8 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers.
- 4.21.9 BRAKES: Power brakes with minimum front disc and rear drums, ABS system.
- 4.21.10 STEERING: Power steering.
- 4.21.11 LIGHTING: See 4.2.25
- 4.21.12 **SEATING:** Vinyl o) premium synthetic upholstery.
- 4.21.13 UTILITY BODY SPECIFICATIONS:
  - 4.21.13.1 MATERIAL: Minimum 14 gauge Steel Construction.
  - 4.21.13.2 LENGTH: 96 inches approximately.
  - 4.21.13.3 WIDTH: 78 inches approximately.
  - 4.21.13.4 HEIGHT: Minimum 39 inches.
- 4.21.14 **COMPARTMENTS:** Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have 2 adjustable removable shelves with a minimum of 6 adjustable

dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear vertical compartments to be 19 ½" W X 38" H X 14 ½" D with 2 adjustable shelves. All doors to be weather-sealed and include positive horizontal door holders.

- 4.21.15 BODY: All steel, all welded.
- 4.21.16 **LIGHTS:** Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 4.21.17 MASTER LOCKING SYSTEM MUST BE USED.
- 4.21.18 PIPE RACK: Ladder rack to be as wide and long as entire unit. Rack to be painted black in color. Rack shall be at a height tall enough to clear cab of vehicle by a minimum of 8 inches. Rack shall mount to front and rear bumpers and service body. Front and sides of pipe storage to be metal with metal mesh all around. Front and sides to be a minimum 12 inches in height.
- 4.21.19 **REAR BUMPER:** All units are required to have minimum OEM rear bumper fow package and receiver type hitch (no rear bumper or hitch required on cab and chassis). Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. Wilton 656 HD or equal.

4.22 ITEM QUANTITY DESCRIPTION

20 1 % Ton, 562 Cab to Axle, 4x4 Utility Bed Truck

- 4.22.1 ENGINE: Minimum 6 cylinders with a minimum 360 H.P.
- 4.22.2 WHEELBASE: Minimum 133" inches.
- 4.22.3 BODY/BED: Regular cab configuration. Wheelbase to be a minimum of 133".
- 4.22.4 **TRANSMISSION** F **DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering. 4x4 drive train with an electric shift control two speed transfer case.
- 4.22.5 **GVWR**: Minimum 8,501 lbs.
- 4.22.6 MHRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type.

  Largest size available in model offered. Remote controlled from driver.
- 4.22.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys
- 4.22.8 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers.
- 4.22.9 BRAKES: Power brakes with minimum front disc and rear drums, ABS system.
- 4.22.10 STEERING: Power steering.
- 4.22.11 LIGHTING: See 4.2.25
- 4.22.12 **SEATING:** Vinyl or premium synthetic upholstery.
- 4.22.13 UTILITY BODY SPECIFICATIONS:
  - 4.22.13.1 MATERIAL: Minimum 14 gauge Steel Construction.
  - 4.22.13.2 **LENGTH:** 96 inches approximately.
  - 4.22.13.3 WIDTH: 78 inches approximately.
  - 4.22.13.4 HEIGHT: Minimum 39 inches.

- 4.22.14 **COMPARTMENTS:** Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have 2 adjustable removable shelves with a minimum of 6 adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear vertical compartments to be 19 ½" W X 38" H X 14 ½" D with 2 adjustable shelves. All doors to be weather-sealed and positive horizontal door holders.
- 4.22.15 BODY: All steel, all welded.
- 4.22.16 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 4.22.17 MASTER LOCKING SYSTEM MUST BE USED.
- 4.22.18 **REAR BUMPER:** all units required to have minimum OEM rear bumper, tow package and receiver type hitch (no rear bumper or hitch required on cab and chassis) Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. Wilton 656 HD or equal.

4.23	ITEM	QUANTITY	DESCRIPTION
	21	2	¾ Ton, 56" Cab to Axle, 4x4 Utility Bed Truck w Headache Rack and Beacon Lighting
4.00.4	ENGINE 11		

- 4.23.1 **ENGINE:** Minimum 6 cylinders with a minimum 360 H.P.
- 4.23.2 WHEELBASE: Minimum 133 inches.
- 4.23.3 BODY/BED: Regular cab configuration. Wheelbase to be a minimum of 133".
- 4.23.4 TRANSMISSION / DRIVE: Automatic transmission with overdrive; 5 speed minimum; Power Steering drive train with an electric shift control two speed transfer case.
- 4.23.5 **GVWR**: Minimum 8,501 lbs.
- 4.23.6 **MIRRORS**: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Largest size available in model offered. Remote controlled from driver.

4x4

- 4.23.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- 4.23.8 **SUSPENSION:** Heaviest duty available to include heavy duty sheck absorbers.
- 4.23.9 BRAKES: Power brakes with minimum front disc and rear drums, ABS system.
- 4.23.10 STEERING: Power steering.
- 4.23.11 **LIGHTING**: See 4.2.25/
- 4.23.12 **SEATING:** Vinyl or premium synthetic upholstery.
- 4.23.13 UTILITY BODY SPECIFICATIONS:
  - 4.23.13.1 MATERIAL: Minimum 14 gauge Steel Construction.
  - 4.23.13.2 **LENGTH:** 96 inches approximately.
  - 4.23.13.3 WIDTH: 78 inches approximately.
  - 4.23.13.4 HEIGHT: Minimum 39 inches.

- 4.23.14 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have 2 adjustable removable shelves with a minimum of 6 adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear vertical compartments to be 19 ½" W X 38" H X 14 ½" D with 2 adjustable shelves. All doors to be weather-sealed and positive horizontal door holders.
- 4.23.15 BODY: All steel, all welded.

- 4.23.16 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 4.23.17 MASTER LOCKING SYSTEM MUST BE USED.
- 4.23.18 REAR BUMPER: All units required to have minimum OEM rear bumper, tow package and receiver type hitch (no rear bumper or hitch required on cab and chassis). Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. Wilton 656 HD or equal.
- 4.23.19 **SAFETY:** Equipped with driver and passenger airbags, seatbelts, and running daytime lights.
- 4.23.20 HEADACHE RACK / BEACON LIGHTING: Unit is to be equipped with a steel or metal headache rack behind the cab and to have steel or metal mesh in order to view rear. Headache rack to be black in color, Driver and passenger side of rack are to be equipped with beacon lights on top. Control switch for beacon lighting to be factory installed. Acceptable model: Whelen L10 Super LED Beacon, or equivalent.

4.24	ITEM	QUANTITY	DESCRIPTION	
	22	1	¾ Ton Extended Cab 4x2 Pickup Truck	
4.24.1	ENGINE: N	linimum 6 cylinders with	a minimum 360 HP.	
4.24.2	GVWR: Mi	GVWR: Minimum 8,501 lbs.		
4.24.3	TRANSMIS	SSION/DRIVE: Automat	ic with overdrive; 5 speed minimum. 4x2 design.	
4.24.4	SUSPENS stabilization		railable to include heavy duty shock absorbers, independent struck with	
4.24.5		NS: Extended cab confi	iguration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to	

- 4.24.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.24.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity. 4.24.8
- 4.24.9 BODY/BED: Extended cab configuration. Minimum 75" inch bed length, maximum 82" inch bed length.
- MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. 4.24.10 Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.24.11 LIGHTING: See 4.2.25

4.24.12	REAR BUMPER: OFM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM incab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin)			
4.25	ITEM	QUANTITY	DESCRIPTION	
	23	2	3/4 Ton Extended Cab 4x2 Full Size Truck w/ Lift Gate	
4.25.1	ENGINE: Mi	inimum 6 cylinders w	vith a minimum 360 HP.	
4.25.2	GVWR: Mini	imum 8,501 lbs.		
4.25.3	TRANSMIS	SION/DRIVE: Auton	matic with overdrive; 5 speed minimum. 4x2 design.	
4.25.4	SUSPENSIOn.		available to include heavy duty shock absorbers, independent struts with	
4.25.5		<b>IS</b> : Extended cab co m 141" inches.	onfiguration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to	
4.25.6	BRAKES:	quipped with 4-whee	el automatic braking system, and front vented discs minimum.	
4.25.7			eet or exceed minimum gross vehicle weight rating of vehicle, all terrain design and wheel. Equipped with spare tire locking device and three keys.	
4.25.8	FUEL SYST	EM: Fuel tank shall	have a 20 gallon minimum capacity.	
4.25.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.			
4.25.10	LIGHTING:	See 4.2.25		
4.25.11	REAR BUM brake contro	PER Tow package liler and both a 4 Wa	to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer ay flat vehicle connector (Elat-Pin).	
4.25.12			lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be I be tread plate steel with two piece platform, minimum 42" loading deck.	
4.26	ITEM	QUANTITY	DESCRIPTION	
	24	10	3/4 Ton Extended Cab 4x2 Full Size Long Bed Truck w/ Toolbox	
4.26.1	ENGINE: Mi	nimum 6 cylinders w	vith a minimum 360 HP.	
4.26.2	GVWR: Mini	mum 8,501 lbs.		
4.26.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.			
4.26.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.			
4.26.5		S: Extended can co m 158" inches.	nfiguration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to	
4.26.6	BRAKES: E	quipped with 4-whee	el automatic braking system, and front vented discs minimum.	
4.26.7	vehicle weig	HEELS: Tire press ht rating of vehicle cking device and thre	ure monitoring system required. Tires must meet or exceed minimum gross all terrain/design with full size matching spare tire and wheel. Equipped with	

- 4.26.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity. MIRRORS: OEM standard type inside. Rower mirrors outside, left and right, collapsible, below eye level type. 4.26.9 Recreational swing or telescoping type: Largest size available in model offered. Remote controlled from driver. 4.26.10 LIGHTING: See 4.2.25 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer 4.26.11 brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Bin). TOOLBOX: Unit to be equipped with a truck bed tool box. The box is to be made of heavy duty diamond tread plate aluminum to prevent rusting and be equipped with 2 locks. Tool box is to be flush against the case of the 4.26.12 truck and bolted down on bed rails. The dimensions of the tool box to be a minimum 69"L x 12"W x 13"H and to be black in color. 4.27 ITEM QUANTITY DESCRIPTION 25 2 34 Ton Extended Cab 4x4 Pickup Truck 4.27.1 **ENGINE**: Minimum 6 cylinders with a minimum 360 HP. 4.27.2 GVRW: Minimum of 8,501 lbs. TRANSMISSION / DRIVE: Automatic transmission with overdrive; 5 speed minimum; Power Steering. 4.27.3 drive train with an electric shift control two speed transfer case. 4.27.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization. 4.27.5 DIMENSIONS, Extended can configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 141" inches. 4.27.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. TIRES & WHEELS. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle 4.27.7 weight rating of vehicle, all terrain design with full size matching spare tire and wheel, 4.27.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity; Gasoline. 4.27.11 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver. LIGHTING: See 4.2.25 4.27.12 4.27.13 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening. OEM incab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat-Pin). 4.28 ITEM QUANTITY DESCRIPTION 26 34 Ton Four Full Door 4x2 Pickup Truck 4.28.1 **ENGINE**: Minimum 6 cylinders with a minimum 360 HP. 4.28.2 GVWR: Minimum 8,501 lbs.
  - 27 of 129

SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with

**TRANSMISSION/DRIVE:** Automatic with overdrive; 5 speed minimum. 4x2 design.

4.28.3

4.28.4

stabilization.

4.28.5 **DIMENSIONS**: Four full door cab configuration, minimum 75" inch bed length, maximum 82" inch bed length. Wheelbase to be a minimum of 149" inches 4.28.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. 4.28.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity. 4.28.8 4.28.9 MIRRORS: OEM standard type-inside Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing ortelescoping type. Dargest size available in model offered. Remote controlled from driver, 4.28.10 LIGHTING: See 4.2.25 4.28.11 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin). 4.29 ITEM QUANTITY DESCRIPTION 27 5 1/2 Ton Four Full Door 4x4 Gasoline Pickup Truck 4.29.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP. 4.29.2 GVWR: Minimum 8,501 lbs. 4.29.3 TRANSMISSION /DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control. 4 29 4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization. 4.29.5 **DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 149" inches. 4.29.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. 4.29.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. 4.29.8 FUEL SYSTEM: Fuel tank shall have a 20 gatton-minimum capacity. Gasoline. 4.29.9 MIRRORS: OEM standard type inside/ Power mirrors/outside, left and right, collapsible, below eye level type. Recreational swing or/telescoping type. Largest size available in model offered. Remote controlled from driver. 4.29.10 LIGHTING: See 4.2.25 4.29.11 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin). ITEM QUANTITY DESCRIPTION 28 1/2 Ton Four Full Door 4x4 Diesel Pickup Truck

4.30 ITEM QUANTITY DESCRIPTION

28 3 % Ton Four Full Door 4x4 Diesel Pickup Truck


4.30.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP.

4.30.2 GVWR: Minimum 8,501 lbs.

4.30.3 TRANSMISSION /DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.

4.30.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization. 4.30.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 149" inches 4.30.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum 4.30.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. 4.30.8 FUEL SYSTEM: Fuel tank shall have a 20-gatton minimum capacity, Ultra Low Sulfur Diesel. MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. 4.30.9 Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver. 4.30-10 LIGHTING: See 4.2.25 4.30.11 REAR BUMPER. Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin). 4.31 ITEM QUANTITY DESCRIPTION 29 6 3/4 Ton Four Full Door 4x2 Gasoline Pickup Truck w/ Fiberglass Camper Shell ENGINE: Minimum 6 cylinders with a minimum 350 HP. 4.31.1 4.31.2 GVWR: Minimum 8,501 lbs. TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum/. 4x2 design 4.31.3 4.31.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization. 4.31.5 DIMENSIONS: Four full door cab configuration, unit shall be long bed with a minimum 96" inch bed length. Wheelbase to be a minimum 150" inches BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. 4.31.6 4.31.7 WHEELS & TIRES: Tire pressure monitoring system required. Tires must be all terrain type and meet or exceed minimum gross vehicle weight rating of vehicle. 4.31.8 FUEL TANK: Minimum capacity 25 gallons of 87 Octane Unleaded: 4.31.9 SEATING: Unit will be equipped with front bucket seats and no center console and the rear bench seating. 4.31.10 MIRRORS: OEM standard type inside Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing/or telescoping type. Dargest-size available in model offered. Remote controlled from driver. LIGHTING: See 4.2.25 4.31.11 4.31.12 REAR BUMPER: Fow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Elat Pin). CAMPER SHELL: Cab high fiberglass top. Large half slider side windows with expanded metal security screen 4.31.13 for added security. Full lift rear door. Two 12 volt lights mounted to the top/rear of the shell. Shell shall be

painted to match color of truck.



- 4.34 ITEM QUANTITY DESCRIPTION 32 2 1 Ton, Diesel, 84" Cab to Axle, DRW, 4x2 Welder Body Pickup Truck 4.34.1 ENGINE: 6 cylinder or greater with a minimum of 300 HP 4.34.2 GVWR: Minimum 10,001 lbs. 4.34.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4.34.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, Independent struts with stabilization. 4.34.5 DIMENSIONS: Regular Cab configuration. Minimum 84" cab to axle. Wheelbase to be a minimum of 150". 4.34.6 BRAKES: Equipped with\_4-wheel automatic braking system, and front vented discs minimum. 4.34.7 TIRES & WHEELS: Dual wheel rear unit. Tires to meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with a full size spare tire and wheel. 4.34.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 25 gallons of Ultra Low Sulfur Diesel. 4.34.9 MIRRORS: OEM Standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest available in model offered. Remote controlled from driver. 4.34.10 LIGHTING: See 4.2.25 4 34 11 TOW BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch will have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.
- 4.34.12 WELDING BED SPECIFICATIONS

4.34.12.1	Welding bed to be assembled and installed on vehicle including wiring. Bed must fit a 1 ton regular cab 84" cab to axle and be an all steel frame construction.
4.34.12.2	RAILS: 4" steel channel frame rails.
4.34.12.3	CROSS MEMBERS: 3" steel roll formed 3/16 inch cross members.
4.34.12.4	DECK: 1/8" steel tread plate deck.
4.34.12.5	HEADACHE RACK: Steel tubing headache rack with round easy view of window grill.
4.34.12.6	SIDE SKIRT & FENDERS: Full length side skirt with rolled fenders.
4.34.12.7	RUB RAILS: Side rub rails with stake pockets.
4 34 12 8	SIDE RAILS: Removable 4" tall side rails

- 4.34.12.9 TOOL BOXES: Two Each, lockable plush rear mounted tool boxes with paddle handle rotary latches, one per side.
- 4.34.12.10 REAR SKIRT: Full length rear skirt bumper with ICC hitch.
- 4.34.12.11 **REAR BED CORNERS:** Rear bed corners to be tapered for turning radius.
- 4.34.12.12 VICE & VICE MOUNT: Removable 8-inch vice. Vise mount mounted on rear passenger corner of bed to be provided.
- 4.34.12.13 OXYGEN BOTTLE HOLDER: Two each- bottle holders with protective covers to be provided. Holder shall be installed horizontally in from of bed behind the cab. One hose reel to be equipped for tank
- 4.34.12.14 PIPE FITTING ANGLE IRON: Minimum 3"x 2"x1/4" pipe fitting angle iron mounted on the rear of
- 4.34.12.15 WELDING MACHINE MOUNT: A factory standard recessed mount located behind the Oxygen Bottle holder for a Lincoln Vantage 300 Welding Machine, or equivalent type of machine.
- 4.34.12.16 ACETYLENE BOTTLE HOLDER: One each bottle vertical holder with protective cover to be provided. Holder shall accommodate a large size Acetylene bottle. One hose reel to be equipped for tank.

4.34.12.17 **COLOR:** Entire bed to be painted black.

4.35	ITEM	QUANTITY	DESCRIPTION		
	33	1	1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 10' Dump Bed Truck		
4.35.1	ENGINE: Minimum 6 cylinders with a minimum 300 HP.				
4.35.2	GVWR: Minimum 10,001 lbs.				
4.35.3	TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.				
4.35.4	SUSPENSION stabilization	•	vailable to include heavy duty shock absorbers, independent struts with		
4.35.5	DIMENSION	<b>NS</b> : Regular cab configu	uration. Wheelbase to be a minimum 160 inches		
4.35.6	BRAKES: E	Equipped with 4-wheel a	automatic braking system, and front vented discs minimum.		
4.35.7			neel Tires must be all terrain/off road and meet of exceed minimum gross eximum traction tread-design with full size matching spare tire and wheel.		
4.35.8	FUEL SYST Diesel.	FEM: Fuel tank shall ha	ave a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfer		

4.35.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type Largest size available in model offered. Remote controlled from driver.

4.35.10 LIGHTING: See 4.2.25

4.35.12.12

4.35.11 **TOW BUMPER**: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch will have a 7 Way flat pin/blade vehicle. connector. Receiver type hitch is not acceptable.

#### 4.35.12 DUMP BED SPECIFICATIONS

	·
4.35.12.1	LENGTH: 10'.
4.35.12.2	WIDTH: Inside 85", outside 95"
4.35.12.3	HEIGHT: Side 13", tailgate 24", head 44"
4.35.12.4	<b>FLOOR</b> : One-piece, 3/16" steel. 2" formed in floor-to-side radius. 5" x 10.0 lbs./ft. I-beam long sills with no crossmembers.
4.05.40.5	
4.35.12.5	SIDES: Double wall, 12-gauge steel with sloped, formed.
4.35.12.6	HEADSHEET: 12-gauge steel with integral cab shield with no windows.
4.35.12.7	CAPACITY: Sides/ends (cubic yards) 3.2/4.2 W/Side boards (cubic yards) 5.9.
4.35.12.8	UNIBODY DESIGN: One-piece floor with 2" formed radius to join sides. Full-depth rear corner
	posts tied to 5" structural channel rear apron. Smooth understructure 5" structural steel I-beam
	longitudinals with no cross-members and a low 9" mounting height.
4.35.12.9	HOIST: Three-stage telescopic, trunnion-mounted hoist with nitrided cylinder tubes. Hydraulic
	plumbing and electric pushbutton hoist included.
4.35.12.10	MOUNTING: Low 9" mounting height. Full sub-frame cradle and rear hinge assembly for quick
	installation. Include premium in-cab control, electric gear pump/reservoir, and mounting
	hardware.
4.35.12.11	TAILGATE: One-piece, 12-gauge steel. Double wall sheet with full perimeter boxing and sloped
	top rail. Flush-mount, off-set tailgate hinge plates with easy-release pins. 1" top and 1-1/4" bottom
	latch pins. Manual over-center tailgate release mechanism with rubber covered handle or Quick-

LIGHT PACKAGE: Top/turn/tail lights are mounted in rear corner posts. I.C.C. and rear clearance lights with reflectors included. All lights are rubber mounted, shock resistant and

release, drop-down tailgate.

feature one-piece sealed wiring harness.

4.35.12.13 **BODY PREPARATION**: Entire body is chemically cleaned with a phosphate solution before being primed. Primed with high-quality primer. All bed painted black.

4.36	ITEM	QUANTITY	DESCRIPTION		
	34	1	1 Ton, Diese 84" Cab to Axle, DRW 4x2 Flat/Stake Bed Truck		
4.36.1	ENGINE: Minimum 6 cylinders with a minimum 380 HP.				
4.36.2	GVWR: Minimum 10,001 lbs.				
4.36.3	TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.				
4.36.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.				
4.36.5	DIMENSIONS: Regular cab configuration. Wheelbase to be a minimum 160 inches.				
4.36.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented-discs minimum.				
4.36.7	TIRES & WHEELS: Dual rear wheel. Tires to be all terrain/off-read-and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.				
4.36.8	FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfer Diesel.				
4.36.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.				
4.36.10	LIGHTING:	See 4.2.25			
4.36.12	FLAT/STAK	E BED CONFIGURAT	ION		
	4.36.12.1 4.36.12.2 4.36.12.3 4.36.12.4 4.36.12.5	CROSS SILLS: Mi gauge. All cross sills SIDES, END RAILS, pockets. 40" remova acceptable.	.LS: Minimum 4" inch channel, 5.6 pound, high strength steel. nimum 4" inch formed box channel of "C" section high strength steel, 11 to be welded to longitudinal sills on all sides.  & STAKES: Five inch deep, minimum 11 gauge, with built in box type stake ble stakes sides to be provided to enclose entire bed. Metal or hard plastic		
	4.36.12.6	FLOOR: Minimum 3	/16" inch, steel tread plate with floor welded to cross members, or minimum		

4.37	ITEM	QUANTITY	DESCRIPTION
	35	3	1 Ton, Diesel,/84" Cab to Axle, DRW 4x2 Flat/Stake Bed Truck with
			Lift/Gate /

7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.

1/8" inch steel tread plate with a minimum of 5 floor support long sills, formed of 12 gauge steel

**TOW BUMPER**: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch will have a

4.37.1 **ENGINE**: Minimum 6 cylinders with a minimum 300 HP.

channel.

4.37.2 **GVWR**: Minimum 10,001 lbs.

4.36.12.7

4.37.3 TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.

4.37.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization. 4.37.5 **DIMENSIONS:** Regular cab configuration. Wheelbase to be a minimum /160 inches 4.37.6 BRAKES: Equipped with 4-wheel-automatic braking system, and front vented discs minimum. 4.37.7 TIRES & WHEELS: Dual rear wheel. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size, matching spare tire and wheel. FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfer 4.37.8 Diesel. 4.37.9 MIRRORS: OEM standard type inside. Hower mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type Largest size available in model offered. Remote controlled from driver. LIGHTING: See 4.2,25 4.37.10 4.37.12 **FLAT/STAKE BED CONFIGURATION** 4.37.12.1 LENGTH: 12' feet 4.37.12.2 WIDTH: 96" inches 4.37.12.3 LONGITUDINAL SILLS: Minimum 4" inch channel, 5.6 pound, high strength steel, 4.37.12.4 CROSS SILLS: Minimum 4" inch formed box channel of "C" section high strength steel, 11 gauge. All cross sills to be welded to longitudinal sills on all sides. 4.37.12.5 SIDES, END RAILS, & STAKES: Five inch deep, minimum 11 gauge, with built in box type stake pockets. 40" removable stakes sides to be provided to enclose entire bed. Metal or hard plastic acceptable. FLOOR: Minimum 3/16" inch, steel tread plate with floor welded to cross members, or minimum 4.37.12.6 1/8" inch steel tread plate with a minimum of 5 floor support long sills, formed of twelve 12 gauge steel channel. 4.37.12.7 TOW BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch will have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable. 4.37.12.8 LIFT GATE: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tucka-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck. 4.38 ITEM QUANTITY DESCRIPTION 36 1 Ton Four Full Door/DRW, 4x2 Pickup Truck 4.38.1 ENGINE: Minimum 6 cylinder, with a minimum 350 HP. S-Dualk 4.38.2 GVWR: Minimum 10,001 lbs 4.38.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering. 4x2 design. 4.38.4 SUSPENSION: Heaviest Duty available to include heavy duty\_shook absorbers\_independent struts with stabilization. DIMENSIONS: Four full door cab configuration. Minimum 96" bed length. Wheelbase to be a minimum 150" 4.38.5 inches. 4.38.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum 4.38.7

wheel.

gross vehicle weight rating of vehicle, maximum traction thead design with full size matching spare tire and

FUEL SYSTEM: Fuel tank shall hold a minimum of 25 gallons of Ultra Low Sulfur Diesel. 4.38.8 SEATING: Vinyl seating and upholstery. 4.38.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. 4.38.10 Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver. 4.38.11 LIGHTING: See 4.2.25 4.38.12 TOW PACKAGE: Rear Bumper - OEM rear bumper and tow package to include receiver hitch with 2" hitch opening. OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin). 4.39 ITEM QUANTITY DESCRIPTION 37 1 Ton Full Four Door, DRW 4x4 Pickup Truck w/ Arrow Bar 4.39.1 ENGINE: Minimum 6 cylinders, with a minimum 370 HP. 4.39.2 GVWR: Minimum 10,001/16s. 4.39.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control. SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with 4.39.4 stabilization. 4.39.5 DIMENSIONS: Four full door cab configuration. Bed length to be a minimum/of 96", Wheelbase to be a minimum of 150" inches. 4.39.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. 4.39.7 TIRES & WHEELS: Unit to be equipped with dual real tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, praximum traction tread design with full size matching spare tire and wheel. MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. 4.39.8 Recreational swing or telescoping type/Largest size available in model offered. Remote controlled from driver. 4.39.9 FUEL SYSTEM: Fuel tank shall hold a minimum of 25 gallons of Ultra Low Sulfur Diesel. 4.39.10 SEATING: Vinyl seating and uphoistery. 4.39.11 LIGHTING: See 4.2.25 4.39.12 DIRECTIONAL BAR: Unit to be equipped with a directional light bar mounted on top of cab. Lighting to be wired to factory type switch located in cab. 4.39.13 TOW PACKAGE: Rear Bumper — OEM-rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin). 4.40 ITEM QUANTITY DESCRIPTION 38 4x4)Pickup Truck w/ Toolbox 1 Ton Full Four Door /DRW 4.40.1 ENGINE: Minimum 6 cylinders/with a minimum 370 Hi 4.40.2 GVWR: Minimum-10-001 lbs.

TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two 4.40.3 speed transfer case with electronic shift control. SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with 4.40.4 stabilization. DIMENSIONS: Four full door cab configuration. Bed length to be a minimum/of 96" 4.40.5 Wheelbase to be a minimum of 150" inches. BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. 4.40.6 TIRES & WHEELS: Unit to be equipped with dual rear tires, and wheels. Tires to meet or exceed minimum 4.40.7 gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel. MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. 4.40.8 Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver. FUEL SYSTEM: Fuel tank shall hold a minimum of 25 gallons of Ultra Low Sulfur Diesel. 4.40.9 **SEATING:** Vinyl seating and upholstery. 4.40.10 4.40.11 LIGHTING: See 4.2.25 4.40.12 TOOLBOX: Unit to be equipped with a truck bed tool box. The box is to be made of heavy duty diamond tread plate aluminum to prevent rusting and be equipped with 2 locks. Tool box is to be flush against the cab of the truck and bolted down on bed rails. The dimensions of the tool box to be a minimum 69"L x 12"W x 13"H and to be black in color. 4.40.13 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin). 4.41 ITEM QUANTITY DESCRIPTION 1 Ton Four Full Doof, DRW Øtilitv Bed Truck 39 1 Gate School Bus Yeller 4.41.1 **ENGINE:** 6 cylinder or greater with a minimum of 370HP 4.41.2 GVWR: Minimum 10,000 lbs. TRANSMISSION: Automatic, minimum 5 speed with separate auxiliary transmission cooler mounted in front of 4.41.3 radiator. 4X4 Drive train -Two speed transfer case with electronic shift control. 4.41.4 SUSPENSION:-Heaviest duty available to include heavy duty shock absorbers. DIMENSIONS: Four full door cab configuration. Bed to be a utility toolbox configuration. Minimum 96" bed 4.41.5 length. Wheelbase to be a minimum of 150" inches. 4.41.6 BRAKES: Power brakes with minimum front disc and rear drums. ABS system. TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system 4.41.7 required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle maximum traction tread design with full size matching spare tire and wheel. 4.41.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel. 4.41.9 MIRRORS: OEM standard type inside. Rower mirrors outside, left and right, collapsible, below eye level type.

Recreational swing or telescoping type/ Largest size available in model offered. Remote controlled from driver.

36 of 129

- 4.41.10 **LIGHTING**: See 4.2.25
- 4.41.15 **LIFT GATE**: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.
- 4.41.16 **REAR BUMPER**: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

#### 4.41.17 UTILITY BODY SPECIFICATIONS:

- 4.41.17.1 MATERIAL: Minimum 14 gauge Steel Construction.
- 4.41.17.2 **LENGTH:** 96" inches approximately.
- 4.41.17.3 WIDTH: 78" inches approximately.
- 4.41.17.4 HEIGHT: Minimum 39" inches.
- 4.41.17.5 **COMPARTMENTS:** Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Right front compartment to have roll-out tool box tray and one adjustable removable shelf with a minimum of 6 dividers. Left front compartments to have 3 adjustable removable shelves with a minimum of 6 adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" wide, 59" to 68" long and a minimum of 17" high. Rear doors to be half or full size when horizontal compartment extends through rear door. Lower rear compartment must have 1 adjustable removable shelf with a minimum of 4 adjustable dividers. All doors to be weather-sealed and positive horizontal door holders. All compartments to have LED lighting.
- 4.41.17.6 BODY: All steel, all welded.
- 4.41.17.7 **BUMPER:** Heavy duty, minimum 7-gauge formed channel, recessed for trailer ball.
- 4.41.17.8 **LIGHTS:** Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. LED strobe lights must be wired to up-fitter switches located in cab of truck.
- 4.41.17.9 MASTER LOCKING SYSTEM MUST BE USED.

4.42	ITEM	QUANTITY	DESCRIPTION	
		•	•	
	40	3	1.5 Ton Four Full Door, DRW, 4x2, Diesel Flat / Stake	>
			Bed Pickup Truck with Lift Gate	

- 4.42.1 **ENGINE**: Minimum 6 cylinders, with a minimum 300 HP.
- 4.42.2 **GVWR**: Minimum 14,000 lbs.
- 4.42.3 **TRANSMISSION/DRIVE**: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 4.42.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.42.5 **DIMENSIONS**: Four Full Door configuration 84" cab to axle. Wheelbase to be a minimum of 135".
- 4.42.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.42.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 4.42.8 **FUEL SYSTEM**: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.

- 4.42.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.42.10 **LIGHTING**: See 4.2.25
- 4.42.11 **DIRECTIONAL BAR**: Unit to be equipped with a directional light bar mounted on top of cab. Lighting to be wired to factory type switch located in cab.
- 4.42.12 **REAR BUMPER**: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

#### 4.42.13 FLAT/STAKE BED CONFIGURATION

- 4.42.13.1 **LENGTH:** 12' feet. 4.42.13.3 **WIDTH:** 96" inches
- 4.42.13.3 LONGITUDINAL SILLS: Minimum 4" channel, 5.6 pound, high strength steel.
- 4.42.13.4 CROSS SILLS: Minimum 4" formed box channel of "C" section high strength steel, 11 gauge. All cross sills to be welded to longitudinal sills on all sides.
- 4.42.13.5 SIDES, END RAILS, & STAKES: Five inch deep, minimum 11 gauge, with built in box type stake pockets. 40" removable stakes sides to be provided to enclose entire bed. Metal or hard plastic acceptable.
- 4.42.13.6 FLOOR: Minimum 3/16" inch, steel tread plate with floor welded to cross members, or minimum 1/8" inch steel tread plate with a minimum of 5 floor support long sills, formed of 12 gauge steel channel
- 4.42.13.7 **TOW BUMPER**: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch will have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.
- 4.42.13.8 LIFT GATE: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.

4.43	ITEM	QUANTITY	DESCRIPTION
	41	6	Compact 4 Door, 4x2, Sports Utility Vehicle
		•	

- 4.43.1 **ENGINE**: 4 cylinder with a minimum 158 HP.
- 4.43.2 **GVWR**: Minimum 3,515 lbs.
- 4.43.3 TRANSMISSION/ DRIVE: Minimum of 5 speed automatic with over drive.
- 4.43.4 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.43.5 WHEELBASE: To be a minimum of 103" inches.
- 4.43.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.43.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season off road design with space saver spare. Unit must be equipped with a spare tire locking device and three keys.
- 4.43.8 FUEL SYSTEM: Fuel tank shall have a 14 gallon minimum capacity.
- 4.43.9 **SEATING**: Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 4 passengers. Seats to be dark colored cloth.
- 4.43.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 6.72
- 4.43.11 **LIGHTING**: See 4.2.25

4.43.12 **COLOR**: To be decided at award.

4.44	ITEM	QUANTITY	DESCRIPTION
	42	5	Compact 4 Door, 4x2, Sports Utility Vehicle- OEM Red
4.44.1	ENGINE: 4 c	cylinder with a minimum	158 HP.
4.44.2	GVWR: Mini	mum 3,515 lbs.	
4.44.3	TRANSMISS	SION/ DRIVE: Minimum o	of 5 speed automatic with over drive.
4.44.4	SUSPENSIO stabilization.		ailable to include heavy duty shock absorbers, independent struts with
4.44.5	WHEELBAS	E: To be a minimum of 1	103" inches.
4.44.6	BRAKES: E	quipped with 4-wheel aut	tomatic braking system, and front vented discs minimum.
4.44.7			exceed minimum gross vehicle weight rating of vehicle, all season off road must be equipped with a spare tire locking device and three keys.
4.44.8	FUEL SYST	EM: Fuel tank shall have	a 14 gallon minimum capacity.
4.44.9		Priver and front passenge gers. Seats to be dark co	er bucket seating and one bench seat in the rear. Minimum seating should blored cloth.
4.44.10	GROUND C	LEARANCE: Each unit v	vill have a minimum ground clearance of 6.7".
4.44.11	LIGHTING:	See 4.2.25	An A
4.44.12	COLOR: Uni	its to be OEM Red.	inen Red >
4.45	ITEM	QUANTITY	DESCRIPTION
	43	3	Compact 4 Door, 4x4, Sports Utility Vehicle
4.45.1	ENGINE: 4 c	ylinder with a minimum	158 HP.
4.45.2	GVWR: Mini	mum 3,515 lbs.	
4.45.3			of 5 speed automatic with over drive. Unit to be 4x4 drive train and ase. All Wheel Drive (AWD) is not acceptable.
4.45.4	SUSPENSIC stabilization.		ailable to include heavy duty shock absorbers, independent struts with
4.45.5	WHEELBAS	E: To be a minimum of 1	103" inches.
4.45.6	BRAKES: E	quipped with 4-wheel aut	tomatic braking system, and front vented discs minimum.
4.45.7			exceed minimum gross vehicle weight rating of vehicle, all season off road must be equipped with a spare tire locking device and three keys.
4.45.8	FUEL SYST	EM: Fuel tank shall have	a 14 gallon minimum capacity.
4.45.9		oriver and front passenge gers. Seats to be dark co	er bucket seating and one bench seat in the rear. Maximum seating should blored cloth.

4.45.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 6.9".

- 4.45.11 **LIGHTING**: See 4.2.25
- 4.45.12 COLOR: To be decided at award.

4.46	ITEM	QUANTITY	DESCRIPTION	
	44	6	Medium 4 Door, 2wd, Sports Utility Vehicle	
4.46.1	ENGINE: 6 c	ylinder with a minimum 2	260 HP.	
4.46.2	GVWR: Minir	mum 5,100 lbs.		
4.46.3	TRANSMISS	SION/DRIVE: Minimum o	f 5 speed automatic with over drive.	
4.46.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.			
4.46.5	WHEELBASE: To be a minimum of 109" inches.			
4.46.6	BRAKES: Ed	quipped with 4-wheel aut	omatic braking system, and front vented discs minimum.	
4.46.7	<b>TIRES &amp; WHEELS:</b> Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/terrain design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.			
4.46.8	FUEL SYSTI	E <b>M</b> : Fuel tank shall have	a 19 gallon minimum capacity.	
4.46.9	<b>SEATING</b> : Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 5 Seats to be cloth.			
4.46.10	GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".			
4.46.11	LIGHTING: See 4.2.25			
4.46.12	COLOR: To I	be decided at award.	·	

4.47	ITEM	QUANTITY	DESCRIPTION
	45	4	Medium 4 door, 4x4, Sports Utility Vehicle

- 4.47.1 **ENGINE**: 6 cylinder with a minimum 260 HP.
- 4.47.2 **GVWR**: Minimum 5,100 lbs.
- 4.47.3 **TRANSMISSION/ DRIVE**: Minimum of 5 speed automatic with over drive. 4x4 Drive Train with two speed transfer case.
- 4.47.4 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.47.5 **WHEELBASE**: To be a minimum of 109" inches.
- 4.47.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.47.7 **TIRES & WHEELS**: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/all terrain design with full size matching, off road design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.
- 4.47.8 **FUEL SYSTEM**: Fuel tank shall have a 19 gallon minimum capacity.

- 4.47.9 **SEATING**: Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 5. Seats to be cloth.
- 4.47.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".
- 4.47.11 LIGHTING: See 4.2.25
- 4.47.11 COLOR: To be decided at award.

4.48	ITEM	QUANTITY	DESCRIPTION
	46	1	Large 4 door, 2wd, Sports Utility Vehicle

- 4.48.1 **ENGINE:** Minimum 6 cylinder with a minimum 300 HP.
- 4.48.2 **GVWR:** Minimum 6,700 lbs.
- 4.48.3 TRANSMISSION/DRIVE: Minimum 6 speed automatic with over drive.
- 4.48.4 **SUSPENSION:** Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.48.5 WHEELBASE: To be a minimum of 116" inches.
- 4.48.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.48.7 **TIRES & WHEELS:** Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three kevs.
- 4.48.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 28 gallons of Unleaded 87 Octane.
- 4.48.9 GROUND CLEARANCE: Unit will have a minimum ground clearance of 7".
- 4.48.10 **SEATING:** Seven passenger/ 1 driver seating. Front two seats the be bucket. Minimum 3 passenger bench type rear seat. Seating material must be dark cloth NO EXCEPTIONS.
- 4.48.11 **LIGHTING**: See 4.2.25
- 4.48.12 SAFETY: Unit must be equipped with an audible backup alarm and camera.

4.49	ITEM	QUANTITY	DESCRIPTION
-	47	2	Large 4 door, 4wd, Sports Utility Vehicle

- 4.49.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.
- 4.49.2 **GVWR:** Minimum 6,700 lbs.
- 4.49.3 **TRANSMISSION/DRIVE:** Minimum 6 speed automatic with over drive. 4x4 drive train with two speed transfer case. All Wheel Drive (AWD) not acceptable.
- 4.49.4 **SUSPENSION:** Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.49.5 WHEELBASE: To be a minimum of 116" inches.
- 4.49.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

- 4.49.7 **TIRES** & **WHEELS**: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.
- 4.49.8 **FUEL SYSTEM**: Fuel tank shall hold a minimum of 28 gallons of Unleaded 87 Octane.
- 4.49.9 GROUND CLEARANCE: Unit will have a minimum ground clearance of 7".
- 4.49.10 **SEATING:** Seven passenger/ 1 driver seating. Front two seats the be bucket. Minimum 3 passenger bench type rear seat. Seating material must be dark cloth NO EXCEPTIONS.
- 4.49.11 **LIGHTING**: See 4.2.25
- 4.49.12 **SAFETY**: Unit must be equipped with an audible backup alarm and camera.
- 4.49.13 COLOR: OEM Silver.

4.50	ITEM	QUANTITY	DESCRIPTION
	48	2	Mini Van
4.50.1	ENGINE: 4	cylinders with a minimum	130 HP.
4.50.2	GVWR: Minimum 4,800 lbs.		
4.50.3	TRANSMISSION/DRIVE: Automatic transmission; 4 speed minimum.		
4.50.4	<b>SUSPENSION</b> : Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
4.50.5	WHEELBASE: To be a minimum of 111" inches.		
4.50.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		

- 4.50.7 **TIRES & WHEELS**: Tire pressure monitoring system required. Tires to be meet or exceed minimum gross vehicle weight rating of vehicle, all season/all terrain design with space saver spare tire and wheel and tire locking device and three keys.
- 4.50.8 **FUEL SYSTEM**: Fuel tank shall have a 20 gallons minimum capacity.
- 4.50.9 **SEATING**: Driver and passenger front bucket seats required, 2 center bucket seats and 1 rear bench seat.
- 4.50.10 SAFETY: Unit to be equipped with a backup alarm and camera.
- 4.50.11 COLOR: One unit to be Tan/Light Brown in color and 1 to be Silver/Dark Grey in color.

4.51	ITEM	QUANTITY	DESCRIPTION	
-	49	1	Sprinter Van with Auxiliary AC Unit, Diesel	
4.51.1	ENGINE: Minimum 3.0 liter V6 turbo diesel engine.			
4.51.2	GVWR: Minimum 8,501 lbs.			
4.51.3	TRANSMISSION: 5 speed automatic transmission.			
4.51.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers.			
4.51.5	PAYLOAD: Minimum 5,168 lbs. with minimum 7,500 lb. towing capacity.			

- 4.51.6 **CARGO VOLUME:** Minimum 547 cubic feet with minimum 76" Interior height. Unit to be equipped with cargo compartment lights.
- 4.51.7 **TIRES & WHEELS:** Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 4.51.8 AIR CONDITIONING: Unit must be equipped with an additional roof air conditioning unit. Unit shall not be connected to power supply of vehicle. A 110 V output shall be installed so AC unit can operate when vehicle is not running.
- 4.51.9 FUEL SYSTEM: Tank must hold a minimum 25 gallon Ultra Low Sulfur Diesel.
- 4.51.10 **LIGHTING**: See 4.2.25

lockable and keyed alike.

- 4.51.11 REAR BUMPER: OEM Rear bumper and tow package to include receiver hitch with 2" opening.
- 4.51.12 **SAFETY:** Unit will be equipped with an electronic back up alarm and camera.

4.52	ITEM	QUANTITY	DESCRIPTION	
	50	3	1.5 Ton Step Van- Rear Barn Door Type	
4.52.1	ENGINE: 6	cylinder minimum with a	minimum 255 HP. Gasoline engine.	
4.52.2	GVWR: Mini	imum 14,001 lbs.		
4.52.3	TRANSMISS	SION: Automatic transmi	ssion with overdrive; 5 speed minimum; Power Steering. 4x2 design.	
4.52.4	AXLES: Fro	nt to be minimum 5,000	bs. and rear to be minimum 9,500lbs.	
4.52.5	WHEELBAS	SE: Approximately 158" i	nches.	
4.52.6	BRAKES: E	quipped with 4-wheel dis	sc with anit-lock system (ABS).	
4.52.7	TIRES & WI	HEELS: Rear Duals, all t	ires to be compatible to GVWR rating, with matching spare tire and wheel.	
4.52.8	FUEL TANK	K: Minimum 40 gallon cap	pacity.	
4.52.9	SEATING: N	Must have dual bucket se	eats with vinyl trim and armrests.	
4.52.10	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.			
4.52.11	AIR CONDITIONER: An in dash air conditioning unit is required in the driver's compartment (minimum 12,000 BTU/hr) Unit to be integrated with heater/defroster.			
4.52.12	VAN BODY	: Aluminum 14 ft. minim	um.	
4.52.13	REAR DOO	R: Rear door to be barn	door type.	
4.52.14	INTERIOR I	HEIGHT: 76" inches mini	mum.	
4.52.15	REAR DOOR HEIGHT: 66" inches minimum.			
4.52.16	INTERIOR V	WIDTH: 76" inches minin	num.	
4.52.17	SLIDING D	OOR: Sliding doors with	a sliding windows on both sides of driver's compartment. All doors to be	

4.52.18 ROOF: Roof ventilation (approximately 14" X 14"), one way opening with screen.

- 4.52.19 **REAR BUMPER:** Full width grate X step type, minimum 8 inches wide.
- 4.52.20 **INSULATION**: Minimum 1" inch fiberglass in roof with headliner.
- 4.52.21 **PARTITION:** Manufactured of minimum ¾ inch plywood, installed between driver's compartment and cargo area. Partition to be full height and width with center sliding door with locking handle keyed the same as side door. Rear cargo area shall have a cargo tie down system such as "E" track on the floor and side walls. Two tracks on the floor positioned equally from the wall and one track mounted midway on both walls.
- 4.52.23 SAFETY: Unit will be equipped with an electronic back up alarm and camera.
- 4.52.22 ADDITIONAL REQUIREMENTS:
  - 4.52.22.1 Exterior grab handles at both front doors.
  - 4.52.22.2 Aluminum extended floor.
  - 4.52.22.3 Heavy duty mud flaps.
  - 4.52.22.4 Cargo area lighting to have four each 12 volt dome lights, with switches in driver's area and at rear door.
  - 4.52.22.5 Must be built to where a standard pallet must fit between wheel wells.
  - 4.52.22.6 Install 4 externally mounted LED lights wired to an up-fitter switch. LED lights should be wired so they can be functional without unit running.
  - 4.52.22.7 Glass to be O.E.M. tinted.
  - 4.52.22.8 Sun visors in driver's compartment left and right sides.

4.53	ITEM	QUANTITY	DESCRIPTION
	51	2	Mini Cargo Van

- 4.53.1 ENGINE: 4 cylinders with a minimum 130 HP.
- 4.53.2 GVWR: Minimum 4,700 lbs.
- 4.53.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum.
- 4.53.4 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.53.5 WHEELBASE: Unit to be long wheel base; minimum of 115" inches.
- 4.53.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.53.7 **TIRES & WHEELS**: Tire pressure monitoring system required. Tires must be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- 4.53.8 **FUEL SYSTEM**: Fuel tank shall have a 14 gallons minimum capacity.
- 4.53.9 **SEATING**: Dark colored synthetic upholstery. Passenger seat required, right side.
- 4.53.10 CARGO SPACE: Cargo space to be at least 122 cu. ft.
- 4.53.12 **WINDOWS & DOORS**: Unit to be equipped with driver and front passenger windows, and windows on the rear doors. Rear door to be swing out type.

4.54	ITEM	QUANTITY	DESCRIPTION
	52	2	1 Ton Cargo Van
4544		Minimum C. audimaiana u	ith a minimum 275 UD

- 4.54.1 ENGINE: Minimum 6 cylinders with a minimum 275 HP.
- 4.54.2 **GVWR**: Minimum 8,501 lbs.

- 4.54.3 **WHEELBASE**: To be a minimum of 135" inches
- 4.54.4 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum, 4x2.
- 4.54.5 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.54.6 **DOORS, WINDOWS, & MIRRORS**: Unit to be equipped with power driver and passenger windows and mirrors, and automatic door locks all around.
- 4.54.7 ADDITIONAL WINDOWS & DOORS: Vented windows all around, double swing right side door, double swing rear doors, rear doors, rear doors windows. Vented windows all around will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivots/swing out windows offered including side and rear doors.
- 4.54.8 TIRES & WHEELS: Tire pressure monitoring system required. Tires must be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit shall be equipped with spare tire locking device and three keys.
- 4.54.9 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.54.10 FUEL SYSTEM: Fuel tank shall have a minimum 30 gallon fuel tank certified to run on 87 Octane Gasoline.
- 4.54.11 **SEATING**: Right side passenger seat required and back space to be empty for cargo transport. Seats to be dark colored synthetic upholstery.
- 4.54.12 REAR BUMPER: OEM rear bumper and fow package to include receiver hitch with 2" hitch opening.

4.55	ITEM	QUANTITY	DESCRIPTION
	53	1	1 Ton- 4 Passenger Cargo Van

- 4.55.1 **ENGINE**: Minimum 6 cylinders with a minimum 275 HP.
- 4.55.2 **GVWR**: Minimum 8,501 lbs.
- 4.55.3 **WHEELBASE**: To be a minimum of 1/35" inches.
- 4.55.4 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum, 4x2.
- 4.55.5 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.55.6 DOORS, WINDOWS, & MIRRORS: Unit to be equipped with power driver and passenger windows and mirrors and automatic door locks all around.
- 4.55.7 ADDITIONAL WINDOWS & DOORS: Vented windows all around, double swing right side door, double swing rear doors, rear door windows. Vented windows all around will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivots/swing out windows offered including side and rear doors.
- 4.55.8 **TIRES & WHEELS**: Tire pressure monitoring system required. Tires to be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- 4.55.10 **BRAKES**: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.55.11 FUEL SYSTEM: Fuel tank shall have a minimum 30 gallon fuel tank certified to run on 87 Octane Gasoline.

- SEATING: Passenger front seat required (right side) and one bench seat to hold 3 additional passengers (4 total plus driver). Rear of unit to be open space for cargo transport.
- 4.55.13 **REAR BUMPER**: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening.

			and tow package to include receiver filten with 2. Tillen opening.	
4.56	ITEM	QUANTITY	DESCRIPTION	
	54	7	1 Ton 12-15 Passenger Transport Van	
4.56.1	ENGINE: m	inimum 6 cylinders with a	a minimum 275 HP.	
4.56.2	GVWR: Mini	mum 8,501 lbs.		
4.56.3	TRANSMISS	SION/DRIVE: Automatic	transmission with overdrive; 4 speed minimum.	
4.56.4	SUSPENSIO	N: Heaviest Duty availal	ple.	
4.56.5	WHEELBAS	E: Minimum 135" inche	S.	
4.56.6	BRAKES: E	quipped with 4-wheel au	tomatic braking system, and front vents discs minimum.	
4.56.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.			
4.56.8	FUEL SYSTEM: Fuel tank shall have a minimum 30 gallon fuel tank certified to run on 87 Octane Gasoline.			
4.56.9	<b>SEATING:</b> One passenger front seat required, right side. Minimum of 4 bench seats to be equipped to transport 3 passengers per bench seat. Maximum passenger transport to be 13 plus 1 driver. Dark cloth or fabric upholstery. Inside passenger area height to be at least 66" from floor to roof.			
4.56,10	ADDITIONAL WINDOWS AND DOORS: Windows all around, double swing right side door, double swing rear door, rear door windows. Vented windows will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivot/swing out windows offered including side and rear doors.			
4.56.11	AIR CONDITIONING: Unit to be equipped with OEM Dual Air Conditioning System.			
4.56.12	REAR BUMP	PER: OEM rear bumper	and tow package to include receiver hitch with 2" hitch opening.	
4.57	ITEM	QUANTITY	DESCRIPTION	
	55	1	1 Ton 12-15 Passenger Transport Van- Black & White	
4.57.1	ENGINE: mi	nimum 6 cylinders with a	minimum 275 HP.	
4.57,2	GVWR: Minimum 8,501 lbs.			

- TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum. 4.57.3
- 4.57.4 SUSPENSION: Heaviest Duty available.
- 4.57.5 WHEELBASE: Minimum 135" inches.
- BRAKES: Equipped with 4-wheel automatic braking system, and front vents discs minimum. 4.57.6
- TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all season design with full size 4.57.7 matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.

- 4.57.8 FUEL SYSTEM: Fuel tank shall have a minimum 30 gallon fuel tank certified to run on 87 Octane Gasoline.
- 4.57.9 SEATING: One passenger front seat required, right side. Minimum of 4 bench seats to be equipped to transport 3 passengers per bench seat. Maximum passenger transport to be 13 plus 1 driver. Dark cloth or fabric upholstery. Inside passenger area height to be at least 66" from floor to roof.
- ADDITIONAL WINDOWS AND DOORS: Windows all around, double swing right side door, double swing rear 4.57.10 door, rear door windows. Vented windows will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivot/swing out windows offered including side
- AIR CONDITIONING: Unit to be equipped with OEM Dual Air Conditioning System.
- 4.57.12 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening.
- 4.57.13 COLOR: Unit to be all OEM Black with roof to be OEM White.

4.58	ITEM	QUANTITY	DESCRIPTION
	56	5	19,501 - 26,000 GVWR Flat/Stake Bed with Lift Gate
4.58.1	ENGINE: Diesel, minimum 260 H.P.		
4 58 2	GVMP: Maximum 20 000 II		

- 4.58.2 GVWR: Maximum 26,000 lbs.
- 4.58.3 TRANSMISSION: Allison RDS 3000, or proven equal.
- REAR AXLE: Minimum 17,500 lbs., single speeds, ratio geared to attain 65 mph +/-2 mph, equipped with hub 4.58.4 piloted steel hubs, out-board mount type brake drums. Stemco (or equal) oil rear seals.
- FRONT AXLE: Minimum 8,500 lbs., equipped with hub piloted steel hubs, out-board mount type brake drums 4.58.5 with Stemco (or equal) front wheel visible cap bearing oiler. Front shock absorbers to be heaviest duty available
- SUSPENSION: Equipped with manufacturer's heavy duty suspension applicable to axle ratings and overall 4.58.6
- 4.58.7 WHEELS AND TIRES: Wheels to be 10 hole hub piloted steel disk wheel, minimum 11R-22.5R steel belted tubeless radials, minimum load range G tires. Front tires to be conventional tread. Rear dual wheel application to be on-off, self-cleaning, lug design. Loose lug indicators on front and rear wheels.
- BRAKES: Full air, S-cam type, manufacturer's heavy duty brake shoes, spring set parking brakes. Front and 4.58.8 rear automatic slack adjusters. Gear or belt driven compressor. Minimum 13 CFM compressor, Midland Pure Air Plus Dryer Model DA33100 or equal with automatic drain valves Model KN24000 or equal on all tanks. Spring set parking brakes on both rear axles. Quick connect couplings to be located in a protected area near the front bumper. Couplings will not be mounted to the bumper. Female coupling ½" Milton M Type or approved
- FUEL SYSTEM: To be equipped with under cab minimum 45 gallon left or right hand tanks. Fuel filtration 4.58.9 system to include primary and secondary type fuel filters with automatic water separator. Diesel Exhaust Fluid (DEF) Gauge inside of cab.
- 4.58.10 STEERING: Integral power steering.
- 4.58.11 **FRAME**: Minimum 75,000 PSI rail, 900,000 RBM.
- 4.58.12 **EXHAUST SYSTEM**: Exhaust system to be vertically mounted with turn out.
- 4.58.13 UNIT TO BE EQUIPPED WITH THE FOLLOWING ADDITIONAL EQUIPMENT: 4.58,13.1
  - Minimum 1 electrical and 1 air horn(s).
  - 4.58.13.2 Turn indicators, front and rear, stop and tail lights.

	4.58.13.3 4.58.13.4 4.58.13.5 4.58.13.6 4.58.13.7 4.58.13.8 4.58.13.10 4.58.13.11	Tachometer. Adjustable steering column. Cigar lighter/Power port for use with cell Phone. Water temperature, oil pressure and volt or amp gauges. DOT reflector flare kit mounted in cab or tool box. Electronic back up alarm. 5 lb. fire extinguisher. Fixed interval wiper control with windshield washer. Seating: Vinyl or premium synthetic upholstery. Driver seat to be reclining with high back, and passenger seating to be 2 man bench type. Minimum 4 factory installed up-fitter switches.		
4.58.14	SPECIFICA	TIONS 15' PLATFORM/ FLATBED		
	4.58.14.1 4.58.14.2 4.58.14.3 4.58.14.4 4.58.14.5 4.58.14.6 4.58.14.7 4.58.14.8 4.58.14.9 4.58.14.10 4.58.14.11	LENGTH: 15' minimum.  WIDTH: 94" minimum.  FLOOR: 3/16" steel treadplate.  CROSSMEMBERS: 4" structural channel on 12" inch centers.  LONG SILLS: Minimum 7" inch structural channel.  SIDE RAILS: 5" inch structural channel.  STAKE POCKETS: External, 3/8" x 3" steel rub rails.  LIGHTS: LED lights that meet TX Dot requirements. Electric back up alarm must be installed.  HEADBOARD: 2-1/2" x 3/16" inch tubing frame, full width 3/4" inch number 9 expanded metal window, knee braced to body.  STAKE RACKS: 40" inch steel sides and tailgate.  LIFT GATE: Hydraulic electric tuck under, fold away lift gate. Lift to extend to a minimum 60" L with a minimum 84" W. Material to be a tread plate design. Maximum capacity of lift to be no less than 2,500 lbs. Lift gate to be equipped with a safety latch locking folded platform in place when not in use.  TOOL BOX: One lockable toolbox is to be bolted below the flat bed on the opposing side of the fuel tank. Toolbox dimension to be 48"L x 36"W x 24". Toolbox to be black in color.		
4.59	ITEM 57	QUANTITY DESCRIPTION  1 Ton, Diesel, 84" Cab to Axle, DRW Utility Bed Pickup Truck with		
	•	Lift Gate		
4.59.1	ENGINE: Mir	nimum 6 cylinders with a minimum 300 HP.		
4.59.2	GVWR: Minimum 10,001 lbs.			
4.59.3	TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.			
4.59.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers independent struts with stabilization.			
4.59.5	<b>DIMENSIONS</b> : Regular cab configuration. Minimum 75" bed length. Wheelbase to be a minimum 150" inches.			
4.59.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.			
4.59.7	TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.			
4.59.8	FUEL SYSTI Diesel.	EM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfer		
4.59.9	MIRRORS: (	DEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type.		

4.59.10 **LIGHTING**: See 4.2.25

Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

- LIFT GATE: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be 4.59.11 in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.
- 4.59.12 **UTILITY BODY SPECIFICATIONS:** 
  - 4.59.12.1 MATERIAL: Minimum 14 gauge Steel Construction.
  - 4.59.12.2 LENGTH: 96" inches approximately.
  - 4.59.12.3 WIDTH: 78" inches approximately.
  - 4.59.12.4 **HEIGHT:** Minimum 39" inches
- COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have 2 adjustable removable shelves with a minimum of 6 adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear vertical compartments to be 19 ½" W X 38" H X 14 ½" D with 2 adjustable shelves. All doors to be weather-sealed and positive horizontal door holders.
- 4.59.14 BODY: All steel, all welded.
- LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be 4.59.15 mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 4.59.16 MASTER LOCKING SYSTEM MUST BE USED.
- 4.59.17 REAR BUMPER: all units required to have minimum OEM rear bumper, tow package and receiver type hitch (no rear bumper or hitch required on cab and chassis) Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. Wilton 656 HD or equal.
- 4.59.18 SAFETY: Equipped with driver and passenger airbags, seatbelts, and running daytime lights.
- HEADACHE RACK / BEACON LIGHTING: Unit is to be equipped with a steel or metal headache rack behind 4.59.19 the cab and to have steel or metal mesh in order to view rear. Headache rack to be black in color. Driver and passenger side of rack are to be equipped with beacon lights on top. Control switch for beacon lighting to be factory installed. Acceptable model: Whelen L10 Super LED Beacon, or equivalent.

4.60	ITEM	QUANTITY	DESCRIPTION
	58	1	10,000-14,000 GVWR 36' Utility Bed Aerial Truck School Bus Yellow
4.60.1	ENGINE: Minimum 6 cylinder with a minimum 300 HP		

- ENGINE: Minimum 6 cylinder with a minimum 300 HP.
- 4.60.2 GVWR: Minimum 10,000 lbs.
- 4.60.3 TRANSMISSION/DRIVE: Automatic, minimum 5 speed.
- 4.60.4 **DIMENSION**: Regular cab; minimum 84" Cab to Axle.
- 4.60.5 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers.
- 4.60.6 BRAKES: Power brakes with minimum front disc and rear drums.
- TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum 4.60.7 gross vehicle weight rating of vehicle, all terrain tread design with full size matching spare tire and wheel.
- FUEL SYSTEM: Fuel tank shall hold a minimum 25 gallon capacity and be certified to run on Ultra Low Sulfur 4.60.8 Diesel.

- 4.60.9 **MIRRORS**: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.60.10 **LIGHTING**: Vehicle to have LED strobe lights mounted on grill and connected to rear LED strobe light mounted on body and wired to up-fitter switch located in cab of vehicle. Strobes are to be amber in color. Four flood type working lights to be wired to up-fitter switches located in cab- 2 mounted in front facing forward and 2 mounted at the rear of the stake bed.

# 4.60.11 UTILITY BODY SPECIFICATIONS

- 4.60.11.1 Suitable for installation on a chassis with 84" cab to axle dimension as follows:
  - 4.60.11.1.1 20"compartment depth.
  - 4.60.11.1.2 54" bed area.
  - 4.60.11.1.3 94" width.
  - 4.60.11.1.4 40 3/4" high.

#### 4.60.12 **COMPARTMENT STREETSIDE:**

- 4.60.12.1 Front vertical- 30" compartment with two plain adjustable and removable shelves.
- 4.60.12.2 Second vertical- 26" compartment with two plain adjustable and removable shelves.
- 4.60.12.3 Horizontal- 49 3/4" compartment with one slotted removable shelf with five adjustable dividers.
- 4.60.12.4 Rear vertical- 26 1/4" compartment with adjustable and removable shelf.
- 4.60.12.5 Full length shelf with drop down rear access door.
- 4.60.12.6 Compartment to be equipped with LED lighting.

# 4.60.13 COMPARTMENT CURBSIDE:

- 4.60.13.1 Front vertical- 30" compartment with two plain adjustable and removable shelves.
- 4.60.13.2 Second vertical- 26" compartment with two plain adjustable and removable shelves.
- 4.60.13.3 Horizontal- 49 ¾" compartment with one slotted removable shelf with five adjustable dividers.
- 4.60.13.4 Rear vertical- 26 1/4" compartment with adjustable and removable shelf.
- 4.60.13.5 Ladder rack/sleeve to accommodate 8' ladder.
- 4.60.13.6 Body to include tread plate on compartment tops, 12" platform extension and grip strut rear bumper with pintle hook recess. Also to include chock holders in wheel wells, one in each side.
- 4.60.13.7 Compartments to be equipped with LED lighting.

# 4.60.14 AERIAL SPECIFICATIONS

4.60.14.1 BOOM: Telescopic Boom Aerial 36ft. ground to bottom of platform, 41.0 ft. working height, 25.6 ft. horizontal reach. Mounted behind cab. One person end mounted fiberglass platform, 24" X 30" X 42", 350lb. capacity. Leveling provided by master/slave cylinder system. Tilt control at lower controls. Full pressure "3D" one hand upper controls with emergency hydraulic stop. Lower controls with capability of overriding upper controls. Insulated upper boom with minimum articulation of 14 degrees to 77 degrees. Padded boom rest with tie down. Lower boom of rectangular steel tube. Minimum articulation is from 5 degrees to 78 degrees. Lower boom insert with insulation gap of 12". Continuous "shear-ball" rotation. Integral 20 gallon hydraulic oil reservoir. Safety harness and lanyard. Liner for 24" x 30" fiberglass platform. Vinyl platform and control cover for 24" x 30" fiberglass platform. Bucket to include tray mounted on outside. 180 degree hydraulic platform rotator for end mounts. Engine start/stop at platform. Four channel electric collector ring. Electrical control switch panel used in conjunction with start/stop system.

# 4.60.15 MISCELLANEOUS ITEMS REQUIRED:

- 4.60.15.1 Mud flaps with mounting brackets.
- 4.60.15.2 Combination pintle/ball hitch complete with crossmember brace and two safety chain "D" rings.
- 4.60.15.3 Six-way trailer socket. Two rubber wheel chocks with handles.
- 4.60.15.4 Two cable stirrup steps installed under tail shelf, two grab handles also installed on tail shelf.
- 4.60.15.5 Five lb. Fire extinguisher with mount bracket.
- 4.60.15.6 Triangle reflector kit with storage box.
- 4.60.15.7 Back up alarm.

	4.60.15.8 4.60.15.9 4.60.15.10	Non-skid paint on walk surfaces to include tread plate on compartment tops.  Arrow Bar to be equipped on unit with controls in cab.  Waterproof Bucket cover to be provided.			
4.61	ITEM	QUANTITY	DESCRIPTION		
	59	1	14,001-16,000 GVWR 36' Utility Bed Aerial Truck		
4.61.1	ENGINE: M	inimum 6 cylinder with a	minimum 300 HP.		
4.61.2	GVWR: Mini	mum 14,001 lbs.			
4.61.3	TRANSMISS	SION/DRIVE: Automatic,	minimum 5 speed.		
4.61.4	DIMENSION	l: Regular cab; minimum	84" Cab to Axle.		
4.61.5	SUSPENSIO	<b>)N:</b> Heaviest duty availab	le to include heavy duty shock absorbers.		
4.61.6	BRAKES: Po	ower brakes with minimu	m front disc and rear drums.		
4.61.7	required. Tire	HEELS: Unit to be equi es to meet or exceed min with full size matching sp	ipped with dual rear tires and wheels. Tire pressure monitoring system nimum gross vehicle weight rating of vehicle, maximum traction all terrain pare tire and wheel.		
4.61.8	FUEL SYST Diesel.	EM: Fuel tank shall hold	a minimum 25 gallon capacity and be certified to run on Ultra Low Sulfur		
4.61.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.				
4.61.10	<b>LIGHTING</b> : Vehicle to have LED strobe lights mounted on grill and connected to rear LED strobe light mounted on body and wired to up-fitter switch located in cab of vehicle. Strobes are to be amber in color. Four flood type working lights to be wired to up-fitter switches located in cab- 2 mounted in front facing forward and 2 mounted at the rear of the stake bed.				
4.61.11	UTILITY BODY SPECIFICATIONS  4.61.11.1 Suitable for installation on a chassis with 84" cab to axle dimension as follows:  4.61.11.2 20"compartment depth.  54" bed area.  4.61.11.4 94" width.  4.61.11.5 40 3/4" high.  Compartments to be equipped with LED lighting.				
4.61.12	COMPARTMENT STREETSIDE:  4.61.12.1 Front vertical- 30" compartment with two plain adjustable and removable shelves.  4.61.12.2 Second vertical- 26" compartment with two plain adjustable and removable shelves.  4.61.12.3 Horizontal- 49 ¾" compartment with one slotted removable shelf with five adjustable dividers.  4.61.12.3 Rear vertical- 26 ¼" compartment with adjustable and removable shelf.  Full length shelf with drop down rear access door.  4.61.12.5 Compartments to be equipped with LED lighting.				
4.61.13	COMPARTM 4.61.13.1 4.61.13.2 4.61.13.3 4.61.13.4 4.61.13.5 4.61.13.6	Second vertical- 26" cor Horizontal- 49 3/4" compa dividers. Rear vertical- 26 1/4" con Ladder rack/sleeve to ac Body to include tread pla	artment with two plain adjustable and removable shelves.  npartment with two plain adjustable and removable shelves.  artment with one slotted removable shelf with five adjustable  npartment with adjustable and removable shelf.  ccommodate 8' ladder.  ate on compartment tops, 12" platform extension and grip strut  hook recess. Also to include chock holders in wheel wells, one in each		

# 4.61.14 AERIAL SPECIFICATIONS

4.61.14.1 BOOM: Telescopic Boom Aerial 37ft. ground to bottom of platform, 41.0 ft. working height, 25.6 ft. horizontal reach. Mounted behind cab. One person end mounted fiberglass platform, 24" X 30" X 42", 350lb. capacity. Leveling provided by master/slave cylinder system. Tilt control at lower controls. Full pressure "3D" one hand upper controls with emergency hydraulic stop. Lower controls with capability of overriding upper controls. Insulated upper boom with minimum articulation of 14 degrees to 77 degrees. Padded boom rest with tie down. Lower boom of rectangular steel tube. Minimum articulation is from 5 degrees to 78 degrees. Lower boom insert with insulation gap of 12". Continuous "shear-ball" rotation. Integral 20 gallon hydraulic oil reservoir. Safety harness and lanyard. Liner for 24" x 30" fiberglass platform. Vinyl platform and control cover for 24" x 30" fiberglass platform. Bucket to include tray mounted on outside. 180 degree hydraulic platform rotator for end mounts. Engine start/stop at platform. Four channel electric collector ring. Electrical control switch panel used in conjunction with start/stop system.

#### 4.61.16 MISCELLANEOUS ITEMS REQUIRED:

MIOOLLLAIT	LOGS IT LING INLEGGINED.
4.61.16.1	Mud flaps with mounting brackets.
4.61.16.2	Combination pintle/ball hitch complete with crossmember brace and two safety chain "D" rings.
4.61.16.3	Six -way trailer socket. Two rubber wheel chocks with handles.
4.61.16.4	Two cable stirrup steps installed under tail shelf, two grab handles also installed on tail shelf.
4.61.16.5	Five lb. Fire extinguisher with mount bracket.
4.61.16.6	Triangle reflector kit with storage box.
4.61.16.7	Back up alarm.
4.61.16.8	Non-skid paint on walk surfaces to include tread plate on compartment tops.
4.61.16.9	Arrow Bar to be equipped on unit with controls in cab.
4.61.16.10	Waterproof Bucket cover to be provided.
	4.61.16.1 4.61.16.2 4.61.16.3 4.61.16.4 4.61.16.5 4.61.16.6 4.61.16.7 4.61.16.8 4.61.16.9

4.62	MEM	QUANTITY	DESCRIPTION	
	.60	· Veri	1/2 Ton Full Size Extended Cab 4x4 Pickup	Truck

- 4.62.1 ENGINE: 6 cylinders or greater with a minimum of 270 HP
- 4.62.2 GVWR: Minimum of 6,000 lbs.
- 4.62.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum; power steering; 4x4 drive train with an electric shift control two speed transfer case.
- 4.62.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.62.5 **DIMENSIONS**: Extended cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum of 140 inches.
- 4.62.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
- 4.62.7 **TIRES & WHEELS**: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.62.8 FUEL SYSTEM Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.62.9 SEATING: Vinyl seating and upholstery.
- 4.62.10 LIGHTING: See-4-2-25
- 4.63. ITEM QUANTITY DESCRIPTION

- 4.63.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP. 645
- 4.63.2 GVWR: Minimum 8,501 lbs.
- 4.63.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 4.63.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.63.5 **DIMENSIONS**: Four full door cab configuration, minimum 75" inch bed length, maximum 82" inch bed length. Wheelbase to be a minimum of 149" inches.
- 4.63.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.63.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle all terrain design with full size matching spare tire and wheel.
- 4.63.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 4.63.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.63.10 LIGHTING: See 4.2.25.
- 4.63.11 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin)
- 4.63.12 **TOOLBOX**: Unit to be equipped with a truck bed tool box. The box is to be made of heavy duty diamond tread plate aluminum to prevent rusting and be equipped with 2 locks. Tool box is to be flush against the cab of the truck and bolted down on bed rails. The dimensions of the tool box to be a minimum 69"L x 12"W x 13"H and to be black in color.

#### 005 - SUPPLEMENTAL TERMS & CONDITIONS

#### Original Contract Term.

This contract shall begin upon the effective date of the ordinance awarding the contract, or date specified in the award letter if this contract does not exceed \$50,000. This contract shall terminate upon completion of all work described herein or delivery of all goods ordered, as applicable.

#### Insurance.

Prior to the commencement of any work under this Agreement, Vendor shall furnish copies of all required endorsements and completed Certificate(s) of Insurance to the City's Finance Department, which shall be clearly labeled "Purchase of Light Duty Trucks & Vehicles" in the Description of Operations block of the Certificate. The Certificate(s) shall be completed by an agent and signed by a person authorized by that insurer to bind coverage on its behalf. City will not accept a Memorandum of Insurance or Binder as proof of insurance. The certificate(s) must have the agent's signature and phone number, and be mailed, with copies of all applicable endorsements, directly from the insurer's authorized representative to City. City shall have no duty to pay or perform under this Agreement until such certificate and endorsements have been received and approved by City's Finance Department. No officer or employee, other than City's Risk Manager, shall have authority to waive this requirement.

City reserves the right to review the insurance requirements of this Article during the effective period of this Agreement and any extension or renewal hereof and to modify insurance coverages and their limits when deemed necessary and prudent by City's Risk Manager based upon changes in statutory law, court decisions, or circumstances surrounding this Agreement. In no instance will City allow modification whereby City may incur increased risk.

A Vendor's financial integrity is of interest to City; therefore, subject to Vendor's right to maintain reasonable deductibles in such amounts as are approved by City, Vendor shall obtain and maintain in full force and effect for the duration of this Agreement, and any extension here of, at Vendor's sole expense, insurance coverage written on an occurrence basis, unless otherwise indicated, by companies authorized to do business in the State of Texas and with an A.M Best's rating of no less than A- (VII), in the following types and for an amount not less than the amount listed below:

TYPE	AMOUNTS
Commercial General Liability Insurance to include coverage for the following:     a. Premises/Operations     b. Products/Completed Operations     c. Personal/Advertising Injury	For Bodily Injury and Property Damage of \$1,000,000 per occurrence; \$2,000,000 General Aggregate, or its equivalent in Umbrella or Excess Liability Coverage

Vendor agrees to require, by written contract, that all subcontractors providing goods or services hereunder obtain the same insurance coverages required of Vendor herein, and provide a certificate of insurance and endorsement that names Vendor and City as additional insureds. Vendor shall provide City with said certificate and endorsement prior to the commencement of any work by the subcontractor. This provision may be modified by City's Risk Manager, without subsequent City Council approval, when deemed necessary and prudent, based upon changes in statutory law, court decisions, or circumstances surrounding this agreement. Such modification may be enacted by letter signed by City's Risk Manager, which shall become a part of the contract for all purposes.

As they apply to the limits required by City, City shall be entitled, upon request and without expense, to receive copies of the policies, declaration page, and all endorsements thereto and may require the deletion, revision, or modification of particular policy terms, conditions, limitations, or exclusions (except where policy provisions are established by law or regulation binding upon either of the parties hereto or the underwriter of any such policies). Vendor shall be required to comply with any such requests and shall submit a copy of the replacement certificate of insurance to City at the address provided below within 10 days of the requested change. Vendor shall pay any costs incurred resulting from said changes.

City of San Antonio Attn: Finance Department P.O. Box 839966 San Antonio, Texas 78283-3966

Vendor agrees that with respect to the above required insurance, all insurance policies are to contain or be endorsed to contain the following provisions:

Name City, its officers, officials, employees, volunteers, and elected representatives as <u>additional insureds</u> by endorsement, as respects operations and activities of, or on behalf of, the named insured performed under contract with City, with the exception of the workers' compensation and professional liability policies;

Provide for an endorsement that the "other insurance" clause shall not apply to the City of San Antonio where City is an additional insured shown on the policy;

Workers' compensation, employers' liability, general liability and automobile liability policies will provide a waiver of subrogation in favor of City; and

Provide advance written notice directly to City of any suspension, cancellation, non-renewal or material change in coverage, and not less than ten (10) calendar days advance notice for nonpayment of premium.

Within five (5) calendar days of a suspension, cancellation or non-renewal of coverage, Vendor shall provide a replacement Certificate of Insurance and applicable endorsements to City. City shall have the option to suspend Vendor's performance should there be a lapse in coverage at any time during this contract. Failure to provide and to maintain the required insurance shall constitute a material breach of this Agreement.

In addition to any other remedies City may have upon Vendor's failure to provide and maintain any insurance or policy endorsements to the extent and within the time herein required, City shall have the right to order Vendor to stop work hereunder, and/ or withhold any payment(s) which become due to Vendor hereunder until Vendor demonstrates compliance with the requirements hereof.

Nothing herein contained shall be construed as limiting in any way the extent to which Vendor may be held responsible for payment of damages to persons or property resulting from Vendor's or its subcontractors' performance of the work covered under this Agreement.

It is agreed that Vendor's insurance shall be deemed primary and non-contributory with respect to any insurance or self insurance carried by City for liability arising out of operations under this Agreement.

It is understood and agreed that the insurance required is in addition to and separate from any other obligation contained in this Agreement and that no claim or action by or on behalf of City shall be limited to insurance coverage provided.

Vendor and any subcontractors are responsible for all damage to their own equipment and/or property.

<u>Change Orders</u>. Notwithstanding anything stated to the contrary in Section 006 – General Terms & Conditions, in order to comply with Texas law governing purchases made by municipalities, the following rules shall govern all change orders made under this contract.

Any change orders that become necessary during the term of this contract as a result of changes in plans, specifications, quantity of work to be performed, materials, equipment or supplies to be furnished must be in writing and conform to the requirements of City Ordinance 2011-12-08-1014, as hereafter amended.

Any other change will require approval of the City Council, City of San Antonio.

Changes that do not involve an increase in contract price may be made by the Director.

No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated herein.

Incorporation of Attachments

Each of the attachments listed below is an essential part of this contract, which governs the rights and duties of the parties, incorporated herein by reference, and shall be interpreted in the order of priority as appears below, with this document taking priority over all attachments:

Attachment A - Price Schedule

Attachment B - City of San Antonio Local Preference Program Forms

Attachment C – City of San Antonio Veteran-Owned Small Business Preference Program (VOSBPP) Ordinance Language & Form

#### **006 - GENERAL TERMS & CONDITIONS**

<u>Electronic Bid Equals Original</u>. If Vendor is submitting an electronic bid, City and Vendor each agree that this transaction may be conducted by electronic means, as authorized by Chapter 322, Texas Business & Commerce Code, known as the Electronic Transactions Act.

#### Delivery of Goods/Services.

<u>Destination Contract.</u> Vendor shall deliver all goods and materials F.O.B., City of San Antonio's designated facility, inside delivery, freight prepaid, to the address provided in this IFB or, if different, in the Purchase Order. Vendor shall bear the risk of loss until delivery. Freight charges will be paid only when expedited delivery is requested and approved in writing by the City. Vendor shall be responsible for furnishing necessary personnel or equipment and/or making necessary arrangements to off load at City of San Antonio facility, unless otherwise noted herein.

<u>Failure to Deliver</u>. When delivery is not met as provided for in the contract, City may make the purchase on the open market, with any cost in excess of the contract price paid by Vendor, in addition to any other direct, indirect, consequential or incidental damages incurred by City as a result thereof. In addition, Vendor may be removed from the City's list of eligible bidders.

<u>Purchase Orders</u>. Each time a City department wishes to place an order against this contract, it will issue Vendor a purchase order. Vendor must have the purchase order before making any delivery.

Acceptance by City. City shall have a reasonable time (but not less than 30 days) after receipt to inspect the goods and services tendered by Vendor. City at its option may reject all or any portion of such goods or services which do not, in City's sole discretion, comply in every respect with all terms and conditions of the contract. City may elect to reject the entire goods and services tendered even if only a portion thereof is nonconforming. If City elects to accept nonconforming goods and services, City, in addition to its other remedies, shall be entitled to deduct a reasonable amount from the price thereof to compensate City for the nonconformity. Any acceptance by City, even if non-conditional, shall not be deemed a waiver or settlement of any defect in such goods and services.

<u>Testing</u>. After award of contract, City may, at its sole option, test the product delivered to ensure it meets specifications. Initial testing shall be at City's expense. However, if the product does not to meet specifications, Vendor shall reimburse City for the costs of testing. City may withhold the cost of testing from any amounts owed to Vendor under this or any other contract, or invoice Vendor for same. If invoiced, Vendor shall pay City within 30 calendar days' of the invoice.

<u>Warranty</u>. A minimum of 90-days product guarantee or the manufacturer's standard commercial warranty, whichever is greater, shall apply to all products and/or services purchased under this IFB, unless otherwise specified in the Specifications/Scope of Services section of this IFB. This warranty shall provide for replacement of defective merchandise, parts, and labor, and shall include pick-up of the defective merchandise from City and delivery of the replacement(s) to the same location. The warranty shall be effective from the date of acceptance of the merchandise, or completion of the service, as applicable.

REJECTION OF DISCLAIMERS OF WARRANTIES & LIMITATIONS OF LIABILITY. ANY TERM OR CONDITION IN ANY DOCUMENT FURNISHED BY VENDOR, DISCLAIMING THE IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR ATTEMPTING TO LIMIT VENDOR'S LIABILITY SHALL BE OF NO FORCE OR EFFECT, AND SHALL BE STRICKEN FROM THE CONTRACT DOCUMENTS AS IF NEVER CONTAINED THEREIN.

#### Invoicing and Payment.

Address for Invoices. All original invoices must be sent to: City of San Antonio, Attn: Accounts Payable, P.O. Box 839976, San Antonio, Texas 78283-3976.

#### Information Required On Invoice.

All invoices must be in a form and content approved by the City. City may require modification of invoices if necessary in order to satisfy City that all billing is proper and pursuant to the terms of the contract. Invoices are required to show each City Purchase Order Number. Invoices must be legible. Items billed on invoices must be specific as to applicable stock, manufacturer, catalog or part number (if any). All invoices must show unit prices for each item being billed, the quantity of items being billed and the total for each item, as well as the total for all items on the invoice. If prices are

based on list prices basis, then the list prices, the percentage discount or percentage surcharge, net unit prices, extensions and net total prices must be shown. Prompt payment discounts offered shall be shown separately on the invoice.

## Payment by City.

In accordance with the Texas Prompt Payment Act, City shall have not less than 30 days to pay for goods or services. Time for payment, including payment under discount terms, will be computed from the later of: (1) the date City receives conforming goods under the contract; (2) the date performance of the service under the contract is completed; or (3) the date City receives a correct and valid invoice for the goods or services. Payment is deemed to be made on the date of mailing of the check. Payment is made in US dollars only.

This provision shall not apply where there is a bona fide dispute between City and Vendor about the goods delivered or the service performed that causes the payment to be late, or where the invoice is not mailed to the address provided herein.

The payment amount due on invoices may not be manually altered by City personnel. Once disputed items are reconciled, Vendor must submit a corrected invoice or a credit memorandum for the disputed amount. City will not make partial payments on an invoice where there is a dispute.

NECESSITY OF TIMELY INVOICE / WAIVER OF PAYMENT. NOTWITHSTANDING THE FORGOING, THE CITY CANNOT PAY FOR ANY GOODS OR SERVICES WITHOUT AN INVOICE. VENDOR MUST INVOICE CITY NO LATER THAN 90 CALENDAR DAYS FROM THE DATE GOODS ARE DELIVERED OR SERVICES RENDERED. FAILURE TO SUBMIT AN INVOICE WITHIN SAID 90 DAYS SHALL NEGATE ANY LIABILITY ON THE PART OF CITY AND CONSTITUTE A WAIVER BY VENDOR OF ANY AND ALL RIGHT OR CLAIMS TO COLLECT MONEYS THAT VENDOR MAY RIGHTFULLY BE OTHERWISE ENTITLED TO FOR GOODS OR SERVICES PERFORMED.

The total price for all goods and/or services is shown on the Price Schedule. No additional fees or expenses of Vendor shall be charged by Vendor nor be payable by City. The parties hereby agree that all compensable expenses of Vendor are shown on the Price Schedule. If there is a discrepancy on the Price Schedule between the unit price for an item, and the extended price, the unit price shall govern.

<u>Change Orders</u>. In order to comply with Texas law governing purchases made by municipalities, the following rules shall govern all change orders made under this contract.

Any change orders that become necessary during the term of this contract as a result of changes in plans, specifications, quantity of work to be performed, materials, equipment or supplies to be furnished may be approved by the Director, provided that such change orders:

- are made in writing, signed by the Director;
- do not involve an increase or decrease in contract price of more than \$25,000; and
- sufficient funds have already been allocated by City or are available to the Director to cover any increase in contract price.

Any other change will require approval of the City Council, City of San Antonio.

Changes that do not involve an increase in contract price may, however, be made by the Director.

No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated herein.

## Termination.

<u>Termination-Breach</u>. Should Vendor fail to fulfill in a timely and proper manner, as determined solely by the Director, its material obligations under this contract, or violate any of the material terms of this contract, City shall have the right to immediately terminate the contract in whole or in part. Notice of termination shall be provided in writing to Vendor, effective upon the date set forth in the notice. City may, in City's sole discretion, provide an opportunity for Vendor to cure the default. If City elects to offer an opportunity to cure, City shall provide notice to Vendor specifying the matters in default and the cure period. If Vendor fails to cure the default within the cure period, City shall have the right, without further notice, to terminate the contract in whole or in part. Such termination shall not relieve Vendor of any liability to the City for damages sustained by virtue of any breach by Vendor.

<u>Termination-Notice</u>. City may terminate this contract, in whole or in part, without cause. City shall be required to give Vendor notice ten days prior to the date of termination of the contract without cause.

<u>Termination-Funding</u>. City retains the right to terminate this contract at the expiration of each of City's budget periods. This contract is conditioned on a best efforts attempt by City to obtain and appropriate funds for payment of any debt due by City herein.

Termination by City may be effected by Director, without further action by the San Antonio City Council.

<u>Independent Contractor</u>. Vendor covenants and agrees that it is an independent contractor and not an officer, agent, servant or employee of City. City shall not be liable for any claims which may be asserted by any third party occurring in connection with the services to be performed by Vendor under this contract and that Vendor has no authority to bind City. The doctrine of respondeat superior shall not apply as between City and Vendor.

#### INDEMNIFICATION.

VENDOR covenants and agrees to FULLY INDEMNIFY, DEFEND and HOLD HARMLESS, CITY and the elected officials, employees, officers, directors, volunteers and representatives of CITY, individually and collectively. from and against any and all costs, claims, liens, damages, losses, expenses, fees, fines, penalties, proceedings, actions, demands, causes of action, liability and suits of any kind and nature, including but not limited to, personal or bodily injury, death and property damage, made upon CITY directly or indirectly arising out of, resulting from or related to VENDOR'S activities under this Agreement, including any acts or omissions of VENDOR, any agent, officer, director, representative, employee, consultant or subcontractor of VENDOR, and their respective officers, agents employees, directors and representatives while in the exercise of the rights or performance of the duties under this Agreement. The indemnity provided for in this paragraph shall not apply to any liability resulting from the negligence of CITY, it s officers or employees, in instances where such negligence causes personal injury, death, or property damage. IN THE EVENT VENDOR AND CITY ARE FOUND JOINTLY LIABLE BY A COURT OF COMPETENT JURISDICTION, LIABILITY SHALL BE APPORTIONED COMPARATIVELY IN ACCORDANCE WITH THE LAWS FOR THE STATE OF TEXAS, WITHOUT, HOWEVER, WAIVING ANY GOVERNMENTAL IMMUNITY AVAILABLE TO THE CITY UNDER TEXAS LAW AND WITHOUT WAIVING ANY DEFENSES OF THE PARTIES UNDER TEXAS LAW. In addition, Vendor agrees to indemnify, defend, and hold the City harmless from any claim involving patent infringement, trademarks, trade secrets, and copyrights on goods supplied.

The provisions of this INDEMNITY are solely for the benefit of the parties hereto and not intended to create or grant any rights, contractual or otherwise, to any other person or entity. VENDOR shall advise CITY in writing within 24 hours of any claim or demand against CITY or VENDOR known to VENDOR related to or arising out of VENDOR's activities under this AGREEMENT and shall see to the investigation and defense of such claim or demand at VENDOR's cost. CITY shall have the right, at its option and at its own expense, to participate in such defense without relieving VENDOR of any of its obligations under this paragraph.

Assignment. Except as otherwise stated herein, Vendor may not sell, assign, pledge, transfer or convey any interest in this contract, nor delegate the performance of any duties hereunder, by transfer, by subcontracting or any other means, without the consent of Director. As a condition of such consent, if such consent is granted, Vendor shall remain liable for completion of the services and provision of goods outlined in this contract in the event of default by the successor Vendor, assignee, transferee or subcontractor. Any attempt to transfer, pledge or otherwise assign this Contract without said written approval, shall be void ab initio and shall confer no rights upon any third person.

Ownership of Documents. Pursuant to Texas Local Government Code Chapter 201, any and all Records produced by Vendor pursuant to the provisions of this contract are the exclusive property of City; and no such Record shall be the subject of any copyright or proprietary claim by Vendor. The term "Record" as used herein shall mean any document, paper, letter, book, map, photograph, sound or video recording, microfilm, magnetic tape, electronic medium, or other information recording medium, regardless of physical form or characteristic. Vendor understands and acknowledges that as the exclusive owner of any and all such Records, City has the right to use all such Records as City desires, without restriction.

#### Records Retention.

Vendor and its subcontractors, if any, shall properly, accurately and completely maintain all documents, papers, and records, and other evidence pertaining to the services rendered hereunder ("Documents"), and shall make such Documents available to the City at their respective offices, at all reasonable times and as often as City may deem necessary during the contract period, including any extension or renewal hereof, and the record retention period

established herein, for purposes of audit, inspection, examination, and making excerpts or copies of same by City and any of its authorized representatives.

Vendor shall retain any and all Documents produced as a result of services provided hereunder for a period of four years ("Retention Period") from the date of termination of the contract. If, at the end of the Retention Period, there is litigation or other questions arising from, involving or concerning these Documents or the services provided hereunder, Vendor shall retain the records until the resolution of such litigation or other such questions. Vendor acknowledges and agrees that City shall have access to any and all such Documents at any and all times, as deemed necessary by City, during said Retention Period. City may, at its election, require Vendor to return the documents to City at Vendor's expense prior to or at the conclusion of the Retention Period. In such event, Vendor may retain a copy of the documents.

Vendor shall notify City, immediately, in the event Vendor receives any requests for information from a third party, which pertain to the Documents referenced herein. Vendor understands and agrees that City will process and handle all such requests.

Severability. If any clause or provision of this contract is held invalid, illegal or unenforceable under present or future federal, state or local laws, including but not limited to the City Charter, City Code, or ordinances of the City of San Antonio, Texas, then and in that event it is the intention of the parties hereto that such invalidity, illegality or unenforceability shall not affect any other clause or provision hereof and that the remainder of this contract shall be construed as if such invalid, illegal or unenforceable clause or provision was never contained herein. It is also the intention of the parties hereto that in lieu of each clause or provision of this contract that is invalid, illegal, or unenforceable, there be added as a part of the contract a clause or provision as similar in terms to such invalid, illegal or unenforceable clause or provision as may be possible, legal, valid and enforceable.

<u>Compliance with Law.</u> Vendor shall provide and perform all services required under this Agreement in compliance with all applicable federal, state and local laws, rules and regulations.

<u>Certifications</u>. Vendor warrants and certifies that Vendor and any other person designated to provide services hereunder has the requisite training, license and/or certification to provide said services, and meets all competence standards promulgated by all other authoritative bodies, as applicable to the services provided herein.

Non-waiver of Performance. Unless otherwise specifically provided for in this Agreement, a waiver by either Party of a breach of any of the terms, conditions, covenants or guarantees of this Agreement shall not be construed or held to be a waiver of any succeeding or preceding breach of the same or any other term, condition, covenant or guarantee herein contained. Further, any failure of either Party to insist in any one or more cases upon the strict performance of any of the covenants of this Agreement, or to exercise any option herein contained, shall in no event be construed as a waiver or relinquishment for the future of such covenant or option. In fact, no waiver, change, modification or discharge by either party hereto of any provision of this Agreement shall be deemed to have been made or shall be effective unless expressed in writing and signed by the party to be charged. No act or omission by a Party shall in any manner impair or prejudice any right, power, privilege, or remedy available to that Party hereunder or by law or in equity, such rights, powers, privileges, or remedies to be always specifically preserved hereby.

<u>Venue</u>. Venue of any court action brought directly or indirectly by reason of this contract shall be in Bexar County, Texas. This contract is made and is to be performed in Bexar County, Texas, and is governed by the laws of the State of Texas.

Non-discrimination. As a condition of entering into this agreement, Vendor represents and warrants that it will comply with City's Commercial Nondiscrimination Policy, as described under Section IILC.1 of the SBEDA Ordinance. As part of such compliance, Vendor shall not discriminate on the basis of race, color, religion, ancestry or national origin, sex, age, marital status, sexual orientation, or on the basis of disability or other unlawful forms of discrimination in the solicitation, selection, hiring or commercial treatment of subcontractors, vendors, suppliers, or commercial customers, nor shall Vendor retaliate against any person for reporting instances of such discrimination. Vendor shall provide equal opportunity for subcontractors, vendors and suppliers to participate in all of its public sector and private sector subcontracting and supply opportunities, provided that nothing contained in this clause shall prohibit or limit otherwise lawful efforts to remedy the effects of marketplace discrimination that have occurred or are occurring in the City's Relevant Marketplace. Vendor understands and agrees that a material violation of this clause shall be considered a material breach of this agreement and may result in termination of this agreement, disqualification of Vendor from participating in City contracts, or other sanctions. This clause is not enforceable by or for the benefit of, and creates no obligation to, any third party. Vendor shall include this nondiscrimination clause in all subcontracts for the performance of this contract.

As a party to this contract, Vendor understands and agrees to comply with the *Non-Discrimination Policy* of the City of San Antonio contained in Chapter 2, Article X of the City Code and further, shall not discriminate on the basis of race, color, religion, national origin, sex, sexual orientation, gender identity, veteran status, age or disability, unless exempted by state or federal law, or as otherwise established herein.

<u>Delinquent Taxes</u>. In the event that Vendor is or subsequently becomes delinquent in the payment of taxes owed to the City of San Antonio, the City reserves the right to deduct any delinquent taxes from payments that the City may owe to the delinquent Vendor as a result of this contract.

<u>Binding Contract</u>. This contract shall be binding on and inure to the benefit of the parties hereto and their respective heirs, executors, administrators, legal representatives, and successors and assigns, except as otherwise expressly provided for herein.

Entire Agreement. This contract, including City's final electronically posted online version, together with its authorizing ordinance and its price schedule(s), attachments, purchase orders, and exhibits, if any, constitutes the final and entire agreement between the parties hereto and contains all of the terms and conditions agreed upon. No other agreements, oral or otherwise, regarding the subject matter of this contract shall be deemed to exist or to bind the parties hereto, unless same be in writing, dated subsequent to the date hereof, and be duly executed by the parties, in accordance with the Change Order provision herein. Parties agree that City's final electronically posted online version of this solicitation contains the agreed upon specifications, scope of services, and terms and conditions of this contract, and shall control in the event of a conflict with any printed version signed and submitted by Vendor.

#### 007 - SIGNATURE PAGE

By submitting a bid, whether electronically or by paper, Bidder represents that:

(s)he is authorized to bind Bidder to fully comply with the terms and conditions of City's Invitation for Bid for the prices stated therein;

(s)he has read the entire document, including the final version issued by City, and agreed to the terms therein;

Bidder is in good standing with the Texas State Comptroller's Office; and

to the best of his/her knowledge, all information is true and correct.

If submitting your bid by paper, complete the following and sign on the signature line below. Failure to sign and submit this Signature Page will result in rejection of your bid.

Bidder Information Please Print or Type	
Vendor ID No.	1020494
Signer's Name	Averyt Knapp
Name of Business	Caldwell Country Churclet
Street Address	PO BOX 27 (PHY: 800 E. Hery 21
City, State, Zip Code	Caldwell, TX 17836
Email Address	aknapp p caldwell country. com
Telephone No.	979-567-6116
Fax No.	979-567-0853
City's Solicitation No.	6100007067
Signature of Person Aut	horized to Sign Bid

#### 008 - STANDARD DEFINITIONS

Whenever a term defined by the Uniform Commercial Code ("UCC"), as enacted by the State of Texas, is used in the Contract, the UCC definition shall control, unless otherwise defined in the Contract.

All-or-None Bid - an invitation to bid in which the City will award the entire contract to one bidder only.

Alternate Bid - two or more bids with substantive variations in the item or service offered from the same bidder in response to a solicitation.

Assignment - a transfer of claims, rights or interests in goods, services or property.

Bid - a complete, signed response to a solicitation. The term "bid" is synonymous with the term "offer".

Bid Opening - a public meeting during which bid responses are disclosed.

<u>Bidder</u> - a person, firm or entity that submits a bid in response to a solicitation. The bidder whose bid is accepted by City may also be referred to herein as Contractor, Vendor or Supplier.

Bid Bond or Bid Guarantee - security to ensure that Bidder (a) will not withdraw the bid within the period specified for acceptance, and (b) will furnish any required bonds or performance guarantees, and any necessary insurance within the time specified in the solicitation.

<u>Change Order</u> - a change to the plans or specifications of the contract, or an increase or decrease in the quantity of work to be performed or of materials, equipment, or supplies to be furnished, issued by the Director after the bid has been accepted by the City.

City - the City of San Antonio, a Texas home-rule municipal corporation.

Contract - the binding legal agreement between the City and Vendor.

<u>Contractor</u> - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

<u>Director</u> - the Director of City's Purchasing & General Services Department, or Director's designee.

<u>Equal or Equivalent</u> - terms to indicate that similar products or other brands may be acceptable for purchase if specifications and functional requirements are met.

Invitation for Bid (IFB) – a solicitation requesting pricing for a specified good or a service.

Line Item - a listing of items in a bid for which a bidder is expected to provide separate pricing.

Low Bid - a bid which is lowest in price, but may not meet all requirements or specifications.

<u>Lowest Responsible Bidder</u> - the bidder whose bid meets all requirements of the specifications, terms and conditions of the IFB and results in the lowest cost to the City in an award based solely on price, taking into consideration the bidder's competence and qualifications to perform the contract.

Non-Responsive Bid - a bid or offer that does not comply with the terms and conditions, or specifications and/or requirements of the IFB.

Offer - a complete, signed response to an IFB that, if accepted, would bind the bidder to perform the resultant contract. The term "offer" is synonymous with the term "bid".

<u>Payment Bond</u> - a particular form of security provided by the contractor to protect the City against loss due to the contractor's failure to pay suppliers and subcontractors.

<u>Performance Bond</u> - a particular form of security provided by the contractor to protect the City against loss due to the contractor's inability or unwillingness to complete the contract as agreed.

<u>Performance Deposit</u> - security provided by the contractor to protect the City against loss due to the contractor's inability or unwillingness to complete the contract as agreed.

<u>Pre-Submittal Conference</u> - a meeting conducted by the City, held in order to allow bidders to ask questions about the proposed contract and particularly, the contract specifications.

<u>Purchase Order</u> - a validly issued order placed by an authorized City department for the purchase of goods or services, written on the City's standard purchase order form, and which is Vendor's authority to deliver to and invoice the City for the goods or services specified in an IFB for the price stated in Vendor's bid.

Responsible Bidder - a bidder who is known to have the necessary competence and qualifications to perform and provide all requirements of an intended contract.

Responsive Bidder - a bidder who tenders a bid which meets all requirements of the invitation to bid and is a responsible bidder.

<u>Sealed Bid</u> - a bid submitted as a sealed document, whether hard copy or electronic, by a prescribed time to the location indicated in the IFB. The contents of the bid will not be made public prior to the bid opening.

<u>Specifications</u> - a description of what the City requires and what the bidder must offer; a description of the physical or functional characteristics of a product or material, or the nature of a service or construction item.

<u>Subcontractor</u> - a person, firm or entity providing goods or services to a vendor to be used in the performance of the Vendor's obligations under the contract with the City.

<u>Supplier</u> - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

<u>Vendor</u> - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

Waiver of Irregularity - noting, but disregarding an immaterial variance within a bid.

# 009 - ATTACHMENTS

#### ATTACHMENT A

## LOCAL PREFERENCE PROGRAM ORDINANCE LANGUAGE

The 82nd Texas Legislature adopted a revision to the law that allowed the City of San Antonio (City) to adopt a policy that would grant contracting preferences to local businesses for certain types of contracts. The City adopted such a policy, known as the Local Preference Program, by Ordinance No. 2013-03-21-0167, effective for solicitations issued after May 1, 2013.

This solicitation is subject to the Local Preference Program. For more information on the program, refer to the Local Preference Program Identification Form attached to this solicitation.

In order to receive consideration the Local Bidder must complete and return the attached Local Preference Identification Form.

# PRICE SCHEDULE REVISED

ITEM	QUANTITY	DESCRIPTION
1	6	½ Ton Extended Cab 4x2 Compact Pickup Truck
PRICE EACH:	<u>\$23,925</u>	
TOTAL: \$/	43,550	
12014	MODEL OFFERED:	Colovado 4x2 Ext Cab 12m53
3. UVV	(E&MODEL OF ENGIN	IE OFFERED (INCLUDE SAE NET HP)
WARRANTY:	6, wo mike	)
WARRANTY SI	ERVICE PROVIDER NA	ME:
WARRANTY FA	ACILITY ADDRESS:	
san An.	HONIN	
DELIVERY WIL	L BE MADE WITHIN _	20 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION (	CUT-OFF DATE : <u> </u>	re 1
INDICATE THE MISSING THE F	LAST DAY THAT THE PRODUCTION CUT OFF	CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
	-9 119 1 71117110 71 601	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT NTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Paymen	nt Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
2	20	½ Ton Full Size Regular Cab 4x2	
PRICE EACH	: \$ 20,615		_
TOTAL: \$	12,300		
YEAR, MAKE	& MODEL OFFERED:	et 1500 silvuado	42 Rea lab
SPECIFIC MA	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)	6NB CC15703
WARRANTY:	(136,000 m)	res	
	SERVICE PROVIDER NA		
WARRANTY F	ACILITY ADDRESS:		
1261	11 1H35 N		
Jan	Antonio, TX		
DELIVERY WII	LL BE MADE WITHIN	CALENDER DAYS AFTER IS	SUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	ine I	
INDICATE THE MISSING THE	E LAST DAY THAT THE PRODUCTION CUT OF	CITY CAN PLACE ORDERS UNDER	THIS CONTRACT FOR 2016 WITHOUT
TINKI OILI DO	JEG INOT ANNARD A GU	DR ALL ORDERS PLACED PRIOR TO INTRACT PRIOR TO PRODUCTION C TTED, AFTER THE PRODUCTION CU	THIS CUT OFF DATE. IN THE EVENT UT OFF DATE, CAN BIDDER PROVIDE FOFF DATE? AWYF 30, 2016
Prompt Payme	ent Discount:	days. (If no disco	unt is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
3	1	1/2 Ton Full Size Regular Cab 4x2 w/ Headache Rack
PRÍCE EACH:	s 21,470	
TOTAL: \$ 21	,470	
	MODEL OFFERED:	tt 1500 Reg lab 42 2 501B CC15703
SPECIFIC MAK	E & MODEL OF ENGIN	E OFFERED (INCLUDE SAE NET HP)
WARRANTY:	4×   36,000 W	NICS
۸	ERVICE PROVIDER NAI	
WARRANTY FA	ACILITY ADDRESS:	
<u> </u>	un Antonio,	1X
DELIVERY WIL	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	ne I
INDICATE THE MISSING THE F	LAST DAY THAT THE PRODUCTION CUT OFF	CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DATE:
IHAI CIIY DO	ES NOT AWARD A CO.	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT NTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Paymer	nt Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
4	1	1/2 Ton Full Size Regular Cab 4x2- School Bus Yellow
PRICE EACH	1: \$ 20,870	
TOTAL: \$\frac{1}{2}	0,870	
YEAR, MAKE	E&MODEL OFFERE	evrolet 1500 Silvundo 4x2 Reg lab 5NB
SPECIFIC MA		NGINE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		DDD MILES
WARRANTY	SERVICE PROVIDE	
WARRANTY	FACILITY ADDRESS	:
	12601 1Hz	5 N
	San Anti	MID
DELI <b>VE</b> RY W	/ILL BE MADE WITHI	N 120 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	N CUT-OFF DATE :	June 1
INDICATE TH MISSING THE	HE LAST DAY THAT E PRODUCTION CU	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY L	JUES NOT AWARD.	M FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE UBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Paym	nent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
5	3	1/2 Ton Full Size Regular Cab 4x2 - One (1) Dark Blue/ Two (2) Black
PRICE EACH	\$21,181	•
TOTAL: \$_6	3,543	
YEAR, MAKE	& MODEL OFFER	RED: WENVOLET 1500 SI/WWW 44 Z Reg Cab ENGINE OFFERED (INCLUDE SAE NET HP)  SWB CC/5703
SPECIFIC MA	KE & MODEL OF	ENGINE OFFERED (INCLUDE SAE NET HP) SWB (US 703
WARRANTY:	34V	36,000 Miles
WARRANTY :	SERVICE PROVID	CNOVOICH
WARRANTY I	FACILITY ADDRE	3S: H35 N.
	san.	AVITONIO
DELIVERY W	ILL BE MADE WIT	HIN 120 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	N CUT-OFF DATE	: Junei
INDICATE TH MISSING THE	IE LAST DAY THA EPRODUCTION C	AT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
THAT CITY D	OES NOT AWAR	FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT D A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Paym	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
6	17	1/2 Ton Full Size Extended Cab 4x2 Pickup Truck
PRICE EACH:	<u>\$21,885</u>	
TOTAL: \$ 3 7	72,045	·
		volet 1500 Silwado 4x2 Deuble ab
		E OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
T-1	34V 36,1	000
WARRANTY SI	ERVICE PROVIDER NAI	
WARRANTY FA	ACILITY ADDRESS:	N
	San Antoi	AID
DELIVERY WIL	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER
PRODUCTION	CUT-OFF DATE :	Junei
	LAST DAY THAT THE PRODUCTION CUT OF	ECITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY DO	SES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DISTRICT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	nt Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
7	2	½ Ton Full Size Extended Cab 4x2 Pickup Truck w Lockable Bed Cover- Black & White
	· 25,315.	
TOTAL: \$	0,630	
YEAR, MAKE &	MODEL OFFERED:	voter 1500 Silvuado 4x2 Dunble CABSI
SPECIFIC MAI	KE & MODEL OF ENGIN	IE OFFERED (INCLUDE SAE NET HP)  (1) 1753
WARRANTY:	` '	· ·
	341 136,00	00 milts
WARRANTY S	ERVICE PROVIDER NA	
	bunn che	
WARRANTY F	ACILITY ADDRESS:	
	2601 1H35	7
	San Antor	IID
DELIVERY WII	LL BE MADE WITHIN 📗	20 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE : 1	nel
	E LAST DAY THAT THI PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A C	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE CAN BIDDER PROVIDE INTERD, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
8	2	1/2 Ton Full Size Extended Cab 4x2 Pickup Truck w/ Bucket Seats
	\$ 22,335°	
total: $\$$ $\psi$	4,670.	
YEAR, MAKE	& MODEL OFFERED:	et 1500 Silwado 4x2 Danble Cab
SPECIFIC MA	KE & MODEL OF ENGIN	IE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
	34V 136,000	Miles
WARRANTY S	SERVICE PROVIDER NA	ME:
	BUNN CM	Wolf
-		•
WARRANTY F	ACILITY ADDRESS:	35 N.
	J'an Anto	ΛΙΟ
DELIVERY WI	LL BE MADE WITHIN	20 calender days after issuance of purchase order.
PRODUCTION	I CUT-OFF DATE : $\underline{\mathcal{W}}$	ne!
INDICATE THE	E LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
BID PRICES S THAT CITY DO BID ITEMS, AT	SHALL REMAIN FIRM F OES NOT AWARD A CO TTHE BID PRICE SUBM	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DATE OF PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ant Discount:	days (If no discount is offered Not 20 will apply.)

11 EIVI	QUANTITY	DESCRIPTION
9	1	½ Ton Full Size Extended Cab 4x2 Pickup Truck w/ Bucket Seats and Lift Gate
PRICE EACH:	\$ 25,320	
TOTAL: \$ <u>ス</u>	5,320	
YEAR, MAKE	& MODEL OFFERED: 2016 CACVVO	Ht 1500 Silvendo 4x2 Double Cab CC15753
SPECIFIC MA	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:	34V  36,001	omiles
WARRANTY S	SERVICE PROVIDER NA GUNN (NC)	
	FACILITY ADDRESS:	
· · · ·	Jan Antonii	
DELIVERY WI	LL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	I CUT-OFF DATE : $\sqrt{\mathcal{V}}$	ine I
INDICATE TH MISSING THE	E LAST DAY THAT THI PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
エロスエ ヘコスノ ロ	AFA NAT AWADA A A	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE INTED, AFTER THE PRODUCTION CUT OFF DATE?
Promnt Paym	ent Discount:	days (If no discount is offered Not 20 will apply )

ITEM	QUANTITY	DESCRIPTION	
10	4	1/2 Ton Four Full Door Full Size 4x2 Pic	kup Truck
PRICE EACH:	s 24, 980		
TOTAL: \$	9,920		
YEAR, MAKE 8	MODEL OFFERED:	10/et 1500 Silverdo	Kr Crewab CUSTYS
SPECIFIC MAI 4.301		E OFFERED (INCLUDE SAE NET HP)	
warranty:	1 136,000 W	iles	
WARRANTY S	ERVICE PROVIDER NA		
WARRANTY F	ACILITY ADDRESS:		
,	San Anton	יטוֹ	
DELIVERY WII	LL BE MADE WITHIN	20 CALENDER DAYS AFTER ISS	UANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	Int I	_
	E LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER T F DATE:	HIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO DNTRACT PRIOR TO PRODUCTION CU ITTED, AFTER THE PRODUCTION CUT	T OFF DATE, CAN BIDDER PROVIDE
Prompt Payme	ent Discount:	days. (If no discou	nt is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
11	1	½ Ton Four Full Door Full Size 4x2 Pickup Truck- Dark Blue	
PRICE EACH:	\$ 25,715	, , , , , , , , , , , , , , , , , , ,	
TOTAL: \$ 25	715		
YEAR, MAKE &	MODEL OFFERED:	EVVOIET 1500 Solwwoods 442 Crencells	11/154
SPECIFIC MAR	E & MODEL OF ENGIN	E OFFERED (INCLUDE SAE NET HP)	
WARRANTY:	34V 3b, DI	DD miles	
WARRANTY S	ERVICE PROVIDER NA GUNN CMTA		
WARRANTY FA	ACILITY ADDRESS:	7	
	San Ant	DNID	
DELIVERY WIL	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER	₹
PRODUCTION	CUT-OFF DATE :	inel 1941	
	E LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WI'F DATE:	THOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE DITTACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PRIOR THE PRODUCTION CUT OFF DATE?	
Prompt Payme	ent Discount:		

ITEM	QUANTITY	DESCRIPTION
12	2	½ Ton Four Full Door Full Size 4x2 Pickup Truck w/ Lockable Bed Cover
PRICE EACH:	s 26,740	
TOTAL: \$	3,480	
YEAR, MAKE	& MODEL OFFERED:	1et 1500 Silwado 4x2 Concello CCITT43
SPECIFIC MAI	KE & MODEL OF ENGIN	IE OFFERED (INCLUDE SAE NET HP)
warranty:	Y 136,000	mites
WARRANTY S	SERVICE PROVIDER NA GUNN CHO	··· <del>·</del>
WARRANTY F	acility address: 2601 1H35 Jan Antonio	N
DELIVERY WI	LL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	mel
INDICATE THI MISSING THE	E LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DISTRICT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	% days. (If no discount is offered. Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
13	1	1/2 Ton Four Full Door Full Size 4x4 Pickup Truck
PRICE EACH:	s 27,620	
TOTAL: \$\frac{1}{\infty}	7,620	
YEAR, MAKE &	8 MODEL OFFERED: LOIG CHEVE	Olt Silwado 1500 Cheweap 4x4 CK45X
SPECIFIC MAI 4.3しV		E OFFERED (INCLUDE SAE NET HP)
WARRANTY:	344 36,000	miles
WARRANTY S	ERVICE PROVIDER NA	. 3
WARRANTY F	acility address: 12601 1H2 San An	35 N TOMID
DELIVERY WII	LL BE MADE WITHIN	120 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	une I
INDICATE THE	E LAST DAY THAT THE PRODUCTION CUT OF	ECITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DISTRICT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Promnt Payme	ent Discount:	- % - days (If no discount is offered. Net 30 will apply )

ITEM	QUANTITY	DESCRIPTION
14	2	¾ Ton Regular Cab Gasoline 4x2 Pickup Truck
PRICE EACH	\$ 25,775	
ع TOTAL: \$		
		· · · · · · · · · · · · · · · · · · ·
YEAR, MAKE	& MODEL OFFERED: 2016 CNC	VVDIET 2500 HO Reg Cab 44 2 CC25913
SPECIFIC MA	KE & MODEL OF ENG	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:	34v   3b, 000	milts
WARRAŅTY :	SERVICE PROVIDER NA	
WARRANTY I	FACILITY ADDRESS: 12601 1135 SAM AWT	N.
DELIVERY W	ILL BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER
PRODUCTIOI	N CUT-OFF DATE :	unel
	IE LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY D	OES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE INTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Paym	ent Discount:	% days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
15	1	3/4 Ton Regular Cab Diesel 4x2 Pickup Truck
ל	* 33,545 3,545	······································
TOTAL: \$	<i>&gt;   •   v</i>	
YEAR, MAKE 8	MODEL OFFERED:	DIET 2500 HD RUG LAB UV 2 CC25903 DIE OFFERED (INCLUDE SAE NET HP) SYNWOOD 6.61 DUVAMIX DIESUL, 397hp
SPECIFIC MAR	KE & MODEL OF ENGIN	JE OFFERED (INCLUDE SAE NET HP) WANT LOUIS SAE NET HP) JUNEAU SAE NET HP) JUNEAU SAE NET HP)
WARRANTY:		•
	<u>347  36,000</u>	MILES
WARRANTY S	ERVICE PROVIDER NA	ME:
	GUNN Chevy	olet
WARRANTY F	ACILITY ADDRESS: LADI 1H35 N	
\ \( \frac{1}{\chi} \)	n Antonio	•
	VI INTIDUCIO	
DELIVERY WI	L BE MADE WITHIN	20 calender days after issuance of purchase order.
PRODUCTION	CUT-OFF DATE :	Intl
INDICATE THE	E LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DISTRICT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE INTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
16	1	3/4 Ton Regular Cab 4x2 Pickup Truck w/ Lift Gate
PRICE EAC	:H: \$ 28,645	
TOTAL: \$	28,645	
YEAR, MAK	Chinalet 25	2040 Rug Cab 4VZ CCZ1903
SPECIFIC N	MAKE & MODEL OF EN	IGINE OFFERED (INCLUDE SAE NET HP)
WARRANT	YE	
WARRANT 1260 L	Y SERVICE PROVIDER	R NAME:
JAN N	14 WULD; 1 (	<u>V</u>
WARRANT	Y FACILITY ADDRESS	:
JAN A	Viena	
	WILL BE MADE WITHI	
PRODUCTI	ON CUT-OFF DATĘ :-⊴	Tyne 15, 2016
INDICATE 1	THE LAST DAY THAT	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY	DOES NOT AWARD	IM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE! CAN BIDDER PROVIDE UBMITTED, AFTER THE PRODUCTION CUT OFF DATE!
Prompt Pay	yment Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
17	2	3/4 Ton Live Animal Control/Transport Pickup Truck
PRICE EACH:	\$	
TOTAL: \$		·
YEAR, MAKE 8	MODEL OFFERED:	
SPECIFIC MAR	KE & MODEL OF ENGIN	E OFFERED (INCLUDE SAE NET HP)
WARRANTY:	*	
WARRANTY S	ERVICE PROVIDER NA	ME:
WARRANTY FA	ACILITY ADDRESS:	
DELIVERY WIL	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	
		E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DATEACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION		
18	1	3/4 Ton, 56" Cab to Axle, Utility Bed Truck w/ Ladder Rack		
PRICE EACH:	\$ 32,725			
TOTAL: \$	2,725			
YEAR, MAKE	MODEL OFFERED:	Ho Reg Gb 4V2 CCESTOS		
SPECIFIC MA	KE & MODEL OF ENGLISH	NE OFFERED (INCLUDE SAE NET HP)		
WARRANTY:	1000 mily			
<b>73</b>	WARRANTY SERVICE PROVIDER NAME:			
WARRANTY F	ACILITY ADDRESS:			
San MM	Terro IX	•		
DELIVERY WI	LL BE MADE WITHIN /	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.		
PRODUCTION	CUT-OFF DATE:	IN 15, 70/6		
INDICATE TH MISSING THE	E LAST DAY THAT TH PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT		
THAT CITY D	OES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?		
Prompt Paym	ent Discount:	days. (If no discount is offered, Net 30 will apply.)		

ITEM 19	QUANTITY 1	DESCRIPTION 3/4 Ton, 56" Cab to Axle, Utility Bed Truck w/ Pipe Rack
PRICE EACH:	\$ 35,400	
TOTAL: \$	5,400	
YEAR, MAKE	& MODEL OFFERED:	RHD Reg Cib 4x2 CCZI9E3
SPECIFIC MA	KE & MODEL OF ENGL	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY;	1 DOO MILLS	
WARRANTY S	SERVICE PROVIDER N	AME:
	FACILITY ADDRESS:	
IAN AN	1435 N 1111W X	
DELIVERY W	ILL BE MADE WITHIN 』	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	N CUT-OFF DATE JU	v 15/20/6
	IE LAST DAY THAT THE PRODUCTION CUT O	IE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY D	OES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE:
Prompt Paym	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
20	1	3/4 Ton, 56"Cab to Axle, 4x4 Utility Bed Truck
PRICE EACH:	\$ 33,980	
TOTAL: \$	3,980	
YEAR, MAKE 8	MODEL OFFERED: WWW.LGF 250	0 HD Pay Pab 4X4 CK25903
SPECIFIC MAR	RE & MODEL OF ENGINE	E OFFERED (INCLUDE SAE NET HP) 340 C 4200
WARRANTY:	6,000 milk	7
WARRANTY S	ERVICE PROVIDER NA	ME:
WARRANTY F	ACILITY ADDRESS	
fan And	pono, 1X	•
	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	ine 12, 7016
INDICATE THE MISSING THE	E LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DISTRICT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
21	2	3/4 Ton, 56" Cab to Axle, 4x4 Utility Bed Truck w Headache Rack and Beacon Lighting
PRICE EACH	: \$ 34,919	
TOTAL: \$ 6	9,838	
YEAR, MAKE	& MODEL OFFERED:	500Ho Reg Cab 4x4 CKZ5903
SPECIFIC MA	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:	spinon mile	4
WARRANTY S	SERVICE PROVIDER NA	ME:
WARRANTY F	FACILITY ADDRESS	
fan M	Hour, IX	cA 11ha
	ILL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE	ne 15, 2016
	E LAST DAY THAT THI PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY D	OES NOT AWARD A CO	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE HITTED, AFTER THE PRODUCTION CUT OFF DATE: 2 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Prompt Paym	ent Discount:	days (If no discount is offered. Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
22	1	¾ Ton Extended Cab 4x2 Pickup Truck
PRICE EACH:	<u>\$ 27,544</u>	
TOTAL: \$	17,544	
YEAR, MAKE	& MODEL OFFERED:	0HO Double lab SNB CCZ5753
SPECIFIC MAI		NE OFFERED (INCLUDE SAE NET HP)
WARRANTY	wim own	
WARRANTY S	ERVICE PROVIDER NA	ME:
WARRANTY F	ACHITY ADDRESS	
12601	74/31 N	
IAN IN	HOUD	
	LL BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	I CUT-OFF DATE : $\overline{\mathcal{M}}$	INC 15, 20%
INDICATE THE		E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE HITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
23	2	3/4 Ton Extended Cab 4x2 Full Size Truck w/ Lift Gate
PRICE EACH: TOTAL: \$	529,984. 9,968	
YEAR, MAKE 8	MODEL OFFERED: WWGF Z511	HD Panble absub cc25713
SPECIFIC MAK	E & MODEL OF ENGIN	EOFFERED (INCLUDE SAE NET HP) 380 LUNGO 4, 200
WARRANTY: 34	1 WO	
WARRANTY SI	ERVICE PROVIDER NA	ME <del>.</del>
WARRANTY FA	ACILITY ADDRESS:	
Inn An	folle	-
	L BE MADE WITHIN <u>/</u>	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE . 14	<u>VL 13, UUN</u>
INDICATE THE MISSING THE	E LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DATE OF PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
24	10	3/4 Ton Extended Cab 4x2 Full Size Long Bed Truck w/ Toolbox
PRICE EACH:	<u> </u>	<del></del>
TOTAL: \$	1, 100	
YEAR, MAKE 8	MODEL OFFERED:	2040 Double GAO LINE CC2953
SPECIFIC MAP	SE & MODEL OF ENGIN	E OFFERED (INCLUDE SAE NET HP)
WARRANTY:	6,000 mily	
WARRANTY S BUNN	ERVICE PROVIDER NA	ME:
WARRANTY F	ACILITY ADDRESS	-
SAN AND	one	
	L BE MADE WITHIN	20 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE:	INC 15, 2016
INDICATE THE		CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DISTRIBUTED PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE ALL 30.
Prompt Payme	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
25	2	¾ Ton Extended Cab 4x4 Pickup Truck
PRICE EACH:	\$ 29,675	
TOTAL: \$_5	9,356	
YEAR, MAKE &	MODEL OFFERED:	Double CAB 4x4 SNB (K2575)
SPECIFIC MAI	SE & MODEL OF ENGING	IE OFFERED (INCLUDE SAE NET HP)  380 C4200
WARRANTY:	1,000 miles	
WARRANTY S	ERVICE PROVIDER NA	ME:
WARRANTY F.	ACHITY ADDRESS	M
m un	Honio, TX	
	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE : 74	ne 15, 2016
INDICATE THE		E CITY CAN PLACE, ORDERS, UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DATE CAN BIDDER PROVIDE SITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days (If no discount is offered. Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
26	7	¾ Ton Four Full Door 4x2 Pickup Truck
PRICE EACH:	s 29, V75	
TOTAL: \$	07,725	<u> </u>
YEAR, MAKE &	MODEL OFFERED:	40 Rowedb 422 CC25743
SPECIFIC MAI		E OFFERED (INCLUDE SAE NET HP) 390 C 4200
warranty; 3/V/361	me mile	
WARRANTY S	ERVICE PROVIDER NA	ME:
WARRANTY F	ACILITY ADDRESS:	
lan An	hous	
DELIVERY WIL	LL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE : 1	ne 15, 20 lb
INDICATE THE		E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DATE OF PRIOR TO PRODUCTION CUT OFF DATE CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
27	5	3/4 Ton Four Full Door 4x4 Gasoline Pickup Truck
PRICE EACH:	s 31,990	
TOTAL: \$	59, 950	
YEAR, MAKE ZOLD (M	& MODEL OFFERED: UND RF 2500	HD Couceb 444 CKZ5743
SPECIFIC MA		NE OFFERED (INCLUDE SAE NET HP) JO O Y WO
WARRANTY:	1000 miles	
WARRANTY S	SERVICE PROVIDER NA	AME:
	V	
WARRANTY F	FACILITY ADDRESS:	
SAN A	Hyero TX	
	ILL BE MADE WITHIN	20 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	OCUT-OFF DATE : 1	ne 15, 2016
	E LAST DAY THAT TH PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY D	OES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE CAN BIDDER PROVIDE AITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

	ITEM .	QUANTITY	DESCRIPTION
	28	3	3/4 Ton Four Full Door 4x4 Diesel Pickup Truck
	PRICE EACH:	\$ 39,650	
	TOTAL: \$	18,950	
	YEAR, MAKE 2016 (V	& model offered: Wwit 2500	40 anucob 4x4 smB PKZY743
	SPECIFIC MA	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)  WILL, 347/765 40 CI, 600
	WARRANTY:	6,000 m, W	
	WARRANTY S	SERVICE PROVIDER NA	AME:
	<u>*</u>		
	WARRANTY F	ACHITY ADDRESS:	
<	fan A	MOULD, 1)	
		LL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	PRODUCTION	I CUT-OFF DATE : $\mathcal{T}v$	ine 15, 2016
	INDICATE TH		E CITY CAN PLACE ORDERS, UNDER THIS CONTRACT FOR 2016 WITHOUT
			FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
	Prompt Paym	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
29	6	3/4 Ton Four Full Door 4x2 Gasoline Pickup Truck w/ Fiberglass Camper Shell
PRICE EAC	H: \$ 32,225	·
TOTAL: \$	193,350	<del></del>
YEAR, MAK	E&MODEL OFFERED:	10+15 Crewed 4x2 CNB CC259x3
SPECIFIC N		INE OFFERED (INCLUDE SAE NET HP)
WARRANTY 3yV3	6,000 m140	
WARRANTY	SERVICE PROVIDER N	JAME:
WARRANTY	FACILITY ADDRESS: 1435 N -	
SAN A	ntowo, TX	157
DELIVERY \	WILL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	ON CUT-OFF DATE ${\cal M}$	me 15, 20 lb
	THE LAST DAY THAT THE PRODUCTION CUT (	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY	DOES NOT AWARD A	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE:
Prompt Pay	ment Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
30	3	1 Ton, Diesel, Regular Cab SRW 4x2 Pickup Truck
PRICE EACH:	<u>\$36,100</u>	
TOTAL: \$ 3/	,100	
YEAR, MAKE 8	MODEL OFFERED:	o Run Cub CC31903
SPECIFIC MAK	KE & MODEL OF ENGIN	e offered (include sae net hp)
WARRANTY:	1 DOU MILL	
WARRANTY SI	ERVICE PROVIDER NA	ME:
WARRANTY F	ACILITY ADDRESS:	
An Al	MULIO	-
DELIVERY WIL	L BE MADE WITHIN _/	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE : 40	n/30,2016
INDICATE THE	LAST DAY THAT THE PRODUCTION CUT OF	ECITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DATE PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE OFF DATE.
Prompt Payme	nt Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
31	1	1 Ton, Diesel, Regular Cab DRW 4x2 Pickup Truck
PRICE EAG	CH: \$36, PYO	
TOTAL: \$_	34, 180 AD	36,880
YEAR, MAI	KE & MODEL OFFEREI	200HD Rey Cab 4x4 CK31903
SPECIFIC 6.6L	MAKE & MODEL OF ENDUMY D	NGINE OFFERED (INCLUDE SAE NET HP)
WARRANT SUV 3	16,000 mills	,
WARRANT ALINA	Y SERVICE PROVIDER	R NAME:
WARRANT	Y FACILITY ADDRESS	· :
Jon	Antomo, 1	<u> </u>
DELIVERY	WILL BE MADE WITHI	
PRODUCT	ION CUT-OFF DATE :	Jpn   30, 2016
INDICATE MISSING T	THE LAST DAY THAT THE PRODUCTION CU	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY	Y DOES NOT AWARD	AM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE CAN BIDDER PROVIDE UBMITTED, AFTER THE PRODUCTION CUT OFF DATE O
Prompt Pa	yment Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
32	2	1 Ton, Diesel, 84" Cab	to Axle, DRW, 4x2 Welder Body Pickup Truck
PRICE E	асн: \$ <u> 45,381)</u>		
TOTAL: \$	90,760		
Zolb		3500Hb (leg la 0	ec34403
SPECIFIC 6.66	CMAKE & MODEL OF E	NGINE OFFERED (INOLUDE	SAE NET HP)
WARRAN 3yv /	strong mil	V	•
WARRAN	NTY SERVICE PROVIDE	R NAME:	
WARRAN POO	TY FACILITY ADDRESS	): //	
SAM	Andow, 1	X	
DELIVER	Y WILL BE MADE WITH	IN/10 - /6 CALENDER D	DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUC	TION CUT-OFF DATE :	April 30, 20 lb	
INDICATI MISSING	E THE LAST DAY THAT THE PRODUCTION CU	THE CITY CAN PLACE OR	DERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CI	TY DOES NOT AWARD	A CONTRACT PRIOR TO PI	CED PRIOR TO THIS CUT OFF DATE. IN THE EVENT RODUCTION CUT OFF DATE CAN BIDDER PROVIDE DOUCTION CUT OFF DATE?
Prompt F	Payment Discount:	%da	ays. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
33	1	1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 10' Dump Bed Truck	
PRICE EA	.cн: \$ <u>13,875</u>		
TOTAL: \$	43,875		
YEAR, MA	ake & model offered	TROHD Rug Cab cc364B3	
SPECIFIC 1	MAKE & MODEL OF EN	IGINE OFFERED (INCLUDE SAE NET HP)  DNUL 397/765 TO X 1600	
WARRAN'	tx: 13 b, 000 mil	U	
WARRAN BUN	TY SERVICE PROVIDER	NAME:	
<del>,</del>			
WARRAN <sup>1</sup>	TY FACILITY ADDRESS:		
1240	1 JH35 N		
SmA	ntuus		
DELIVER	/ WILL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
PRODUCT	ΓΙΟΝ CUT-OFF DATE : 4	fpn/30, 2016	
INDICATE MISSING	THE LAST DAY THAT THE PRODUCTION CUT	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:	UT
THAT CIT	Y DOES NOT AWARD A	M FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEI A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVI JBMITTED, AFTER THE PRODUCTION CUT OFF DATE?	NT DE
Prompt Pa	ayment Discount:	%days. (If no discount is offered, Net 30 will apply.)	

ITEM	QUANTITY	DESCRIPTION	
34	1	1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 Flat/Stake Bed Truck	
PRICE E	асн: <u>\$ 39,875</u>		
TOTAL: \$	39,875		
YEAR, M	chunglet 3	Soo Ho Rea Cub Ce36403	
2 1	CMAKE & MODEL OF E	NGINE, OFFERED (INCLUDE SAE NET HP)  V DIMU, 397/745 TO 0/1000	
WARRAN 3yu	361 WO		
warran 	NTY SERVICE PROVIDE	R NAME:	
<del> </del>			
WARRAN 1260	NTY FACILITY ADDRESS	:	
SAN	Antono		
DELIVER	RY WILL BE MADE WITH	N/50-160 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
PRODUC	CTION CUT-OFF DATE :	April 30, 2016	
INDICAT MISSING	E THE LAST DAY THAT THE PRODUCTION CU	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITH	OUT
THAT CI	TY DOES NOT AWARD	RM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVI A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROV UBMITTED, AFTER THE PRODUCTION CUT OFF DATE?	
Prompt I	Payment Discount:	%days. (If no discount is offered, Net 30 will apply.)	

ITEM	QUANTITY	DESCRIPTION
35	3	1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 Flat/Stake Bed Truck with Lift Gate
PRICE EAG	CH: \$ 42,4	16.
TOTAL: \$_	127, 4b	<u>\( \frac{\frac}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}}}}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}}}}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}}}}}}{\frac}}}}}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\f</u>
YEAR, MAI	KE & MODEL OFFER	300HD RY GB LLSV4P3
SPECIFIC 6.66	MAKE & MODEL OF	ENGINE OFFERED (INCLUDE SAE NET HP)  DIVILITY 397 / 765 190 100
WARRANT 3 VV S	Y: 6, 000	
WARRANT LYNN	Y SERVICE PROVID	ER NAME:
WARRANT LOOK	Y FACILITY ADDRES	SS:
JAY   14	WILL BE MADE WIT	HIN / CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	ION CUT-OFF DATE	1. In rall
INDICATE MISSING T	THE LAST DAY THATHE PRODUCTION O	AT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE
THAT CITY	ODES NOT AWAR	FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DIA CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?

**Prompt Payment Discount:** 

\_days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
36	4	1 Ton Four Full Door, DRW, 4x2 Pickup Truck
PRICE EACH:	\$ 30,720 2,880	
YEAR, MAKE 8	MODEL OFFERED: WWW (PY 300)	40 Churcab 442 CC3 1943
SPECIFIC MAR 6. VL V8		TO E 4, こい
WARRANTY:	, wo mile	
WARRANTY SI	ERVICE PROVIDER NA	ME:
WARRANTY F	ACILITY ADDRESS!	
fan An	hus	
	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	CUT-OFF DATE: 141	
MISSING THE	PRODUCTION CUT OF	E CITY CAN PLACE OF DERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE:
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
37	1	1 Ton Full Four Door, DRW, 4x4 Pickup Truck w/ Arrow Bar
PRICE EACH: TOTAL: \$35	35,115	
20/6/	KE & MODEL OF ENGIN	10HD WWCGW CK35943 TO E Y, 200
WARRANTY:	ow mile	
WARRANTY SI	ERVICE PROVIDER NA	ME:
		· ·
12601	ACILITY ADDRESS:	
SAN Ch	Louge 1	X
DELIVERY WIL	L BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	fubuof rolb
		E CITY CAM PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE IITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
38	1	1 Ton Full Four Door, DRW, 4x4 Pickup Truck w/ Toolbox
PRICE EACH:	s 34,466	
TOTAL: \$ 34	,46p	
YEAR, MAKE 8	MODEL OFFERED: WWW BY 316	1040 Rowerb 4X4 CK35943
SPECIFIC MAI		IE OFFERED (INCLUDE SAE NET HP)
WARRANTY:	LOD Mills	
WARRANTY S	ERVICE PROVIDER NA	ME:
WARRANTY F	ACILITY ADDRESS:	
SAN AN	bieno, IX	
	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE : M	1640 t 20lb
INDICATE THE		E CITY CAM PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
39	1	1 Ton Four Full Door, DRW, 4x4, Utility Bed Truck w Lift Gate -
		School Bus Yellow
PRICE EACH:	\$ 42,300	
TOTAL: \$ 4	12,300	
YEAR, MAKE &	MODEL OFFERED:	40 Arweak ec35943
SPECIFIC MAI	S MODEL OF ENGIN	E OFFERED (INCLUDE SAE NET HP)
WARRANTY:	6. wo mil	<u>V</u>
warranty s JUNN	ERVICE PROVIDER NA	ME:
WARRANTY F	ACILIFY ADDRESA:	
An Ang	toutro, the	
DELIVERY WII		D //D CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE : #	sust 2016
	E LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOU F DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN DISTRICT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDITIED, AFTER THE PRODUCTION CUT OFF DATE THE TOTAL PRODUCTION CUT OFF DATE TO THE PRODUCTION CUT OFF DATE. IN THE EVEN DISTRICT.
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM

QUANTITY

DESCRIPTION

40

3

1.5 Ton Four Full Door, DRW, 4x2, Diesel Flat / Stake Bed Pickup Truck with Lift Gate

PRICE EACH: \$		<u></u>	
TOTAL: \$			
YEAR, MAKE & MODEL OFFERED:			
SPECIFIC MAKE & MODEL OF ENG			-
WARRANTY:			-
WARRANTY SERVICE PROVIDER	NAME:		- -
WARRANTY FACILITY ADDRESS:		·	-
•		CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORE	- DER.
PRODUCTION CUT-OFF DATE :			
INDICATE THE LAST DAY THAT I		PLACE ORDERS UNDER THIS CONTRACT FOR 2016	WITHOUT
THAT CITY DOES NOT AWARD A	CONTRACT PI	RDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER FOR THE PRODUCTION CUT OFF DATE?	<b>PROVIDE</b>
Prompt Payment Discount:	%	days. (If no discount is offered, Net 30 will app	ılv.)

ITEM	QUANTITY	DESCRIPTION	
41	6	Compact 4 Door, 4x2, Sports Utility Vehicle	
PRICE EACH:	\$20,910		
TOTAL: \$	25,460		
YEAR, MAKE &	MODEL OFFERED:	INOX LS ILFZB	
SPECIFIC MAR	A) /	IE OFFERED (INCLUDE SAE NET HP) とソウル	
WARRANTY:	6,000 mile	'J	
WARRANTY S	ERVICE PROVIDER NA	ME:	
WARRANTY F	ACILITY ADDRESS:		
AN MI	tuw		
DELIVERY WIL	L BE MADE WITHIN A	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
PRODUCTION	CUT-OFF DATE : HY	on 30	
INDICATE THE MISSING THE	E LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHO	UT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVE ONTRACT PRIOR TO PRODUCTION CUT OFF DATE CAN BIDDER PROVI ITTED, AFTER THE PRODUCTION CUT OFF DATE?	
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)	•

ITEM	QUANTITY	DESCRIPTION
42	5	Compact 4 Door, 4x2, Sports Utility Vehicle- OEM Red
PRICE EACH:	s 22,440	
TOTAL: \$	112,200	9
YEAR, MAKE 8	MODEL OFFERED:	Minox CT 1CHZb
SPECIFIC MAK	KE& MODEL OF ENGIN	E OFFERED (INCLUDE SAE NET HP)
WARRANTY:	evo miles	? /
WARRANTY SI	ERVICE PROVIDER NA	ME:
	· · · · · · · · · · · · · · · · · · ·	
WARRANTY F	ACILITY ADDRESS:	
SAN Ano	KOUW	
	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	14/130,
INDICATE THE MISSING THE	LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVID ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
43	3	Compact 4 Door, 4x4, Sports Utility Vehicle	
PRICE EACH:	\$ NB		
TOTAL: \$	*		
YEAR, MAKE	& MODEL OFFERED:		
SPECIFIC MA	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)	
WARRANTY:	Am		
WARRANTY S	SERVICE PROVIDER NA	AME:	
WARRANTY F	FACILITY ADDRESS:		
,			
DELIVERY WI	ILL BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER	
PRODUCTION	N CUT-OFF DATE :		
		IE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WIT	HOUT
THAT CITY D	OES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE ECONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROMITTED, AFTER THE PRODUCTION CUT OFF DATE?	EVENT OVIDE
-Prompt-Paym	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)	6 A se observed

ITEM	QUANTITY	DESCRIPTION	
44	6	Medium 4 Door, 2wd, Sports Utility Vehicle	
/	<u>\$ 25,335</u> 52.010		
TOTAL: \$/	32,010		
YEAR, MAKE &	MODEL OFFERED:	Mise is exittip	
SPECIFIC MAI 3.6 L V	KE & MODEL OF ENGIN	261 190 3400	
warranty:	6,000 mil	10	
warrantys GUNN [	ERVICE PROVIDER NA	ME:	
WARRANTY F	ACILITY ADDRESS:		
SAM AN	tow		
	LL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
PRODUCTION	CUT-OFF DATE :	n ( 30	
INDICATE THI		E CITY CAM PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT	-
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE INTED, AFTER THE PRODUCTION CUT OFF DATE?	
Prompt Payme	ent Discount:		_

ITEM	QUANTITY	DESCRIPTION
45	4	Medium 4 door, 4x4, Sports Utility Vehicle
PRICE EACH:	s	
TOTAL: \$	•	
YEAR, MAKE 8	MODEL OFFERED:	
SPECIFIC MAK	E & MODEL OF ENGIN	E OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY SI	ERVICE PROVIDER NA	ME:
WARRANTY FA	ACILITY ADDRESS:	
_		
DELIVERY WIL	BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	
		E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
46	1	Large 4 door, 2wd, Sports Utility Vehicle
PRICE EACH:	/ V	B
TOTAL: \$	-	
YEAR, MAKE &	MODEL OFFERED:	
SPECIFIC MAK	E & MODEL OF ENGIN	IE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY SE	ERVICE PROVIDER NA	ME;
WARRANTY FA	ACILITY ADDRESS:	
DELIVERY WIL	L BE MADE WITHIN	.CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	<del>.</del>
INDICATE THE MISSING THE I	LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOU F DATE:
THAT CITY DO	ES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVID HTTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	nt Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
47	2	Large 4 door, 4wd, Sports Utility Vehicle
PRICE EACH:	\$	1B
TOTAL: \$		
YEAR, MAKE 8	& MODEL OFFERED:	
SPECIFIC MAK	KE & MODEL OF ENGIN	IE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY S	ERVICE PROVIDER NA	ME:
WARRANTY FA	ACILITY ADDRESS:	<b>,</b>
	117.799.4	
DELIVERY WIL	LL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	
INDICATE THE MISSING THE	LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE UTTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
48	2	Mini Van
PRICE EACH:	s	3
YEAR, MAKE	& MODEL OFFERED:	
SPECIFIC MAI	KE & MODEL OF ENGIN	IE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY S	ERVICE PROVIDER NA	ME:
WARRANTY F	ACILITY ADDRESS:	
	min	
DELIVERY WII	LL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	
		E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE HTTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
49	1	Sprinter Van with Auxiliary AC Unit, Diesel
PRICE EACH:	s A/B	
TOTAL: \$		
YEAR, MAKE 8	MODEL OFFERED:	
SPECIFIC MAK	(E & MODEL OF ENGIN	E OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY SI	ERVICE PROVIDER NA	ME: ·
WARRANTY FA	ACILITY ADDRESS:	
DELIVERY WIL	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	
		E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DISTRICT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	nt Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
50	3	1.5 Ton Step Van- Rear Barn Door Type
PRICE EACH:	s_///B	
TOTAL: \$		
YEAR, MAKE 8	& MODEL OFFERED:	
SPECIFIC MAK	Œ & MODEL OF ENGIN	E OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY S	ERVICE PROVIDER NA	ME:
WARRANTY FA	ACILITY ADDRESS:	
DELIVERY WIL	.L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	
		CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT FDATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DATE OF THE PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE ITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
51	2	Mini Cargo Van	
PRICE EACH:	s_NB	·	
TOTAL: \$			
YEAR, MAKE	& MODEL OFFERED:		
SPECIFIC MAI	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)	
WARRANTY:			
WARRANTY S	SERVICE PROVIDER NA	AME:	
WARRANTY F	ACILITY ADDRESS:		
DELIVERY WI	LL BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
PRODUCTION	CUT-OFF DATE :		
		IE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITH	HOUT
THAT CITY D	OES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EXCONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROMITTED, AFTER THE PRODUCTION CUT OFF DATE?	
Prompt Paym	ent Discount:	% days. (If no discount is offered, Net 30 will apply.)	

ITEM	QUANTITY	DESCRIPTION	
52	2	1 Ton Cargo Van	
PRICE EACH:	<u>\$26,775</u>		
TOTAL: \$	3,500		
YEAR, MAKE	& MODEL OFFERED: WWW PF 250	0 Express Conge Van CB23405	<u></u>
SPECIFIC MAI	KE & MODEL OF ENGIN	YE OFFERED (INCLUDE SAE NET HP) 295 19 0 40 00	
WARRANTY: 34V/31	6,000 miles	1	
WARRANTY S	ERVICE PROVIDER NA	AME:	
<del> </del>	,		
WARRANTY F	ACILITY ADDRESS:		
SAN AN	1000	,	
DELIVERY WII	LL BE MADE WITHIN	SALENDER DAYS AFTER ISSUANCE OF PURCHA	ASE ORDER.
PRODUCTION	I CUT-OFF DATE : 🎢	on 1 30, 10/b	
	E LAST DAY THAT TH PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FO	R 2016 WITHOUT
THAT CITY DO	OES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DAT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN I MITTED, AFTER THE PRODUCTION CUT OFF DATE?	
Prompt Payme	ent Discount:	% days. (If no discount is offered, Net 30	will apply.)

ITEM	QUANTITY	DESCRIPTION
53	1	1 Ton- 4 Passenger Cargo Van
PRICE EACH:	\$ 28,545	
TOTAL: \$	8,545	
YEAR, MAKE &	MODEL OFFERED:	O EXPREM VAN CG33405
SPECIFIC MAN	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:	in and	
WARRANTY S	ERVICE PROVIDER NA	ME:
BUNY(_	thw	
WARRANTY F	ACILITY ADDRESS:	
gan Av	How	
DELIVERY WII	LL BE MADE WITHIN	50 - / CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	n/30,2016
INDICATE THE MISSING THE	LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS WINDER THIS CONTRACT FOR 2016 WITHOUT
BID PRICES S THAT CITY DO	CHALL REMAIN FIRM F DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE. CAN BIDDER PROVIDE INTED, AFTER THE PRODUCTION CUT OFF DATE?
	سمسا	
Drompt Down	nt-Diagounts	9/- days (if no discount is offered Not 20 will apply )

ITEM	QUANTITY	DESCRIPTION	
54	7	1 Ton 12-15 Passenger Transport Van	
PRICE EACH:	\$/	B	
TOTAL: \$			
YEAR, MAKE	& MODEL OFFERED:		
SPECIFIC MAI	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)	
WARRANTY:			
WARRANTY S	SERVICE PROVIDER NA	AME:	
WARRANTY F	ACILITY ADDRESS:		
		· · · · · · · · · · · · · · · · · · ·	
DELIVERY WI	ILL BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
PRODUCTION	N CUT-OFF DATE :		
		E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DATE:	Л
THAT CITY D	OES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVID INTTED, AFTER THE PRODUCTION CUT OFF DATE?	)E
Prompt Paym	ent Discount:	days. (If no discount is offered, Net 30 will apply.)	

ITEM	QUANTITY	DESCRIPTION
55	1	1 Ton 12-15 Passenger Transport Van- Black & White
PRICE EACH:	s_N/B	
TOTAL: \$		
YEAR, MAKE	& MODEL OFFERED:	
SPECIFIC MAI	KE & MODEL OF ENGIN	IE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY S	SERVICE PROVIDER NA	ME:
WARRANTY F	ACILITY ADDRESS:	
DELIVERY WI	LL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	
		E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY D	OES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Paym	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
56	5	19,501 - 26,000 GVWR Flat/Stake Bed with Lift Gate
PRICE EACH:	\$	<u>B</u>
TOTAL: \$		
YEAR, MAKE 8	MODEL OFFERED:	
SPECIFIC MAK	(E & MODEL OF ENGIN	E OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY S	ERVICE PROVIDER NA	ME:
WARRANTY F	ACILITY ADDRESS:	
DELIVERY WII	L BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE :	
		E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT F DATE:
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE INTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
57	1 (AV) LAN	1 Ton, Diesel, 84" Cab to Axle, DRW Utility Bed Pickup Truck with Lift Gate
PRICE EACH:	s Wege	71,020
TOTAL: \$_\(\frac{\psi}{2}\)	7,620	
YEAR, MAKE 8	MODEL OFFERED:	HD leg CAB CC364e3
SPECIFIC MAK	E & MODEL OF ENGIN	DILL 397/765 TO 0/400
WARRANTY:	36,000	
warranty si	ERVICE/PROVIDER NA	ME:
<u> </u>		
WARRANTY FA	ACILITY ADDRESS:	
SAM A	ntour	
DELIVERY WIL	L BE MADE WITHIN	/50 -/80 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE Apr	n/30, 201/b
INDICATE THE MISSING THE	LAST DAY THAT THE PRODUCTION CUT OF	E CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE CAN BIDDER PROVIDE IITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
58	1	10,000-14,000 GVWR 36', Utility Bed Aerial Truck School Bus Yellow
PRICE EACH:	\$ 47,62 47,620	N/B
YEAR, MAKE &	MODEL OFFERED:	- 1/2 A - Can 129/1/27
12016/	MUND 18+ 31	NOAD Beg CAB CC36403
SPECIFIC MAI	KE & MODEL OF ENGIN	DE OFFERED (INCLUDE SAE/NET HP)
WARRANTY:	. \	
34V /31	(, WO	X AM RIN
WARRANTY S	ERVICE PROVIDER NA	ME. NV ULT
bunn	MW /	
WARRANTY F	ACILITY ADDRESS:	
SAN AN	Houto	
DELIVERY WII	LL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	CUT-OFF DATE:	in 130, 2016
INDICATE THE		E CITY CAM PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY DO	DES NOT AWARD A CO	OR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT ONTRACT PRIOR TO PRODUCTION CUT OFF DATE CAN BIDDER PROVIDE IITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payme	ent Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	ON		
59	1	14,001-16,00	00 GVWR 36' Utility Bed A	Aerial Truck	
PRICE EACH:	\$	NB			
TOTAL: \$					
YEAR, MAKE	& MODEL OFFE	:RED:			
SPECIFIC MA	KE & MODEL O	F ENGINE OFFERED	(INCLUDE SAE NET HP)		-
WARRANTY:					_
	SERVICE PROVI	IDER NAME:			<del>-</del>
WARRANTY F	FACILITY ADDRI	ESS:			
			10 01 010		<u> </u>
DELIVERY WI	ILL BE MADE W	ITHINCA	ALENDER DAYS AFTER IS	SSUANCE OF PURCHASE O	RDER.
PRODUCTION	N CUT-OFF DAT	E:		<u> </u>	
		HAT THE CITY CAN I		THIS CONTRACT FOR 201	6 WITHOUT
THAT CITY D	OES NOT AWA	RD A CONTRACT PE	RIOR TO PRODUCTION C	O THIS CUT OFF DATE. IN CUT OFF DATE, CAN BIDDE T OFF DATE?	R PROVIDE
Prompt Paym	ent Discount: _	%	days. (If no disco	ount is offered, Net 30 will a	pply.)

FEN	QUANTITY	DESCRIPTION
60	*	½ Ton Full Size Extended Cab 4x4 Pickup Truck
PRICE EA	сн: \$ <u>25, V8</u>	8
TOTAL: \$_	25,688	
YEAR, MA	KE & MODEL OFFERE	500 Silmado 4x4 Deubly am snB CK1575
SPECIFIC 4.3(		NGINE OFFERED (INCLUDE SAE NET HP)
WARRAN 3VV	/36, WD	
WARRAN'	TY SERVICE PROVIDE	R NAME:
WARRANT 121	TY FACILITY ADDRESS	S:
SAM	Marouro	•
DELIVERY	/ WILL BE MADE WITH	IN 90-100 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCT	TION CUT-OFF DATE :	June 3
INDICATE	THE LAST DAY THAT THE PRODUCTION CU	THE CITY CAM, PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CIT	Y DOES NOT AWARD	RM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pa	ayment Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
61	4	% Ton Four Full Door 4x2 with Toolbox
PRICE EAG	сн: \$ <i>30,57</i>	3
TOTAL: \$_	30,573	
YEAR, MA	KE & MODEL OFFERE	2500 HD Meneral 4VZ SMB CC25743
SPECIFIC		NGINE OFFERED (INCLUDE SAE NET HP)  B 340/380 TG B 4200
WARRANT 3yv	76, WO	,
WARRANT GUNN	Y SERVICE PROVIDE	R NAME:
WARRANT	Y FACILITY ADDRES	S:
SAn	Antomo,	K
DELIVERY	WILL BE MADE WITH	IN COLUMN TO THE PROPERTY OF PURCHASE ORDER.
PRODUCT	TION CUT-OFF DATE :	Augnot 2016
INDICATE MISSING T	THE LAST DAY THAT THE PRODUCTION CL	T THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT IT OFF DATE: MAY 1, 2016
THAT OUT	COOPS NOT AWARDS	RM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prom	int Payment Discount	days (If no discount is offered. Net 30 will apply.)

# **ATTACHMENT B**

# CITY OF SAN ANTONIO LOCAL PREFERENCE PROGRAM FORMS

# **Finance Department - Purchasing Division**

## **Local Preference Program Identification Form**

The City of San Antonio Local Preference Program, described in the San Antonio City Code Chapter 2, Article XII, establishes a local preference for specific contracting categories. Each time a bidder or respondent submits a bid for a solicitation, this Local Preference Program Identification Form must be completed and turned in with the solicitation response in order to be identified as a local business and receive the preference described below. The City will not rely on Local Preference Program Identification Forms submitted with prior or contemporaneous bids or proposals.

The Local Preference Program allows the City to grant a preference in the award of the following types of contracts, when selection is made based on price alone:

- <u>Personal Property (Goods / Supplies)</u>: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 or more;
- <u>Non-professional Services</u>: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$500,000;
- <u>Construction Services</u>: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$100,000, excluding contracts awarded using alternative delivery methods.

The Local Preference Program also allows the award of additional points, when multiple evaluation criteria are used in the award of professional service contracts, where the selection process is not governed by statute and in revenue generating and concession contracts. A business meeting the definition of local business stated below may be awarded 10 points for being headquartered within the city, or 5 points for having a local office within the city.

A local business (a.k.a. a City Business) is defined as a business headquartered within the incorporated San Antonio city limits OR one that meets the following conditions:

- Has an established place of business for at least one year in the incorporated limits of the City:
- (a) from which at least 100 of its employees OR at least 20% of its total full-time, part-time and contract employees are regularly based; and
- (b) from which a substantial role in the business' performance of a commercially useful function or a substantial part of its operations is conducted by those employees.

A location utilized solely as a post office box, mail drop or telephone message center or any similar combination, with no other substantial work function, is not a local business.

For the purposes of this program, Headquartered is defined as the place where a business entity's officers direct, control, and coordinate the entity's activities.

# THE BIDDER / RESPONDENT MUST COMPLETE THE FOLLOWING TO BE IDENTIFIED AS A LOCAL BUSINESS

Name of Business:	NA		
Physical Address:			<u>.</u>
City, State, Zip Code:			w.
Phone Number:			
Email Address:			
Is Business headquartered v Antonio city limits?	vithin the incorporated San	Yes	No

# Finance Department - Purchasing Division Local Preference Program Identification Form

(circle one)		
If the answer to the question above is "Yes", stop here. If the question is "No", provide responses to the following questions		above
Is the business located in the incorporated San Antonio city limits? (circle one)	Yes	(No
Has the business been located in the incorporated San Antonio city limits for at least one year? (circle one)	Yes	(No
Are at least 100 full-time, part-time or contract employees regularly based in the San Antonio office? (circle one)	Yes	(No)
Are at least 20% of the business' total full-time, part-time or contract employees regularly based in the San Antonio office? (circle one)	Yes	(No)
Do the employees in the San Antonio office perform a substantial role in the business' performance of a commercially useful function or are a substantial part of the business' operations conducted in the San Antonio office? (circle one)	Yes	(No)

## **ACKNOWLEDGEMENT**

#### THE STATE OF TEXAS

DECOMPENTO FULL MAKET.

I certify that my responses and the information provided on this Local Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Local Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation and I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

RESPONDENT 3 FULL NAIVIE.
AVENYT KNAPP
(Print Name) Authorized Representative of Respondent
•
(Signature) Authorized Representative of Respondent
- Flott Manager
Title
March 1, 2016
Date

This Local Preference Identification Form must be submitted with the respondent's bid/proposal response.

#### **ATTACHMENT C**

# CITY OF SAN ANTONIO VETERAN-OWNED SMALL BUSINESS PREFERENCE PROGRAM (VOSBPP) ORDINANCE LANGUAGE & FORM

# Veteran-Owned Small Business Preference Program Identification Form

**Authority**. The City of San Antonio Veteran-Owned Small Business Preference Program Ordinance 2013-12-05-0864 adopted a veteran-owned small business preference program for specific contracting categories for solicitations issued after January 15, 2014.

**Certification**. The City relies on inclusion in the database of veteran-owned small businesses (VOSB) maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

**Preference**. The VOSB preference applies to procurements of discretionary expenditure and revenue contracts for goods, services, and concessions, where the selection criteria is not limited by state or federal law. The preference consists of 5 evaluation points for a PRIME business that is certified as a Veteran-Owned Small Business.

**Tracking**. In order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both prime contract and subcontract levels.

**Exclusions**. This program does not apply to any expenditure or revenue contract with a value that is less than the amount that is required to be bid pursuant to state law (Chapter 252, Texas Local Government Code, and as amended), currently \$50,000 or less.

**Definitions**. The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT IT WITH YOUR PROPOSAL, EVEN IF YOU ARE NOT SEEKING A VETERAN'S PREFERENCE. RESPONDENT MUST COMPLETE AND SUBMIT THE FOLLOWING FORM TO BE IDENTIFIED AS A VETERAN-OWNED SMALL BUSINESS.

# Veteran-Owned Small Business Preference Program Identification Form

SOLICITATION NAME/NUMBER: NAME		
Name of Respondent:		
Physical Address:		
City, State, Zip Code:		
Phone Number:		<del>"</del>
Email Address:		
Is Respondent certified as a VOSB with the U.S. Small Business Administration?	Yes	No
(circle one)		
If yes, provide the SBA Certification #		
If not certified by the SBA, is Respondent certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified Respondent as a VOSB. Include any identifying certification numbers.		
Participation Dollar Amount		
Is Respondent subcontracting with a business that is certified as a VOSB? (circle one)	Yes	No
Name of SUBCONTRACTOR Veteran-Owned Small Business:		
Physical Address:		
City, State, Zip Code:		
Phone Number:		
Email Address:		
Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	No
If yes, provide the SBA Certification #	, , , , , , , , , , , , , , , , , , , ,	
If not certified by the SBA, is <b>SUBCONTRACTOR</b> certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.		
Participation Dollar Amount	10.0	

# **Veteran-Owned Small Business Preference Program Identification Form**

## **ACKNOWLEDGEMENT**

## THE STATE OF TEXAS

I certify that my responses and the information provided on Veteran-Owned Small Business Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected.

RESPONDENT'S FULL NAME:	
AVEVYT KNATP (Print Name) Authorized Representative of Respondent	
(Signature) Authorized Representative of Respondent	
FIETH MANAGER  Title	
May (N 1 2016 Date	
This Veteran-Owned Small Business Preference Program Utilization	Plan Form must be submitted

# **Veteran-Owned Small Business Program Tracking Form**

**Authority**. The City of San Antonio Veteran-Owned Small Business Preference Program Ordinance 2013-12-05-0864 adopted a veteran-owned small business preference program for specific contracting categories for solicitations issued after January 15, 2014.

**Tracking**. This solicitation is not eligible for a preference based on status as a veteran-owned small business (VOSB). Nevertheless, in order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both prime contract and subcontract levels.

**Certification**. The City relies on inclusion in the database of veteran-owned small businesses (VOSB) maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

**Definitions**. The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy,
  Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or
  released under conditions other than dishonorable. Reservists or members of the National Guard
  called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty
  or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT IT WITH YOUR BID/PROPOSAL.

# Veteran-Owned Small Business Program Tracking Form

SOLICITATION NAME/NUMBER: N/A	W 100 M 101 M	
Name of Respondent:		
Physical Address:		
City, State, Zip Code:		
Phone Number:		
Email Address:		
Is Respondent certified as a VOSB with the U.S. Small Business Administration?	Yes	No
(circle one)		
If yes, provide the SBA Certification #		
If not certified by the SBA, is Respondent certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified Respondent as a VOSB. Include any identifying certification numbers.		
Participation Dollar Amount		
Is Respondent subcontracting with a business that is certified as a VOSB? (circle one)	Yes	No
Name of SUBCONTRACTOR Veteran-Owned Small Business:		
Physical Address:		A
City, State, Zip Code:		
Phone Number:		
Email Address:		
Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	No
If yes, provide the SBA Certification #		,
If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	<u>'</u>	
Participation Dollar Amount		

# City of San Antonio Veteran-Owned Small Business Program Tracking Form

## **ACKNOWLEDGEMENT**

#### THE STATE OF TEXAS

I certify that my responses and the information provided on Veteran-Owned Small Business Program Tracking Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Program Tracking Form may be investigated and I hereby give my full permission for any such investigation. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected.

BIDDER/RESPONDENT'S FULL NAME:	
AVEVIT KNAPP (Print Name) Authorized Representative of Bidder/Respondent	
(Print Name) Authorized Representative of Bidder/Respondent	
(Signature) Authorized Representative of Bidder/Respondent	
Fitth Manager	
Title	
March 1, 2016	
Date	

This Veteran-Owned Small Business Program Tracking Form must be submitted with the Bidder/Respondent's bid/proposal.

# **CERTIFICATE OF INTERESTED PARTIES**

FORM 1295

				1 of 1
Complete Nos. 1 - 4 and 6 if there are interested parties. Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.		OFFICE USE ONLY CERTIFICATION OF FILING		
Name of business entity filing form, and the city, state and country of the business entity's place of business.     Caldwell Country Chevrolet     Caldwell, TX United States		Certificate Number: 2016-20499 Date Filed:		
Name of governmental entity or state agency that is a party to the contract for which the form is being filed.  City of San Antonio		03/01/2016  Date Acknowledged:		
Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the goods or services to be provided under the contract.  IFB 6100007067  Light Duty Trucks & Vehicles				
4 Name of Inte	rested Party	City, State, Country (place of business)	Nature of interest	(check applicable) Intermediary
Knapp, Averyt		Caldwell, TX United States		х
Hildebrand, Jon		Caldwell, TX United States		X
Way, Stephen		Caldwell, TX United States	×	
5 Check only if there is I	NO Interested Party.		***************************************	
ADRIENNE MARBLE GATTIS My Commission Expires March 31, 2017  Signature of authorized agent of contracting business entity				
AFFIX NOTARY STAMP / SEAL ABOVE  Sworn to and subscribed before me, by the said AVENT HAPP, this the day of MAVEN_,  20				
COULD MOULD ALL ANTONE WAVE GATE NOTAY  Signature of officer administering oath  Printed name of officer administering oath  Title of officer administering oath				



#### ADDENDUM I

SUBJECT: Formal INVITATION FOR BID (IFB) 6100007067 PURCHASE OF LIGHT DUTY TRUCKS & VEHICLES scheduled to open March 2, 2016 date of issue February 12, 2016.

DATE:

February 25, 2016

THE ABOVE MENTIONED INVITATION FOR BID (IFB) IS HEREBY AMENDED AS FOLLOWS:

THE IFB OPENING WILL REMAIN MARCH 2, 2015, 2:00 P.M. CENTRAL TIME.

#### 1. Added to read:

4.1 SCOPE: The City of San Antonio is soliciting bids to furnish 185 light duty trucks, vans, SUV's, aerials, and flat/stake beds in accordance with the specifications listed herein. These vehicles will be utilized by various departments including Transportation & Capital Improvements, Parks and Recreation, Convention Facilities, Solid Waste Management, San Antonio Police, Aviation, Animal Care Services, Department of Human Services Head Start Program, San Antonio Public Library, and the San Antonio Fire.

#### 2. Changed to read:

4.2.1 City of San Antonio reserves the right to increase or decrease quantity of vehicles being purchased up to the production "cut-off" date submitted on the bid for the particular item, depending on availability of funds. Prices may not be increased during this period; however, the City should benefit from any price decrease. Successful vendor is required to notify the City of all production "cut-off" dates necessary for order submission. Vehicles are to be year model 2016 or newer. It is anticipated this item will be considered by City Council on April 21, 2016 with purchase orders being issued by April 25, 2016. Bidders should consider these dates when determining model year offered.

## 3. Added to read:

4.2.25 Lighting: All vehicles that require amber color LED strobe lights are to be installed on the front grill of chassis and rear panel body. Strobes to be wired to a factory type or toggle switch inside of the cab.

#### 4. Changed to read:

4.10	ITEM	QUANTITY	DESCRIPTION
	8	2	1/2 Ton Full Size Extended Cab 4x2 Pickup Truck w/ Bucket Seats

#### 5. Changed to read:

**4.12.5 DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.

#### 6. Changed to read:

**4.13.5 DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.

#### 7. Changed to read:

4.14.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.

#### 8. Changed to read:

**4.15.5 DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.

#### 9. Changed to read:

**4.32.5 DIMENSIONS:** Regular cab configuration. Minimum 75" bed length. Wheelbase to be a minimum 135 inches.

#### 10. Changed to read:

4.32.7 TIRES & WHEELS: Tires must be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

#### 11. Changed to read:

**4.33.5 DIMENSIONS:** Regular cab configuration. Minimum 75" bed length. Wheelbase to be a minimum 135 inches.

#### 12. Changed to read:

4.33.7 TIRES & WHEELS: Dual rear wheel. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

#### 13. Changed to read:

4.34.1 ENGINE: 6 cylinder or greater with a minimum of 300 HP.

#### 14. Changed to read:

4.34.7 TIRES & WHEELS: Dual wheel rear unit. Tires to meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with a full size spare tire and wheel.

#### 15. Changed to read:

4.34.12.1 Welding bed to be assembled and installed on vehicle including wiring.
Bed must fit a 1 ton regular cab 84" cab to axie and be an all steel frame

construction.

- 16. Changed to read:
- 4.35.1 ENGINE: Minimum 6 cylinders with a minimum 300 HP.
- 17. Changed to read:
- **4.35.5 DIMENSIONS**: Regular cab configuration. Wheelbase to be a minimum 160 inches.
- 18. Changed to read:
- 4.35.7 TIRES & WHEELS: Dual rear wheel. Tires must be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 19. Changed to read:
- 4.36.1 ENGINE: Minimum 6 cylinders with a minimum 300 HP.
- 20. Changed to read:
- **4.36.5 DIMENSIONS:** Regular cab configuration. Wheelbase to be a minimum 160 inches.
- 21. Changed to read:
- **4.36.7 TIRES & WHEELS**: Dual rear wheel. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 22. Changed to read;
- **4.36.12.2 WIDTH:** 96" inches.
- 23. Changed to read:
- 4.37.1 ENGINE: Minimum 6 cylinders with a minimum 300 HP.
- 24. Changed to read:
- 4.37.5 DIMENSIONS: Regular cab configuration. Wheelbase to be a minimum 160 inches.
- 25. Changed to read:
- 4.37.7 TIRES & WHEELS: Dual rear wheel. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 26. Changed to read:
- 4.37.12.2 WIDTH: 96° inches.

#### 27. Changed to read:

**4.38.7 TIRES & WHEELS:** Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

#### 28. Changed to read:

**4.39.7 TIRES & WHEELS**: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

#### 29. Changed to read:

**4.40.7 TIRES & WHEELS:** Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

#### 30. Changed to read:

4.41	ITEM	QUANTITY	DESCRIPTION
	39	1	1 Ton Four Full Door, DRW, 4x4, Utility Bed Truck w/ Lift Gate – School Bus Yellow

#### 31. Added to read:

4.41.17.5 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Right front compartment to have roll-out tool box tray and one adjustable removable shelf with a minimum of 6 dividers. Left front compartments to have 3 adjustable removable shelves with a minimum of 6 adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" wide, 59" to 68" long and a minimum of 17" high. Rear doors to be half or full size when horizontal compartment extends through rear door. Lower rear compartment must have 1 adjustable removable shelf with a minimum of 4 adjustable dividers. All doors to be weather-sealed and positive horizontal door holders. All compartments to have LED lighting.

# 32. Changed to read:

4.42	ПЕМ	QUANTITY	DESCRIPTION
	40	3	1.5 Ton Four Full Door, DRW, 4x2, Diesel Flat / Stake Bed Pickup Truck with Lift Gate

#### 33. Changed to read:

4.42.13.3 WIDTH: 96" inches.

#### 34. Changed to read:

4.43.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating

of vehicle, all season off road design with space saver spare. Unit must be equipped with a spare tire locking device and three keys.

- 35. Changed to read:
- 4.43.9 SEATING: Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 4 passengers. Seats to be dark colored cloth.
- 36. Changed to read:
- 4.43.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 6.7°.
- 37. Changed to read:
- 4.44.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season off road design with space saver spare. Unit must be equipped with a spare tire locking device and three keys.
- 38. Changed to read:
- 4.44.9 SEATING: Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 4 passengers. Seats to be dark colored cloth.
- 39. Changed to read:
- 4.44.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 6.7".
- 40. Changed to read:
- 4.45.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season off road design with space saver spare. Unit must be equipped with a spare tire locking device and three keys.
- 41. Changed to read:
- 4.46.8 FUEL SYSTEM: Fuel tank shall have a 19 gallon minimum capacity.
- 42. Changed to read:
- 4.47.8 FUEL SYSTEM: Fuel tank shall have a 19 gallon minimum capacity.
- 43. Changed to read:
- 4.48.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.
- 44. Changed to read:
- 4.49.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.
- 45. Changed to read:
- 4.50.1 ENGINE: 4 cylinders with a minimum 130 HP.

- 46. Changed to read:
- 4.50.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be meet or exceed minimum gross vehicle weight rating of vehicle, all season/all terrain design with space saver spare tire and wheel and tire locking device and three keys.
- 47. Changed to read:
- 4.52.12 VAN BODY: Aluminum 14 ft. minimum.
- 48. Changed to read:
- 4.53.1 ENGINE: 4 cylinders with a minimum 130 HP.
- 49. Changed to read:
- 4.53.5 WHEELBASE: Unit to be long wheel base; minimum of 115" inches.
- 50. Changed to read:
- 4.53.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- 51. Changed to read:
- 4.53.10 CARGO SPACE: Cargo space to be at least 122 cu ft.
- 52. Changed to read:
- 4.54.8 TIRES & WHEELS: Tire pressure monitoring system required. Tires must be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit shall be equipped with spare tire locking device and three keys.
- 53. Changed to read:
- 4.55.8 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- 54. Changed to read:
- 4.59.1 ENGINE: Minimum 6 cylinders with a minimum 300 HP.
- 55. Changed to read:
- 4.59.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 56. Changed to read:
- 4.59.11 LIFT GATE: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift

gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.

## 57. Changed to read:

4.60.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.

#### 58. Changed to read:

4.60.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain tread design with full size matching spare tire and wheel.

#### 59. Changed to read:

4.60.10 LIGHTING: Vehicle to have LED strobe lights mounted on grill and connected to rear LED strobe light mounted on body and wired to up-fitter switch located in cab of vehicle. Strobes are to be amber in color. Four flood type working lights to be wired to up-fitter switches located in cab- 2 mounted in front facing forward and 2 mounted at the rear of the stake bed.

#### 60. Added to read:

4.60.12.6 Compartments to be equipped with LED lighting.

#### 61. Added to read:

4.60.13.7 Compartments to be equipped with LED lighting.

## 62. Changed to read:

4.61.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.

#### 63. Changed to read:

4.61.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain tread design with full size matching spare tire and wheel.

## 64. Changed to read:

4.61.10 LIGHTING: Vehicle to have LED strobe lights mounted on grill and connected to rear LED strobe light mounted on body and wired to up-fitter switch located in cab of vehicle. Strobes are to be amber in color. Four flood type working lights to be wired to up-fitter switches located in cab- 2 mounted in front facing forward and 2 mounted at the rear of the stake bed.

## 65. Added to read;

4.61.11.6 Compartments to be equipped with LED lighting.

### 66. Changed to read:

4.61.12.5 Compartments to be equipped with LED lighting.

#### 67. Added to read:

4.62	ITEM	QUANTITY	DESCRIPTION
	60	1	½ Ton Full Size Extended Cab 4x4 Pickup Truck

- 4.62.1 ENGINE: 6 cylinders or greater with a minimum of 270 HP
- 4.62.2 GVWR: Minimum of 6,000 lbs.
- 4.62.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum; power steering; 4x4 drive train with an electric shift control two speed transfer case.
- 4.62.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.62.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum of 140 inches.
- 4.62.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
- 4.62.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.62.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.62.9 SEATING: Vinyl seating and upholstery.

#### 68. Added to read:

4.63.	4.63. ITEM QUANTITY		DESCRIPTION		
	61	***	% Ton Four Full Door 4x2 with Toolbox		

- 4.63.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP.
- 4.63.2 GVWR: Minimum 8,501 lbs.
- 4.63.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 4.63.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.63.5 DIMENSIONS: Four full door cab configuration, minimum 75" inch bed length, maximum 82" inch bed length. Wheelbase to be a minimum of 149" inches.
- 4.63.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.63.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must

meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.

- 4.63.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 4.63.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.63.10 LIGHTING: See 4.2.25 Hide-a-way type amber colored LED strobe lights to be installed on front lens covers of cab and chassis and rear panel of body. Strobes to be wired to factory type switch located in cab.
- 4.63.11 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin)
- 4.63.12 TOOLBOX: Unit to be equipped with a truck bed tool box. The box is to be made of heavy duty diamond tread plate aluminum to prevent rusting and be equipped with 2 locks. Tool box is to be flush against the cab of the truck and boited down on bed rails. The dimensions of the tool box to be a minimum 69"L x 12"W x 13"H and to be black in color.
- 69. Revised Section 009 Attachments

Price Schedule REVISED.

Acknowledged and Agreed:

Paul J. Calaph Purchasing Administrator Finance Department, Purchasing Divi	sion
Company Name CaldWEII COUNTY CHEWOLET	
Address PO BOX 17	
City/State/Zip Code CAIAWtII, 7X T1936	

Attachment A, Price Schedule, is replaced in its entirety. See Attachment A



# ADDENDUM II

SUBJECT: Formal INVITATION FOR BID (IFB) 6100007067 PURCHASE OF LIGHT DUTY TRUCKS & VEHICLES scheduled to open March 2, 2016 date of issue February 12, 2016.

DATE:

February 26, 2016

THE ABOVE MENTIONED INVITATION FOR BID (IFB) IS HEREBY AMENDED AS FOLLOWS:

THE IFB OPENING WILL REMAIN MARCH 2, 2015, 2:00 P.M. CENTRAL TIME.

1. Changed to read:

4.45.10

GROUND CLEARANCE: Each unit will have a minimum ground clearance

2. Added to read:

4.61.13.7

Compartments to be equipped with LED lighting

Paul J. Calaga

Purchasing Administrator

Finance Department, Purchasing Division

# Veteran-Owned Small Business (VOSB) Preference Program Identification Form

Authority. San Antonio City Code Chapter 2, Article XI describes the City's veteran-owned small business preference program.

**Certification**. The City relies on inclusion in the database of veteran-owned small businesses maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

Preference. The VOSB preference applies to procurements of discretionary expenditure and revenue contracts for goods, services, and concessions, where the selection criteria are not limited by state or federal law. The preference consists of 5% of the evaluation points for a business that is certified as a Veteran-Owned Small Business. Moreover, the program recognizes joint venture agreements and allows for apportioning of points based upon the percentage of VOSB ownership of a joint venture responding to solicitations for which discretionary points are applied. There are no points available for VOSB subcontractors.

**Tracking.** In order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both the primary contract and subcontract levels.

**Exclusions.** This program does not apply to any expenditure or revenue contract with a value that is less than the amount that is required to be bid pursuant to state law (Chapter 252, Texas Local Government Code, as amended), currently \$50,000 or less, or where limited by state or federal law.

#### Definitions.

The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program uses the below definition of joint venture.

Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which
is manifested by a written agreement, between two or more independently owned and controlled
business firms to form a third business entity solely for purposes of undertaking distinct roles and
responsibilities in the completion of a given contract. Under this business arrangement, each joint
venture partner shares in the management of the joint venture and also shares in the profits or
losses of the joint venture enterprise commensurately with its contribution to the venture.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR RESPONSE EVEN IF YOU ARE NOT SEEKING A VETERAN'S PREFERENCE. THE RESPONDENT MUST COMPLETE AND SUBMIT THE FOLLOWING FORM TO BE IDENTIFIED AS A VETERAN-OWNED SMALL BUSINESS. IF RESPONDENT IS SUBMITTING AS A JOINT VENTURE, EACH VOSB MEMBER OF A JOINT VENTURE MUST COMPLETE AND SIGN THIS FORM.

# Veteran-Owned Small Business (VOSB) Preference Program Identification Form

PROVIDE THE FOLLOWING INFORMATION IF RESPONDENT IS SUBMITTING AS PART OF A JOINT VENTURE.

SUBMIT A COPY OF THE JOINT VENTURE AGREEMENT AND ANY OTHER DOCUMENTATION TO SUBSTANTIATE THE EXISTANCE OF AND/OR PARTICIPATION IN THE JOINT VENTURE. NO PREFERENCE POINTS WILL BE ALLOCATED TO A JOINT VENTURE THAT FAILS TO SUBMIT REQUIRED DOCUMENTATION.

### **INSTRUCTIONS**

- IF SUBMITTING AS A PRIME CONTRACTOR ONLY, COMPLETE SECTION 1 OF THIS FORM.
- IF SUBMITTING AS A PRIME CONTRACTOR UTILIZING A SUBCONTRACTOR, COMPLETE SECTIONS 1 AND 2 OF THIS FORM.
- IF SUBMITTING AS PART OF A JOINT VENTURE, COMPLETE SECTION 3 OF THIS FORM.
- IF SUBMITTING AS A JOINT VENTURE UTILIZING A SUBCONTRACTOR, COMPLETE SECTIONS 2 AND 3 OF THIS FORM.

# Veteran-Owned Small Business (VOSB) Preference Program Identification Form

SOLICITATION NAME/NUMBER: PUYCHOUE OF LIGHT DU	ty Trucks av	enilles
Section 1: Prime Contractor IFB NO. 61000070	67	
Name of PRIME CONTRACTOR:		
Physical Address: N / A		
City, State, Zip Code:		
Phone Number:		
Email Address:		
Is PRIME CONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	No
If yes, provide the SBA Certification #		
If not certified by the SBA, is PRIME CONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified PRIME CONTRACTOR as a VOSB. Include any identifying certification numbers.		
Participation Percentage:		
Participation Dollar Amount:		
Section 2: Subcontractor		
Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one)	Yes	No
Name of SUBCONTRACTOR Veteran-Owned Small Business:		
Physical Address:		
City, State, Zip Code:		
Phone Number:		
Email Address:		
Is <b>SUBCONTRACTOR</b> certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	No
If yes, provide the SBA Certification #		
If not certified by the SBA, is <b>SUBCONTRACTOR</b> certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.		324
Participation Percentage:		
Participation Dollar Amount:		
V TOTAL CONTRACTOR OF THE CONT		

# Veteran-Owned Small Business (VOSB) Preference Program Identification Form

Section 3: Joint Ventures		
Is Respondent submitting as part of a joint venture?	Yes	No
(circle one)		
Name of Joint Venture VOSB Member:		
Physical Address:		
City, State, Zip Code:	NIA	
Phone Number:		
Email Address:		
Percentage of Ownership of Joint Venture by VOSB Member:		
Is Joint Venture VOSB Member certified as a VOSB with the U.S. Small Business Administration?		
	Yes	No
(circle one)		
If yes, provide the SBA Certification #		
If not certified by the SBA, is Joint Venture VOSB Member certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified Joint Venture VOSB Member as a VOSB. Include any identifying certification numbers.		= : - (
VOSB Member's Percentage Share in Profits / Loss of Joint Venture		

# Veteran-Owned Small Business (VOSB) Preference Program Identification Form

#### **ACKNOWLEDGEMENT**

#### THE STATE OF TEXAS

I certify that my responses and the information provided on this Veteran-Owned Small Business Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

## RESPONDENT'S FULL NAME:

Print Name) Authorized Representative of Respondent
<u>AKMM</u>
(Signature) Authorized Representative of Respondent
Filet Divector
Title
4-4-2016
Date

This Veteran-Owned Small Business Preference Program Identification Form must be submitted with the Respondent's proposal.

# Veteran-Owned Small Business Program Tracking Form

Authority. San Antonio City Code Chapter 2, Article XI describes the City's veteran-owned small business preference program.

**Tracking.** This solicitation is not eligible for a preference based on status as a veteran-owned small business (VOSB). Nevertheless, in order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both prime contract and subcontract levels.

**Certification**. The City relies on inclusion in the database of veteran-owned small businesses (VOSB) maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

#### Definitions.

The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program uses the below definition of joint venture.

Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR BID/PROPOSAL.

#### INSTRUCTIONS

- IF SUBMITTING AS A PRIME CONTRACTOR ONLY, COMPLETE SECTION 1 OF THIS FORM.
- IF SUBMITTING AS A PRIME CONTRACTOR UTILIZING A SUBCONTRACTOR, COMPLETE SECTIONS 1 AND 2 OF THIS FORM.

# **Veteran-Owned Small Business Program Tracking Form**

SOLICITATION NAME/NUMBER: PVYCHOST OF LIGHT DUTY TVUCKS AVENICLES  TEB NO. 6100007067				
Name of Respondent:	<u> </u>			
Physical Address:				
City, State, Zip Code:	NIA			
Phone Number:				
Email Address:				
Is Respondent certified as a VOSB with the U.S. Small Business Administration?	Yes	No		
(circle one)				
If yes, provide the SBA Certification #		<del></del>		
If not certified by the SBA, is Respondent certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No		
If yes, provide the name of the entity who has certified Respondent as a VOSB. Include any identifying certification numbers.				
Participation Percentage:				
Participation Dollar Amount:				
Is Respondent subcontracting with a business that is certified as a VOSB? (circle one)	Yes	No		
Name of SUBCONTRACTOR Veteran-Owned Small Business:				
Physical Address:				
City, State, Zip Code:				
Phone Number:				
Email Address:				
Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)  If yes, provide the SBA Certification #	Yes	No		
If not certified by the SBA, is SUBCONTRACTOR				
certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No		
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.				
Participation Percentage;				
Participation Dollar Amount		71		

# City of San Antonio Veteran-Owned Small Business Program Tracking Form

## **ACKNOWLEDGEMENT**

#### THE STATE OF TEXAS

BIDDER/RESPONDENT'S FULL NAME:

I certify that my responses and the information provided on this Veteran-Owned Small Business Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

AVENYT KNAPP
(Print Name) Authorized Representative of Bidder/Respondent
Alm
(Signature) Authorized Representative of Bidder/Respondent
FIECH DIVECTOR
4 4 2016
Date

This Veteran-Owned Small Business Program Tracking Form must be submitted with the Bidder/Respondent's bid/proposal.

# Finance Department - Purchasing Division Local Preference Program Identification Form

The City of San Antonio Local Preference Program, described in the San Antonio City Code Chapter 2, Article XII, establishes a local preference for specific contracting categories. Each time a bidder or respondent submits a bid for a solicitation, this Local Preference Program Identification Form must be completed and turned in with the solicitation response in order to be identified as a City Business and receive the preference described below. The City will not rely on Local Preference Program Identification Forms submitted with prior or contemporaneous bids or proposals.

The Local Preference Program allows the City to grant a preference to a business meeting the definition of City Business in the award of the following types of contracts, when selection is made based on price alone:

- <u>Personal Property (Goods / Supplies)</u>: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 or more;
- <u>Non-professional Services</u>: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$500,000;
- <u>Construction Services</u>: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$100,000, excluding contracts awarded using alternative delivery methods.

The Local Preference Program also allows the award of additional points, when multiple evaluation criteria are used in the award of professional service contracts, where the selection process is not governed by statute and in revenue generating and concession contracts. A business meeting the definition of *City Business* stated below may be awarded 10 points for being headquartered within the city, or 5 points for having a local office within the city.

Moreover, the program recognizes joint venture agreements and allows for apportioning of points based upon the percentage of ownership of joint ventures by *City Businesses* responding to solicitations for which discretionary points are applied. For solicitations where selection is made based on price alone, all members of a joint venture must be *City Businesses* for the preference to be applied.

<u>City Business</u> is defined as a business headquartered within the incorporated San Antonio city limits for one year or more OR one that meets the following conditions:

- Has an established place of business for one year or more in the incorporated limits of the City:
- (a) from which at least 100 of its employees OR at least 20% of its total full-time, part-time and contract employees are regularly based; and
- (b) from which a substantial role in the business' performance of a commercially useful function or a substantial part of its operations is conducted by those employees.

A location utilized solely as a post office box, mail drop or telephone message center or any similar combination, with no other substantial work function, is not a City Business.

For the purposes of this program, Headquartered is defined as the place where a business entity's officers direct, control, and coordinate the entity's activities.

NOTE: Bidders / Respondents are required to submit documentation to substantiate that the requirements of a City Business have been met. Examples of documentation may include, but are not limited to the following:

- Existence of local headquarters or office: For corporations, Texas Comptroller's listing of names/addresses of officers and directors. For partnerships, partnership agreement and any documents identifying the current managing partners and their current work addresses
- Evidence of local headquarters or office in existence for one year or more: Utility bills, real property lease agreements, equipment leases, personal property taxes, real property taxes
- Evidence of number of employees: Organizational charts, payroll records by location

# Finance Department - Purchasing Division Local Preference Program Identification Form

CITY RESERVES THE RIGHT TO REQUEST ADDITIONAL INFORMATION TO VALIDATE BIDDERS'/RESPONDENTS' DESIGNATION AS A CITY BUSINESS.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR RESPONSE EVEN IF YOU ARE NOT SEEKING A LOCAL PREFERENCE. THE BIDDER / RESPONDENT MUST COMPLETE THE FOLLOWING FORM TO BE IDENTIFIED AS A CITY BUSINESS. IF BIDDER / RESPONDENT IS SUBMITTING AS A JOINT VENTURE, EACH CITY BUSINESS THAT IS A MEMBER OF THE JOINT VENTURE MUST COMPLETE AND SIGN THIS FORM.

PROVIDE THE FOLLOWING INFORMATION IF BIDDER/ RESPONDENT IS SUBMITTING AS PART OF A JOINT VENTURE. Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

SUBMIT A COPY OF THE JOINT REQUESTED BY CITY TO SUBSTA VENTURE. NO PREFERENCE PO SUBMIT REQUIRED DOCUMENTAL	ANTIATE TO	THE EXISTANCE OF	AND/OR PAR	TICIPATION IN	THE JOINT
SOLICITATION NAME/NUMBER:	IFB	610000706	7 PVY	chast o	f Ligh

STATE BIDDER'S / RESPONDENT'S PERCENTAGE OF OWNERSHIP IN THE JOINT VENTURE: -

PROVIDE THE FOLLOWING INFORMATION REGARDING BIDDER'S / RESPONDENT'S HEADQUARTERS:

Name of Business:			
Physical Address:	NIA		
City, State, Zip Code:	1		
Phone Number:			
Email Address:			
Provide the total number of full-time, part-time, and contract personnel employed by Bidder / Respondent:			
Is Business headquartered within the incorporated San Antonio city limits? (circle one)		Yes	No
Has the business been headquartered in the incorporated San Antonio city limits for one year or more? (circle one)		Yes	No
If the answers to the questions above are "Yes", stop here. If the answer to either the above questions is "No" provide responses to the following questions:		to either of	

# Finance Department - Purchasing Division Local Preference Program Identification Form

PROVIDE THE FOLLOWING INFORMATION REGARDING BIDDER'S / RESPONDENT'S LOCAL OFFICE (IF APPLICABLE):

Name of Business:	NIA		
Physical Address:	1.1.		
City, State, Zip Code:			
Phone Number:	52		
Email Address:			
Provide the total number of full-time, particles of the state of the s	art-time, and contrac	t personnel e	mployed by
Is the business located in the incorporate limits? (circle one)	ed San Antonio city	Yes	No
Has the business been located in the Antonio city limits for one year or more?	•	Yes	No
Are at least 100 full-time, part-time or contract employees regularly based in the San Antonio office? (circle one)		Yes	No
Are at least 20% of the business' total fu contract employees regularly based in office? (circle one)		Yes	No
Do the employees in the San Antonic substantial role in the business' p commercially useful function or are a sul business' operations conducted in the S (circle one)	erformance of a bstantial part of the	Yes	No

# Finance Department - Purchasing Division Local Preference Program Identification Form

#### **ACKNOWLEDGEMENT**

### THE STATE OF TEXAS

I certify that my responses and the information provided on this Local Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Local Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

BIDDER'S / RESPONDENT'S FULL NAME:

Averyt Knapp
(Print Name) Authorized Representative of Bidder / Respondent
Akmm
(Signature) Authorized Representative of Bidder / Respondent
Fleet Director
Title
4-4-2016
Data

This Local Preference Identification Form must be submitted with the bidder's / respondent's bid/proposal response.

# **CERTIFICATE OF INTERESTED PARTIES** FORM 1295 1 of 1 OFFICE USE ONLY Complete Nos. 1 - 4 and 6 if there are interested parties. Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties. **CERTIFICATION OF FILING** Certificate Number: 1 Name of business entity filing form, and the city, state and country of the business entity's place 2016-20499 Caldwell Country Chevrolet Caldwell, TX United States Date Filed: 03/01/2016 Name of governmental entity or state agency that is a party to the contract for which the form is being filed. Date Acknowledged: City of San Antonio Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the goods or services to be provided under the contract. IFB 6100007067 Light Duty Trucks & Vehicles Nature of interest (check applicable) City, State, Country (place of business) Name of Interested Party Intermediary Controlling Х Caldwell, TX United States Knapp, Averyt Х Caldwell, TX United States Hildebrand, Jon X Way, Stephen Caldwell, TX United States 5 Check only if there is NO Interested Party. I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct. **ADRIENNE MARBLE GATTIS** My Commission Expires March 31, 2017 Signature of authorized agent of contracting business entity AFFIX NOTARY STAMP / SEAL ABOVE Sworp to and subscribed before me, by the said AVE , to certify which, witness my hand and seal of offi