

HPPFC 2014-12-11-0001

AN ORDINANCE

APPROVING A MASTER LEASE BETWEEN THE HEMISFAIR PARK PUBLIC FACILITY CORPORATION AND HEMISFAIR PARK AREA REDEVELOPMENT CORPORATION AND A MASTER AGREEMENT BETWEEN THE HEMISFAIR PARK PUBLIC FACILITY CORPORATION, THE CITY OF SAN ANTONIO, AND HEMISFAIR PARK AREA REDEVELOPMENT CORPORATION

\* \* \* \* \*

WHEREAS, City Council created the Hemisfair Park Area Redevelopment Corporation (HPARC) in 2009 to oversee development efforts at Hemisfair Park and in December 2013 City Council approved a transfer of 7 tracts totaling 14.45 acres to the Hemisfair Park Public Facilities Corporation (Hemisfair PFC); and

WHEREAS, the Hemisfair PFC was created by City Council to facilitate development on these tracts consistent with the Hemisfair Master Plan approved by City Council in February 2012; and

WHEREAS, in order to preserve park space in Hemisfair, in December 2013 City Council also dedicated 6 park tracts totaling 18.47 acres; and

WHEREAS, staff and outside real estate counsel have negotiated the terms of a Master Lease between the Hemisfair PFC and HPARC in order to allow for development on the 7 development tracts and a Master Agreement between the Hemisfair PFC, the City of San Antonio, and HPARC to allow for improvements, programming, and asset management of the 6 park tracts, which agreements are recommended for approval; **NOW THEREFORE:**

**BE IT ORDAINED BY THE BOARD OF DIRECTORS OF THE HEMISFAIR PARK PUBLIC FACILITY CORPORATION:**

**SECTION 1.** The terms and conditions of a Master Lease between the Hemisfair PFC and HPARC and a Master Agreement between the Hemisfair PFC, the City of San Antonio, and HPARC, are hereby approved.

**SECTION 2.** The City Manager, acting as the Executive Director of the Hemisfair PFC, or her designee, is authorized to execute the Master Lease and the Master Agreement, copies of which, in substantially final form, are set out in **Attachments I and II.**

**SECTION 3.** This Ordinance shall become effective immediately upon passage by the Board.

VMZ  
12/11/14  
Item No. 7B

**PASSED AND APPROVED** this 11<sup>th</sup> day of December, 2014.

**HEMISFAIR PARK PUBLIC  
FACILITIES CORPORATION**

  
\_\_\_\_\_  
President, Board of Directors

<b>Agenda Item:</b>	7b						
<b>Date:</b>	12/11/2014						
<b>Time:</b>	02:30:33 PM						
<b>Vote Type:</b>	Motion to Approve						
<b>Description:</b>	An Ordinance of the Hemisfair Park Public Facility Corporation approving a Master Lease between the Hemisfair Park Public Facility Corporation and the Hemisfair Park Area Redevelopment Corporation, and a Master Agreement between the City of San Antonio, Hemisfair Park Public Facility Corporation, and Hemisfair Park Area Redevelopment Corporation. [Carlos Contreras, Assistant City Manager]						
<b>Result:</b>	Passed						
<b>Voter</b>	<b>Group</b>	<b>Not Present</b>	<b>Yea</b>	<b>Nay</b>	<b>Abstain</b>	<b>Motion</b>	<b>Second</b>
Ivy R. Taylor	Mayor		x				
Roberto C. Trevino	District 1		x				
Keith Toney	District 2		x				
Rebecca Viagran	District 3		x				
Rey Saldaña	District 4		x			x	
Shirley Gonzales	District 5		x				
Ray Lopez	District 6		x				
Cris Medina	District 7	x					
Ron Nirenberg	District 8		x				x
Joe Krier	District 9		x				
Michael Gallagher	District 10		x				

SCANNED

MEMORANDUM OF LEASE

THE STATE OF TEXAS §

COUNTY OF BEXAR §

This Memorandum of Lease ("Memorandum") is entered into by and between HEMISFAIR PARK PUBLIC FACILITIES CORPORTION, a Texas non-profit public corporation ("Landlord") and HEMISFAIR PARK AREA REDEVELOPMENT CORPORATION, a Texas non-profit local government corporation ("Tenant").

1. Lease. Landlord and Tenant have entered into a Master Lease Agreement with an effective date of December 11, 2014 ("Lease") under which Landlord has leased to Tenant and Tenant has leased from Landlord the tracts of land described on Exhibit "A" attached hereto and incorporated herein by reference for all purposes ("Premises").

2. Purpose of Memorandum. This Memorandum is entered into by Landlord and Tenant and recorded in the Official Public Records of Real Property of Bexar County, Texas, for the sole purpose of giving record notice to the public of the existence of the Lease.

3. Interpretation. The provisions of this Memorandum are not intended to, and shall not, amend, modify or alter the terms and provisions of the Lease or otherwise affect the agreements, responsibilities and obligations of the parties under the Lease. Provisions of this Memorandum shall not be used in interpreting the Lease. In the event of a conflict between the Lease and this Memorandum, the Lease shall control.

4. Mechanic's and Materialman's Liens. Landlord shall not be liable for any labor, services or materials furnished to Tenant or delivered to the Premises, or to anyone holding the Premises through or under Tenant, upon credit and that no mechanic's or other lien for such labor, services or materials shall attach to or affect the estate or interest of Landlord in and to the Premises. Tenant has no rights under the Lease to serve as the Landlord's agent or to bind the fee interest of the Landlord in the Premises.

EXECUTED the 23 day of July, 2015.

LANDLORD:

HEMISFAIR PARK PUBLIC FACILITIES CORPORATION

By: [Signature]  
Name: Lori Houston  
Title: Assistant City Manager


**TENANT:**

HEMISFAIR PARK AREA REDEVELOPMENT CORPORATION

By: [Signature]  
Name: Andres Andujar  
Title: Chief Executive Officer

THE STATE OF TEXAS       §  
  §  
COUNTY OF BEXAR       §

This instrument was acknowledged before me on the 23<sup>rd</sup> day of July, 2015, by LORI HOUSTON, Assistant City Manager of HEMISFAIR PARK PUBLIC FACILITIES CORPORATION, a Texas non-profit public facilities corporation, on behalf of said corporation.



[Signature]  
Notary Public in and for the State of Texas

THE STATE OF TEXAS       §  
  §  
COUNTY OF BEXAR       §

This instrument was acknowledged before me on the 17<sup>th</sup> day of July, 2015, by Andres Andujar, CEO of HEMISFAIR PARK AREA REDEVELOPMENT CORPORATION, a Texas non-profit local government corporation, on behalf of said corporation.

[Seal]

[Signature]  
Notary Public in and for the State of Texas




EXHIBIT "A"  
TO  
MEMORANDUM OF LEASE

DESCRIPTION OF LEASED PROPERTIES

TRACT 1

FIELD NOTES  
FOR  
LANDBANK TRACT 1

A 1.484 acre, or 64,648 square feet more or less, out of Lot 12, and that 1.674 acre Public Waterway, Block 3, New City Block 13814 of the Civic Center Project No. 5 Tex. R-83 Urban Renewal Agency subdivision recorded in Volume 9518, Pages 122-126 of the Deed and Plat Records of Bexar County, Texas and being out of that tract described in deed to the City of San Antonio as a 15.813 acre tract recorded in Volume 5505, Pages 957-962 of the Deed Records of Bexar County, Texas in New City Block 13814 of the City of San Antonio, Bexar County, Texas. Said 1.484 acre tract being further described by metes and bounds with bearings based on the Texas Coordinate System established for the South Central Zone from the North American Datum of 1983 NAD83(1996) and combined scale factor 0.999830028895.

COMMENCING: At a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency on the south right-of-way line of East Market Street, a 125-foot public right-of-way as established in said Civic Center Project No. 5 Tex. R-83 Urban Renewal Agency subdivision, at the northwest corner of said Lot 12, being S 75°00'34" E, a distance of 29.79 feet from the intersection of the south right-of-way line of Market Street and the east right-of-way line of South Alamo Street, said point of commencing at North 13,701,555.12 and East 2,131,743.29 of said coordinate system;

THENCE: S 75°00'34" E, with the south line of East Market Street, a distance of 165.78 feet to a set ½" iron rod with cap marked "Pape-Dawson" at the POINT OF BEGINNING and northwest corner of the herein described tracts at an angle point of an 8.926 acre tract surveyed concurrently and at North 13,701,512.25, East 2,131,903.40 of said coordinate system;

THENCE: S 75°00'34" E, continuing with the south line of market Street, a distance of 481.22 feet to an iron rod with cap marked "Pape-Dawson", an angle point of said 8.926 acre tract;

THENCE: Departing said right-of-way and with the north line of said 8.926 acre tract the following bearings and distances:

S 15°01'04" W, a distance of 86.00 feet to a set ½" iron rod with cap marked "Pape-Dawson";

N 75°00'34" W, a distance of 111.81 feet to a set ½" iron rod with cap marked

“Pape-Dawson”;

S 15°01'04" W, a distance of 69.00 feet to a set ½" iron rod with cap marked “Pape-Dawson”;

N 75°00'34" W, a distance of 297.97 feet to a set ½" iron rod with cap marked “Pape-Dawson”;

N 33°54'50" W, a distance of 94.71 feet to a set ½" iron rod with cap marked “Pape-Dawson”;

N 14°59'26" E, a distance of 92.75 feet to the POINT OF BEGINNING, and containing 1.484 acres in the City of San Antonio, Bexar County, Texas. Said tract being described in accordance with a survey made on the ground and a survey description and map prepared under job number 9390-13 by Pape-Dawson Engineers, Inc. Monumentation in progress, a brass nail stamped “Pape-Dawson” may substitute on concrete and a magnetic concrete nail set in brick pavers.

PREPARED BY: Pape-Dawson Engineers, Inc.

DATE: December 12, 2013, December 18, 2013.

JOB NO. 9090-13

DOC. ID. N:\Survey13\13-9300\9390-13\Word\Landbank - Tract 1.docx

TBPE Firm Registration #470

TBPLS Firm Registration #100288-00

## TRACT 2

### FIELD NOTES

#### FOR

#### LANDBANK TRACT 2

A 3.360 acre, or 146,356 square feet more or less, tract of land out of Lot 12, Block 3, New City Block 13814 of the Civic Center Project No. 5 Tex. R-83 Urban Renewal Agency subdivision recorded in Volume 9518, Pages 122-126 of the Deed and Plat Records of Bexar County, Texas and being out of those tracts described in deeds to the City of San Antonio comprised of a 15.813 acre tract recorded in Volume 5505, Pages 957-962, and an 11.650 acre tract recorded in Volume 6205, Pages 537-543 of the Deed Records of Bexar County, Texas and all in New City Block 13814 of the City of San Antonio, Bexar County, Texas. Said 3.360 acre tract being more fully described as follows, with bearings based on the Texas Coordinate System established for the South Central Zone from the North American Datum of 1983 NAD 83 (1996) and combined scale factor 0.999830028895;

COMMENCING: At a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency on the east right-of-way line of South Alamo Street, a variable width right-of-way, at the southwest corner of said Lot 12, being N 1°30'25" E, a distance of 25.06 feet from the intersection of the north right-of-way line of Cesar Chavez Boulevard and the east right-of-way line of South Alamo Street, at North 13,700,114.77 and East 2,131,452.33 of said coordinate system;

THENCE: With the east right-of-way line of South Alamo Street the following bearings and distances:

N 1°30'25" E, a distance of 147.52 (by plat 143.57 feet) to a set ½" iron rod with cap marked "Pape-Dawson";

N 1°20'54" E, a distance of 316.33 feet to a point in building at a point of curvature;

Northerly and northeasterly with a curve to the right, said curve having a radius of 753.00 feet, a central angle of 16°08'11", a chord bearing and distance of N 09°25'00" E, 211.37 feet, for an arc distance of 212.07 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency;

N 17°29'05" E, a distance of 108.23 to a set ½" iron rod with cap marked "Pape-Dawson" at a the POINT OF BEGINNING of the herein described tract at North 13,700,890.10, East 2,131,530.74 of said coordinate system;

THENCE: N 17°29'05" E, continuing with said right-of-way a distance of 222.25 feet to set ½" iron rod with cap marked "Pape-Dawson";

THENCE: S 74°58'56" E, a distance of 8.18 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: Departing said right-of-way and over and across said Lot 12 the following bearings and distances:

N 18°44'21" E, a distance of 30.06 feet to a set ½" iron rod with cap marked "Pape-Dawson";

N 18°44'21" E, a distance of 198.81 feet to a set ½" iron rod with cap marked "Pape-Dawson";

Along a tangent curve to the left, said curve having a radius of 654.00 feet, a central angle of 09°55'51", a chord bearing and distance of N 13°46'26" E, 113.21 feet, for an arc length of 113.36 feet to a set ½" iron rod with cap marked "Pape-Dawson";

Along a compound curve to the left, said curve having a radius of 113.50 feet, a central angle of 04°32'01", a chord bearing and distance of N 06°32'30" E, 8.98 feet, for an arc length of 8.98 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a corner of an 8.926 acre tract surveyed concurrently;

THENCE: With the line of said 8.926 acre tract the following bearings and distances:

S 75°00'34" E, a distance of 115.70 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 33°54'50" E, a distance of 94.26 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: S 14°59'26" W, a distance of 349.64 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: S 75°00'34" E, a distance of 173.93 feet to a set ½" iron rod with cap marked "Pape-Dawson";



THENCE: S 15°01'04" W, a distance of 164.65 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: N 74°58'56" W, a distance of 68.46 feet to a building corner

THENCE: With the east south and west face of said building the following bearings and distances:

S 21°03'05" W, a distance of 23.00 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 69°30'46" E, a distance of 8.49 feet to a set ½" iron rod with cap marked "Pape-Dawson";

N 21°03'05" E, a distance of 6.00 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 69°29'57" E, a distance of 17.23 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 19°55'18" W, a distance of 6.01 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 66°38'21" E, a distance of 1.24 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: S 24°15'55" E, a distance of 5.73 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 18°56'44" W, a distance of 1.90 feet to a building corner;

S 44°51'01" E, a distance of 0.40 feet to a building corner;

S 20°46'01" W, a distance of 5.08 feet to a building corner;

N 79°00'42" W, a distance of 0.51 feet to a building corner;

S 20°22'28" W, a distance of 1.86 feet to a building corner;

S 64°56'34" W, a distance of 6.42 feet to a building corner;

N 66°38'21" W, a distance of 0.70 feet to a building corner;

S 20°30'36" W, a distance of 34.36 feet to a building corner;

N 74°33'03" W, a distance of 1.71 feet to a building corner;

S 22°24'23" W, a distance of 1.32 feet to a building corner;

S 65°04'44" W, a distance of 6.15 feet to a building corner;

N 69°10'07" W, a distance of 7.54 feet to a building corner;

N 24°26'39" W, a distance of 6.14 feet to a building corner;

N 18°07'02" E, a distance of 1.53 feet to a building corner;

N 69°24'17" W, a distance of 3.20 feet to a building corner;

N 20°35'43" E, a distance of 1.50 feet to a building corner;

N 70°09'12" W, a distance of 8.11 feet to a building corner;

S 20°35'43" W, a distance of 1.44 feet to a building corner;

N 69°02'26" W, a distance of 3.52 feet to a building corner;

N 20°39'08" E, a distance of 12.84 feet to a building corner;

Along a non-tangent curve to the right, said curve having a radial bearing of N 19°38'16" E, a radius of 5.75 feet, a central angle of 94°27'13", a chord bearing and distance of N 23°08'08" W, 8.43 feet, for an arc length of 9.47 feet to a building corner;

N 20°20'13" E, a distance of 5.36 feet to a building corner;

N 69°29'14" W, a distance of 1.85 feet to a building corner;

N 18°01'55" E, a distance of 2.03 feet to a building corner;

S 70°08'42" E, a distance of 1.90 feet to a building corner;

N 19°51'18" E, a distance of 7.94 feet to a building corner;

N 68°12'56" W, a distance of 2.46 feet to a building corner;

N 19°51'18" E, a distance of 40.88 feet to a building corner;

THENCE: N 79°49'28" W, departing said building a distance of 31.77 feet to a building corner;

THENCE: S 47°30'40" W, with the southeast face of building a distance of 28.40 feet to a building corner;

THENCE: S 21°03'20" W, a distance of 62.30 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: Along a non-tangent curve to the right, said curve having a radial bearing of N 38°46'53" E, a radius of 125.00 feet, a central angle of 17°51'54", a chord bearing and distance of N 42°17'09" W, 38.82 feet, for an arc length of 38.98 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: N 33°21'12" W, a distance of 78.68 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point of curvature;

THENCE: Along a tangent curve to the left, said curve having a radius of 125.00 feet, a central angle of 62°51'41", a chord bearing and distance of N 64°47'03" W, 130.37 feet, for an arc length of 137.14 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: Along a reverse curve to the right, said curve having a radius of 75.00 feet, a central angle of 15°59'41", a chord bearing and distance of N 88°13'03" W, 20.87 feet, for an arc length of 20.94 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: N 80°13'12" W, a distance of 11.67 feet to the POINT OF BEGINNING, and containing 3.360 acres in the City of San Antonio, Bexar County, Texas. Said tract being described in accordance with a survey made on the ground and a

survey description and map prepared under job number 9390-13 by Pape-Dawson Engineers, Inc. Monumentation in progress, a brass nail stamped "Pape-Dawson" may substitute on concrete and a magnetic concrete nail set in brick pavers.

PREPARED BY: Pape-Dawson Engineers, Inc.  
DATE: December 12, 2013  
JOB NO. 9090-13  
DOC. ID. N:\Survey13\13-9300\9390-13\Word\Landbank - Tract 2.docx  
TBPE Firm Registration #470  
TBPLS Firm Registration #100288-00

### TRACT 3

#### FIELD NOTES FOR LAND BANK – TRACT 3

A 1.349 acre, or 58,741 square feet more or less, tract of land out of that out of Lot 12, Block 3, New City Block 13814 of the Civic Center Project No. 5 Tex. R-83 Urban Renewal Agency subdivision recorded in Volume 9518, Pages 122-126 of the Deed and Plat Records of Bexar County, Texas and being out of that tract described in deed to the City of San Antonio as a 11.650 acre tract recorded in Volume 6205, Pages 537-543 of the Deed Records of Bexar County, Texas, in New City Block 13814 of the City of San Antonio, Bexar County, Texas. Said 1.349 acre tract being more fully described as follows, with bearings based on the Texas Coordinate System established for the South Central Zone from the North American Datum of 1983 NAD 83 (1996) and combined scale factor 0.999830028895;

COMMENCING: At a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency on the east right-of-way line of South Alamo Street, a variable width right-of-way, at the southwest corner of said Lot 12, being N 1°30'25" E, a distance of 25.06 feet from the intersection of the north right-of-way line of Cesar Chavez Boulevard and the east right-of-way line of South Alamo Street, at North 13,700,114.77 and East 2,131,452.33 of said coordinate system;

THENCE: With the east right-of-way line of said South Alamo Street and the west line of said Lot 12, the west line of a 4.081 acre Park Tract 2, surveyed concurrently, the following bearings and distances;

N 01°30'25" E, a distance of 147.52 feet to a set ½" iron rod with cap marked "Pape-Dawson" for an angle point on the west line of said Lot 12 and the west line of said 4.081 acre tract;

N 01°20'54" E, a distance of 266.01 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a northwest corner of said 4.081 acre tract, for the POINT OF BEGINNING and the southwest corner of the herein described tract, said corner

being at North 13,700,528.11 and East 2,131,462.47 of said coordinate system;

THENCE: Continuing with the east right-of-way line of South Alamo Street and the west line of said Lot 12, the following bearings and distances;  
N 01°20'54" E, a distance of 50.31 feet to a point of curvature within a building;

Continuing through said building, along a tangent curve to the right, said curve having a radius of 753.00 feet, a central angle of 16°08'11", a chord bearing and distance of N 09°25'00" E, 211.37 feet, for an arc length of 212.07 feet to a set ½" iron rod with cap marked "Pape-Dawson" for a point of tangency;

N 17°29'05" E, a distance of 57.78 feet to a set ½" iron rod with cap marked "Pape-Dawson" for the northwest corner of the herein described tract;

THENCE: Departing the east right-of-way line of said South Alamo Street, over and across said Lot 12, the following bearings and distances;

S 80°13'12" E, a distance of 18.43 feet to a set ½" iron rod with cap marked "Pape-Dawson" for a point of curvature

Along a tangent curve to the left, said curve having a radius of 125.00 feet, a central angle of 15°59'41", a chord bearing and distance of S 88°13'03" E, 34.78 feet, for an arc length of 34.90 feet to a set ½" iron rod with cap marked "Pape-Dawson" for a point of compound curvature to the right;

Along said compound curve to the right, said curve having a radius of 75.00 feet, a central angle of 62°51'41", a chord bearing and distance of S 64°47'03" E, 78.22 feet, for an arc length of 82.29 feet to a set ½" iron rod with cap marked "Pape-Dawson" for a point of tangency;

S 33°21'12" E, a distance of 78.68 feet to a set ½" iron rod with cap marked "Pape-Dawson" for a point of curvature;

Along a tangent curve to the left, said curve having a radius of 175.00 feet, a central angle of 11°51'10", a chord bearing and distance of S 39°16'47" E, 36.14 feet, for an arc length of 36.20 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a north corner of said 4.081 acre tract, for a point of non-tangency for the herein described tract;

THENCE: Continuing with the west line of said 4.081 acre tract and, over and across said Lot 12, the following bearings and distances;

Along a non-tangent curve to the left, said curve having a radial bearing of S 25°19'46" E, a radius of 25.00 feet, a central angle of 28°14'48", a chord bearing and distance of S 50°32'50" W, 12.20 feet, for an arc length of 12.32 feet to a set ½" iron rod with cap marked "Pape-Dawson";

Along a compound curve to the left, said curve having a radius of 140.00 feet, a central angle of 34°25'39", a chord bearing and distance of S 19°12'37" W, 82.86 feet, for an arc length of 84.12 feet to a set ½" iron rod with cap marked "Pape-Dawson" for a point of tangency on the east line of the herein described tract;

S 01°59'47" W, a distance of 101.52 feet to a set ½" iron rod with cap marked "Pape-Dawson" for the southeast corner of the herein described tract

THENCE: N 88°39'06" W, a distance of 202.79 feet to the POINT OF BEGINNING, and containing 1.349 acres in the City of San Antonio, Bexar County, Texas. Said tract being described in accordance with a survey made on the ground and a survey description and map prepared under job number 9390-13 by Pape-Dawson Engineers, Inc. Monumentation in progress, a brass nail stamped "Pape-Dawson" may substitute on concrete and a magnetic concrete nail set in brick pavers.

PREPARED BY: Pape-Dawson Engineers, Inc.

DATE: December 12, 2013

JOB NO. 9390-13

DOC. ID. N:\Survey13\13-9300\9390-13\Word\Landbank - Tract 3.docx

TBPE Firm Registration #470

TBPLS Firm Registration #100288-00

#### **TRACT 4**

### ARTICLE 1 FIELD NOTES FOR LAND BANK – TRACT 4

A 1.128 acre, or 49,143 square feet more or less, tract of land out of that out of Lot 12, Block 3, New City Block 13814 of the Civic Center Project No. 5 Tex. R-83 Urban Renewal Agency subdivision recorded in Volume 9518, Pages 122-126 of the Deed and Plat Records of Bexar County, Texas and being out of that tract described in deed to the City of San Antonio as a 11.650 acre tract recorded in Volume 6205, Pages 537-543 of the Deed Records of Bexar County, Texas in New City Block 13814 of the City of San Antonio, Bexar County, Texas. Said 1.128 acre tract being more fully described as follows, with bearings based on the Texas Coordinate System established for the South Central Zone from the North American Datum of 1983 NAD 83 (1996) and combined scale factor 0.999830028895;

COMMENCING: At a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency on the east right-of-way line of South Alamo Street, a variable width right-of-way, at the southwest corner of said Lot 12, being N 1°30'25" E, a distance of 25.06 feet from the intersection of the north right-of-way line of Cesar Chavez Boulevard and the east right-of-way line of South Alamo Street, at North 13,700,114.77 and East 2,131,452.33 of said coordinate system;

THENCE: N 57°23'51" E, departing the east right-of-way line of said South Alamo Street, over and across said Lot 12 and a 4.081 acre Park Tract 2, surveyed concurrently,

a distance of 298.08 feet to the POINT OF BEGINNING being a reentrant corner of said 4.081 acre tract and the west corner of the herein described tract, said point of beginning at North 13,700275.36 and East 2,131,703.40 of said coordinate system;

THENCE: Over and across said Lot 12 with the east line of said 4.081 acre tract, the following bearings and distances;

ARTICLE 2 N 41°35'06" E, a distance of 173.84 feet to a set ½" iron rod with cap marked "Pape-Dawson" for point of curvature on the northwest line of the herein described tract;

Along a tangent curve to the right, said curve having a radius of 49.50 feet, a central angle of 22°25'10", a chord bearing and distance of N 52°47'41" E, 19.25 feet, for an arc length of 19.37 feet to a set ½" iron rod with cap marked "Pape-Dawson", for a point of tangency on the northwest line of the herein described tract;

N 64°00'16" E, a distance of 54.87 feet to a set ½" iron rod with cap marked "Pape-Dawson" for an angle point on the northwest line of the herein described tract;

N 47°22'16" E, a distance of 48.34 feet to a set ½" iron rod with cap marked "Pape-Dawson" for the north corner of the herein described tract;

THENCE: S 43°44'03" E, departing the east line of said 4.081 acre tract, continuing over and across said Lot 12, a distance of 156.42 feet to a set ½" iron rod with cap marked "Pape-Dawson" for east corner of the herein described tract;

THENCE: S 44°23'47" W, continuing over and across said Lot 12, a distance of 279.47 feet to a set ½" iron rod with cap marked "Pape-Dawson" at an east corner of said 4.081 acre tract, for the south corner of the herein described tract;

THENCE: N 48°17'42" W, continuing over and across said Lot 12, with the east line said 4.081 acre tract, a distance of 171.73 feet to the POINT OF BEGINNING, and containing 1.128 acres in the City of San Antonio, Bexar County, Texas. Said tract being described in accordance with a survey made on the ground and a survey description and map prepared under job number 9390-13 by Pape-Dawson Engineers, Inc. Monumentation in progress, a brass nail stamped "Pape-Dawson" may substitute on concrete and a magnetic concrete nail set in brick pavers.

PREPARED BY: Pape-Dawson Engineers, Inc.

DATE: December 12, 2013

JOB NO. 9390-13

DOC. ID. N:\Survey13\13-9300\9390-13\Word\Landbank - Tract 4.docx

TBPE Firm Registration #470

**TRACT 5**

FIELD NOTES  
FOR  
LANDBANK TRACT 5

A 4.671 acre, or 203,473 square feet more or less, tract of land out of Lot 12, Block 3, New City Block 13814 of the Civic Center Project No. 5 Tex. R-83 Urban Renewal Agency subdivision recorded in Volume 9518, Pages 122-126 of the Deed and Plat Records of Bexar County, Texas and being out of those tracts described in deed to the City of San Antonio as an 18.422 acre tract recorded in Volume 6433, Pages 177-181 and a 15.813 acre tract recorded in Volume 5505, Pages 957-962 of the Deed Records of Bexar County, Texas, and a portion of Surplus Right-of-Way Tract 3 quitclaimed from the State of Texas to the City of San Antonio as shown on the Texas Department of Transportation Map of Interstate Highway 37 recorded in Volume 4198, Page 947 and all in New City Block 13814 of the City of San Antonio, Bexar County, Texas. Said 4.671 acre tract being more fully described as follows, with bearings based on the Texas Coordinate System established for the South Central Zone from the North American Datum of 1983 NAD 83 (1996) and combined scale factor 0.999830028895;

COMMENCING: At a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency on the east right-of-way line of South Alamo Street, a variable width right-of-way, at the southwest corner of said Lot 12, being N 1°30'25" E, a distance of 25.06 feet from the intersection of the north right-of-way line of Cesar Chavez Boulevard and the east right-of-way line of South Alamo Street, said point of commencing at North 13,700,114.77 and East 2,131,452.33 of said coordinate system;

THENCE: N 65°53'14" E, over and across said Lot 12, a distance of 844.97 feet to a set ½" iron rod with cap marked "Pape-Dawson" and THE POINT OF BEGINNING of the herein described tract, the southwest corner of an 8.926 acre tract surveyed concurrently, said point of beginning being at North 13,700.459.92, East 2,132,223.44 of said coordinate system;

THENCE: N 14°59'26" E, through a building a distance of 65.90 feet to the face of building and continuing a distance of 79.49 feet, for a total distance of 145.38 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: With the south line of Lot 14 of the proposed H B Gonzalez Subdivision the following bearings and distances:

S 73°57'08" E, a distance of 90.43 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 74°50'57" E, a distance of 208.65 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 15°20'55" W, a distance of 65.37 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 74°58'59" E, a distance of 42.96 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 15°06'56" E, a distance of 32.51 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 74°58'25" E, a distance of 97.51 feet to a set ½" iron rod with cap marked "Pape-Dawson";

N 45°10'07" E, a distance of 26.13 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 74°58'59" E, a distance of 162.75 feet to a set ½" iron rod with cap marked "Pape-Dawson";

N 15°01'01" E, a distance of 29.66 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 74°57'23" E, a distance of 191.36 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 15°01'01" W, a distance of 13.11 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 74°58'59" E, a distance of 118.70 feet to a set ½" iron rod with cap marked "Pape-Dawson";

N 15°01'01" E, a distance of 47.69 feet to a set ½" iron rod with cap marked "Pape-Dawson";

N 36°36'47" E, a distance of 10.44 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: S 74°58'59" E, passing the east line of said Lot 12 and over and across the aforementioned Surplus Tract 3 and a portion of the old right-of-way of Indianola Street a distance of 218.33 feet to a set ½" iron rod with cap marked "Pape-Dawson" on the current west right-of-way line of Interstate Highway 37;

THENCE: S 12°54'30" W, with the current west right-of-way line of Interstate Highway 37 a distance of 51.18 feet to a found ½" iron rod at a point of curvature;

THENCE: With the current west right-of-way line of Interstate Highway 37, and continuing



with the east right-of-way line of Lot 12, and along a non-tangent curve to the left, said curve having a radial bearing of S 77°05'24" E, a radius of 350.00 feet, a central angle of 30°09'31", a chord bearing and distance of S 02°10'09" E, 182.11 feet, for an arc length of 184.23 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: Departing said line and over and across said Lot 12 the following bearings and distances:

S 38°11'13" W, a distance of 63.17 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point on curve;

Along a non-tangent curve to the left, said curve having a radial bearing of S 20°58'47" W, a radius of 225.00 feet, a central angle of 05°18'00", a chord bearing and distance of N 71°40'13" W, 20.81 feet, for an arc length of 20.81 feet to a set ½" iron rod with cap marked "Pape-Dawson";

N 74°19'13" W, a distance of 429.57 feet to a set ½" iron rod with cap marked "Pape-Dawson";

N 15°40'47" E, a distance of 44.70 feet to a set ½" iron rod with cap marked "Pape-Dawson";

Along a non-tangent curve to the left, said curve having a radial bearing of N 14°19'13" W, a radius of 80.00 feet, a central angle of 300°00'00", a chord bearing and distance of N 74°19'13" W, 80.00 feet, for an arc length of 418.88 feet to a set ½" iron rod with cap marked "Pape-Dawson";

S 15°40'47" W, a distance of 44.70 feet to a set ½" iron rod with cap marked "Pape-Dawson";

N 74°19'13" W, a distance of 101.08 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point of curvature;

THENCE: Along a tangent curve to the right, said curve having a radius of 125.00 feet, a central angle of 57°27'54", a chord bearing and distance of N 45°35'16" W, 120.18 feet, for an arc length of 125.37 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point of reversing curvature;

THENCE: Along a curve to the left, said curve having a radius of 175.00 feet, a central angle of 27°17'17", a chord bearing and distance of N 30°29'58" W, 82.56 feet, for an arc length of 83.35 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: S 50°46'25" W, a distance of 10.04 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: Along a non-tangent curve to the left, said curve having a radial bearing of S 45°33'28" W, a radius of 165.00 feet, a central angle of 31°04'17", a chord bearing and distance of N 59°58'40" W, 88.39 feet, for an arc length of 89.48 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency;

THENCE: N 75°30'49" W, a distance of 308.15 feet to the POINT OF BEGINNING and containing 4.671 acres in the City of San Antonio, Bexar County, Texas. Said tract being described in accordance with a survey made on the ground and a survey description and map prepared under job number 9390-13 by Pape-Dawson Engineers, Inc. Monumentation in progress, a brass nail stamped "Pape-Dawson" may substitute on concrete and a magnetic concrete nail set in brick pavers.

PREPARED BY: Pape-Dawson Engineers, Inc.

DATE: December 12, 2013

JOB NO. 9390-13

DOC. ID. N:\Survey13\13-9300\9390-13\Word\Landbank - Tract 5.docx

TBPE Firm Registration #470

TBPLS Firm Registration #100288-00

## **TRACT 6**

### FIELD NOTES FOR LANDBANK TRACT 6

A 2.362 acre, or 102,872 square feet more or less, tract of land out of Lot 12, Block 3, New City Block 13814 of the Civic Center Project No. 5 Tex. R-83 Urban Renewal Agency subdivision recorded in Volume 9518, Pages 122-126 of the Deed and Plat Records of Bexar County, Texas and being out of those tracts described in deed to the City of San Antonio as an 18.422 acre tract recorded in Volume 6433, Pages 177-181 and a 5.222 acre tract recorded in Volume 7101, Pages 565-569 of the Deed Records of Bexar County, Texas, and all in New City Block 13814 of the City of San Antonio, Bexar County, Texas. Said 2.362 acre tract being more fully described as follows, with bearings based on the Texas Coordinate System established for the South Central Zone from the North American Datum of 1983 NAD 83 (1996) and combined scale factor 0.999830028895;

COMMENCING: At a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency on the east right-of-way line of South Alamo Street, a variable width right-of-way, at the southwest corner of said Lot 12, being N 1°30'25" E, a distance of 25.06 feet from the intersection of the north right-of-way line of Cesar Chavez Boulevard and the east right-of-way line of South Alamo Street, said point of commencing at North 13,700,114.77 and East 2,131,452.33 of said coordinate system;

THENCE: S 73°23'39" E, over and across said Lot 12, a distance of 1376.50 feet to a set ½" iron rod with cap marked "Pape-Dawson" and THE POINT OF BEGINNING of

the herein described tract at North 13,699,721.46, East 2,132,771.19 of said coordinate system;

THENCE: N 44°43'40" E, at 235.97 feet passing along the southeast line of a 0.104 acre tract surveyed concurrently and continuing with said line for a total distance of 435.64 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: S 74°19'13" E, a distance of 231.86 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: Along a non-tangent curve to the right, said curve having a radial bearing of N 48°15'24" W, a radius of 460.00 feet, a central angle of 02°52'02", a chord bearing and distance of S 43°10'37" W, 23.02 feet, for an arc length of 23.02 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency:

THENCE: S 44°36'38" W, a distance of 351.97 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point of curvature;

THENCE: Along a tangent curve to the left, said curve having a radius of 290.00 feet, a central angle of 34°29'11", a chord bearing and distance of S 27°22'02" W, 171.93 feet, for an arc length of 174.55 feet to a set ½" iron rod with cap marked "Pape-Dawson";

THENCE: Along a non-tangent curve to the right, said curve having a radial bearing of N 37°38'01" E, a radius of 980.00 feet, a central angle of 06°25'23", a chord bearing and distance of N 49°09'17" W, 109.80 feet, for an arc length of 109.86 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency:

THENCE: N 45°56'36" W, a distance of 145.80 feet to the POINT OF BEGINNING, and containing 2.362 acres in the City of San Antonio, Bexar County, Texas. Said tract being described in accordance with a survey made on the ground and a survey description and map prepared under job number 9390-13 by Pape-Dawson Engineers, Inc. Monumentation in progress, a brass nail stamped "Pape-Dawson" may substitute on concrete and a magnetic concrete nail set in brick pavers.

PREPARED BY: Pape-Dawson Engineers, Inc.

DATE: December 12, 2013

JOB NO. 9390-13

DOC. ID. N:\Survey13\13-9300\9390-13\Word\Landbank - Tract 6.docx

TBPE Firm Registration #470

TBPLS Firm Registration #100288-00

TRACT 7

FIELD NOTES  
FOR  
LANDBANK TRACT 7

A 0.012 acre, or 518 square feet more or less, tract of land out of Lot 12, Block 3, New City Block 13814 of the Civic Center Project No. 5 Tex. R-83 Urban Renewal Agency subdivision recorded in Volume 9518, Pages 122-126 of the Deed and Plat Records of Bexar County, Texas and being out of that tract described in deed to the City of San Antonio as an 18.422 acre tract recorded in Volume 6433, Pages 177-181 of the Deed Records of Bexar County, Texas, and in New City Block 13814 of the City of San Antonio, Bexar County, Texas. Said 0.012 acre tract being more fully described as follows, with bearings based on the Texas Coordinate System established for the South Central Zone from the North American Datum of 1983 NAD 83 (1996) and combined scale factor 0.999830028895;

COMMENCING: At a set ½" iron rod with cap marked "Pape-Dawson" at a point of tangency on the east right-of-way line of South Alamo Street, a variable width right-of-way, at the southwest corner of said Lot 12, being N 1°30'25" E, a distance of 25.06 feet from the intersection of the north right-of-way line of Cesar Chavez Boulevard and the east right-of-way line of South Alamo Street, said point of commencing at North 13,700,114.77 and East 2,131,452.33 of said coordinate system;

THENCE: S 81°25'44" E, over and across said Lot 12, a distance of 2146.32 feet to a set ½" iron rod with cap marked "Pape-Dawson" and THE POINT OF BEGINNING of the herein described tract at North 13,699,794.94, East 2,133,574.31 of said coordinate system on the east line of said Lot 12 and the current west right-of-way line of Interstate Highway 37;

THENCE: Departing said line and over and across said Lot 12 the following bearings and distances:

N 40°03'08" W, a distance of 139.04 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point of curvature;

Along a tangent curve to the right, said curve having a radius of 409.74 feet, a central angle of 04°07'54", a chord bearing and distance of N 37°59'11" W, 29.54 feet, for an arc length of 29.55 feet to a set ½" iron rod with cap marked "Pape-Dawson" at a point on said east line of Lot 12;

THENCE: S 44°35'26" E, with the east line of said Lot 12 and the current west right-of-way line of Interstate Highway 37 a distance of 6.87 feet to a found ½" iron rod at a point of curvature;

THENCE: Continuing with the east line of said Lot 12, the current west right-of-way line of Interstate Highway 37 along a tangent curve to the right, said curve having a radius of 908.16 feet, a central angle of 10°12'59", a chord bearing and distance of

S 39°28'56" E, 161.72 feet, for an arc length of 161.94 feet the POINT OF BEGINNING, and containing 0.012 acres in the City of San Antonio, Bexar County, Texas. Said tract being described in accordance with a survey made on the ground and a survey description and map prepared under job number 9390-13 by Pape-Dawson Engineers, Inc. Monumentation in progress, a brass nail stamped "Pape-Dawson" may substitute on concrete and a magnetic concrete nail set in brick pavers.

PREPARED BY: Pape-Dawson Engineers, Inc.

DATE: December 12, 2013

JOB NO. 9390-13

DOC. ID. N:\Survey13\13-9300\9390-13\Word\Landbank - Tract 7.docx

TBPE Firm Registration #470

TBPLS Firm Registration #100288-00

EXHIBIT "A-1"  
TO  
MEMORANDUM OF LEASE

DESCRIPTION OF TRACT EXCLUDED FROM LEASED PROPERTIES

FLORES & COMPANY CONSULTING ENGINEERS  
12915 Jones Maltsberger, Suite 401  
San Antonio, Texas 78247  
(210) 490-9963

FIELD NOTES  
FOR

A 0.2156 acres (9392 sq. ft.) out of Lot 12, Block 3, N.C.B 13814, Civic Center Project No. 5 Tax R-83 Subdivision, as recorded in Volume 9518, Page 123 of the Deed and Plat Records of Bexar County, Texas, and being more particularly described as follows:

BEGINNING: At a set 1/2" iron pin for the most northern corner of this tract, said pin being (1) S 05°18'43" W, 29.79 feet, (2) S 11°33'09" W, 187.62 feet, and (3) S 17°47'34" W, 320.93 feet from the southeast corner of the Point of Intersection of East Market Street and South Alamo Street for the Point of Beginning;

THENCE: S 74°19'04" E, a distance of 80.90 feet along the retaining wall to a set 1/2" iron pin, said point being the easterly corner of this tract;

THENCE: S 21°35'39" W, a distance of 140.00 feet to a set "x" on bricks, said "x" for the southern corner of this tract;

THENCE: N 43°15'16" W, a distance of 58.36 feet to a set 1/2" iron pin for an angle point;

THENCE: S 47°48'33" W, a distance of 5.52 feet to a set 1/4" iron pin for an angle point;

THENCE: N 43°40'15" W, a distance of 19.86 feet to a set 1/2" iron pin for an angle point;

THENCE: N 17°41'57" E, a distance of 23.15 feet to a set 1/2" iron pin for an angle point;


THENCE: N 29°20'11" W, a distance of 7.20 feet to a set 1/2" iron pin for an angle point;

THENCE: N 17°50'08" E, a distance of 29.58 feet to a set 1/4" iron pin for an angle point;

THENCE: N 64°03'31" E, a distance of 7.22 feet to a set 1/2" iron pin for an angle point;

THENCE: N 17°30'01" E, a distance of 41.13 feet to the Point of Beginning containing 0.2156 acres (9392 sq.ft.).

Job No.: 01-14  
May 10, 2001



*Thomas Flores*

SUBDIVISION \* SURVEYING \* STREETS \* UTILITIES \* LAND PLANNING \* DRAINAGE

Any provision herein which restricts the sale, or use of the described real property because of race is invalid and unenforceable under Federal law STATE OF TEXAS, COUNTY OF BEXAR  
I hereby Certify that this Instrument was FILED in File Number Sequence on this date and at the time stamped hereon by me and was duly RECORDED in the Official Public Record of Real Property of Bexar County, Texas on:

Doc# 20150136252 Fees: \$98.00  
07/23/2015 4:11PM # Pages 19  
Filed & Recorded in the Official  
Public Records of BEXAR COUNTY  
GERARD C. RICKHOFF COUNTY CLERK

JUL 23 2015



*Gerard C. Rickhoff*  
COUNTY CLERK BEXAR COUNTY, TEXAS