City of San Antonio IFB 6100007067

03/01/2016

Thank you for the opportunity to bid again on the City's business. I want to outline a couple of details to the bid I am submitting.

All vehicles bid are 2016 models with the exception of the class 4 trucks which are 2017s. All ½ ton trucks are being bid with the options of bedliner and hitch delete unless your specifications are calling for one or the other to be included.

The Jeep Patriots bid for items 41, 42 and 43 come with continuously variable transmissions (infinite number of speeds) and 13.6 gal fuel tanks not including the ½ gallon or so in the filler neck. The 4 wheel drive version, item 43 comes with an ultra low range.

On items 44 & 45 I have bid a Durango SSV for the 2 wheel drive but the smaller Grand Cherokee for the 4 wheel drive due to the requirement of a 2 speed transfer case.

On the items where the City is asking for a 3/4 ton extended cab, I am bidding full 4 door crew cabs since the Ram line doesn't offer an extended cab.

All motors in this bid with the exception of diesels are motors manufactured by the Chrysler group. The diesels are made by Cummins and are their 6.7L Inline 6.


Standard equipment lists are being included for all models bid with a notation of which line item each corresponds to.

Service information is available online realtime through Chrysler fleet for all models.

Respectfully submitted,

Dennis Thomas Grapevine DCJ 817-410-7541

ORIGINAL





CITY OF SAN ANTONIO

PURCHASING AND GENERAL SERVICES DEPARTMENT

FORMAL INVITATION FOR BID ("IFB") NO.: 6100007067

PURCHASE OF LIGHT DUTY TRUCKS & VEHICLES

Date Issued: FEBRUARY 12, 2016

BIDS MUST BE RECEIVED **NO LATER** THAN: 2:00 PM, C.T., MARCH 2, 2016

Bids may be submitted by any of the following means: Electronic submission through the Portal Hard copy in person or by mail

Address for hard copy responses:

Physical Address: City Clerk's Office 100 Military Plaza, City Hall San Antonio, Texas 78205 Mailing Address:
City Clerk's Office
P.O. Box 839966
San Antonio, Texas 78283-3966

For Hard Copy Submissions, Mark Envelope

"PURCHASE OF LIGHT DUTY TRUCKS & VEHICLES"

Bid Due Date: 2:00 p.m., C.T., MARCH 2, 2016

Bid No.: 6100007067

Bidder's Name and Address

Bid Bond: N/A

Performance Bond: N/A

Payment Bond: N/A

Other: N/A

See Supplemental Terms & Conditions for information on these requirements.

Affirmative Procurement Initiative: No

DBE / ACDBE Requirements: No

See Instructions for Bidders and Attachments sections for more information on these requirements,

Pre-Submittal Conference * YES

* If YES, the Pre-Submittal conference will be held on FEBRUARY 22, 2016 at 9:00 AM C.T., at the Fleet Operations Conference Room, 329 S. Frio, San Antonio, Texas 78207.

Staff Contact Person: IAN MONTEMAYOR, PS II, P.O. Box 839966, San Antonio, TX 78283-3966. Email: IAN.MONTEMAYOR@SANANTONIO.GOV

SBEDA Contact Information: , 210-207-3900,

002 - TABLE OF CONTENTS

002 - TABLE OF CONTENTS	- 2
003 - INSTRUCTIONS FOR BIDDERS	
004 - SPECIFICATIONS / SCOPE OF SERVICES	10
005 - SUPPLEMENTAL TERMS & CONDITIONS	54
006 - GENERAL TERMS & CONDITIONS	. 57
007 - SIGNATURE PAGE	. 62
008 - STANDARD DEFINITIONS	63
009 - ATTACHMENTS	. 65

003 - INSTRUCTIONS FOR BIDDERS

Submission of Bids.

<u>Submission of Hard Copy Bids</u>. Submit one original bid, signed in ink, and two copies of the bid enclosed in a sealed envelope addressed to the City Clerk at the address and by the due date provided on the Cover Page. The name and address of Bidder, the date and hour of the bid opening, bid number and title of the bid solicitation shall be marked on the outside of the envelope(s). All times stated herein are Central Time. Any bid or modification received after the time and date stated on the Cover Page shall be rejected.

<u>Submission of Electronic Bids</u>. Submit one bid electronically by the due date provided on the Cover Page. All times stated herein are Central Time. Any bid or modification received after the time and date stated on the Cover Page shall be rejected. All forms in this solicitation which require a signature must have a signature affixed thereto, either by manually signing the document, prior to scanning it and uploading it with your submission, or affixing it electronically.

Bids sent to City by facsimile or email shall be rejected.

Modified Bids. Bids may be modified provided such modifications are received prior to the time and date set for submission of bids, and submitted in the same manner as original bids. For hard copy bids, provide a cover letter with the bid, indicating it is a modified bid and that the Original bid is being withdrawn. For electronic bids, a modified bid will automatically replace a prior bid submission. See below for information on submitting Alternate Bids.

City shall not be responsible for lost or misdirected bids or modifications.

Bidders must sign the Signature Page on hard copy bids and return the IFB document to City. For electronic bids, Bidder's electronic submission, with accompanying affirmations, constitutes a binding signature for all purposes.

Bidders are cautioned that they are responsible for the security of their log on ID and password, since unauthorized use could result in Bidder's being held liable for the submission.

Certified Vendor Registration Form. If Bidder has not completed City's Certified Vendor Registration (CVR) Form, Bidder is required to do so prior to the due date for submission of bids. The CVR form may be accessed at: http://www.sanantonio.gov/purchasing/. Bidders must identify the correct name of the entity that will be providing the goods and/or services under the contract. No nicknames, abbreviations (unless part of the legal title), shortened or short-hand names will be accepted in place of the full, true and correct legal name of the entity.

Alternate Bids. Alternate bids may be allowed at the sole discretion of City.

<u>Hard Copy Alternate Bids</u>. Alternate bids must be submitted in separate sealed envelopes in the same manner as submission of other bids. Alternate bids must be marked consecutively on the envelope as Alternate Bid No. 1, 2, etc. Failure to submit alternate bids in separate envelopes may result in rejection of a bid.

<u>Electronic Alternate Bids Submitted Through the Portal</u>. All alternate bids are recorded with original bids when submitted electronically.

Catalog Pricing. (This section applies to bids using catalog pricing.)

The bid will be based on manufacturer's latest dated price list(s). Said price list(s) must denote the manufacturer, latest effective date and price schedule.

Bidders shall be responsible for providing one copy of the manufacturer's catalog for each manufacturer for which a bid is submitted. Bidder shall provide said catalog at the time of submission of its bid. Manufacturers' catalogs may be submitted in any of the following formats: paper copy or CD ROM for bids submitted on paper, or PDF file for bids submitted electronically.

Bidders may submit price lists other than the manufacturer's price list. Said price list(s) must denote the company name, effective date and price schedule. These price lists are subject to approval of City Purchasing & General Services Department.

Specified items identified herein, if any, are for overall bid evaluation and represent the commonly and most used items. Net prices entered for those specified items must reflect the actual price derived from quoted price list less all discounts offered.

Restrictions on Communication.

Bidders are prohibited from communicating with: 1) elected City officials and their staff regarding the IFB or bids from the time the IFB has been released until the contract is posted as a City Council agenda item; and 2) City employees from the time the IFB has been released until the contract is awarded. These restrictions extend to "thank you" letters, phone calls, emails and any contact that results in the direct or indirect discussion of the IFB and/or bid submitted by Bidder. Violation of this provision by Bidder and/or its agent may lead to disqualification of Bidder's bid from consideration.

Exceptions to the restrictions on communication with City employees include:

Bidders may ask verbal questions concerning this IFB at the Pre-Submittal Conference.

Bidders may submit written questions, or objections to specifications, concerning this IFB to the Staff Contact Person listed on the Cover Page on or before 7 calendar days prior to the date bids are due. Questions received after the stated deadline will not be answered. Questions submitted and City's responses will be posted with this solicitation. All questions shall be sent by e-mail or through the portal.

Bidders may provide responses to questions asked of them by the Staff Contact Person after bids are received and opened. The Staff Contact Person may request clarification to assist in evaluating Bidder's response. The information provided is not intended to change the bid response in any fashion. Such additional information must be provided within two business days from City's request.

Bidders and/or their agents are encouraged to contact the Small Business Office of the International and Economic Development Department for assistance or clarification with issues specifically related to the City's Small Business Economic Development Advocacy (SBEDA) Program policy and/or completion of the SBEDA form(s), if any. The point of contact is identified on the Cover Page. Contacting the Small Business Office regarding this IFB after the bid due date is not permitted. If this solicitation contains Affirmative Procurement Initiatives, it will be noted on the Cover Page.

If this solicitation contains DBE/ACDBE requirements, bidders and/or their agents may contact the Aviation Department's DBE/ACDBE Liaison Officer for assistance or clarification with issues specifically related to the DBE/ACDBE policy and/or completion of the required form(s). Point of contact is Ms. Lisa Brice, who may be reached via telephone at (210) 207-3505 or through e-mail at lisa.brice@sanantonio.gov. Bidders and/or their agents may contact Ms. Brice at any time prior to the due date for submission of bids. Contacting her or her office regarding this IFB after the bid due date is not permitted. If this solicitation contains DBE/ACDBE requirements, it will be noted on the Cover Page.

Pre-Submittal Conference.

If a Pre-Submittal Conference is scheduled, it will be held at the time and place noted on the Cover Page. Bidders are encouraged to prepare and submit their questions in writing in advance of the Pre-Submittal Conference in order to expedite the proceedings. City's responses to questions received prior to the conference may be distributed at the Pre-Submittal Conference and posted with this solicitation. Attendance at the Pre-Submittal Conference is optional, but highly encouraged.

This meeting place is accessible to disabled persons. Call the Staff Contact Person for information on the location of the wheelchair accessible entrance, or to request an interpreter for the deaf. Interpreters for the deaf must be requested at least 48 hours prior to the meeting. For other assistance, call (210) 207-7245 Voice/TTY.

Any oral response given at the Pre-Submittal Conference that is not confirmed in writing and posted with this solicitation shall not be official or binding on the City.

Changes to IFB.

Changes to this IFB made prior to bid opening shall be made directly to the original IFB. Changes are captured by creating a replacement version each time the IFB is changed. It is Bidder's responsibility to check for new versions

until the bid due date. City will assume that all bids received are based on the final version of the IFB as it exists on the day bids are due.

No oral statement of any person shall modify or otherwise change or affect the terms, conditions or specifications stated in the IFB.

Preparation of Bids.

All information required by the IFB must be furnished or the bid may be deemed non-responsive and rejected. Any ambiguity in the bid as a result of omission, error, unintelligible or illegible wording shall be construed in the favor of City.

<u>Correct Legal Name</u>. If Bidder is found to have incorrectly or incompletely stated the name of the entity that will provide goods and/or services, the bid may be rejected.

<u>Line Item Bids</u>. Any bid that is considered for award by each unit or line item, must include a price for each unit or line item for which Bidder wishes to be considered. All bids are awarded on the basis of low line item, low total line items, or in any other combination that serves the best interest of City, unless City designates this solicitation as an "all or none" bid in the Supplemental Terms & Conditions.

All or None Bids. Any bid that is considered for award on an "all or none" basis must include a price for all units or line items. In an "All or None" bid, a unit price left blank shall result in the bid being deemed nonresponsive and disqualified from consideration. An "All or None" bid is one in which City will award the entire contract to one bidder only.

<u>Delivery Dates</u>. Proposed delivery dates must be shown in the bid form where required and shall include weekends and holidays, unless specified otherwise in this IFB. Proposed delivery times must be specific. Phrases such as "as required", "as soon as possible" or "prompt" may result in disqualification of the bid. Special delivery instructions, if any, may be found in the Specifications / Scope of Services section of this document, or in the Purchase Order.

<u>Tax Exemption</u>. The City of San Antonio is exempt from payment of federal taxes, and State of Texas limited sales excise and use taxes. Bidders must not include such taxes in bid prices. An exemption certificate will be signed by City where applicable upon request by Bidder after contract award.

Description of Supplies.

Any brand names, catalog or manufacturer's reference used in describing an item is merely descriptive, and not restrictive, unless otherwise noted, and is used only to indicate quality and capability desired.

Bids submitted for comparable items must clearly identify the proposed product, model, and type, as applicable, and shall include manufacturer specification sheet(s) for each proposed item with bid response. Product specifications shall be the most current available and be sufficiently detailed and descriptive so as to permit City to determine the item's suitability and compliance with bid specifications. City shall be the sole judge of equality and suitability of comparable items.

Pro-rata adjustments to packaging and pricing may be allowed at the sole discretion of City.

<u>Samples</u>, <u>Demonstrations</u> and <u>Pre-award Testing</u>. If requested by City, Bidder shall provide product samples, demonstrations, and/or testing of items bid to ensure compliance with specifications prior to award of the contract. Samples, demonstrations and/or testing must be provided within 7 calendar days of City's request. Failure to comply with City's request may result in rejection of a bid. All samples (including return thereof), demonstrations, and/or testing shall be at Bidder's expense. Samples will be returned upon written request. Requests for return of samples must be made in writing at the time the samples are provided. Otherwise, samples will become property of City at no cost to City. Samples that are consumed or destroyed during demonstrations or testing will not be returned.

Estimated Quantities for Annual Contracts.

Designation as an "annual" contract is found in the contract's title on the Cover Page of this document. The quantities stated are estimates only and are in no way binding upon City. Estimated quantities are used for the purpose of evaluation. City may increase or decrease quantities as needed. Where a contract is awarded on a unit price basis, payment shall be based on the actual quantities supplied.

Bidders shall thoroughly examine the drawings, specifications, schedule(s), instructions and all other contract documents.

Bidders shall make all investigations necessary to thoroughly inform themselves regarding plant and facilities for delivery of material and equipment, or conditions and sites/locations for providing goods and services as required by this IFB. No plea of ignorance by Bidder will be accepted as a basis for varying the requirements of City or the compensation to Bidder.

Confidential or Proprietary Information. All bids become the property of the City upon receipt and will not be returned. Any information deemed to be confidential by Bidder should be clearly noted; however, City cannot guarantee that it will not be compelled to disclose all or part of any public record under the Texas Public Information Act, since information deemed to be confidential by Bidder may not be considered confidential under Texas law, or pursuant to a Court order. Note that pursuant to state law, bids are opened publicly and read aloud. In addition, bids are tabulated and posted to the City's website, so shall not be considered proprietary or confidential.

Interlocal Participation.

City may engage in cooperative purchasing with other governmental entities or governmental cooperatives ("Entity" or "Entities") to enhance City's purchasing power. At City's sole discretion and option, City may inform other Entities that they may acquire items listed in this IFB. If this contract will be subject to cooperative purchasing, such fact will be indicated in the Supplemental Terms and Conditions portion of this IFB. Such acquisition(s) shall be at the prices stated in the bid, and shall be subject to Bidder's acceptance. Entities desiring to acquire items listed in this IFB shall be listed on a rider attached hereto, if known at the time of issuance of the IFB. City may issue subsequent riders after contract award setting forth additional Entities desiring to utilize this bid.

Bidder must sign and submit the rider, if attached to this IFB, with its bid, indicating whether Bidder wishes to allow other Entities to use its bid. Bidder shall sign and return any subsequently issued riders within ten calendar days of receipt. Bidder's decision on whether to allow other Entities to use the bid shall not be a factor in awarding this IFB.

<u>Costs of Bidding</u>. Bidder shall bear any and all costs that are associated with the preparation of the Bid, attendance at the Pre-Submittal Conference, if any, or during any phase of the selection process.

Rejection of Bids.

City may reject any and all bids, in whole or in part, cancel the IFB and reissue the solicitation. City may reject a bid if:

Bidder misstates or conceals any material fact in the bid; or

The bid does not strictly conform to law or the requirements of the solicitation;

The bid is conditional; or

Any other reason that would lead City to believe that the bid is non-responsive or Bidder is not responsible.

City, in its sole discretion, may also waive any minor informalities or irregularities in any bid, such as failure to submit sufficient bid copies, failure to submit literature or similar attachments, or business affiliation information.

<u>Variances and Exceptions to Bid Terms</u>. In order to comply with State law, bidders must submit bids on the same material terms and conditions. Bids that contain material variances or exceptions to the terms and conditions, including additional terms and conditions, will be rejected.

<u>Changes to Bid Form</u>. Bids must be submitted on the forms furnished. Bids that change the format or content of City's IFB will be rejected.

Withdrawal of Bids. Bids may be withdrawn prior to the time set for the bid opening. Written notice of withdrawal shall be provided to the City Clerk for bids submitted in hard copy. Bids submitted electronically may be withdrawn electronically.

<u>Bid Opening</u>. Bids will be opened publicly and read aloud at 2:30 on the day the bids are due. Bid openings are held at Purchasing & General Services, Riverview Tower, 11th Floor, 111 Soledad, Suite 1100, San Antonio, Texas 78205.

Evaluation and Award of Contract.

Per Section §252.043 of the Texas Local Government Code, the contract will be awarded to the lowest responsible bidder. The Purchasing Division evaluates bids for responsiveness and the responsibility of the bidder, and makes a recommendation to the City Council. The City Council makes the final determination regarding award.

City reserves the right to make an award on the basis of low line item, low total line items, or in any other combination that serves the best interest of City, unless City designates this solicitation as an "all or none" bid in the Supplemental Terms & Conditions.

A written award of acceptance (manifested by a City Ordinance) and Purchase Order furnished to Bidder results in a binding contract without further action by either party. Vendor must have the Purchase Order before making any delivery.

City reserves the right to utilize historical usage data as a basis for evaluation of bids when future usages are unable to be determined.

Breaking of tie bids shall be in accordance with the Texas Local Government Code §271.901.

City reserves the right to delete items prior to the awarding of the contract, and purchase said items by other means.

Inspection of Facilities/Equipment.

Depending on the nature of the IFB, Bidders' facilities and equipment may be a determining factor in making the bid award. All bidders may be subject to inspection of their facilities and equipment.

Prospective bidders must prove beyond any doubt to City Purchasing Administrator that they are qualified and capable of performing the contract's requirements.

Prompt Payment Discount.

Provided Bidder meets the requirements stated herein, City shall take Bidder's offered prompt payment discount into consideration. The evaluation will not be based on the discount percentage alone, but rather the net price as determined by applying the discount to the bid price, either per line item or total bid amount. However, City reserves the right to reject a discount if the percentage is too low to be of value to City, all things considered. City may also reject a discount if the percentage is so high as to create an overly large disparity between the price City would pay if it is able to take advantage of the discount and the price City would pay if it were unable to pay within the discount period. City may always reject the discount and pay within the 30 day period, at City's sole option.

City will not consider discounts that provide fewer than 10 days to pay in order to receive the discount.

For example, payment terms of 2% 5, Net 30 will NOT be considered in bid evaluations or in the payment of invoices. However, payment terms of 2% 10, Net 30 will result in a two percent reduction in the bid price during bid evaluation, and City will take the 2% discount if the invoice is paid within the 10 day time period.

<u>Tabulations</u>. The Purchasing Division will post preliminary tabulations within 7 days of the advertised bid opening. The information on these tabulations will be posted for informational purposes only, and will be posted as read during the bid opening. This tabulation is not a notice of award of the contract. All bids are subject to review for completeness, accuracy and compliance with the terms set forth in the bid documents.

Bid Protest Procedures.

Any bidder who is adversely affected in connection with the solicitation, evaluation, or proposed award of a contract may file a protest with the Director and appeal any adverse decision to the City Manager of the City of San Antonio.

Bidder must deliver a written notice of protest to the Director within 7 calendar days of the posting of the intent to award. If Bidder does not file a written notice within this time, Bidder will have waived all rights to formally protest the intent to award. It is Bidder's responsibility to check the City's website posting.

<u>Debriefing</u>. Debriefing of contract award is available upon request and after award of the Contract.

<u>Prohibited Financial Interest.</u> The Charter of the City of San Antonio and its Ethics Code prohibit a City officer or employee, as those terms are defined in the Ethics Code, from having a financial interest in any contract with City or any City agency such as City-owned utilities. An officer or employee has a "prohibited financial interest" in a contract with City

or in the sale to City of land materials, supplies or service, if any of the following individual(s) or entities is a party to the contract or sale: the City officer or employee; his parent, child or spouse; a business entity in which he or his parent, child or spouse owns ten (10) percent or more of the voting stock or shares of the business entity, or ten (10) percent or more of the fair market value of the business entity; or a business entity in which any individual or entity above listed is a subcontractor on a City contract, a partner or a parent or subsidiary business entity.

State of Texas Conflict of Interest Questionnaire (Form CIQ). Chapter 176 of the Texas Local Government Code requires that persons, or their agents, who seek to contract for the sale or purchase of property, goods, or services with the City, shall file a completed Form CIQ with the City Clerk if those persons meet the requirements under 176.006(a) of the statute.

By law this questionnaire must be filed with the City Clerk not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. See Section 176.006(a-1), Texas Local Government Code.

Form CIQ is available from the Texas Ethics Commission by accessing the following web address:

https://www.ethics.state.tx.us/filinginfo/conflict_forms.htm

In addition, please complete the City's Addendum to Form CIQ (Form CIQ-A) and submit it with Form CIQ to the Office of the City Clerk. The Form CIQ-A can be found at:

http://www.sanantonio.gov/atty/ethics/pdf/OCC-CIQ-Addendum.pdf

When completed, the CIQ Form and the CIQ-A Form should be submitted together, either by mail or hand delivery, to the Office of the City Clerk. If mailing, mail to:

Office of the City Clerk, P.O. Box 839966, San Antonio, TX 78283-3966.

If delivering by hand, deliver to:

Office of the City Clerk, City Hall, 100 Military Plaza, San Antonio, TX 78205.

Do not include these forms with your sealed bid. The Purchasing Division will not deliver the forms to the City Clerk for you.

Certificate of Interested Parties (Form 1295).

The Texas Government Code §2252.908, and the rules issued by the Texas Ethics Commission found in Title 1, Sections 46.1, 46.3 and 46.5 of the Texas Administrative Code, require a business entity to submit a completed Form 1295 to the City before the City may enter into a contract with that business entity.

Form 1295 must be completed online. In Box 3 of the form, provide the solicitation number shown on the cover page of this solicitation (e.g. IFB 6100001234, RFO 6100001234 or RFCSP 6100001234). The form is available from the Texas Ethics Commission by accessing the following web address:

https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm

Print your completed Form 1295 showing the Certification Number and Date Filed in the Certification of Filing box at the upper right corner. Sign Form 1295 in front of a notary and submit it with your response to this solicitation.

The following definitions found in the statute and Texas Ethics Commission rules may be helpful in completing Form 1295.

"Business entity" includes an entity through which business is conducted with a governmental entity or state agency, regardless of whether the entity is a for-profit or nonprofit entity. The term does not include a governmental entity or state agency.

"Controlling interest" means: (1) an ownership interest or participating interest in a business entity by virtue of units, percentage, shares, stock, or otherwise that exceeds 10 percent; (2) membership on the board of directors or other

governing body of a business entity of which the board or other governing body is composed of not more than 10 members; or (3) service as an officer of a business entity that has four or fewer officers, or service as one of the four officers most highly compensated by a business entity that has more than four officers.

"Interested party" means: (1) a person who has a controlling interest in a business entity with whom a governmental entity or state agency contracts; or (2) a person who actively participates in facilitating a contract or negotiating the terms of a contract with a governmental entity or state agency, including a broker, intermediary, adviser, or attorney for the business entity.

"Intermediary", for purposes of this rule, means a person who actively participates in the facilitation of the contract or negotiating the contract, including a broker, adviser, attorney, or representative of or agent for the business entity who:

- (1) receives compensation from the business entity for the person's participation;
- (2) communicates directly with the governmental entity or state agency on behalf of the business entity regarding the contract; and
- (3) is not an employee of the business entity.

004 - SPECIFICATIONS / SCOPE OF SERVICES

- SCOPE: The City of San Antonio is soliciting bids to furnish 184 light duty trucks, vans, SUV's, aerials, and flat/stake beds in accordance with the specifications listed herein. These vehicles will be utilized by various departments including Transportation & Capital Improvements, Parks and Recreation, Convention Facilities, Solid Waste Management, San Antonio Police, Aviation, Animal Care Services, Department of Human Services Head Start Program, San Antonio Public Library, and the San Antonio Fire.
- 4.1.1 NEW 2016 or current production completely assembled vehicles are required. Vehicle shall have published specifications. Vehicles that are classified as demonstrations, prototype or discontinued or modified models WILL NOT be acceptable. Vehicle offered shall meet current EPA exhaust emission standard.
- 4.2 **GENERAL CONDITIONS**: The following general conditions will apply to all items within this bid unless specifically excluded within any item.
- 4.2.1 City of San Antonio reserves the right to increase or decrease quantity of vehicles being purchased up to the production "cut-off" date submitted on the bid for the particular item, depending on availability of funds. Prices may not be increased during this period; however, the City should benefit from any price decrease. Successful vendor is required to notify the City of all production "cut-off" dates necessary for order submission. Vehicles are to be year model 2016 or newer. Unless otherwise approved by the City, VEHICLES DELIVERED DURING A CALENDAR YEAR MUST BE THE MODEL YEAR VEHICLES FOR THAT CALENDAR YEAR OR NEWER. UNDER NO CIRCUMSTANCES SHALL VENDOR DELIVER MODEL YEAR VEHICLES FOR THE PRECEDING CALENDAR YEAR.
- 4.2.2 All components shall be installed new, unused, standard production model, and equipment is to be serviced in accordance with manufacturer's recommended pre-delivery check list, and ready for operation upon delivery, and shall include all manufacturers' standard equipment unless otherwise specified or replaced therein. Equipment offered under the below listed specifications will be considered unacceptable if for any reason its long term availability on the U.S. Market or in the local area is in doubt.
- 4.2.3 All items bid must include the maximum standard manufacturer's warranty available, including both parts and labor, for all components and attachments. All warranties must be for a minimum period of twelve months. The warranty shall begin on the date the vehicle is placed in service, not on the delivery date. Vendor shall attach a copy of the manufacturer's warranty to Vendor's bid. City will notify Vendor by letter of the in-service date for each item by serial number. Such parts and service must be available within Bexar County from and by a factory authorized dealer. Bids submitted by dealers located outside Bexar County will include a signed agreement with a factory authorized dealer located within Bexar County, providing warranty, parts and service for items bid. All warranty repairs shall be completed within 3 business days from the date equipment is delivered to the vendor unless otherwise approved by the appropriate City of San Antonio BESD Fleet Operations Manager or designee.

Authorized Warranty Provider:	(Any authorized Dodge Store)
Warranty Provider Address:	BOREMITA

4.2.4 Delivery - All deliveries are to be made inside the City limits of San Antonio. Vendor must deliver equipment to the following address:

City of San Antonio, Northeast Service Center, 10303 Tool Yard, Bldg #2 San Antonio, TX 78233 Attn: Acquisitions

4.2.5 Delivery to a non-specified location will result in non-acceptance of the equipment by the City. All deliveries must be pre-arranged with a minimum 24-hour notification, NO EXCEPTIONS. Vehicles will be accepted 8:00 A.M. to 3:00 P.M. CST. Vehicles with more than 1500 miles accumulated on the odometer will not be accepted. All vehicles are required to have a full tank(s) when delivered to City specified location.

- accessories, and components. The supplier shall furnish 2 complete sets per unit of detailed literature and specifications of each vehicle upon contract award.
- 4.2.7 The Manufacturer's Statement of Origin (MSO), Dealer Temporary license plates/tags, proper Invoice, Texas state inspection decal, signed 130U form and State Weight Certificate/slip (for trucks over one ton) are required upon delivery of each vehicle. Any of these missing items will deem the vehicle delivered *Not as Specified* and will not be processed or accepted. All completed paperwork is to be provided to Fleet Acquisition staff.
- 4.2.8 All bodies and components in this bid will be installed in accordance with the appropriate complete Vehicle Data Manual. Certification of compliance will be posted on the left door post of the vehicle. Except for manufacturer's data plates (maximum 4" x 6"), vendor's or manufacturer's identifying markings (decals and plates) will not be applied to the vehicle or mounted components. Installation will be completed in compliance with Federal Motor Vehicle Department of Transportation Standards and Texas State Highway requirements. Installation of body and accessories on City furnished vehicles will be accomplished by drilling holes in the frame. Welding on or cutting of frame is not authorized forward of the rear spring hanger or support. Bidders will be responsible for the relocation of any truck components to facilitate installation of the body and equipment. Such relocation must be included as part of the basic bid. No dealership nameplates, markings or decals will be permitted on the vehicles.
- 4.2.9 All vehicles are to be equipped at the factory with air conditioning/heater/defroster, (with the maximum capacity cooling system offered by manufacturer), full headliner minimum OEM AM/FM radio, power steering, power ABS brakes, power windows, power door locks, power mirrors and manual tilt steering wheel. All units must be equipped with steering column mounted gear selector unless otherwise specified. Each unit shall have a minimum of two keyless remotes (fobs) and shall have a minimum of 3 sets of keys. If vehicle utilizes a push button ignition system, then a minimum of 3 keyless remote fobs are required.
- 4.2.10 All units shall be equipped with safety equipment as required by the Federal Government and must MEET ALL SAFETY STANDARDS AND REQUIREMENTS.
- 4.2.11 Fuel systems shall be gasoline and have a minimum 20 gallon capacity unless otherwise specified.
- 4.2.12 Any diesel engine being bid must conform to latest NOx EPA-2010 emission standard in effect at the time of offer. Vendor must supply a copy of the EPA Certificate of Conformity for 2010 with its offer. Only engines using selective catalytic reduction (SCR) technology will be accepted.
- 4.2.13 Electrical Vehicles require a standard duty battery and minimum 100 amp alternator offered by manufacturer for models being bid. All units to be equipped with oil pressure, water temperature, and volt or amp gauges.
- 4.2.14 Doors, Mirrors & Windows: Vehicles shall be equipped with power windows, mirrors, and door locks.
- 4.2.15 Vehicles shall be equipped with OEM tinted glass.
- 4.2.16 All vehicles shall have vinyl type seating for front and rear seats, if applicable, along with rubber or carpet flooring unless otherwise specified.
- 4.2.17 All Four Full Door Cab configurations provided will have the largest forward facing door available and have "B" pillar door hinges so rear doors will open in the same direction as front doors.
- 4.2.18 All pickup trucks and vans shall be provided with limited slip axles.
- 4.2.19 Spare tires required by the below listed specifications must be identical in manufacturer's tread design, ply rating (load range) etc., as those furnished on driving and steering axles, unless otherwise noted. Tires still under evaluation will not be acceptable.
- 4.2.20 All accessories and equipment shall be OEM. The manufacturer will rate all equipment provided as low emission on all models available.
- 4.2.21 Safety: Vehicles shall be equipped with driver and passenger airbags, seatbelts, running daytime lights, and standard front and rear bumpers unless otherwise specified.
- 4.2.22 Exhaust: Vehicles shall be equipped with stainless steel rear pipe with catalytic converter unless otherwise specified.

- 4.2.23 **Convenience Features**: Vehicles shall be equipped with intermittent wipers, automatic-off headlights, and cruise control.
- 4.2.24 Exterior and Interior Color: Unless otherwise specified, each vehicle shall have a white exterior body color. Unless otherwise specified, interior coloring shall be dark grey.
- **4.2.25** Lighting: All vehicles that require amber color LED strobe lights are to be installed on the front grill of chassis and rear panel body. Strobes to be wired to a factory type or toggle switch inside of the cab.

4.3	ITEM	QUANTITY	DESCRIPTION
	1	6	1/2 Ton Extended Cab 4x2 Compact Pickup Truck

- 4.3.1 **ENGINE:** 6 cylinders or greater with a minimum 236 HP.
- 4.3.2 **GVWR**: Minimum of 4,900 lbs.
- 4.3.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design.
- 4.3.4 **SUSPENSION:** Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.3.5 **DIMENSIONS:** Extended cab configuration. Pick-up box length shall be a minimum of 60 inches. Wheelbase to be a minimum of 119 inches.
- 4.3.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
- 4.3.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.3.8 **FUEL SYSTEM**: Fuel tank shall hold a minimum of 17 gallons of Unleaded 87 Octane.
- 4.3.9 **SEATING:** Vinyl seating and upholstery.
- 4.4 ITEM QUANTITY DESCRIPTION

 2 20 ½ Ton Full Size Regular Cab 4x2
- 4.4.1 ENGINE: 6 cylinders or greater with a minimum 270 HP.
- 4.4.2 **GVWR**: Minimum of 6,000 lbs.
- 4.4.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design.
- 4.4.4 **SUSPENSION:** Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.4.5 **DIMENSIONS:** Regular cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum of 119 inches.
- 4.4.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
- 4.4.7 **TIRES & WHEELS:** Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.4.8 **FUEL SYSTEM**: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.4.9 **SEATING:** Vinyl seating and upholstery
- 4.4.10 **LIGHTING**: See 4.2.25

4.5	ITEM	QUANTITY	DESCRIPTION		
	3	1	1/2 Ton Full Size Regular Cab 4x2 w/ Headache Rack		
4.5.1	ENGINE: 6 cylinders or greater with a minimum 270 HP.				
4.5.2	GVWR: Mini	imum of 6,000 lbs.			
4.5.3	TRANSMISS	SION/DRIVE: Automatic	with overdrive; 5 speed minimum; Power Steering; 4x2 design.		
4.5.4	SUSPENSIOn.		lable to include heavy duty shock absorbers and independent struts with		
4.5.5	DIMENSION be a minimu	IS: Regular cab configu m of 119 inches.	ration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to		
4.5.6	BRAKES: E	quipped with 4-wheel at	atomatic braking system and front vented discs at minimum.		
4.5.7		/HEELS: Tire pressure that rating of vehicle.	monitoring system required. Tires must meet or exceed minimum gross		
4.5.8	FUEL SYST	EM: Fuel tank shall hold	a minimum of 20 gallons of Unleaded 87 Octane.		
4.5.9	SEATING: \	∕inyl seating and uphols	tery.		
4.5.10	LIGHTING:	See 4.2.25			
4.5.11	HEADACHE steel or met	HEADACHE RACK : Unit is to be equipped with a steel or metal headache rack behind the cab and to have steel or metal mesh in order to view rear. Headache rack to be black in color.			
4.6	ITEM	QUANTITY	DESCRIPTION		
4.6	ITEM 4	QUANTITY	DESCRIPTION ½ Ton Full Size Regular Cab 4x2- School Bus Yellow		
4.6 4.6.1	4		½ Ton Full Size Regular Cab 4x2- School Bus Yellow		
	4 ENGINE: 6	1	½ Ton Full Size Regular Cab 4x2- School Bus Yellow		
4.6.1	4 ENGINE: 6 GVWR: Min	1 cylinders or greater with nimum of 6,000 lbs.	½ Ton Full Size Regular Cab 4x2- School Bus Yellow		
4.6.1 4.6.2	4 ENGINE: 6 GVWR: Min	1 cylinders or greater with imum of 6,000 lbs. SION/DRIVE: Automatic ON: Heaviest Duty ava	½ Ton Full Size Regular Cab 4x2- School Bus Yellow a minimum 270 HP.		
4.6.1 4.6.2 4.6.3	4 ENGINE: 6 GVWR: Min TRANSMIS SUSPENSION Stabilization	1 cylinders or greater with imum of 6,000 lbs. SION/DRIVE: Automatic ON: Heaviest Duty ava	½ Ton Full Size Regular Cab 4x2- School Bus Yellow a minimum 270 HP. c with overdrive; 5 speed minimum; Power Steering; 4x2 design.		
4.6.1 4.6.2 4.6.3 4.6.4	ENGINE: 6 GVWR: Min TRANSMIS SUSPENSION Stabilization DIMENSION be a minimum	cylinders or greater with himum of 6,000 lbs. SION/DRIVE: Automatic ON: Heaviest Duty ava b. NS: Regular cab configuration of 119 inches.	1/2 Ton Full Size Regular Cab 4x2- School Bus Yellow a minimum 270 HP. c with overdrive; 5 speed minimum; Power Steering; 4x2 design. ilable to include heavy duty shock absorbers and independent struts with		
4.6.1 4.6.2 4.6.3 4.6.4 4.6.5	ENGINE: 6 GVWR: Min TRANSMIS SUSPENSION Stabilization DIMENSION be a minimum BRAKES: E	cylinders or greater with aimum of 6,000 lbs. SION/DRIVE: Automatic ON: Heaviest Duty ava NS: Regular cab configuration of 119 inches. Equipped with 4-wheel a	½ Ton Full Size Regular Cab 4x2- School Bus Yellow a minimum 270 HP. with overdrive; 5 speed minimum; Power Steering; 4x2 design. illable to include heavy duty shock absorbers and independent struts with uration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to		
4.6.1 4.6.2 4.6.3 4.6.4 4.6.5	ENGINE: 6 GVWR: Min TRANSMIS SUSPENSION Stabilization DIMENSION be a minimum BRAKES: E TIRES & V vehicle weight	cylinders or greater with aimum of 6,000 lbs. SION/DRIVE: Automatic ON: Heaviest Duty ava NS: Regular cab configuration of 119 inches. Equipped with 4-wheel at the configuration of the configuratio	½ Ton Full Size Regular Cab 4x2- School Bus Yellow a minimum 270 HP. with overdrive; 5 speed minimum; Power Steering; 4x2 design. illable to include heavy duty shock absorbers and independent struts with uration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to utomatic braking system and front vented discs at minimum.		
4.6.1 4.6.2 4.6.3 4.6.4 4.6.5 4.6.6 4.6.7	ENGINE: 6 GVWR: Min TRANSMIS SUSPENSION Stabilization DIMENSION be a minimum BRAKES: E TIRES & V vehicle weig FUEL SYST	cylinders or greater with aimum of 6,000 lbs. SION/DRIVE: Automatic ON: Heaviest Duty ava NS: Regular cab configuration of 119 inches. Equipped with 4-wheel at the configuration of the configuratio	½ Ton Full Size Regular Cab 4x2- School Bus Yellow a a minimum 270 HP. with overdrive; 5 speed minimum; Power Steering; 4x2 design. illable to include heavy duty shock absorbers and independent struts with uration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to utomatic braking system and front vented discs at minimum. monitoring system required. Tires must meet or exceed minimum gross d a minimum of 20 gallons of Unleaded 87 Octane.		
4.6.1 4.6.2 4.6.3 4.6.4 4.6.5 4.6.6 4.6.7	ENGINE: 6 GVWR: Min TRANSMIS SUSPENSION Stabilization DIMENSION be a minimum BRAKES: E TIRES & V vehicle weig FUEL SYST SEATING:	cylinders or greater with himum of 6,000 lbs. SION/DRIVE: Automatic ON: Heaviest Duty avail. NS: Regular cab configum of 119 inches. Equipped with 4-wheel at the configuration of the configuration o	½ Ton Full Size Regular Cab 4x2- School Bus Yellow a a minimum 270 HP. with overdrive; 5 speed minimum; Power Steering; 4x2 design. illable to include heavy duty shock absorbers and independent struts with uration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to utomatic braking system and front vented discs at minimum. monitoring system required. Tires must meet or exceed minimum gross d a minimum of 20 gallons of Unleaded 87 Octane.		

4.7	ITEM	QUANTITY	DESCRIPTION			
	5	3	½ Ton Full Size Regular Cab 4x2 - One (1) Dark Blue/ Two (2) Black			
4.7.1	ENGINE: 6 cylinders or greater with a minimum 270 HP.					
4.7.2	GVWR: Mini	GVWR: Minimum of 6,000 lbs.				
4.7.3	TRANSMIS	SION/DRIVE: Automatic	with overdrive; 5 speed minimum; Power Steering; 4x2 design.			
4.7.4	SUSPENSIOn.		able to include heavy duty shock absorbers and independent struts with			
4.7.5		IS: Regular cab configu Im of 119 inches.	ration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to			
4.7.6	BRAKES: E	quipped with 4-wheel au	tomatic braking system and front vented discs at minimum.			
4.7.7	TIRES & W	/HEELS: Tire pressure that rating of vehicle.	monitoring system required. Tires must meet or exceed minimum gross			
4.7.8	FUEL SYST	EM: Fuel tank shall hold	a minimum of 20 gallons of Unleaded 87 Octane.			
4.7.9	SEATING: \	Vinyl seating and upholst	ery.			
4.7.10	LIGHTING:	See 4.2.25				
4.7.11	COLOR: Or	ne unit to be OEM Dark E	Blue and two units to be OEM Black.			
4.8	ITEM	QUANTITY	DESCRIPTION			
0	6	17	½ Ton Full Size Extended Cab 4x2 Pickup Truck			
4.8.1		cylinders or greater with	a minimum 270 HP.			
4.8.2		nimum of 6,000 lbs.				
4.8.3	TRANSMIS	SION/DRIVE: Automation	with overdrive; 5 speed minimum; Power Steering; 4x2 design.			
4.8.4	SUSPENSI stabilization		lable to include heavy duty shock absorbers and independent struts with			
4.8.5	DIMENSION be a minimu	NS: Extended cab configum 140 inches.	juration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to			
4.8.6	BRAKES: E	Equipped with 4-wheel a	utomatic braking system and front vented discs at minimum.			
4.8.7		VHEELS: Tire pressure ght rating of vehicle.	monitoring system required. Tires must meet or exceed minimum gross			
4.8.8	FUEL SYS	TEM: Fuel tank shall hold	d a minimum of 20 gallons of Unleaded 87 Octane.			
4.8.9	SEATING:	Vinyl seating and uphols	tery.			
4.8.10	L!GHTING:	See 4.2.25				
4.9	ITEM	QUANTITY	DESCRIPTION			
	7	2	1/2 Ton Full Size Extended Cab 4x2 Pickup Truck w Lockable Bed			

Cover- Black & White

ENGINE: 6 cylinders or greater with a minimum 270 HP. 4.9.1 4.9.2 GVWR: Minimum of 6,000 lbs. TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design. 4.9.3 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with 4.9.4 stabilization. DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to 4.9.5 be a minimum 140 inches. BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum. 4.9.6 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross 4.9.7 vehicle weight rating of vehicle. FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane. Flex Fuel engine is 4.9.8 acceptable. 4.9.9 SEATING: Vinyl seating and upholstery. 4.9.10 LIGHTING: See 4.2.25 COLOR: Two-tone unit to be all OEM Black with the cab doors and roof to be OEM White. 4.9.11 BED COVER: Unit shall be equipped with lockable fiberglass bed cover. Bed cover shall be OEM Black (same 4.9.12 as bed of unit) and have suspension bars to securely hold cover upright when in use. DESCRIPTION **QUANTITY** ITEM 4.10 1/2 Ton Full Size Extended Cab 4x2 Pickup Truck w/ Bucket Seats 2 8 ENGINE: 6 cylinders or greater with a minimum 270 HP. 4.10.1 GVWR: Minimum of 6,000 lbs. 4.10.2 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design. 4.10.3 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with 4,10.4 stabilization. DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to 4.10.5 be a minimum 140 inches. BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum. 4.10.6 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross 4.10.7 vehicle weight rating of vehicle. FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane. Flex Fuel engine is 4.10.8 acceptable. SEATING: Unit will be equipped with front bucket seats, no center console and a rear bench seat. 4.10.9 LIGHTING: See 4.2.25 4.10.10

DESCRIPTION

QUANTITY

4.11

ITEM

- 4.11.1 **ENGINE:** 6 cylinders or greater with a minimum 270 HP.
- 4.11.2 **GVWR:** Minimum of 6,000 lbs.

1

- 4.11.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design.
- 4.11.4 **SUSPENSION:** Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.11.5 **DIMENSIONS:** Extended cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum 140 inches.
- 4.11.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
- 4.11.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.11.8 **FUEL SYSTEM**: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane. Flex Fuel engine is acceptable.
- 4.11.9 **SEATING:** Unit will be equipped with front bucket seats, no center console and a rear bench seat.
- 4.11.10 **LIGHTING**: See 4.2.25
- 4.11.11 **LIFT GATE**: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.

4.12	ITEM	QUANTITY	DESCRIPTION
	10	4	1/2 Ton Four Full Door Full Size 4x2 Pickup Truck

- 4.12.1 **ENGINE:** 6 cylinders or greater with a minimum 270 HP.
- 4.12.2 GVWR: Minimum 6,000 lbs.
- 4.12.3 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering; 4x2 design.
- 4.12.4 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.12.5 **DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 4.12.6 BRAKES: Equipped with 4-wheel automatic breaking system and front vented discs minimum.
- 4.12.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.12.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.12.9 **SEATING:** Vinyl seating and upholstery.
- 4.12.10 **LIGHTING**: See 4.2.25
- 4.13 ITEM QUANTITY DESCRIPTION

- 4.13.1 **ENGINE:** 6 cylinders or greater with a minimum 270 HP.
- 4.13.2 GVWR: Minimum 6,000 lbs.

1

- 4.13.3 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering; 4x2 design.
- 4.13.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.13.5 **DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 4.13.6 BRAKES: Equipped with 4-wheel automatic breaking system and front vented discs at minimum.
- 4.13.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.13.8 **FUEL SYSTEM**: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.13.9 **SEATING:** Vinyl seating and upholstery.
- 4.13.10 **LIGHTING**: See 4.2.25

4.14	ITEM	QUANTITY	DESCRIPTION
	12	2	½ Ton Four Full Door Full Size 4x2 Pickup Truck w/ Lockable Bed Cover

- 4.14.1 **ENGINE:** 6 cylinders or greater with a minimum 260 HP.
- 4.14.2 GVWR: Minimum 6,800 lbs.
- 4.14.3 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering; 4x2 design.
- 4.14.4 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.14.5 **DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 4.14.6 BRAKES: Equipped with 4-wheel automatic breaking system and front vented discs at minimum.
- 4.14.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.14.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.14.9 **SEATING:** Vinyl seating and upholstery.
- 4.14.10 LIGHTING: See 4.2.25
- 4.14.11 BED COVER: Unit shall be equipped with a lockable fiberglass bed cover. Bed cover shall be OEM white (same as unit) and have suspension bars to securely hold cover upright when in use.
- 4.15 ITEM QUANTITY DESCRIPTION

- 4.15.1 **ENGINE:** 6 cylinders or greater with a minimum 270 HP.
- 4.15.2 GVWR: Minimum 6,000 lbs.

1

- 4.15.3 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering; 4x4 drive train with an electric shift control two speed transfer case.
- 4.15.4 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.15.5 **DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 4.15.6 BRAKES: Equipped with 4-wheel automatic breaking system and front vented discs at minimum.
- 4.15.7 **TIRES & WHEELS:** Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.15.8 **FUEL SYSTEM**: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.15.9 **SEATING:** Vinyl seating and upholstery.
- 4.15,10 LIGHTING: See 4.2.25

4.16	ITEM	QUANTITY	DESCRIPTION
	14	2	3/4 Ton Regular Cab Gasoline 4x2 Pickup Truck

- 4.16.1 **ENGINE**: Minimum 6 cylinders with a minimum 360 HP.
- 4.16.2 **GVWR**: Minimum 8,501 lbs.
- 4.16.3 TRANSMISSION/ DRIVE: Automatic transmission with overdrive; 5 speed minimum.
- 4.16.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.16.5 **DIMENSIONS**: Regular cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum of 133 inches.
- 4.16.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
- 4.16.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.16.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 4.16.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.16.10 **SEATING:** Vinyl seating and upholstery.
- 4.16.11 LIGHTING: See 4.2.25
- 4.16.12 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM incab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

DESCRIPTION QUANTITY ITEM 4.17 3/4 Ton Regular Cab Diesel 4x2 Pickup Truck 15 ENGINE: Minimum 6 cylinders with a minimum 360 HP. 4.17.1 GVWR: Minimum 8,501 lbs. 4 17 2 TRANSMISSION/ DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4.17.3 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers and independent struts with 4.17.4 stabilization. DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to 4.17.5 be a minimum of 133 inches. BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum. 4.17.6 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross 4.17.7 vehicle weight rating of vehicle. FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Ultra Low Sulfur Diesel. 4.17.8 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. 4.17.9 Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver. SEATING: Vinyl seating and upholstery. 4.17.10 LIGHTING: See 4.2.25 4 17 11 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-4.17.12 cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin). DESCRIPTION ITEM QUANTITY 4.18 3/4 Ton Regular Cab 4x2 Pickup Truck w/ Lift Gate 16 1 ENGINE: Minimum 6 cylinders with a minimum 360 HP. 4.18.1 GVWR: Minimum 8,501 lbs. 4.18.2 TRANSMISSION/ DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4.18.3 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers and independent struts with 4.18.4 stabilization. **DIMENSIONS**: Regular cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to 4.18.5 be a minimum of 133 inches. BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum. 4.18.6 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross 4.18.7 vehicle weight rating of vehicle. FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity. 4.18.8 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. 4.18.9 Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

- 4.18.10 SEATING: Vinyl seating and upholstery.
- 4.18.11 LIGHTING: See 4.2.25
- 4.18.12 **REAR BUMPER**: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM incab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).
- 4.18.13 **LIFT GATE**: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.

4.19	ITEM	QUANTITY	DESCRIPTION
	17	2	3/4 Ton Live Animal Control/Transport Pickup Truck

- 4.19.1 ENGINE: Minimum 6 cylinder with a minimum of 360 HP
- 4.19.2 **GVWR:** Minimum 8,501 lbs.
- 4.19.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum.
- 4.19.4 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.19.5 **DIMENSIONS**: Regular cab configuration. Pick-up box length shall be a minimum of 96 inches. Unit shall be 56" Cab to Axle and to be SRW with 6 Cages and 1 two-way accessible storage compartment with an Animal Control Unit Body. Wheelbase to be a minimum of 133 inches.
- 4.19.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs minimum.
- 4.19.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.19.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.19.9 MIRRORS: OEM Standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest available in model offered. Remote controlled from driver.
- 4.19.10 **SEATING:** Vinyl seating and upholstery.
- 4.19.11 LIGHTING: See 4.2.25
- ANIMAL CONTROL UNIT (ACU) ANIMAL COMPARTMENTS: ACU will be utilized for live animal transport and should consist of 3 compartments on curbside and 3 compartments on street side.. All street side and curb side compartments shall measure as follows: Minimum 28"W x 37" H x 38" D. Each compartment shall be internally flush against one another. To allow the removal of fluids, all floors should be on a ¼" slope per foot towards the middle of the compartment to a minimum 1.5" ID drain. All dog compartments shall be designed in a square format as to allow washing with hose without spray-back. Drain holes are to be centered in each compartment. For safety of operators, all doors (excluding rear storage compartment) should have secondary interior safety doors made of stainless steel with catch-pole opening. The interior door must be secured with a chrome-plated or stainless steel latch which is easily operated while securing animals. All dog compartments shall not have areas that can hide or prevent pestilence carrying debris from being easily washed out.
- 4.19.13 REAR, DUAL DOOR, LOCKABLE STORAGE SHALL MEASURE AS FOLLOWS: One additional compartment will be added to the rear of the unit. This unit shall be an accessible, rear, dual door, lockable storage measuring a minimum of 28"W x 37"H x 80"D (from door to door). All lights shall be operable by a switch within the truck cab. ACU shall include a total of 8 lights (one per cage) and 2 for the last dual door accessible lockable storage compartment. The last compartment towards the rear is to be a dual accessible storage unit to hold a cage measuring (minimum) 48"L x 20"W x 26"H and catch poles. Inside the storage space, 2 inch, 4 ½ inch, and 2 feet apart "U-Hooks" are to be mounted near the top to hold 5 foot catch poles. The catch poles are to hang as storage between transportation. All compartments should have at minimum 20

gauge aluminum floors or fiberglass. All dog compartments shall have ½" thick, chew proof, rubber mats to fit the entire floor of the dog compartment. Minimum overall dimensions are: 24"W x 36"H x 110"D.

- 4.19.14 ANIMAL CONTROL UNIT (ACU) HEATING, AIR CONDITIONING, AND AIR CIRCULATION: A/C unit shall consist of an auxiliary compressor separate from the cab and chassis a/c system. Duct work should be installed to allow for heating and air conditioning. The BTU capacity of the HVAC unit should allow for a minimum of 28,000 BTU cooling and 32,000 BTU heat. The minimum CFM rating of the blower is 295. Console-mounted heat and air conditioning panel should be located in the truck cab. Panel shall display the temperature of each individual dog compartment. Variations of temperature outside the programmed settings shall set off an audible alarm inside cab. Each of the 6 storage units will be properly insulated and shall have ventilation ducts for proper air circulation. Each of the 6 storage units will also have "rain cap" / removable cover over the circulation duct to prevent rain from filling the compartment while in transport or staged at a location.
- 4.19.15 ANIMAL CONTROL UNIT (ACU) EXTERIOR LIGHTING: Unit shall have high-mounted amber colored LED strobe lights mounted on each side of rear of unit. Unit shall have low-mounted white colored LED strobe lights mounted on each side of rear of unit. All strobe lights will be wired to a switch mounted in the cab of the truck.
- 4.19.16 TAIL LIGHTS: Recessed-mounted LED stop/turn and parking capabilities.
- 4.19.17 BRAKE LIGHTS: Additional high-level red LED.
- 4.19.18 SAFETY: Audible Back-Up alarm shall be installed.

4.20	ITEM	QUANTITY	DESCRIPTION
	18	1	3/4 Ton, 56" Cab to Axle, Utility Bed Truck w/ Ladder Rack
		e de la companya del companya de la companya del companya de la co	

- 4.20.1 **ENGINE:** Minimum 6 cylinders with a minimum 360 H.P.
- 4.20.2 WHEELBASE: Minimum 133".
- 4.20.3 BODY/BED: Regular cab configuration. Wheelbase to be a minimum of 133*.
- 4.20.4 TRANSMISSION: Automatic transmission with overdrive; 5 speed minimum.
- 4.20.5 GVWR: Minimum 8,501 lbs.
- 4.20.6 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Largest size available in model offered. Remote controlled from driver.
- 4.20.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- 4.20.8 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers.
- 4.20.9 BRAKES: Power brakes with minimum front disc and rear drums, ABS system.
- 4.20.10 STEERING: Power steering.
- 4.20.11 LIGHTING: See 4.2.25
- 4.20.12 **SEATING:** Vinyl or premium synthetic upholstery.
- 4.20.13 UTILITY BODY SPECIFICATIONS:
 - 4.20.13.1 MATERIAL: Minimum 14 gauge Steel Construction.
 - 4.20.13.2 LENGTH: 96 inches approximately.
 - 4.20.13.3 **WIDTH:** 78 inches approximately.
 - 4.20.13.4 **HEIGHT:** Minimum 39 inches.
- 4.20.14 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have 2 adjustable removable shelves with a minimum of 6 adjustable

dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear vertical compartments to be 19 ½" W X 38" H X 14 ½" D with 2 adjustable shelves. All doors shall be weather-sealed and include positive horizontal door holders.

- 4.20.15 BODY: All steel, all welded.
- 4.20.16 **LIGHTS:** Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 4.20.17 MASTER LOCKING SYSTEM MUST BE INCLUDED.
- 4.20.18 **LADDER RACK**: Ladder rack to be as wide and long as utility bed. Rack to be painted black in color. Rack shall be at a height tall enough to clear cab of vehicle by a minimum of 8 inches. Rack shall mount to service body.
- 4.20.19 **REAR BUMPER:** All units are required to have minimum OEM rear bumper, tow package and receiver type hitch (no rear bumper or hitch required on cab and chassis). Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. *Wilton 656 HD* or equal.

4.21	ITEM	QUANTITY	DESCRIPTION
	19	1	3/4 Ton, 56" Cab to Axle, Utility Bed Truck w/ Pipe Rack

- 4.21.1 ENGINE: Minimum 6 cylinders with a minimum 360 H.P.
- 4.21.2 WHEELBASE: Minimum 133 inches.
- 4.21.3 BODY/BED: Regular cab configuration. Wheelbase to be a minimum of 133".
- 4.21.4 TRANSMISSION: Automatic transmission with overdrive; 5 speed minimum.
- 4.21.5 GVWR: Minimum 8,501 lbs.
- 4.21.6 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Largest size available in model offered. Remote controlled from driver.
- 4.21.7 TIRES & WHEELS: Tires must meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- 4.21.8 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers.
- 4.21.9 BRAKES: Power brakes with minimum front disc and rear drums, ABS system.
- 4.21.10 **STEERING**: Power steering.
- 4.21.11 LIGHTING: See 4.2.25
- 4.21.12 **SEATING:** Vinyl or premium synthetic upholstery.
- 4.21.13 UTILITY BODY SPECIFICATIONS:
 - 4.21.13.1 MATERIAL: Minimum 14 gauge Steel Construction.
 - 4.21.13.2 LENGTH: 96 inches approximately.
 - 4.21.13.3 WIDTH: 78 inches approximately.
 - 4.21.13.4 HEIGHT: Minimum 39 inches.
- 4.21.14 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have 2 adjustable removable shelves with a minimum of 6 adjustable

dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear vertical compartments to be 19 ½" W X 38" H X 14 ½" D with 2 adjustable shelves. All doors to be weather-sealed and include positive horizontal door holders.

- 4.21.15 BODY: All steel, all welded.
- 4.21.16 **LIGHTS:** Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 4.21.17 MASTER LOCKING SYSTEM MUST BE USED.
- 4.21.18 PIPE RACK: Ladder rack to be as wide and long as entire unit. Rack to be painted black in color. Rack shall be at a height tall enough to clear cab of vehicle by a minimum of 8 inches. Rack shall mount to front and rear bumpers and service body. Front and sides of pipe storage to be metal with metal mesh all around. Front and sides to be a minimum 12 inches in height.
- 4.21.19 **REAR BUMPER:** All units are required to have minimum OEM rear bumper, tow package and receiver type hitch (no rear bumper or hitch required on cab and chassis). Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. Wilton 656 HD or equal.

4.22	ITEM	QUANTITY	DESCRIPTION
	20	1	¾ Ton, 56"Cab to Axle, 4x4 Utility Bed Truck

- 4.22.1 **ENGINE:** Minimum 6 cylinders with a minimum 360 H.P.
- 4.22.2 WHEELBASE: Minimum 133" inches.
- 4.22.3 BODY/BED: Regular cab configuration. Wheelbase to be a minimum of 133".
- 4.22.4 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering. 4x4 drive train with an electric shift control two speed transfer case.
- 4.22.5 **GVWR**: Minimum 8,501 lbs.
- 4.22.6 **MIRRORS**: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Largest size available in model offered. Remote controlled from driver.
- 4.22.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- 4.22.8 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers.
- 4.22.9 BRAKES: Power brakes with minimum front disc and rear drums, ABS system.
- 4.22.10 STEERING: Power steering.
- 4,22.11 **LIGHTING**: See 4.2.25
- 4.22.12 **SEATING:** Vinyl or premium synthetic upholstery.
- 4.22.13 UTILITY BODY SPECIFICATIONS:
 - 4.22.13.1 MATERIAL: Minimum 14 gauge Steel Construction.
 - 4.22.13.2 LENGTH: 96 inches approximately.
 - 4.22.13.3 WIDTH: 78 inches approximately.
 - 4.22.13.4 HEIGHT: Minimum 39 inches.

- 4.22.14 **COMPARTMENTS:** Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have 2 adjustable removable shelves with a minimum of 6 adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear vertical compartments to be 19 ½" W X 38" H X 14 ½" D with 2 adjustable shelves. All doors to be weather-sealed and positive horizontal door holders.
- 4.22.15 BODY: All steel, all welded.
- 4.22.16 **LIGHTS:** Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 4.22.17 MASTER LOCKING SYSTEM MUST BE USED.
- 4.22.18 **REAR BUMPER:** all units required to have minimum OEM rear bumper, tow package and receiver type hitch (no rear bumper or hitch required on cab and chassis) Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. Wilton 656 HD or equal.

4.23	ITEM	QUANTITY	DESCRIPTION
	21	2	¾ Ton, 56" Cab to Axle, 4x4 Utility Bed Truck w Headache Rack and Beacon Lighting

- 4.23.1 ENGINE: Minimum 6 cylinders with a minimum 360 H.P.
- 4.23.2 WHEELBASE: Minimum 133 inches.
- 4,23.3 BODY/BED: Regular cab configuration. Wheelbase to be a minimum of 133".
- 4.23.4 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering. 4x4 drive train with an electric shift control two speed transfer case.
- 4.23.5 **GVWR**: Minimum 8,501 lbs.
- 4.23.6 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Largest size available in model offered. Remote controlled from driver.
- 4.23.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- 4.23.8 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers.
- 4.23.9 BRAKES: Power brakes with minimum front disc and rear drums, ABS system.
- 4.23.10 STEERING: Power steering.
- 4.23.11 **LIGHTING**: See 4.2.25
- 4.23.12 **SEATING:** Vinyl or premium synthetic upholstery.
- 4.23.13 UTILITY BODY SPECIFICATIONS:
 - 4.23.13.1 MATERIAL: Minimum 14 gauge Steel Construction.
 - 4.23.13.2 LENGTH: 96 inches approximately.
 - 4.23.13.3 WIDTH: 78 inches approximately.
 - 4.23.13.4 HEIGHT: Minimum 39 inches.

- 4.23.14 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have 2 adjustable removable shelves with a minimum of 6 adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear vertical compartments to be 19 ½" W X 38" H X 14 ½" D with 2 adjustable shelves. All doors to be weather-sealed and positive horizontal door holders.
- 4.23.15 BODY: All steel, all welded.
- 4.23.16 **LIGHTS:** Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 4.23.17 MASTER LOCKING SYSTEM MUST BE USED.
- 4.23.18 **REAR BUMPER:** All units required to have minimum OEM rear bumper, tow package and receiver type hitch (no rear bumper or hitch required on cab and chassis). Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. Wilton 656 HD or equal.
- 4.23.19 SAFETY: Equipped with driver and passenger airbags, seatbelts, and running daytime lights.
- 4.23.20 **HEADACHE RACK / BEACON LIGHTING:** Unit is to be equipped with a steel or metal headache rack behind the cab and to have steel or metal mesh in order to view rear. Headache rack to be black in color. Driver and passenger side of rack are to be equipped with beacon lights on top. Control switch for beacon lighting to be factory installed. Acceptable model: Whelen L10 Super LED Beacon, or equivalent.

4.24	ITEM	QUANTITY	DESCRIPTION
	22	1	3/4 Ton Extended Cab 4x2 Pickup Truck

- 4.24.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP.
- 4.24.2 GVWR: Minimum 8,501 lbs.
- 4.24.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 4.24.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers, independent struck with stabilization.
- 4.24.5 **DIMENSIONS**: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 141" inches.
- 4.24.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.24.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- 4.24.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 4.24.9 BODY/BED: Extended cab configuration. Minimum 75" inch bed length, maximum 82" inch bed length.
- 4.24.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.24.11 LIGHTING: See 4.2.25

4.24.12 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM incab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

4.25	ITEM	QUANTITY	DESCRIPTION		
	23	2	3/4 Ton Extended Cab 4x2 Full Size Truck w/ Lift Gate		
4.25.1	ENGINE: Mir	ENGINE: Minimum 6 cylinders with a minimum 360 HP.			
4.25.2	GVWR: Minir	mum 8,501 lbs.			
4.25.3			with overdrive; 5 speed minimum. 4x2 design.		
4.25.4	SUSPENSIC stabilization.	N: Heaviest duty avai	lable to include heavy duty shock absorbers, independent struts with		
4.25.5	DIMESNION be a minimu	S: Extended cab configum 141" inches.	uration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to		
4.25.6	BRAKES: E	quipped with 4-wheel au	tomatic braking system, and front vented discs minimum.		
4.25.7	TIRES & WI	HEELS: Tires to meet o matching spare tire and	r exceed minimum gross vehicle weight rating of vehicle, all terrain design wheel. Equipped with spare tire locking device and three keys.		
4.25.8	FUEL SYST	EM: Fuel tank shall have	e a 20 gallon minimum capacity.		
4.25.9	MIRRORS: Recreationa	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.			
4.25.10	LIGHTING:	LIGHTING: See 4.2.25			
4.25.11	REAR BUN	REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).			
4.25.12	LIFT GATE in place of to	: Minimum 1,500 lb lift c ailgate. Material shall be	capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be tread plate steel with two piece platform, minimum 42" loading deck.		
4.26	ITEM	QUANTITY	DESCRIPTION		
	24	10	3/4 Ton Extended Cab 4x2 Full Size Long Bed Truck w/ Toolbox		
4.26.1	ENGINE: M	linimum 6 cylinders with	a minimum 360 HP.		
4.26.2	GVWR: Mir	nimum 8,501 lbs.			
4.26.3	TRANSMIS	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.			
4.26.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.				
4.26.5	DIMENSIO be a minim	DIMENSIONS : Extended cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum 158" inches.			
4.26.6			automatic braking system, and front vented discs minimum.		
4.26.7	TIRES & \	WHEELS: Tire pressure	e monitoring system required. Tires must meet or exceed minimum gross I terrain design with full size matching spare tire and wheel. Equipped with		

vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with

spare tire locking device and three keys.

- 4.26.8 **FUEL SYSTEM**: Fuel tank shall have a 20 gallon minimum capacity.
- 4.26.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.26.10 LIGHTING: See 4.2.25
- 4.26.11 **REAR BUMPER**: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).
- 4.26.12 **TOOLBOX**: Unit to be equipped with a truck bed tool box. The box is to be made of heavy duty diamond tread plate aluminum to prevent rusting and be equipped with 2 locks. Tool box is to be flush against the cab of the truck and bolted down on bed rails. The dimensions of the tool box to be a minimum 69"L x 12"W x 13"H and to be black in color.

4.27	ITEM	QUANTITY	DESCRIPTION
	25	2	3/4 Ton Extended Cab 4x4 Pickup Truck

- 4.27.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP.
- 4.27.2 **GVRW**: Minimum of 8,501 lbs.
- 4.27.3 **TRANSMISSION / DRIVE:** Automatic transmission with overdrive; 5 speed minimum; Power Steering. 4x4 drive train with an electric shift control two speed transfer case.
- 4.27.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.27.5 **DIMENSIONS**: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 141" inches.
- 4.27.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.27.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 4.27.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity; Gasoline.
- 4.27.11 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.27.12 LIGHTING: See 4.2.25
- 4.27.13 **REAR BUMPER:** OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM incab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).
- 4.28 ITEM QUANTITY DESCRIPTION

 26 7 3/4 Ton Four Full Door 4x2 Pickup Truck
- 4.28.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP.
- 4.28.2 **GVWR**: Minimum 8,501 lbs.
- 4.28.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 4.28.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.

- 4.28.5 **DIMENSIONS**: Four full door cab configuration, minimum 75" inch bed length, maximum 82" inch bed length. Wheelbase to be a minimum of 149" inches.
- 4.28.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.28.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 4.28.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 4.28.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.28.10 LIGHTING: See 4.2.25
- 4.28.11 **REAR BUMPER**: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

4.29	ITEM	QUANTITY	DESCRIPTION
	27	5	% Ton Four Full Door 4x4 Gasoline Pickup Truck

- 4.29.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP.
- 4.29.2 **GVWR**: Minimum 8,501 lbs.
- 4.29.3 **TRANSMISSION /DRIVE:** Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train Two speed transfer case with electronic shift control.
- 4.29.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.29.5 **DIMENSIONS**: Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 149" inches.
- 4.29.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.29.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 4.29.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity, Gasoline.
- 4.29.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.29.10 LIGHTING: See 4.2.25
- 4.29.11 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

4.30	ITEM	QUANTITY	DESCRIPTION
	28	3	34 Ton Four Full Door 4x4 Diesel Pickup Truck

- 4.30.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP.
- 4.30.2 GVWR: Minimum 8,501 lbs.
- 4.30.3 TRANSMISSION /DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train Two speed transfer case with electronic shift control.

- 4.30.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.30.5 **DIMENSIONS**: Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 149" inches.
- 4.30.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.30.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 4.30.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity, Ultra Low Sulfur Diesel.
- 4.30.9 **MIRRORS**: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.30.10 LIGHTING: See 4.2.25
- 4.30.11 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

4.31	ITEM	QUANTITY	DESCRIPTION
	29	6	¾ Ton Four Full Door 4x2 Gasoline Pickup Truck w/ Fiberglass Camper Shell

- 4.31.1 ENGINE: Minimum 6 cylinders with a minimum 350 HP.
- 4.31.2 **GVWR**: Minimum 8,501 lbs.
- 4.31.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 4.31.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.31.5 **DIMENSIONS:** Four full door cab configuration, unit shall be long bed with a minimum 96" inch bed length. Wheelbase to be a minimum 150" inches.
- 4.31.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.31.7 WHEELS & TIRES: Tire pressure monitoring system required. Tires must be all terrain type and meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.31.8 FUEL TANK: Minimum capacity 25 gallons of 87 Octane Unleaded.
- 4.31.9 **SEATING**: Unit will be equipped with front bucket seats and no center console and the rear bench seating.
- 4.31.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4,31,11 LIGHTING: See 4.2.25
- 4.31.12 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).
- 4.31.13 CAMPER SHELL: Cab high fiberglass top. Large half slider side windows with expanded metal security screen for added security. Full lift rear door. Two 12 volt lights mounted to the top/rear of the shell. Shell shall be painted to match color of truck.

- DESCRIPTION QUANTITY ITEM 4.32 1 Ton, Diesel, Regular Cab SRW 4x2 Pickup Truck 30 3 ENGINE: Minimum 6 cylinders with a minimum 370 HP. 4.32.1 GVWR: Minimum 10,001 lbs. 4.32.2 TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design. 4.32.3 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with 4.32.4 stabilization. **DIMENSIONS**: Regular cab configuration. Minimum 75" bed length. Wheelbase to be a minimum 135 inches 4.32.5 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. 4.32.6 TIRES & WHEELS: Tires must be all terrain/off road and meet or exceed minimum gross vehicle weight rating 4.32.7 of vehicle, maximum traction tread design with full size matching spare tire and wheel. FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfer 4.32.8 Diesel. MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. 4.32.9 Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver. LIGHTING: See 4.2.25 4.32.10 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer 4.32.11 brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin). DESCRIPTION QUANTITY 4.33 ITEM 1 Ton, Diesel, Regular Cab DRW 4x2 Pickup Truck 31 1 ENGINE: Minimum 6 cylinders with a minimum 370 HP. 4.33.1 GVWR: Minimum 10,001 lbs. 4.33.2 TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design. 4.33.3 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with 4,33.4 stabilization. **DIMENSIONS**: Regular cab configuration. Minimum 75" bed length. Wheelbase to be a minimum 135 inches. 4.33.5 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. 4.33.6 TIRES & WHEELS: Dual rear wheel Tires to be all terrain/off road and meet or exceed minimum gross vehicle 4.33.7 weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 4.33.8 **FUEL SYSTEM**: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfer Diesel.
- 4.33.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.33.10 LIGHTING: See 4.2.25
- 4.33.11 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

1.34	ITEM	QUANTITY	DESCRIPTION	
	32	2	1 Ton, Diesel, 84" Cab to Axle, DRW, 4x2 Welder Body Pickup Truck	
4.34.1	ENGINE: 6 c	ylinder or greater with a	minimum of 300HP.	
4.34.2	GVWR: Minir	mum 10,001 lbs.		
4.34.3	TRANSMISS	SION/DRIVE: Automatic	transmission with overdrive; 5 speed minimum.	
4.34.4	SUSPENSIO stabilization.	N: Heaviest duty ava	ailable to include heavy duty shock absorbers, Independent struts with	
4.34.5	DIMENSION	S: Regular Cab configu	ration. Minimum 84" cab to axle. Wheelbase to be a minimum of 150".	
4.34.6	BRAKES: E	quipped with 4-wheel au	tomatic braking system, and front vented discs minimum.	
4.34.7	TIRES & WI vehicle. Unit	HEELS: Dual wheel re to be equipped with a fu	ar unit. Tires to meet or exceed minimum gross vehicle weight rating of all size spare tire and wheel.	
4.34.8	FUEL SYST	EM: Fuel tank shall hold	a minimum of 25 gallons of Ultra Low Sulfur Diesel.	
4.34.9	MIRRORS: OEM Standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest available in model offered. Remote controlled from driver.			
4.34.10	LIGHTING: See 4.2.25			
4.34.11	TOW BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch will have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.			
4.34.12	WELDING E	BED SPECIFICATIONS		
	4.34.12.1	ton regular cab 84"	ssembled and installed on vehicle including wiring. Bed must fit a 1 cab to axle and be an all steel frame construction.	
	4.34.12.2	RAILS: 4" steel chant	nel frame rails.	
	4.34.12.3		3" steel roll formed 3/16 inch cross members.	
	4.34.12.4	DECK: 1/8" steel trea	d plate deck.	
	4.34.12.5	HEADACHE RACK:	Steel tubing headache rack with round easy view of window grill.	
	4.34.12.6	SIDE SKIRT & FEND	ERS: Full length side skirt with rolled fenders.	
	4.34.12.7	RUB RAILS: Side rub	rails with stake pockets.	
	4.34.12.8	SIDE RAILS: Remov	able 4" tall side rails.	
	4.34.12.9	TOOL BOXES: Two latches, one per side.	Each, lockable plush rear mounted tool boxes with paddle handle rotary	
	4 04 40 40	DEAD SKIDT: Euil la	ngth rear skirt bumper with ICC hitch.	
	4.34.12.10	DEAD RED CODNE	RS: Rear bed corners to be tapered for turning radius.	
	4.34.12.11	KEAK DED COKNEL	T: Removable 8-inch vice. Vise mount mounted on rear passenger corner of	
	4.34.12.12	hed to be provided.		
	4.34.12.13	Holder shall be instal	HOLDER: Two each- bottle holders with protective covers to be provided. led horizontally in from of bed behind the cab. One hose reel to be equipped	
	4.34.12.14	PIPE FITTING ANGI	E IRON: Minimum 3"x 2"x1/4" pipe fitting angle iron mounted on the rear of	

4.34.12.15

4.34.12.16

for tank.

WELDING MACHINE MOUNT: A factory standard recessed mount located behind the Oxygen

ACETYLENE BOTTLE HOLDER: One each bottle vertical holder with protective cover to be

provided. Holder shall accommodate a large size Acetylene bottle. One hose reel to be equipped

Bottle holder for a Lincoln Vantage 300 Welding Machine, or equivalent type of machine.

4.34.12.17 COLOR: Entire bed to be painted black.

4.35	ITEM	QUANTITY	DESCRIPTION		
	33	1	1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 10' Dump Bed Truck		
4.35.1	ENGINE: Minimum 6 cylinders with a minimum 300 HP.				
4.35.2	GVWR: Minir	num 10,001 lbs.			
4.35.3	TRANSMISS	SION/ DRIVE: Automatic	with overdrive; 5 speed minimum. 4x2 design.		
4.35.4	SUSPENSIO stabilization.	N: Heaviest Duty avai	ilable to include heavy duty shock absorbers, independent struts with		
4.35.5	DIMENSION	S : Regular cab configura	ation. Wheelbase to be a minimum 160 inches.		
4.35.6	BRAKES: Ed	quipped with 4-wheel au	tomatic braking system, and front vented discs minimum.		
4.35.7	TIRES & W	HEELS: Dual rear wheen trating of vehicle, maxi	el Tires must be all terrain/off road and meet or exceed minimum gross mum traction tread design with full size matching spare tire and wheel.		
4.35.8	FUEL SYST Diesel.	EM: Fuel tank shall hav	e a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfer		
4.35.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.				
4.35.10	LIGHTING: See 4.2.25				
4.35.11	TOW BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch will have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.				
4.35.12	DUMP BED	SPECIFICATIONS			
	4.35.12.1 4.35.12.2 4.35.12.3 4.35.12.4 4.35.12.5 4.35.12.6 4.35.12.7 4.35.12.8	sills with no crossmen SIDES: Double wall, 1 HEADSHEET: 12-gau CAPACITY: Sides/en UNIBODY DESIGN: posts tied to 5" struct longitudinals with no c	Igate 24", head 44" 3/16" steel. 2" formed in floor-to-side radius. 5" x 10.0 lbs./ft. I-beam long		
	4.35.12.9 4.35.12.10	plumbing and electric MOUNTING: Low 9"	pushbutton hoist included. mounting height. Full sub-frame cradle and rear hinge assembly for quick premium in-cab control, electric gear pump/reservoir, and mounting		
	4.35.12.11	hardware. TAILGATE: One-piectop rail. Flush-mount, latch pins. Manual overlease, drop-down to	ce, 12-gauge steel. Double wall sheet with full perimeter boxing and sloped off-set tailgate hinge plates with easy-release pins. 1" top and 1-1/4" bottom rer-center tailgate release mechanism with rubber covered handle or Quick-ailgate.		
	4.35.12.12	LIGHT PACKAGE	Top/turn/tail lights are mounted in rear corner posts. I.C.C. and rear reflectors included. All lights are rubber mounted, shock resistant and		

feature one-piece sealed wiring harness.

	4.35.12.13	BODY PREPARATION : Entire body is chemically cleaned with a phosphate solution before being primed. Primed with high-quality primer. All bed painted black.		
4.36	ITEM	QUANTITY	DESCRIPTION	
	34	1	1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 Flat/Stake Bed Truck	
4.36.1	ENGINE: Mir	nimum 6 cylinders with a	minimum 300 HP.	
4.36.2	GVWR: Minir	mum 10,001 lbs.		
4.36.3	TRANSMISS	SION/ DRIVE: Automatic	with overdrive; 5 speed minimum. 4x2 design.	
4.36.4	SUSPENSIOn stabilization.	N: Heaviest Duty avail	lable to include heavy duty shock absorbers, independent struts with	
4.36.5	DIMENSION	S: Regular cab configura	ation. Wheelbase to be a minimum 160 inches.	
4.36.6	BRAKES: E	quipped with 4-wheel aut	omatic braking system, and front vented discs minimum.	
4.36.7	TIRES & WHEELS: Dual rear wheel. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.			
4.36.8	FUEL SYSTEM : Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfer Diesel.			
4.36.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.			
4.36.10	LIGHTING: See 4.2.25			
4.36.12	FLAT/STAKE BED CONFIGURATION			
	 4.36.12.1 LENGTH: 12' feet. 4.36.12.2 WIDTH: 96" inches. 4.36.12.3 LONGITUDINAL SILLS: Minimum 4" inch channel, 5.6 pound, high strength steel. 4.36.12.4 CROSS SILLS: Minimum 4" inch formed box channel of "C" section high strength steel gauge. All cross sills to be welded to longitudinal sills on all sides. 4.36.12.5 SIDES, END RAILS, & STAKES: Five inch deep, minimum 11 gauge, with built in box type s pockets. 40" removable stakes sides to be provided to enclose entire bed. Metal or hard pl acceptable. 4.36.12.6 FLOOR: Minimum 3/16" inch, steel tread plate with floor welded to cross members, or minimal 1/8" inch steel tread plate with a minimum of 5 floor support long sills, formed of 12 gauge channel. 4.36.12.7 TOW BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the plat bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch will have 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable. 		mum 4" inch formed box channel of "C" section high strength steel, 11 o be welded to longitudinal sills on all sides. STAKES: Five inch deep, minimum 11 gauge, with built in box type stake le stakes sides to be provided to enclose entire bed. Metal or hard plastic 6" inch, steel tread plate with floor welded to cross members, or minimum late with a minimum of 5 floor support long sills, formed of 12 gauge steel shall have an ICC bumper that is flush mounted with the end of the platform combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. or ICC bumper. Hitch shall have a black powder coat finish. Hitch will have a	
4.37	ITEM	QUANTITY	DESCRIPTION	
	35	3	1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 Flat/Stake Bed Truck with	

- 35 3 1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 Flat/Stake Bed Truck with Lift Gate
- 4.37.1 **ENGINE**: Minimum 6 cylinders with a minimum 300 HP.
- 4.37.2 **GVWR**: Minimum 10,001 lbs.
- 4.37.3 TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.

- 4.37.4 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.37.5 **DIMENSIONS**: Regular cab configuration. Wheelbase to be a minimum 160 inches.
- 4.37.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.37.7 TIRES & WHEELS: Dual rear wheel. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 4.37.8 **FUEL SYSTEM**: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfer Diesel.
- 4.37.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.37.10 LIGHTING: See 4.2.25

4.37.12 FLAT/STAKE BED CONFIGURATION

- 4.37.12.1 **LENGTH:** 12' feet.
- 4.37.12.2 WIDTH: 96" inches
- 4.37.12.3 LONGITUDINAL SILLS: Minimum 4" inch channel, 5.6 pound, high strength steel.
- 4.37.12.4 CROSS SILLS: Minimum 4" inch formed box channel of "C" section high strength steel, 11 gauge. All cross sills to be welded to longitudinal sills on all sides.
- 4.37.12.5 SIDES, END RAILS, & STAKES: Five inch deep, minimum 11 gauge, with built in box type stake pockets. 40" removable stakes sides to be provided to enclose entire bed. Metal or hard plastic acceptable.
- 4.37.12.6 **FLOOR:** Minimum 3/16" inch, steel tread plate with floor welded to cross members, or minimum 1/8" inch steel tread plate with a minimum of 5 floor support long sills, formed of twelve 12 gauge steel channel.
- 4.37.12.7 **TOW BUMPER**: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch will have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.
- 4.37.12.8 LIFT GATE: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.
- 4.38 ITEM QUANTITY DESCRIPTION

 36 4 1 Ton Four Full Door, DRW, 4x2 Pickup Truck
- 4.38.1 **ENGINE:** Minimum 6 cylinder, with a minimum 350 HP.
- 4.38.2 GVWR: Minimum 10,001 lbs.
- 4.38.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering. 4x2 design.
- 4.38.4 **SUSPENSION:** Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.38.5 **DIMENSIONS**: Four full door cab configuration. Minimum 96" bed length. Wheelbase to be a minimum 150" inches.
- 4.38.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.38.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

- 4.38.8 **FUEL SYSTEM**: Fuel tank shall hold a minimum of 25 gallons of Ultra Low Sulfur Diesel.
- 4.38.9 **SEATING:** Vinyl seating and upholstery.
- 4.38.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4,38,11 LIGHTING: See 4.2.25
- 4.38.12 **TOW PACKAGE**: Rear Bumper OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

4.39	ITEM	QUANTITY	DESCRIPTION
	37	1	1 Ton Full Four Door, DRW, 4x4 Pickup Truck w/ Arrow Bar

- 4.39.1 **ENGINE:** Minimum 6 cylinders, with a minimum 370 HP.
- 4.39.2 **GVWR:** Minimum 10,001 lbs.
- 4.39.3 **TRANSMISSION/DRIVE:** Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train Two speed transfer case with electronic shift control.
- 4.39.4 **SUSPENSION:** Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.39.5 **DIMENSIONS:** Four full door cab configuration. Bed length to be a minimum of 96". Wheelbase to be a minimum of 150" inches.
- 4.39.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.39.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 4.39.8 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.39.9 FUEL SYSTEM: Fuel tank shall hold a minimum of 25 gallons of Ultra Low Sulfur Diesel.
- 4.39.10 **SEATING:** Vinyl seating and upholstery.
- 4.39.11 LIGHTING: See 4.2.25
- 4.39.12 **DIRECTIONAL BAR**: Unit to be equipped with a directional light bar mounted on top of cab. Lighting to be wired to factory type switch located in cab.
- 4.39.13 **TOW PACKAGE:** Rear Bumper OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

4.40	ITEM	QUANTITY	DESCRIPTION
	38	1	1 Ton Full Four Door, DRW, 4x4 Pickup Truck w/ Toolbox

- 4.40.1 ENGINE: Minimum 6 cylinders, with a minimum 370 HP.
- 4.40.2 GVWR: Minimum 10,001 lbs.

- 4.40.3 **TRANSMISSION/DRIVE:** Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train Two speed transfer case with electronic shift control.
- 4.40.4 **SUSPENSION:** Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.40.5 **DIMENSIONS:** Four full door cab configuration. Bed length to be a minimum of 96". Wheelbase to be a minimum of 150" inches.
- 4.40.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.40.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 4.40.8 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.40.9 FUEL SYSTEM: Fuel tank shall hold a minimum of 25 gallons of Ultra Low Sulfur Diesel.
- 4.40.10 **SEATING:** Vinyl seating and upholstery.
- 4.40.11 LIGHTING: See 4.2.25
- 4.40.12 **TOOLBOX**: Unit to be equipped with a truck bed tool box. The box is to be made of heavy duty diamond tread plate aluminum to prevent rusting and be equipped with 2 locks. Tool box is to be flush against the cab of the truck and bolted down on bed rails. The dimensions of the tool box to be a minimum 69"L x 12"W x 13"H and to be black in color.
- 4.40.13 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

4.41	ITEM	QUANTITY	DESCRIPTION
	39	1	1 Ton Four Full Door, DRW, 4x4, Utility Bed Truck w/ Lift Gate – School Bus Yellow

- 4.41.1 **ENGINE:** 6 cylinder or greater with a minimum of 370HP.
- 4.41.2 GVWR: Minimum 10,000 lbs.
- 4.41.3 **TRANSMISSION:** Automatic, minimum 5 speed with separate auxiliary transmission cooler mounted in front of radiator. 4X4 Drive train Two speed transfer case with electronic shift control.
- 4.41.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers.
- 4.41.5 **DIMENSIONS**: Four full door cab configuration. Bed to be a utility toolbox configuration. Minimum 96" bed length. Wheelbase to be a minimum of 150" inches.
- 4.41.6 BRAKES: Power brakes with minimum front disc and rear drums, ABS system.
- 4.41.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 4.41.8 **FUEL SYSTEM**: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.
- 4.41.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

- 4.41.10 LIGHTING: See 4.2.25
- 4.41.15 **LIFT GATE**: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.
- 4.41.16 **REAR BUMPER**: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

4.41.17 UTILITY BODY SPECIFICATIONS:

- 4.41.17.1 MATERIAL: Minimum 14 gauge Steel Construction.
- 4.41.17.2 **LENGTH:** 96" inches approximately.
- 4.41.17.3 WIDTH: 78" inches approximately.
- 4.41.17.4 HEIGHT: Minimum 39" inches.
- 4.41.17.5 **COMPARTMENTS:** Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Right front compartment to have roll-out tool box tray and one adjustable removable shelf with a minimum of 6 dividers. Left front compartments to have 3 adjustable removable shelves with a minimum of 6 adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" wide, 59" to 68" long and a minimum of 17" high. Rear doors to be half or full size when horizontal compartment extends through rear door. Lower rear compartment must have 1 adjustable removable shelf with a minimum of 4 adjustable dividers. All doors to be weather-sealed and positive horizontal door holders. All compartments to have LED lighting.
- 4.41.17.6 BODY: All steel, all welded.
- 4.41.17.7 BUMPER: Heavy duty, minimum 7-gauge formed channel, recessed for trailer ball.
- 4.41.17.8 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. LED strobe lights must be wired to up-fitter switches located in cab of truck.
- 4.41.17.9 MASTER LOCKING SYSTEM MUST BE USED.

4.42	\$TEM	QUANTITY	DESCRIPTION
	40	3	1.5 Ton Four Full Door, DRW, 4x2, Diesel Flat / Stake Bed Pickup Truck with Lift Gate

- 4.42.1 ENGINE: Minimum 6 cylinders, with a minimum 300 HP.
- 4.42.2 **GVWR**: Minimum 14,000 lbs.
- 4.42.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 4.42.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.42.5 **DIMENSIONS**: Four Full Door configuration 84" cab to axle. Wheelbase to be a minimum of 135".
- 4.42.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.42.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 4.42.8 **FUEL SYSTEM**: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.

- 4.42.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.42.10 LIGHTING: See 4.2.25
- 4.42.11 **DIRECTIONAL BAR**: Unit to be equipped with a directional light bar mounted on top of cab. Lighting to be wired to factory type switch located in cab.
- 4.42.12 **REAR BUMPER**: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

4.42.13 FLAT/STAKE BED CONFIGURATION

- 4.42.13.1 **LENGTH:** 12' feet.
- 4.42.13.3 WIDTH: 96" inches.
- 4.42.13.3 LONGITUDINAL SILLS: Minimum 4" channel, 5.6 pound, high strength steel.
- 4.42.13.4 CROSS SILLS: Minimum 4" formed box channel of "C" section high strength steel, 11 gauge. All cross sills to be welded to longitudinal sills on all sides.
- 4.42.13.5 SIDES, END RAILS, & STAKES: Five inch deep, minimum 11 gauge, with built in box type stake pockets. 40" removable stakes sides to be provided to enclose entire bed. Metal or hard plastic acceptable.
- 4.42.13.6 FLOOR: Minimum 3/16" inch, steel tread plate with floor welded to cross members, or minimum 1/8" inch steel tread plate with a minimum of 5 floor support long sills, formed of 12 gauge steel channel.
- 4.42.13.7 **TOW BUMPER**: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch will have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.
- 4.42.13.8 LIFT GATE: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.
- 4.43 ITEM QUANTITY DESCRIPTION
 - 41 6 Compact 4 Door, 4x2, Sports Utility Vehicle
- 4.43.1 **ENGINE**: 4 cylinder with a minimum 158 HP.
- 4.43.2 **GVWR**: Minimum 3,515 lbs.
- 4.43.3 TRANSMISSION/ DRIVE: Minimum of 5 speed automatic with over drive.
- 4.43.4 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.43.5 WHEELBASE: To be a minimum of 103" inches.
- 4.43.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.43.7 **TIRES & WHEELS**: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season off road design with space saver spare. Unit must be equipped with a spare tire locking device and three keys.
- 4.43.8 FUEL SYSTEM: Fuel tank shall have a 14 gallon minimum capacity.
- 4.43.9 **SEATING**: Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 4 passengers. Seats to be dark colored cloth.
- 4.43.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 6.72
- 4.43.11 LIGHTING: See 4.2.25

4.43.12 **COLOR**: To be decided at award.

4.45.9

4.44	ITEM	QUANTITY	DESCRIPTION		
	42	5	Compact 4 Door, 4x2, Sports Utility Vehicle- OEM Red		
4.44.1	ENGINE: 4 c	ylinder with a minimum	158 HP.		
4.44.2	GVWR: Mini	mum 3,515 lbs.			
4.44.3	TRANSMISS	SION/ DRIVE: Minimum o	of 5 speed automatic with over drive.		
4.44.4	SUSPENSIO stabilization.	DN : Heaviest Duty ava	ailable to include heavy duty shock absorbers, independent struts with		
4.44.5	WHEELBAS	E: To be a minimum of 1	103" inches.		
4.44.6	BRAKES: E	quipped with 4-wheel aut	tomatic braking system, and front vented discs minimum.		
4.44.7	TIRES & WH design with s	HEELS: Tires to meet or space saver spare. Unit r	exceed minimum gross vehicle weight rating of vehicle, all season off road must be equipped with a spare tire locking device and three keys.		
4.44.8	FUEL SYST	EM: Fuel tank shall have	a 14 gallon minimum capacity.		
4.44.9		SEATING : Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 4 passengers. Seats to be dark colored cloth.			
4.44.10	GROUND C	LEARANCE: Each unit v	vill have a minimum ground clearance of 6.7".		
4.44.11	LIGHTING:	See 4.2.25			
4.44.12	COLOR: Un	its to be OEM Red.			
		CHANTITY	PECCEUTION		
4.45	ITEM	QUANTITY	DESCRIPTION		
	43	3	Compact 4 Door, 4x4, Sports Utility Vehicle		
4.45.1	ENGINE: 4 (cylinder with a minimum	158 HP.		
4.45.2	GVWR: Mini	mum 3,515 lbs.			
4.45.3	TRANSMISSION/ DRIVE: Minimum of 5 speed automatic with over drive. Unit to be 4x4 drive train and equipped with a two speed transfer case. All Wheel Drive (AWD) is not acceptable.				
4.45.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.				
4.45.5	WHEELBASE: To be a minimum of 103" inches.				
4.45.6	BRAKES: E	quipped with 4-wheel au	tomatic braking system, and front vented discs minimum.		
4.45.7	TIRES & Wilder	HEELS: Tires to meet or space saver spare. Unit	exceed minimum gross vehicle weight rating of vehicle, all season off road must be equipped with a spare tire locking device and three keys.		
4.45.8	FUEL SYSTEM: Fuel tank shall have a 14 gallon minimum capacity.				

4.45.10 **GROUND CLEARANCE**: Each unit will have a minimum ground clearance of 6.7".

SEATING: Driver and front passenger bucket seating and one bench seat in the rear. Maximum seating should be 4 passengers. Seats to be dark colored cloth.

- 4.45.11 LIGHTING: See 4.2.25
- 4.45.12 COLOR: To be decided at award.

4.46	ITEM	QUANTITY	DESCRIPTION
	44	6	Medium 4 Door, 2wd, Sports Utility Vehicle

- 4.46.1 ENGINE: 6 cylinder with a minimum 260 HP.
- 4.46.2 GVWR: Minimum 5,100 lbs.
- 4.46.3 TRANSMISSION/DRIVE: Minimum of 5 speed automatic with over drive.
- 4.46.4 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.46.5 WHEELBASE: To be a minimum of 109" inches.
- 4.46.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.46.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/terrain design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.
- 4.46.8 FUEL SYSTEM: Fuel tank shall have a 19 gallon minimum capacity.
- 4.46.9 **SEATING**: Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 5 Seats to be cloth.
- 4.46.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".
- 4.46.11 **LIGHTING**: See 4.2.25
- 4.46.12 **COLOR**: To be decided at award.

4.47	ITEM	QUANTITY	DESCRIPTION
	45	4	Medium 4 door, 4x4, Sports Utility Vehicle

- 4.47.1 ENGINE: 6 cylinder with a minimum 260 HP.
- 4.47.2 **GVWR**: Minimum 5,100 lbs.
- 4.47.3 **TRANSMISSION/ DRIVE**: Minimum of 5 speed automatic with over drive. 4x4 Drive Train with two speed transfer case.
- 4.47.4 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.47.5 WHEELBASE: To be a minimum of 109" inches.
- 4.47.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.47.7 **TIRES & WHEELS**: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/all terrain design with full size matching, off road design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.
- 4.47.8 FUEL SYSTEM: Fuel tank shall have a 19 gallon minimum capacity.

- 4.47.9 **SEATING**: Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 5. Seats to be cloth.
- 4.47.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".
- 4.47.11 LIGHTING: See 4.2.25
- 4.47.11 COLOR: To be decided at award.
- 4.48 ITEM QUANTITY DESCRIPTION

 46 1 Large 4 door, 2wd, Sports Utility Vehicle
- 4.48.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.
- 4.48.2 GVWR: Minimum 6,700 lbs.
- 4.48.3 TRANSMISSION/DRIVE: Minimum 6 speed automatic with over drive.
- 4.48.4 **SUSPENSION:** Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.48.5 WHEELBASE: To be a minimum of 116" inches.
- 4.48.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.48.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three kevs.
- 4.48.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 28 gallons of Unleaded 87 Octane.
- 4.48.9 GROUND CLEARANCE: Unit will have a minimum ground clearance of 7".
- 4.48.10 **SEATING:** Seven passenger/ 1 driver seating. Front two seats the be bucket. Minimum 3 passenger bench type rear seat. Seating material must be dark cloth NO EXCEPTIONS.
- 4.48.11 **LIGHTING**: See 4.2.25
- 4.48.12 SAFETY: Unit must be equipped with an audible backup alarm and camera.
- 4.49 ITEM QUANTITY DESCRIPTION

 47 2 Large 4 door, 4wd, Sports Utility Vehicle
- 4.49.1 **ENGINE:** Minimum 6 cylinder with a minimum 300 HP.
- 4.49,2 **GVWR:** Minimum 6,700 lbs.
- 4.49.3 **TRANSMISSION/DRIVE:** Minimum 6 speed automatic with over drive. 4x4 drive train with two speed transfer case. All Wheel Drive (AWD) not acceptable.
- 4.49.4 **SUSPENSION:** Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.49.5 WHEELBASE: To be a minimum of 116" inches.
- 4.49.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.

TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season design 4.49.7 with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys. 4.49.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 28 gallons of Unleaded 87 Octane. GROUND CLEARANCE: Unit will have a minimum ground clearance of 7". 4,49,9 SEATING: Seven passenger/ 1 driver seating. Front two seats the be bucket. Minimum 3 passenger bench 4.49.10 type rear seat. Seating material must be dark cloth NO EXCEPTIONS. 4.49.11 LIGHTING: See 4.2.25 4.49.12 SAFETY: Unit must be equipped with an audible backup alarm and camera. 4.49.13 COLOR: OEM Silver. DESCRIPTION 4.50 ITEM **QUANTITY** 48 2 Mini Van ENGINE: 4 cylinders with a minimum 130 HP. 4.50.1 4.50.2 GVWR: Minimum 4,800 lbs. 4.50.3 TRANSMISSION/DRIVE: Automatic transmission: 4 speed minimum. SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with 4.50.4 stabilization. WHEELBASE: To be a minimum of 111" inches. 4.50.5 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. 4.50.6 4.50.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be meet or exceed minimum gross vehicle weight rating of vehicle, all season/all terrain design with space saver spare tire and wheel and tire locking device and three keys. FUEL SYSTEM: Fuel tank shall have a 20 gallons minimum capacity. 4.50.8 SEATING: Driver and passenger front bucket seats required, 2 center bucket seats and 1 rear bench seat. 4.50.9 SAFETY: Unit to be equipped with a backup alarm and camera. 4.50.10 **COLOR**: One unit to be Tan/Light Brown in color and 1 to be Silver/Dark Grey in color. 4.50.11 el

4.51	ITEM	QUANTITY	DESCRIPTION	
	49	1	Sprinter Van with Auxiliary AC Unit, Diese	
4.51.1	ENGINE: Minimum 3.0 liter V6 turbo diesel engine.			
4.51.2	GVWR: Minimum 8,501 lbs.			
4.51.3	TRANSMISSION: 5 speed automatic transmission.			
4.51.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers.			
4.51.5	PAYLOAD: Minimum 5,168 lbs. with minimum 7,500 lb. towing capacity.			

- 4.51.6 CARGO VOLUME: Minimum 547 cubic feet with minimum 76" Interior height. Unit to be equipped with cargo compartment lights.
- 4.51.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 4.51.8 AIR CONDITIONING: Unit must be equipped with an additional roof air conditioning unit. Unit shall not be connected to power supply of vehicle. A 110 V output shall be installed so AC unit can operate when vehicle is not running.
- 4.51.9 FUEL SYSTEM: Tank must hold a minimum 25 gallon Ultra Low Sulfur Diesel.
- 4.51.10 LIGHTING: See 4.2.25
- 4.51.11 REAR BUMPER: OEM Rear bumper and tow package to include receiver hitch with 2" opening.
- 4.51.12 SAFETY: Unit will be equipped with an electronic back up alarm and camera.

4.52	ITEM	QUANTITY	DESCRIPTION		
	50	3	1.5 Ton Step Van- Rear Barn Door Type		
4.52.1	ENGINE: 6	cylinder minimum with a	minimum 255 HP. Gasoline engine.		
4.52.2	GVWR: Mini	mum 14,001 lbs.			
4.52.3	TRANSMISSION: Automatic transmission with overdrive; 5 speed minimum; Power Steering. 4x2 design.				
4.52.4	AXLES: Front to be minimum 5,000 lbs. and rear to be minimum 9,500lbs.				
4.52.5	WHEELBASE: Approximately 158" inches.				
4.52.6	BRAKES: Equipped with 4-wheel disc with anit-lock system (ABS).				
4.52.7	TIRES & WHEELS: Rear Duals, all tires to be compatible to GVWR rating, with matching spare tire and wheel.				
4.52.8	FUEL TANK: Minimum 40 gallon capacity.				

- 4.52.9 **SEATING:** Must have dual bucket seats with vinyl trim and armrests.
- 4.52.10 **MIRRORS**: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.52.11 AIR CONDITIONER: An in dash air conditioning unit is required in the driver's compartment (minimum 12,000 BTU/hr) Unit to be integrated with heater/defroster.
- 4.52.12 VAN BODY: Aluminum 14 ft. minimum.
- 4.52.13 **REAR DOOR:** Rear door to be barn door type.
- 4.52.14 INTERIOR HEIGHT: 76" inches minimum.
- 4.52.15 REAR DOOR HEIGHT: 66" inches minimum.
- 4.52.16 INTERIOR WIDTH: 76" inches minimum.
- 4.52.17 **SLIDING DOOR:** Sliding doors with sliding windows on both sides of driver's compartment. All doors to be lockable and keyed alike.
- 4.52.18 ROOF: Roof ventilation (approximately 14" X 14"), one way opening with screen.

- 4.52.19 **REAR BUMPER:** Full width grate X step type, minimum 8 inches wide.
- 4.52.20 **INSULATION:** Minimum 1" inch fiberglass in roof with headliner.
- 4.52.21 PARTITION: Manufactured of minimum ¾ inch plywood, installed between driver's compartment and cargo area. Partition to be full height and width with center sliding door with locking handle keyed the same as side door. Rear cargo area shall have a cargo tie down system such as "E" track on the floor and side walls. Two tracks on the floor positioned equally from the wall and one track mounted midway on both walls.
- 4.52.23 SAFETY: Unit will be equipped with an electronic back up alarm and camera.

4.52.22 ADDITIONAL REQUIREMENTS:

- 4.52.22.1 Exterior grab handles at both front doors.
- 4.52.22.2 Aluminum extended floor.
- 4.52.22.3 Heavy duty mud flaps.
- 4.52.22.4 Cargo area lighting to have four each 12 volt dome lights, with switches in driver's area and at rear door.
- 4.52.22.5 Must be built to where a standard pallet must fit between wheel wells.
- 4.52.22.6 Install 4 externally mounted LED lights wired to an up-fitter switch. LED lights should be wired so they can be functional without unit running.
- 4.52.22.7 Glass to be O.E.M. tinted.
- 4.52.22.8 Sun visors in driver's compartment left and right sides.

4.53	ITEM	QUANTITY	DESCRIPTION
	51	2	Mini Cargo Van

- 4.53.1 **ENGINE**: 4 cylinders with a minimum 130 HP.
- 4.53.2 **GVWR**: Minimum 4,700 lbs.
- 4.53.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum.
- 4.53.4 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.53.5 **WHEELBASE**: Unit to be long wheel base; minimum of 115" inches.
- 4.53.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.53.7 **TIRES & WHEELS**: Tire pressure monitoring system required. Tires must be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- 4.53.8 FUEL SYSTEM: Fuel tank shall have a 14 gallons minimum capacity.
- 4.53.9 **SEATING**: Dark colored synthetic upholstery. Passenger seat required, right side.
- 4.53.10 CARGO SPACE: Cargo space to be at least 122 cu. ft.
- 4.53.12 **WINDOWS & DOORS**: Unit to be equipped with driver and front passenger windows, and windows on the rear doors. Rear door to be swing out type.

4.54	ITEM	QUANTITY	DESCRIPTION
	52	2	1 Ton Cargo Van
4.54.1	ENGINE: Minimum 6 cylinders with a minimum 275 HP		
4.54.2	GVWR: Minimum 8,501 lbs.		

- 4.54.3 WHEELBASE: To be a minimum of 135" inches.
- 4.54.4 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum, 4x2.
- 4.54.5 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.54.6 **DOORS, WINDOWS, & MIRRORS**: Unit to be equipped with power driver and passenger windows and mirrors, and automatic door locks all around.
- 4.54.7 ADDITIONAL WINDOWS & DOORS: Vented windows all around, double swing right side door, double swing rear doors, rear door windows. Vented windows all around will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivots/swing out windows offered including side and rear doors.
- 4.54.8 **TIRES & WHEELS**: Tire pressure monitoring system required. Tires must be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit shall be equipped with spare tire locking device and three keys.
- 4.54.9 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.54.10 **FUEL SYSTEM**: Fuel tank shall have a minimum 30 gallon fuel tank certified to run on 87 Octane Gasoline.
- 4.54.11 **SEATING**: Right side passenger seat required and back space to be empty for cargo transport. Seats to be dark colored synthetic upholstery.
- 4.54.12 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening.

4.55	ITEM	QUANTITY	DESCRIPTION
	53	1	1 Ton- 4 Passenger Cargo Van

- 4.55.1 **ENGINE**: Minimum 6 cylinders with a minimum 275 HP.
- 4.55.2 GVWR: Minimum 8.501 lbs.
- 4.55.3 WHEELBASE: To be a minimum of 135" inches.
- 4.55.4 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum, 4x2.
- 4.55.5 **SUSPENSION**: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.55.6 **DOORS, WINDOWS, & MIRRORS**: Unit to be equipped with power driver and passenger windows and mirrors, and automatic door locks all around.
- 4.55.7 **ADDITIONAL WINDOWS & DOORS**: Vented windows all around, double swing right side door, double swing rear doors, rear door windows. Vented windows all around will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivots/swing out windows offered including side and rear doors.
- 4.55.8 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- 4.55.10 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.55.11 FUEL SYSTEM: Fuel tank shall have a minimum 30 gallon fuel tank certified to run on 87 Octane Gasoline.

- 4.55.12 SEATING: Passenger front seat required (right side) and one bench seat to hold 3 additional passengers (4 total plus driver). Rear of unit to be open space for cargo transport.
- 4.55.13 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening.

4.56	ITEM	QUANTITY	DESCRIPTION
	54	7	1 Ton 12-15 Passenger Transport Van

- ENGINE: minimum 6 cylinders with a minimum 275 HP. 4.56.1
- 4.56.2 GVWR: Minimum 8,501 lbs.
- 4.56.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum.
- SUSPENSION: Heaviest Duty available. 4.56.4
- WHEELBASE: Minimum 135" inches. 4.56.5
- 4.56.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vents discs minimum.
- TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all season design with full size 4.56.7 matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- FUEL SYSTEM: Fuel tank shall have a minimum 30 gallon fuel tank certified to run on 87 Octane Gasoline. 4.56.8
- SEATING: One passenger front seat required, right side. Minimum of 4 bench seats to be equipped to transport 4.56.9 3 passengers per bench seat. Maximum passenger transport to be 13 plus 1 driver. Dark cloth or fabric upholstery. Inside passenger area height to be at least 66" from floor to roof.
- ADDITIONAL WINDOWS AND DOORS: Windows all around, double swing right side door, double swing rear 4.56.10 door, rear door windows. Vented windows will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivot/swing out windows offered including side and rear doors.
- AIR CONDITIONING: Unit to be equipped with OEM Dual Air Conditioning System. 4.56.11
- 4.56.12 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening.

4.57	ITEM	QUANTITY	DESCRIPTION
	55	1	1 Ton 12-15 Passenger Transport Van- Black & White
4.57.1	ENGINE: mi	nimum 6 cylinders with a	minimum 275 HP.

GVWR: Minimum 8.501 lbs.

4.57.2

- TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum. 4.57.3
- 4.57.4 SUSPENSION: Heaviest Duty available.
- WHEELBASE: Minimum 135" inches. 4.57.5
- BRAKES: Equipped with 4-wheel automatic braking system, and front vents discs minimum. 4.57.6
- TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all season design with full size 4.57.7 matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.

- 4.57.8 **FUEL SYSTEM**: Fuel tank shall have a minimum 30 gallon fuel tank certified to run on 87 Octane Gasoline.
- 4.57.9 **SEATING:** One passenger front seat required, right side. Minimum of 4 bench seats to be equipped to transport 3 passengers per bench seat. Maximum passenger transport to be 13 plus 1 driver. Dark cloth or fabric upholstery. Inside passenger area height to be at least 66" from floor to roof.
- 4.57.10 ADDITIONAL WINDOWS AND DOORS: Windows all around, double swing right side door, double swing rear door, rear door windows. Vented windows will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivot/swing out windows offered including side and rear doors.
- 4.57,11 AIR CONDITIONING: Unit to be equipped with OEM Dual Air Conditioning System.
- 4.57.12 **REAR BUMPER:** OEM rear bumper and tow package to include receiver hitch with 2" hitch opening.
- 4 57 13 COLOR: Unit to be all OEM Black with roof to be OEM White.

4.58	ITEM	QUANTITY	DESCRIPTION
	56	5	19,501 - 26,000 GVWR Flat/Stake Bed with Lift Gate
4.58.1	ENGINE: Diesel, minimum 260 H.P.		
4.58.2	GVWR: Maximum 26,000 lbs.		

- 4.58.3 TRANSMISSION: Allison RDS 3000, or proven equal.
- 4.58.4 REAR AXLE: Minimum 17,500 lbs., single speeds, ratio geared to attain 65 mph +/-2 mph, equipped with hub piloted steel hubs, out-board mount type brake drums. Stemco (or equal) oil rear seals.
- 4.58.5 **FRONT AXLE**: Minimum 8,500 lbs., equipped with hub piloted steel hubs, out-board mount type brake drums with Stemco (or equal) front wheel visible cap bearing oiler. Front shock absorbers to be heaviest duty available for specified axle.
- 4.58.6 **SUSPENSION**: Equipped with manufacturer's heavy duty suspension applicable to axle ratings and overall aross vehicle weight.
- 4.58.7 **WHEELS AND TIRES**: Wheels to be 10 hole hub piloted steel disk wheel, minimum 11R-22.5R steel belted tubeless radials, minimum load range G tires. Front tires to be conventional tread. Rear dual wheel application to be on-off, self-cleaning, lug design. Loose lug indicators on front and rear wheels.
- 4.58.8 BRAKES: Full air, S-cam type, manufacturer's heavy duty brake shoes, spring set parking brakes. Front and rear automatic slack adjusters. Gear or belt driven compressor. Minimum 13 CFM compressor, Midland Pure Air Plus Dryer Model DA33100 or equal with automatic drain valves Model KN24000 or equal on all tanks. Spring set parking brakes on both rear axles. Quick connect couplings to be located in a protected area near the front bumper. Couplings will not be mounted to the bumper. Female coupling ½" Milton M Type or approved equal to air tanks.
- 4.58.9 **FUEL SYSTEM**: To be equipped with under cab minimum 45 gallon left or right hand tanks. Fuel filtration system to include primary and secondary type fuel filters with automatic water separator. Diesel Exhaust Fluid (DEF) Gauge inside of cab.
- 4.58.10 STEERING: Integral power steering.
- 4.58.11 FRAME: Minimum 75,000 PSI rail, 900,000 RBM.
- 4.58.12 **EXHAUST SYSTEM**: Exhaust system to be vertically mounted with turn out.
- 4.58.13 UNIT TO BE EQUIPPED WITH THE FOLLOWING ADDITIONAL EQUIPMENT:
 - 4.58.13.1 Minimum 1 electrical and 1 air horn(s).
 - 4.58.13.2 Turn indicators, front and rear, stop and tail lights.

Tachometer. 4.58.13.3 4.58.13.4 Adjustable steering column. Cigar lighter/Power port for use with cell Phone. 4.58.13.5 Water temperature, oil pressure and volt or amp gauges. 4.58.13.6 DOT reflector flare kit mounted in cab or tool box. 4.58.13.7 Electronic back up alarm. 4.58.13.8 5 lb. fire extinguisher. 4.58.13.9 4.58.13.10 Fixed interval wiper control with windshield washer. Seating: Vinyl or premium synthetic upholstery. Driver seat to be reclining with high back, 4.58.13.11 and passenger seating to be 2 man bench type. Minimum 4 factory installed up-fitter switches.

4.58.14 SPECIFICATIONS 15' PLATFORM/ FLATBED

4.58.13.12

4.58.14.1	LENGTH: 15' minimum.
4.58.14.2	WIDTH: 94" minimum.
4.58.14.3	FLOOR: 3/16" steel treadplate.
4.58.14.4	CROSSMEMBERS: 4" structural channel on 12" inch centers.
4.58.14.5	LONG SILLS: Minimum 7" inch structural channel.
4.58.14.6	SIDE RAILS: 5" inch structural channel.
4.58.14.7	STAKE POCKETS: External, 3/8" x 3" steel rub rails.
4.58.14.8	LIGHTS: LED lights that meet TX Dot requirements. Electric back up alarm must be installed.
4 50 44 0	HEADBOARD: 2.1/2" v. 3/16" inch tubing frame, full width 3/4" inch number 9 expanded me

- HEADBOARD: 2-1/2" x 3/16" inch tubing frame, full width 3/4" inch number 9 expanded metal 4.58.14.9
- window, knee braced to body. STAKE RACKS: 40" inch steel sides and tailgate. 4.58.14.10
- LIFT GATE: Hydraulic electric tuck under, fold away lift gate. Lift to extend to a minimum 60" L 4.58.14.11 with a minimum 84" W. Material to be a tread plate design. Maximum capacity of lift to be no less than 2.500 lbs. Lift gate to be equipped with a safety latch locking folded platform in place when
- TOOL BOX: One lockable toolbox is to be bolted below the flat bed on the opposing side of the 4.58.14.12 fuel tank. Toolbox dimension to be 48"L x 36"W x 24". Toolbox to be black in color.

4.59	ITEM	QUANTITY	DESCRIPTION
	57	1	1 Ton, Diesel, 84" Cab to Axle, DRW Utility Bed Pickup Truck with Lift Gate

- ENGINE: Minimum 6 cylinders with a minimum 300 HP. 4.59.1
- GVWR: Minimum 10,001 lbs. 4.59.2
- TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design. 4.59.3
- SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with 4.59.4 stabilization.
- **DIMENSIONS**: Regular cab configuration. Minimum 75" bed length. Wheelbase to be a minimum 150" inches. 4.59.5
- BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum. 4.59.6
- TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum 4.59.7 gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfer 4.59.8 Diesel.
- MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. 4.59.9 Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4,59,10 LIGHTING: See 4.2.25

- 4.59.11 **LIFT GATE:** Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.
- 4.59.12 UTILITY BODY SPECIFICATIONS:
 - 4.59.12.1 MATERIAL: Minimum 14 gauge Steel Construction.
 - 4.59.12.2 LENGTH: 96" inches approximately.
 - 4.59.12.3 WIDTH: 78" inches approximately.
 - 4.59.12.4 HEIGHT: Minimum 39" inches.
- 4.59.13 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have 2 adjustable removable shelves with a minimum of 6 adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear vertical compartments to be 19 ½" W X 38" H X 14 ½" D with 2 adjustable shelves. All doors to be weather-sealed and positive horizontal door holders.
- 4.59.14 BODY: All steel, all welded.
- 4.59.15 **LIGHTS:** Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have 2 LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 4.59.16 MASTER LOCKING SYSTEM MUST BE USED.
- 4.59.17 **REAR BUMPER:** all units required to have minimum OEM rear bumper, tow package and receiver type hitch (no rear bumper or hitch required on cab and chassis) Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. Wilton 656 HD or equal.
- 4.59.18 SAFETY: Equipped with driver and passenger airbags, seatbelts, and running daytime lights.
- 4.59.19 **HEADACHE RACK / BEACON LIGHTING**: Unit is to be equipped with a steel or metal headache rack behind the cab and to have steel or metal mesh in order to view rear. Headache rack to be black in color. Driver and passenger side of rack are to be equipped with beacon lights on top. Control switch for beacon lighting to be factory installed. Acceptable model: Whelen L10 Super LED Beacon, or equivalent.

4.60	ITEM	QUANTITY	DESCRIPTION
	58	1	10,000-14,000 GVWR 36' Utility Bed Aerial Truck School Bus Yellow

- 4.60.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.
- 4.60.2 GVWR: Minimum 10,000 lbs.
- 4.60.3 TRANSMISSION/DRIVE: Automatic, minimum 5 speed.
- 4.60.4 **DIMENSION**: Regular cab; minimum 84" Cab to Axle.
- 4.60.5 **SUSPENSION:** Heaviest duty available to include heavy duty shock absorbers.
- 4.60.6 BRAKES: Power brakes with minimum front disc and rear drums.
- 4.60.7 **TIRES & WHEELS**: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain tread design with full size matching spare tire and wheel.
- 4.60.8 **FUEL SYSTEM**: Fuel tank shall hold a minimum 25 gallon capacity and be certified to run on Ultra Low Sulfur Diesel.

- 4.60.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.60.10 **LIGHTING**: Vehicle to have LED strobe lights mounted on grill and connected to rear LED strobe light mounted on body and wired to up-fitter switch located in cab of vehicle. Strobes are to be amber in color. Four flood type working lights to be wired to up-fitter switches located in cab- 2 mounted in front facing forward and 2 mounted at the rear of the stake bed.

4.60.11 UTILITY BODY SPECIFICATIONS

- 4.60.11.1 Suitable for installation on a chassis with 84" cab to axle dimension as follows:
 - 4.60.11.1.1 20"compartment depth.
 - 4.60.11.1.2 54" bed area.
 - 4.60.11.1.3 94" width.
 - 4.60.11.1.4 40 3/4" high.

4.60.12 COMPARTMENT STREETSIDE:

- 4.60.12.1 Front vertical- 30" compartment with two plain adjustable and removable shelves.
- 4.60.12.2 Second vertical- 26" compartment with two plain adjustable and removable shelves.
- 4.60.12.3 Horizontal- 49 3/4" compartment with one slotted removable shelf with five adjustable
- 4.60.12.4 Rear vertical- 26 1/4" compartment with adjustable and removable shelf.
- 4.60.12.5 Full length shelf with drop down rear access door.
- 4.60.12.6 Compartment to be equipped with LED lighting.

4.60.13 COMPARTMENT CURBSIDE:

- 4.60.13.1 Front vertical- 30" compartment with two plain adjustable and removable shelves.
- 4.60.13.2 Second vertical- 26" compartment with two plain adjustable and removable shelves.
- 4.60.13.3 Horizontal- 49 ¾" compartment with one slotted removable shelf with five adjustable dividers.
- 4.60.13.4 Rear vertical- 26 1/2" compartment with adjustable and removable shelf.
- 4.60.13.5 Ladder rack/sleeve to accommodate 8' ladder.
- 4.60.13.6 Body to include tread plate on compartment tops, 12" platform extension and grip strut rear bumper with pintle hook recess. Also to include chock holders in wheel wells, one in each side.
- 4.60.13.7 Compartments to be equipped with LED lighting.

4.60.14 AERIAL SPECIFICATIONS

4.60.14.1 BOOM: Telescopic Boom Aerial 36ft. ground to bottom of platform, 41.0 ft. working height, 25.6 ft. horizontal reach. Mounted behind cab. One person end mounted fiberglass platform, 24" X 30" X 42", 350lb. capacity. Leveling provided by master/slave cylinder system. Tilt control at lower controls. Full pressure "3D" one hand upper controls with emergency hydraulic stop. Lower controls with capability of overriding upper controls. Insulated upper boom with minimum articulation of 14 degrees to 77 degrees. Padded boom rest with tie down. Lower boom of rectangular steel tube. Minimum articulation is from 5 degrees to 78 degrees. Lower boom insert with insulation gap of 12". Continuous "shear-ball" rotation. Integral 20 gallon hydraulic oil reservoir. Safety harness and lanyard. Liner for 24" x 30" fiberglass platform. Vinyl platform and control cover for 24" x 30" fiberglass platform. Bucket to include tray mounted on outside. 180 degree hydraulic platform rotator for end mounts. Engine start/stop at platform. Four channel electric collector ring. Electrical control switch panel used in conjunction with start/stop system.

4.60.15 MISCELLANEOUS ITEMS REQUIRED:

- 4.60.15.1 Mud flaps with mounting brackets.
- 4.60.15.2 Combination pintle/ball hitch complete with crossmember brace and two safety chain "D" rings.
- 4.60.15.3 Six-way trailer socket. Two rubber wheel chocks with handles.
- 4.60.15.4 Two cable stirrup steps installed under tail shelf, two grab handles also installed on tail shelf.
- 4.60.15.5 Five lb. Fire extinguisher with mount bracket.
- 4.60.15.6 Triangle reflector kit with storage box.
- 4.60.15.7 Back up alarm.

	4.60.15.8 4.60.15.9 4.60.15.10		surfaces to include tread plate on compartment tops: ed on unit with controls in cab. er to be provided.
4.61	ITEM	QUANTITY	DESCRIPTION
	59	1	14,001-16,000 GVWR 36' Utility Bed Aerial Truck
4.61.1	ENGINE: Mi	nimum 6 cylinder with a	minimum 300 HP.
4.61.2	GVWR: Minir	mum 14,001 lbs.	
4.61.3	TRANSMISS	ION/DRIVE: Automatic,	minimum 5 speed.
4.61.4	DIMENSION	: Regular cab; minimum	84" Cab to Axle.
4.61.5	SUSPENSIO	N: Heaviest duty availab	ole to include heavy duty shock absorbers.
4.61.6	BRAKES: Po	ower brakes with minimu	m front disc and rear drums.
4.61.7	required. Tire	HEELS: Unit to be eques to meet or exceed mit with full size matching specifies.	ipped with dual rear tires and wheels. Tire pressure monitoring system nimum gross vehicle weight rating of vehicle, maximum traction all terrain pare tire and wheel.
4.61.8	FUEL SYST Diesel.	EM: Fuel tank shall hold	a minimum 25 gallon capacity and be certified to run on Ultra Low Sulfur
4.61.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.		
4.61.10	on body and working light	wired to up-fitter switch	be lights mounted on grill and connected to rear LED strobe light mounted located in cab of vehicle. Strobes are to be amber in color. Four flood type switches located in cab- 2 mounted in front facing forward and 2 mounted
4.61.11	UTILITY BO 4.61.11.1 4.61.11.2 4.61.11.3 4.61.11.4 4.61.11.5 4.61.11.6	20"compartment depth 54" bed area. 94" width. 40 3/4" high.	on a chassis with 84" cab to axle dimension as follows: . quipped with LED lighting.
4.61.12	4.61.12.1 4.61.12.2 4.61.12.3 4.61.12.3 4.61.12.4 4.61.12.5	Second vertical- 26" co Horizontal- 49 ¾" com dividers. Rear vertical- 26 ¼" co Full length shelf with d	partment with two plain adjustable and removable shelves. ompartment with two plain adjustable and removable shelves. partment with one slotted removable shelf with five adjustable ompartment with adjustable and removable shelf. rop down rear access door. quipped with LED lighting.
4.61.13	COMPARTM 4.61.13.1 4.61.13.2 4.61.13.3 4.61.13.4 4.61.13.5 4.61.13.6	Second vertical- 26" co Horizontal- 49 ¾" com dividers. Rear vertical- 26 ¼" co Ladder rack/sleeve to Body to include tread a	partment with two plain adjustable and removable shelves. Importment with two plain adjustable and removable shelves. I partment with one slotted removable shelf with five adjustable I partment with adjustable and removable shelf. I accommodate 8' ladder. I platform extension and grip strut I hook recess. Also to include chock holders in wheel wells, one in each

4.61.13.7 Compartments to be equipped with LED lighting.

4.61.14 AERIAL SPECIFICATIONS

4.61.14.1

BOOM: Telescopic Boom Aerial 37ft. ground to bottom of platform, 41.0 ft. working height, 25.6 ft. horizontal reach. Mounted behind cab. One person end mounted fiberglass platform, 24" X 30" X 42", 350lb. capacity. Leveling provided by master/slave cylinder system. Tilt control at lower controls. Full pressure "3D" one hand upper controls with emergency hydraulic stop. Lower controls with capability of overriding upper controls. Insulated upper boom with minimum articulation of 14 degrees to 77 degrees. Padded boom rest with tie down. Lower boom of rectangular steel tube. Minimum articulation is from 5 degrees to 78 degrees. Lower boom insert with insulation gap of 12". Continuous "shear-ball" rotation. Integral 20 gallon hydraulic oil reservoir. Safety harness and lanyard. Liner for 24" x 30" fiberglass platform. Vinyl platform and control cover for 24" x 30" fiberglass platform. Bucket to include tray mounted on outside. 180 degree hydraulic platform rotator for end mounts. Engine start/stop at platform. Four channel electric collector ring. Electrical control switch panel used in conjunction with start/stop system.

4.61.16 MISCELLANEOUS ITEMS REQUIRED:

MINOCEPTUM	LOGO II LING I IL GOIL LES.
4.61.16.1	Mud flaps with mounting brackets.
4.61.16.2	Combination pintle/ball hitch complete with crossmember brace and two safety chain "D"
	rings.
4.61.16.3	Six -way trailer socket. Two rubber wheel chocks with handles.
4.61.16.4	Two cable stirrup steps installed under tail shelf, two grab handles also installed on tail shelf.
4.61.16.5	Five lb. Fire extinguisher with mount bracket.
4.61.16.6	Triangle reflector kit with storage box.
4.61.16.7	Back up alarm.
4.61.16.8	Non-skid paint on walk surfaces to include tread plate on compartment tops.
4.61.16.9	Arrow Bar to be equipped on unit with controls in cab.
4.61.16.10	Waterproof Bucket cover to be provided.

4.62	ITEM	QUANTITY	DESCRIPTION
	60	1	1/2 Ton Full Size Extended Cab 4x4 Pickup Truck

- 4.62.1 ENGINE: 6 cylinders or greater with a minimum of 270 HP
- 4.62.2 GVWR: Minimum of 6,000 lbs.
- 4.62.3 **TRANSMISSION/DRIVE**: Automatic transmission with overdrive; 5 speed minimum; power steering; 4x4 drive train with an electric shift control two speed transfer case.
- 4.62.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.62.5 **DIMENSIONS**: Extended cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum of 140 inches.
- 4.62.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
- 4.62.7 **TIRES & WHEELS**: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.62.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.62.9 **SEATING**: Vinyl seating and upholstery.
- 4.62.10 LIGHTING: See 4.2.25
- 4.63. ITEM QUANTITY DESCRIPTION

4.63.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP.

1

- 4.63.2 GVWR: Minimum 8,501 lbs.
- 4.63.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 4.63.4 **SUSPENSION**: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.63.5 **DIMENSIONS**: Four full door cab configuration, minimum 75" inch bed length, maximum 82" inch bed length. Wheelbase to be a minimum of 149" inches.
- 4.63.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.63.7 **TIRES & WHEELS**: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 4.63.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 4.63.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.63.10 LIGHTING: See 4.2.25.
- 4.63.11 **REAR BUMPER**: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin)
- 4.63.12 **TOOLBOX**: Unit to be equipped with a truck bed tool box. The box is to be made of heavy duty diamond tread plate aluminum to prevent rusting and be equipped with 2 locks. Tool box is to be flush against the cab of the truck and bolted down on bed rails. The dimensions of the tool box to be a minimum 69"L x 12"W x 13"H and to be black in color.

005 - SUPPLEMENTAL TERMS & CONDITIONS

Original Contract Term.

This contract shall begin upon the effective date of the ordinance awarding the contract, or date specified in the award letter if this contract does not exceed \$50,000. This contract shall terminate upon completion of all work described herein or delivery of all goods ordered, as applicable.

Insurance.

Prior to the commencement of any work under this Agreement, Vendor shall furnish copies of all required endorsements and completed Certificate(s) of Insurance to the City's Finance Department, which shall be clearly labeled "Purchase of Light Duty Trucks & Vehicles" in the Description of Operations block of the Certificate. The Certificate(s) shall be completed by an agent and signed by a person authorized by that insurer to bind coverage on its behalf. City will not accept a Memorandum of Insurance or Binder as proof of insurance. The certificate(s) must have the agent's signature and phone number, and be mailed, with copies of all applicable endorsements, directly from the insurer's authorized representative to City. City shall have no duty to pay or perform under this Agreement until such certificate and endorsements have been received and approved by City's Finance Department. No officer or employee, other than City's Risk Manager, shall have authority to waive this requirement.

City reserves the right to review the insurance requirements of this Article during the effective period of this Agreement and any extension or renewal hereof and to modify insurance coverages and their limits when deemed necessary and prudent by City's Risk Manager based upon changes in statutory law, court decisions, or circumstances surrounding this Agreement. In no instance will City allow modification whereby City may incur increased risk.

A Vendor's financial integrity is of interest to City; therefore, subject to Vendor's right to maintain reasonable deductibles in such amounts as are approved by City, Vendor shall obtain and maintain in full force and effect for the duration of this Agreement, and any extension here of, at Vendor's sole expense, insurance coverage written on an occurrence basis, unless otherwise indicated, by companies authorized to do business in the State of Texas and with an A.M Best's rating of no less than A- (VII), in the following types and for an amount not less than the amount listed below:

<u>TYPE</u>	AMOUNTS
Commercial General Liability Insurance to include coverage for the following: a. Premises/Operations b. Products/Completed Operations c. Personal/Advertising Injury	For <u>B</u> odily <u>I</u> njury and <u>P</u> roperty <u>D</u> amage of \$1,000,000 per occurrence; \$2,000,000 General Aggregate, or its equivalent in Umbrella or Excess Liability Coverage

Vendor agrees to require, by written contract, that all subcontractors providing goods or services hereunder obtain the same insurance coverages required of Vendor herein, and provide a certificate of insurance and endorsement that names Vendor and City as additional insureds. Vendor shall provide City with said certificate and endorsement prior to the commencement of any work by the subcontractor. This provision may be modified by City's Risk Manager, without subsequent City Council approval, when deemed necessary and prudent, based upon changes in statutory law, court decisions, or circumstances surrounding this agreement. Such modification may be enacted by letter signed by City's Risk Manager, which shall become a part of the contract for all purposes.

As they apply to the limits required by City, City shall be entitled, upon request and without expense, to receive copies of the policies, declaration page, and all endorsements thereto and may require the deletion, revision, or modification of particular policy terms, conditions, limitations, or exclusions (except where policy provisions are established by law or regulation binding upon either of the parties hereto or the underwriter of any such policies). Vendor shall be required to comply with any such requests and shall submit a copy of the replacement certificate of insurance to City at the address provided below within 10 days of the requested change. Vendor shall pay any costs incurred resulting from said changes.

City of San Antonio Attn: Finance Department P.O. Box 839966 San Antonio. Texas 78283-3966

Vendor agrees that with respect to the above required insurance, all insurance policies are to contain or be endorsed to contain the following provisions:

Name City, its officers, officials, employees, volunteers, and elected representatives as <u>additional insureds</u> by endorsement, as respects operations and activities of, or on behalf of, the named insured performed under contract with City, with the exception of the workers' compensation and professional liability policies;

Provide for an endorsement that the "other insurance" clause shall not apply to the City of San Antonio where City is an additional insured shown on the policy;

Workers' compensation, employers' liability, general liability and automobile liability policies will provide a waiver of subrogation in favor of City; and

Provide advance written notice directly to City of any suspension, cancellation, non-renewal or material change in coverage, and not less than ten (10) calendar days advance notice for nonpayment of premium.

Within five (5) calendar days of a suspension, cancellation or non-renewal of coverage, Vendor shall provide a replacement Certificate of Insurance and applicable endorsements to City. City shall have the option to suspend Vendor's performance should there be a lapse in coverage at any time during this contract. Failure to provide and to maintain the required insurance shall constitute a material breach of this Agreement.

In addition to any other remedies City may have upon Vendor's failure to provide and maintain any insurance or policy endorsements to the extent and within the time herein required, City shall have the right to order Vendor to stop work hereunder, and/ or withhold any payment(s) which become due to Vendor hereunder until Vendor demonstrates compliance with the requirements hereof.

Nothing herein contained shall be construed as limiting in any way the extent to which Vendor may be held responsible for payment of damages to persons or property resulting from Vendor's or its subcontractors' performance of the work covered under this Agreement.

It is agreed that Vendor's insurance shall be deemed primary and non-contributory with respect to any insurance or self insurance carried by City for liability arising out of operations under this Agreement.

It is understood and agreed that the insurance required is in addition to and separate from any other obligation contained in this Agreement and that no claim or action by or on behalf of City shall be limited to insurance coverage provided.

Vendor and any subcontractors are responsible for all damage to their own equipment and/or property.

<u>Change Orders</u>. Notwithstanding anything stated to the contrary in Section 006 – General Terms & Conditions, in order to comply with Texas law governing purchases made by municipalities, the following rules shall govern all change orders made under this contract.

Any change orders that become necessary during the term of this contract as a result of changes in plans, specifications, quantity of work to be performed, materials, equipment or supplies to be furnished must be in writing and conform to the requirements of City Ordinance 2011-12-08-1014, as hereafter amended.

Any other change will require approval of the City Council, City of San Antonio.

Changes that do not involve an increase in contract price may be made by the Director.

No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated herein.

Incorporation of Attachments.

Each of the attachments listed below is an essential part of this contract, which governs the rights and duties of the parties, incorporated herein by reference, and shall be interpreted in the order of priority as appears below, with this document taking priority over all attachments:

Attachment A - Price Schedule

Attachment B - City of San Antonio Local Preference Program Forms

Attachment C - City of San Antonio Veteran-Owned Small Business Preference Program (VOSBPP) Ordinance Language & Form

006 - GENERAL TERMS & CONDITIONS

<u>Electronic Bid Equals Original</u>. If Vendor is submitting an electronic bid, City and Vendor each agree that this transaction may be conducted by electronic means, as authorized by Chapter 322, Texas Business & Commerce Code, known as the Electronic Transactions Act.

Delivery of Goods/Services.

<u>Destination Contract.</u> Vendor shall deliver all goods and materials F.O.B., City of San Antonio's designated facility, inside delivery, freight prepaid, to the address provided in this IFB or, if different, in the Purchase Order. Vendor shall bear the risk of loss until delivery. Freight charges will be paid only when expedited delivery is requested and approved in writing by the City. Vendor shall be responsible for furnishing necessary personnel or equipment and/or making necessary arrangements to off load at City of San Antonio facility, unless otherwise noted herein.

<u>Failure to Deliver</u>. When delivery is not met as provided for in the contract, City may make the purchase on the open market, with any cost in excess of the contract price paid by Vendor, in addition to any other direct, indirect, consequential or incidental damages incurred by City as a result thereof. In addition, Vendor may be removed from the City's list of eligible bidders.

<u>Purchase Orders</u>. Each time a City department wishes to place an order against this contract, it will issue Vendor a purchase order. Vendor must have the purchase order before making any delivery.

Acceptance by City. City shall have a reasonable time (but not less than 30 days) after receipt to inspect the goods and services tendered by Vendor. City at its option may reject all or any portion of such goods or services which do not, in City's sole discretion, comply in every respect with all terms and conditions of the contract. City may elect to reject the entire goods and services tendered even if only a portion thereof is nonconforming. If City elects to accept nonconforming goods and services, City, in addition to its other remedies, shall be entitled to deduct a reasonable amount from the price thereof to compensate City for the nonconformity. Any acceptance by City, even if non-conditional, shall not be deemed a waiver or settlement of any defect in such goods and services.

<u>Testing</u>. After award of contract, City may, at its sole option, test the product delivered to ensure it meets specifications. Initial testing shall be at City's expense. However, if the product does not to meet specifications, Vendor shall reimburse City for the costs of testing. City may withhold the cost of testing from any amounts owed to Vendor under this or any other contract, or invoice Vendor for same. If invoiced, Vendor shall pay City within 30 calendar days' of the invoice.

<u>Warranty</u>. A minimum of 90-days product guarantee or the manufacturer's standard commercial warranty, whichever is greater, shall apply to all products and/or services purchased under this IFB, unless otherwise specified in the Specifications/Scope of Services section of this IFB. This warranty shall provide for replacement of defective merchandise, parts, and labor, and shall include pick-up of the defective merchandise from City and delivery of the replacement(s) to the same location. The warranty shall be effective from the date of acceptance of the merchandise, or completion of the service, as applicable.

REJECTION OF DISCLAIMERS OF WARRANTIES & LIMITATIONS OF LIABILITY. ANY TERM OR CONDITION IN ANY DOCUMENT FURNISHED BY VENDOR, DISCLAIMING THE IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR ATTEMPTING TO LIMIT VENDOR'S LIABILITY SHALL BE OF NO FORCE OR EFFECT, AND SHALL BE STRICKEN FROM THE CONTRACT DOCUMENTS AS IF NEVER CONTAINED THEREIN.

Invoicing and Payment.

Address for Invoices. All original invoices must be sent to: City of San Antonio, Attn: Accounts Payable, P.O. Box 839976, San Antonio, Texas 78283-3976.

Information Required On Invoice.

All invoices must be in a form and content approved by the City. City may require modification of invoices if necessary in order to satisfy City that all billing is proper and pursuant to the terms of the contract. Invoices are required to show each City Purchase Order Number. Invoices must be legible. Items billed on invoices must be specific as to applicable stock, manufacturer, catalog or part number (if any). All invoices must show unit prices for each item being billed, the quantity of items being billed and the total for each item, as well as the total for all items on the invoice. If prices are

based on list prices basis, then the list prices, the percentage discount or percentage surcharge, net unit prices, extensions and net total prices must be shown. Prompt payment discounts offered shall be shown separately on the invoice.

Payment by City.

In accordance with the Texas Prompt Payment Act, City shall have not less than 30 days to pay for goods or services. Time for payment, including payment under discount terms, will be computed from the later of: (1) the date City receives conforming goods under the contract; (2) the date performance of the service under the contract is completed; or (3) the date City receives a correct and valid invoice for the goods or services. Payment is deemed to be made on the date of mailing of the check. Payment is made in US dollars only.

This provision shall not apply where there is a bona fide dispute between City and Vendor about the goods delivered or the service performed that causes the payment to be late, or where the invoice is not mailed to the address provided herein.

The payment amount due on invoices may not be manually altered by City personnel. Once disputed items are reconciled, Vendor must submit a corrected invoice or a credit memorandum for the disputed amount. City will not make partial payments on an invoice where there is a dispute.

NECESSITY OF TIMELY INVOICE / WAIVER OF PAYMENT. NOTWITHSTANDING THE FORGOING, THE CITY CANNOT PAY FOR ANY GOODS OR SERVICES WITHOUT AN INVOICE. VENDOR MUST INVOICE CITY NO LATER THAN 90 CALENDAR DAYS FROM THE DATE GOODS ARE DELIVERED OR SERVICES RENDERED. FAILURE TO SUBMIT AN INVOICE WITHIN SAID 90 DAYS SHALL NEGATE ANY LIABILITY ON THE PART OF CITY AND CONSTITUTE A WAIVER BY VENDOR OF ANY AND ALL RIGHT OR CLAIMS TO COLLECT MONEYS THAT VENDOR MAY RIGHTFULLY BE OTHERWISE ENTITLED TO FOR GOODS OR SERVICES PERFORMED.

The total price for all goods and/or services is shown on the Price Schedule. No additional fees or expenses of Vendor shall be charged by Vendor nor be payable by City. The parties hereby agree that all compensable expenses of Vendor are shown on the Price Schedule. If there is a discrepancy on the Price Schedule between the unit price for an item, and the extended price, the unit price shall govern.

<u>Change Orders</u>. In order to comply with Texas law governing purchases made by municipalities, the following rules shall govern all change orders made under this contract.

Any change orders that become necessary during the term of this contract as a result of changes in plans, specifications, quantity of work to be performed, materials, equipment or supplies to be furnished may be approved by the Director, provided that such change orders:

- are made in writing, signed by the Director;
- do not involve an increase or decrease in contract price of more than \$25,000; and
- sufficient funds have already been allocated by City or are available to the Director to cover any increase in contract price.

Any other change will require approval of the City Council, City of San Antonio.

Changes that do not involve an increase in contract price may, however, be made by the Director.

No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated herein.

Termination.

<u>Termination-Breach</u>. Should Vendor fail to fulfill in a timely and proper manner, as determined solely by the Director, its material obligations under this contract, or violate any of the material terms of this contract, City shall have the right to immediately terminate the contract in whole or in part. Notice of termination shall be provided in writing to Vendor, effective upon the date set forth in the notice. City may, in City's sole discretion, provide an opportunity for Vendor to cure the default. If City elects to offer an opportunity to cure, City shall provide notice to Vendor specifying the matters in default and the cure period. If Vendor fails to cure the default within the cure period, City shall have the right, without further notice, to terminate the contract in whole or in part. Such termination shall not relieve Vendor of any liability to the City for damages sustained by virtue of any breach by Vendor.

<u>Termination-Notice</u>. City may terminate this contract, in whole or in part, without cause. City shall be required to give Vendor notice ten days prior to the date of termination of the contract without cause.

<u>Termination-Funding</u>. City retains the right to terminate this contract at the expiration of each of City's budget periods. This contract is conditioned on a best efforts attempt by City to obtain and appropriate funds for payment of any debt due by City herein.

Termination by City may be effected by Director, without further action by the San Antonio City Council.

Independent Contractor. Vendor covenants and agrees that it is an independent contractor and not an officer, agent, servant or employee of City. City shall not be liable for any claims which may be asserted by any third party occurring in connection with the services to be performed by Vendor under this contract and that Vendor has no authority to bind City. The doctrine of respondent superior shall not apply as between City and Vendor.

INDEMNIFICATION.

VENDOR covenants and agrees to FULLY INDEMNIFY, DEFEND and HOLD HARMLESS, CITY and the elected officials, employees, officers, directors, volunteers and representatives of CITY, individually and collectively. from and against any and all costs, claims, liens, damages, losses, expenses, fees, fines, penalties, proceedings, actions, demands, causes of action, liability and suits of any kind and nature, including but not limited to, personal or bodily injury, death and property damage, made upon CITY directly or indirectly arising out of, resulting from or related to VENDOR'S activities under this Agreement, including any acts or omissions of VENDOR, any agent, officer, director, representative, employee, consultant or subcontractor of VENDOR, and their respective officers, agents employees, directors and representatives while in the exercise of the rights or performance of the duties under this Agreement. The indemnity provided for in this paragraph shall not apply to any liability resulting from the negligence of CITY, it s officers or employees, in instances where such negligence causes personal injury, death, or property damage. IN THE EVENT VENDOR AND CITY ARE FOUND JOINTLY LIABLE BY A COURT OF COMPETENT JURISDICTION, LIABILITY SHALL BE APPORTIONED COMPARATIVELY IN ACCORDANCE WITH THE LAWS FOR THE STATE OF TEXAS, WITHOUT, HOWEVER, WAIVING ANY GOVERNMENTAL IMMUNITY AVAILABLE TO THE CITY UNDER TEXAS LAW AND WITHOUT WAIVING ANY DEFENSES OF THE PARTIES UNDER TEXAS LAW. In addition, Vendor agrees to indemnify, defend, and hold the City harmless from any claim involving patent infringement, trademarks, trade secrets, and copyrights on goods supplied.

The provisions of this INDEMNITY are solely for the benefit of the parties hereto and not intended to create or grant any rights, contractual or otherwise, to any other person or entity. VENDOR shall advise CITY in writing within 24 hours of any claim or demand against CITY or VENDOR known to VENDOR related to or arising out of VENDOR's activities under this AGREEMENT and shall see to the investigation and defense of such claim or demand at VENDOR's cost. CITY shall have the right, at its option and at its own expense, to participate in such defense without relieving VENDOR of any of its obligations under this paragraph.

Assignment. Except as otherwise stated herein, Vendor may not sell, assign, pledge, transfer or convey any interest in this contract, nor delegate the performance of any duties hereunder, by transfer, by subcontracting or any other means, without the consent of Director. As a condition of such consent, if such consent is granted, Vendor shall remain liable for completion of the services and provision of goods outlined in this contract in the event of default by the successor Vendor, assignee, transferee or subcontractor. Any attempt to transfer, pledge or otherwise assign this Contract without said written approval, shall be void ab initio and shall confer no rights upon any third person.

Ownership of Documents. Pursuant to Texas Local Government Code Chapter 201, any and all Records produced by Vendor pursuant to the provisions of this contract are the exclusive property of City; and no such Record shall be the subject of any copyright or proprietary claim by Vendor. The term "Record" as used herein shall mean any document, paper, letter, book, map, photograph, sound or video recording, microfilm, magnetic tape, electronic medium, or other information recording medium, regardless of physical form or characteristic. Vendor understands and acknowledges that as the exclusive owner of any and all such Records, City has the right to use all such Records as City desires, without restriction.

Records Retention.

Vendor and its subcontractors, if any, shall properly, accurately and completely maintain all documents, papers, and records, and other evidence pertaining to the services rendered hereunder ("Documents"), and shall make such Documents available to the City at their respective offices, at all reasonable times and as often as City may deem necessary during the contract period, including any extension or renewal hereof, and the record retention period

established herein, for purposes of audit, inspection, examination, and making excerpts or copies of same by City and any of its authorized representatives.

Vendor shall retain any and all Documents produced as a result of services provided hereunder for a period of four years ("Retention Period") from the date of termination of the contract. If, at the end of the Retention Period, there is litigation or other questions arising from, involving or concerning these Documents or the services provided hereunder, Vendor shall retain the records until the resolution of such litigation or other such questions. Vendor acknowledges and agrees that City shall have access to any and all such Documents at any and all times, as deemed necessary by City, during said Retention Period. City may, at its election, require Vendor to return the documents to City at Vendor's expense prior to or at the conclusion of the Retention Period. In such event, Vendor may retain a copy of the documents.

Vendor shall notify City, immediately, in the event Vendor receives any requests for information from a third party, which pertain to the Documents referenced herein. Vendor understands and agrees that City will process and handle all such requests.

Severability. If any clause or provision of this contract is held invalid, illegal or unenforceable under present or future federal, state or local laws, including but not limited to the City Charter, City Code, or ordinances of the City of San Antonio, Texas, then and in that event it is the intention of the parties hereto that such invalidity, illegality or unenforceability shall not affect any other clause or provision hereof and that the remainder of this contract shall be construed as if such invalid, illegal or unenforceable clause or provision was never contained herein. It is also the intention of the parties hereto that in lieu of each clause or provision of this contract that is invalid, illegal, or unenforceable, there be added as a part of the contract a clause or provision as similar in terms to such invalid, illegal or unenforceable clause or provision as may be possible, legal, valid and enforceable.

<u>Compliance with Law</u>. Vendor shall provide and perform all services required under this Agreement in compliance with all applicable federal, state and local laws, rules and regulations.

<u>Certifications</u>. Vendor warrants and certifies that Vendor and any other person designated to provide services hereunder has the requisite training, license and/or certification to provide said services, and meets all competence standards promulgated by all other authoritative bodies, as applicable to the services provided herein.

Non-waiver of Performance. Unless otherwise specifically provided for in this Agreement, a waiver by either Party of a breach of any of the terms, conditions, covenants or guarantees of this Agreement shall not be construed or held to be a waiver of any succeeding or preceding breach of the same or any other term, condition, covenant or guarantee herein contained. Further, any failure of either Party to insist in any one or more cases upon the strict performance of any of the covenants of this Agreement, or to exercise any option herein contained, shall in no event be construed as a waiver or relinquishment for the future of such covenant or option. In fact, no waiver, change, modification or discharge by either party hereto of any provision of this Agreement shall be deemed to have been made or shall be effective unless expressed in writing and signed by the party to be charged. No act or omission by a Party shall in any manner impair or prejudice any right, power, privilege, or remedy available to that Party hereunder or by law or in equity, such rights, powers, privileges, or remedies to be always specifically preserved hereby.

<u>Venue</u>. Venue of any court action brought directly or indirectly by reason of this contract shall be in Bexar County, Texas. This contract is made and is to be performed in Bexar County, Texas, and is governed by the laws of the State of Texas.

Non-discrimination. As a condition of entering into this agreement, Vendor represents and warrants that it will comply with City's Commercial Nondiscrimination Policy, as described under Section IILC.1 of the SBEDA Ordinance. As part of such compliance, Vendor shall not discriminate on the basis of race, color, religion, ancestry or national origin, sex, age, marital status, sexual orientation, or on the basis of disability or other unlawful forms of discrimination in the solicitation, selection, hiring or commercial treatment of subcontractors, vendors, suppliers, or commercial customers, nor shall Vendor retaliate against any person for reporting instances of such discrimination. Vendor shall provide equal opportunity for subcontractors, vendors and suppliers to participate in all of its public sector and private sector subcontracting and supply opportunities, provided that nothing contained in this clause shall prohibit or limit otherwise lawful efforts to remedy the effects of marketplace discrimination that have occurred or are occurring in the City's Relevant Marketplace. Vendor understands and agrees that a material violation of this clause shall be considered a material breach of this agreement and may result in termination of this agreement, disqualification of Vendor from participating in City contracts, or other sanctions. This clause is not enforceable by or for the benefit of, and creates no obligation to, any third party. Vendor shall include this nondiscrimination clause in all subcontracts for the performance of this contract.

As a party to this contract, Vendor understands and agrees to comply with the *Non-Discrimination Policy* of the City of San Antonio contained in Chapter 2, Article X of the City Code and further, shall not discriminate on the basis of race, color, religion, national origin, sex, sexual orientation, gender identity, veteran status, age or disability, unless exempted by state or federal law, or as otherwise established herein.

<u>Delinquent Taxes</u>. In the event that Vendor is or subsequently becomes delinquent in the payment of taxes owed to the City of San Antonio, the City reserves the right to deduct any delinquent taxes from payments that the City may owe to the delinquent Vendor as a result of this contract.

<u>Binding Contract</u>. This contract shall be binding on and inure to the benefit of the parties hereto and their respective heirs, executors, administrators, legal representatives, and successors and assigns, except as otherwise expressly provided for herein.

Entire Agreement. This contract, including City's final electronically posted online version, together with its authorizing ordinance and its price schedule(s), attachments, purchase orders, and exhibits, if any, constitutes the final and entire agreement between the parties hereto and contains all of the terms and conditions agreed upon. No other agreements, oral or otherwise, regarding the subject matter of this contract shall be deemed to exist or to bind the parties hereto, unless same be in writing, dated subsequent to the date hereof, and be duly executed by the parties, in accordance with the Change Order provision herein. Parties agree that City's final electronically posted online version of this solicitation contains the agreed upon specifications, scope of services, and terms and conditions of this contract, and shall control in the event of a conflict with any printed version signed and submitted by Vendor.

007 - SIGNATURE PAGE

By submitting a bid, whether electronically or by paper, Bidder represents that:

(s)he is authorized to bind Bidder to fully comply with the terms and conditions of City's Invitation for Bid for the prices stated therein;

(s)he has read the entire document, including the final version issued by City, and agreed to the terms therein;

Bidder is in good standing with the Texas State Comptroller's Office; and

to the best of his/her knowledge, all information is true and correct.

If submitting your bid by paper, complete the following and sign on the signature line below. Failure to sign and submit this Signature Page will result in rejection of your bid.

Bidder Information Please Print or Type	
Vendor ID No.	V10004308
Signer's Name	Dennis Thomas
Name of Business	Grapevine Det, ecc
Street Address	2601 William Tate
City, State, Zip Code	Grapevine Tx 76051
Email Address	d-thomas@grapevinedij.com
Telephone No.	817-410-7541
Fax No.	817-410-7502
City's Solicitation No.	IFB 610000 7067
,	
CAR!	
Signature of Person Aut	horized to Sian Bid

008 - STANDARD DEFINITIONS

Whenever a term defined by the Uniform Commercial Code ("UCC"), as enacted by the State of Texas, is used in the Contract, the UCC definition shall control, unless otherwise defined in the Contract.

All-or-None Bid - an invitation to bid in which the City will award the entire contract to one bidder only.

<u>Alternate Bid</u> - two or more bids with substantive variations in the item or service offered from the same bidder in response to a solicitation.

Assignment - a transfer of claims, rights or interests in goods, services or property.

Bid - a complete, signed response to a solicitation. The term "bid" is synonymous with the term "offer".

Bid Opening - a public meeting during which bid responses are disclosed.

<u>Bidder</u> - a person, firm or entity that submits a bid in response to a solicitation. The bidder whose bid is accepted by City may also be referred to herein as Contractor, Vendor or Supplier.

<u>Bid Bond or Bid Guarantee</u> - security to ensure that Bidder (a) will not withdraw the bid within the period specified for acceptance, and (b) will furnish any required bonds or performance guarantees, and any necessary insurance within the time specified in the solicitation.

<u>Change Order</u> - a change to the plans or specifications of the contract, or an increase or decrease in the quantity of work to be performed or of materials, equipment, or supplies to be furnished, issued by the Director after the bid has been accepted by the City.

City - the City of San Antonio, a Texas home-rule municipal corporation.

Contract - the binding legal agreement between the City and Vendor.

Contractor - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

<u>Director</u> - the Director of City's Purchasing & General Services Department, or Director's designee.

<u>Equal or Equivalent</u> - terms to indicate that similar products or other brands may be acceptable for purchase if specifications and functional requirements are met.

Invitation for Bid (IFB) – a solicitation requesting pricing for a specified good or a service.

Line Item - a listing of items in a bid for which a bidder is expected to provide separate pricing.

Low Bid - a bid which is lowest in price, but may not meet all requirements or specifications.

<u>Lowest Responsible Bidder</u> - the bidder whose bid meets all requirements of the specifications, terms and conditions of the IFB and results in the lowest cost to the City in an award based solely on price, taking into consideration the bidder's competence and qualifications to perform the contract.

Non-Responsive Bid - a bid or offer that does not comply with the terms and conditions, or specifications and/or requirements of the IFB.

Offer - a complete, signed response to an IFB that, if accepted, would bind the bidder to perform the resultant contract. The term "offer" is synonymous with the term "bid".

<u>Payment Bond</u> - a particular form of security provided by the contractor to protect the City against loss due to the contractor's failure to pay suppliers and subcontractors.

<u>Performance Bond</u> - a particular form of security provided by the contractor to protect the City against loss due to the contractor's inability or unwillingness to complete the contract as agreed.

<u>Performance Deposit</u> - security provided by the contractor to protect the City against loss due to the contractor's inability or unwillingness to complete the contract as agreed.

<u>Pre-Submittal Conference</u> - a meeting conducted by the City, held in order to allow bidders to ask questions about the proposed contract and particularly, the contract specifications.

<u>Purchase Order</u> - a validly issued order placed by an authorized City department for the purchase of goods or services, written on the City's standard purchase order form, and which is Vendor's authority to deliver to and invoice the City for the goods or services specified in an IFB for the price stated in Vendor's bid.

Responsible Bidder - a bidder who is known to have the necessary competence and qualifications to perform and provide all requirements of an intended contract.

Responsive Bidder - a bidder who tenders a bid which meets all requirements of the invitation to bid and is a responsible bidder.

<u>Sealed Bid</u> - a bid submitted as a sealed document, whether hard copy or electronic, by a prescribed time to the location indicated in the IFB. The contents of the bid will not be made public prior to the bid opening.

<u>Specifications</u> - a description of what the City requires and what the bidder must offer; a description of the physical or functional characteristics of a product or material, or the nature of a service or construction item.

<u>Subcontractor</u> - a person, firm or entity providing goods or services to a vendor to be used in the performance of the Vendor's obligations under the contract with the City.

<u>Supplier</u> - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

<u>Vendor</u> - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

Waiver of Irregularity - noting, but disregarding an immaterial variance within a bid.

009 - ATTACHMENTS

ATTACHMENT A

LOCAL PREFERENCE PROGRAM ORDINANCE LANGUAGE

The 82nd Texas Legislature adopted a revision to the law that allowed the City of San Antonio (City) to adopt a policy that would grant contracting preferences to local businesses for certain types of contracts. The City adopted such a policy, known as the Local Preference Program, by Ordinance No. 2013-03-21-0167, effective for solicitations issued after May 1, 2013.

This solicitation is subject to the Local Preference Program. For more information on the program, refer to the Local Preference Program Identification Form attached to this solicitation.

In order to receive consideration the Local Bidder must complete and return the attached Local Preference Identification Form.

PRICE SCHEDULE REVISED

ITEM	QUANTITY	DESCRIPTION	
1	6	1/2 Ton Extended Ca	ıb 4x2 Compact Pickup Truck
PRICE EACH:	\$	No Bid	
TOTAL: \$			
YEAR, MAKE	& MODEL OFFERED:		
SPECIFIC MA	KE & MODEL OF ENGI	NE OFFERED (INCLU	DE SAE NET HP)
WARRANTY:			
WARRANTY S	SERVICE PROVIDER N	ÁME:	
WARRANTY F	FACILITY ADDRESS:		
DELIVEDY W	III DE MADE WITHIN	CALEND	ER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	N CUT-OFF DATE :		
INDICATE THE	E LAST DAY THAT TO E PRODUCTION CUT C	FF DATE:	ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT
THAT CITY D	OFS NOT AWARD A	CONTRACT PRIOR T	PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN O PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDI PRODUCTION CUT OFF DATE?
Prompt Paym	nent Discount:	%	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
2	20	½ Ton Full Size Regular Cab 4x2
	ŕ	3
TOTAL: \$	392,	860
	& MODEL OFFERED:	Zegular Cab DS 1 L61
	_	NE OFFERED (INCLUDE SAE NET HP)
<u>ا</u> کا	r AP 202	he
•	36,000 mile	Syear 100,000 mile 1: mitel powertrein
	SERVICE PROVIDER N	
<u> </u>	seve noots	
WARRANTY	FACILITY ADDRESS:	
	30300 I	ne, Tx
	Boer	ne, Tx
DELIVERY W	VILL BE MADE WITHIN _	6 5 - 75 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
		7/30/16
MISSING TH	IE PRODUCTION CUT C	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE: <u>- 5は16</u>
THAT OITY	DOES NOT AMARD A (FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount: 2 \((کے % مرابع days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
3	1	½ Ton Full Size Regular Cab 4x2 w/ Headache Rack
PRICE EA	ACH: \$	20,069
TOTAL: \$		20,069
	AKE & MODEL OFFI	ERED: - 1500 Regular Cab DS1161
		Sosho
WARRAN	ITY:	E. 5 year / 100,000 mile Lymited POWERTRAIN
_	ITY SERVICE PROV	/IDER NAME:
WARRAN	TY FACILITY ADDR	H lo West
	BOERME	, Tx.
DELIVER	RY WILL BE MADE V	VITHIN 60-15 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUC	CTION CUT-OFF DA	TE: 7/30/16
INDICAT MISSING	E THE LAST DAY THE PRODUCTION	THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUN CUT OFF DATE:
THAT CI	TY DOES NOT AW //S, AT THE BID PRI	N FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN ARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVID CE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt I	Payment Discount:	21/2 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
4	1	½ Ton Full Size Regular Cab 4x2- School Bus Yellow	
PRICE EACH	: \$	No 31	
TOTAL: \$			
YEAR, MAKE	& MODEL OFFERI	ED:	
SPECIFIC MA	AKE & MODEL OF E	ENGINE OFFERED (INCLUDE SAE NET HP)	
WARRANTY:			
WARRANTY :	SERVICE PROVIDI	ER NAME:	
WARRANTY I	FACILITY ADDRES	SS:	
DELIVERY W	ILL BE MADE WITI	HIN CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
	N CUT-OFF DATE		
		AT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITH OUT OFF DATE:	IOUT
THAT CITY D	OES NOT AWARD	FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EV D A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROV SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?	
Prompt Paym	nent Discount:		

ITEM	QUANTITY	DESCRIPTION
5	3	½ Ton Full Size Regular Cab 4x2 – One (1) Dark Blue/ Two (2) Black
PRICE EACH	: \$ 19,6	543
TOTAL: \$	S8,9	29
	& MODEL OFFERED:	Regular Cal DS1261
		BINE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
3 YEAR	/ 36,000 MILE	54EAR/100,000 MILE LIMITED POWERTRAIL
	, SERVICE PROVIDER I	,
BOERN	IE DODGE	
WARRANTY	FACILITY ADDRESS:	
		lo WEST
		- ×.
DELIVERY W	,	66-75 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	ON CUT-OFF DATE :	7(30(16
INDICATE T	HE LAST DAY THAT T IE PRODUCTION CUT	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
THAT CITY	DOES NOT AWARD A	I FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount: 2 1/	2%days. (If no discount is offered, Net 30 will apply.)

6 17 ½ Ton Full Size Extended Cab 4x2 Pickup Truck	
PRICE EACH: \$ 22,439	
TOTAL: \$ 381, 463	
YEAR, MAKE & MODEL OFFERED: 2016 Rom 500 Gun Cob DS(L41)	
SPECIFIC MAKE & MODEL OF ENGINE OFFERED (INCLUDE SAE NET HP)	
WARRANTY: 34r (36,000 miles 54r (00,000 miles pour	ertro or
WARRANTY SERVICE PROVIDER NAME:	
WARRANTY FACILITY ADDRESS:	
Boerne D	· · · · · · · · · · · · · · · · · · ·
DELIVERY WILL BE MADE WITHIN CALENDER DAYS AFTER ISSUANCE OF F	PURCHASE ORDER.
PRODUCTION CUT-OFF DATE: 7(30/16	
INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRAINSING THE PRODUCTION CUT OFF DATE:	ACT FOR 2016 WITHOUT
BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT O THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?	E, ÇAN BIDDER PROVIDE
Prompt Payment Discount:%days. (If no discount is offered	, Net 30 will apply.)

DESCRIPTION

ITEM

QUANTITY

ITEM QUANTITY DESCRIPTION 7 1/2 Ton Full Size Extended Cab 4x2 Pickup Truck w Lockable Bed Cover- Black & White PRICE EACH: \$_____ YEAR, MAKE & MODEL OFFERED: SPECIFIC MAKE & MODEL OF ENGINE OFFERED (INCLUDE SAE NET HP) WARRANTY: WARRANTY SERVICE PROVIDER NAME: WARRANTY FACILITY ADDRESS:

Prompt Payment Discount: ______ % _____days. (If no discount is offered, Net 30 will apply.)

BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?

DELIVERY WILL BE MADE WITHIN _____ CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE

PRODUCTION CUT-OFF DATE:

MISSING THE PRODUCTION CUT OFF DATE: _____.

ITEM	QUANTITY	DESCRIPTION
8	2	1/2 Ton Full Size Extended Cab 4x2 Pickup Truck w/ Bucket Seats
PRICE EACH:	\$ 22,0	(39
TOTAL: \$	44,87	8
YEAR, MAKE	& MODEL OFFERED:	pri26 20 Cong.
		NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		5YEAR / 100,000 MILE LIMITED POWERTRAIN
WARRANTY	SERVICE PROVIDER N	·
	FACILITY ADDRESS:	WEST
		•
DELIVERY W	/ILL BE MADE WITHIN _	65-75 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	N CUT-OFF DATE :	7(30(16
INDICATE TH	HE LAST DAY THAT THE PRODUCTION CUT C	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
THAT CITY I	OCES NOT AWARD A	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pavr	ment Discount: 2 1/2	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
9	1	1/2 Ton Full Size Extended Cab 4x2 Pickup Truck w/ Bucket Seats and Lift Gate
PRICE EACH:	\$ 25	683
TOTAL: \$	25,6	83
	& MODEL OFFERED:	Pu-D Cob DS1241
SPECIFIC MA		GINE OFFERED (INCLUDE SAE NET HP)
WARRANTY:	/ 36,000 MILE	5/EAR/100,000 MILE LIMITED POWERTRAIL
WARRANTY S	SERVICE PROVIDER	NAME:
	TRNE DODGE	
	FACILITY ADDRESS:	
3.	300 IH 100	VE (T
B	SELNE, TX.	
DELIVERY W	ILL BE MADE WITHIN	60-75 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	N CUT-OFF DATE : _	7 (30) 16
INDICATE TH	HE LAST DAY THAT T E PRODUCTION CUT	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
THAT CITY F	OFS NOT AWARD A	I FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?

Prompt Payment Discount: 2 1/2 % 10 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
10	4	1/2 Ton Four Full Door Full Size 4x2 Pickup Truck
PRICE EACH:	\$ 24,332	
TOTAL: \$	97,328	<u> </u>
	& MODEL OFFERED:	Cres Cos DSIL98
		NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
3 JEAR	/36,000 MILE	5/EAR/100,000 MILE LIMITED POWERTRAIL
•	SERVICE PROVIDER N	
BOER	HE DODGE	
IA/A INID A NITY/ F	FACILITY ADDRESS:	
	10300 TH 10	NICT
	•	
	DOERNE, IX.	
DELIVERY W	ILL BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	N CUT-OFF DATE :	7(22/16
INDICATE TH	E LAST DAY THAT THE PRODUCTION CUT O	IE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT FF DATE:
THAT CITY D	OES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Promnt Paym	nent Discount: 21/2	% days. (If no discount is offered, Net 30 will apply.)

TEM	QUANTITY	DESCRIPTION
11	1	1/2 Ton Four Full Door Full Size 4x2 Pickup Truck- Dark Blue
PRICE EACH:	\$ 24	332
TOTAL: \$	24	332
YEAR, MAKE	& MODEL OFFERED:	o Crew Cob DS (298
SPECIFIC MA	AKE & MODEL OF ENG	INE OFFERED (INCLUDE SAE NET HP)
WARRANTY:	1 36,000 MILE	5/EAR/100,000 LIMITED POLVERTRAIN
WARRANTY	SERVICE PROVIDER N	
WARRANTY	FACILITY ADDRESS:	vest
\mathcal{B}_{\circ}	ERNE , TX.	
	,	68-75 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	ON CUT-OFF DATE :	7-22-16
INDICATE TI	HE LAST DAY THAT T	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
THAT OIT!	ロヘニぐ ドレエ ひがくひひ V	I FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payı	ment Discount: 2 1/3	2 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
12	2	1/2 Ton Four Full Door Full Size 4x2 Pickup Truck w/ Lockable Bed Cover
PRICE EAG	CH: \$ 25,7	37
TOTAL: \$_	5.14	74
	KE & MODEL OFFERE	ED: BO Crew Cob DS (298
SPECIFIC		NGINE OFFERED (INCLUDE SAE NET HP)
WARRAN	TY SERVICE PROVIDE	ERNAME:
	TY FACILITY ADDRES	
	BOOTH 10 U	
	,	HIN 7590 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUC ⁻	TION CUT-OFF DATE	7/22/16
INDICATE MISSING	THE LAST DAY THA	T THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT JT OFF DATE:
THAT OIL	TY DOES NOT AWARD	IRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT O A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt P	ayment Discount: <u>2</u>	- 1/2 % o days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
13	1	1/2 Ton Four Full Door Full Size 4x4 Pickup Truck
PRICE EACH	1: \$ 26 <u>5</u>	`o(
TOTAL: \$	26,5	01
•	& MODEL OFFE	
SPECIFIC M		E ENGINE OFFERED (INCLUDE SAE NET HP)
WARRANTY		THE 5/EAR/100,000 MILE LIMITED PROTECTION
WARRANTY	SERVICE PROVI	DER NAME:
	FACILITY ADDR	ESS: West
	ERNE TX.	
	,	ITHIN 65-80 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	ON CUT-OFF DAT	E: 7/22/16
INDICATE T	THE LAST DAY THE PRODUCTION	HAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOU CUT OFF DATE:
THAT OITY	DODE NOT AWA	I FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN RD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVID SE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount:	2/12 % a days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
14	2	3/4 Ton Regular Cab Gasoline 4x2 Pickup Truck
PRICE EACH	: \$23,13	(&
TOTAL: \$	46,29	6
YEAR, MAKE	& MODEL OFFERED:	0-CA DES. 63
SPECIFIC MA		NE OFFERED (INCLUDE SAE NET HP) 3 HP
WARRANTY:		5 YEAR /100,000 MILE LIMITED POWERTRAIL
Boer	JE DODGE	
	FACILITY ADDRESS:	
	JE, TX.	
DELIVERY V	VILL BE MADE WITHIN	60-75 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	ON CUT-OFF DATE :	7/30/16
INDICATE T	HE LAST DAY THAT T IE PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
TUAT CITY	DOES NOT AWARD A	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pavi	ment Discount: 2 1/2	% C _days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
15	1	3/4 Ton Regular Cab Diesel 4x2 Pickup Truck
PRICE EAC	CH: \$	No Bid
TOTAL: \$		
YEAR, MAK	KE & MODEL OFFEREI):
SPECIFIC I	MAKE & MODEL OF EN	NGINE OFFERED (INCLUDE SAE NET HP)
WARRANT	Y: /36,000 mile	5-jear/100,000 mile Limited Powertrain
**	ne Dadge	R NAME:
	Y FACILITY ADDRESS	
Boe	rne Ix	
	,	IN CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCT	ION CUT-OFF DATE :	
INDICATE MISSING 1	THE LAST DAY THAT THE PRODUCTION CU	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT TOFF DATE:
THAT CIT	Y DOES NOT AWARD	RM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pa	nyment Discount: 2/	2 % / days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
16	1	% Ton Regular Cab 4x2 Pickup Truck w/ Lift Gate	
PRICE EAG	CH: \$ 25,69	89	
TOTAL: \$_	526	89	
	KE & MODEL OFFER	ED: 00 Rogelor Cob DJ 2 L62	
SPECIFIC		ENGINE OFFERED (INCLUDE SAE NET HP)	
WARRANT 3 /E4		DER NAME:	7
3.	TY FACILITY ADDRES		
	WILL BE MADE WIT	THIN 70-9 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
PRODUCT	TION CUT-OFF DATE	: 71 301 W	
INDICATE MISSING	THE LAST DAY THATHER PRODUCTION C	AT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:	TUC
THAT OIT	V DOES NOT AWAR	FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVI RD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?	ENT /IDE
Dramat P	avment Discount: 4	2 //2 % c days. (If no discount is offered, Net 30 will apply.)	

ITEM	QUANTITY	DESCRIPTION
17	2	3/4 Ton Live Animal Control/Transport Pickup Truck
PRICE EACH:	\$	1/0 Bis
TOTAL: \$		
YEAR, MAKE	& MODEL OFFERED:	·
SPECIFIC MA	KE & MODEL OF ENGI	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY	SERVICE PROVIDER N	AME:
WARRANTY	FACILITY ADDRESS:	
DELIVERY W	VILL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	N CUT-OFF DATE :	
MISSING TH	E PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOU OFF DATE:
エロムエ ヘコン	DOES MOT AMARINA I	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVID SMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Brompt Pav	ment Discount:	% days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
18	1	3/4 Ton, 56" Cab to Axle, Utility Bed Truck w/ Ladder Rack
PRICE EAC	CH: \$ 30, 2.	46
TOTAL: \$	36,2	46
•	KE & MODEL OFFERE	Pagelor Cob DJ2 L62
SPECIFIC N		NGINE OFFERED (INCLUDE SAE NET HP)
WARRANT	γ.	
3 YEAR	/36,000 MILE	- 5/EAR 100,000 MILE LIMITED PROTECTION
WARRANT	Y SERVICE PROVIDE	R NAME:
	Y FACILITY ADDRES	
	300 IH 10 a	
	GERNE, TX.	
DELIVERY	WILL BE MADE WITH	IIN So -166 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCT	ION CUT-OFF DATE :	7/30/16
INDICATE MISSING T	THE LAST DAY THATHE PRODUCTION CL	T THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT IT OFF DATE: 5616 .
THAT CITY	V DOES NOT AWARD	RM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pa	ayment Discount: <u>2</u>	1/2 % days. (If no discount is offered, Net 30 will apply.)

ITEM 19	QUANTITY 1	DESCRIPTION % Ton, 56" Cab to Axle, Utility Bed Truck w/ Pipe Rack
PRICE EACH	H: \$ 31, 41	6
TOTAL: \$	314	.6
YEAR, MAKI	E & MODEL OFFERED	
2016	Rem 2500	Regular Cab DJ2162
SPECIFIC M	IAKE & MODEL OF EN	GINE OFFERED (INCLUDE SAE NET HP)
5.	7L V8 383	3 he
WARRANTY	/ :,	5/EAR/100,000 MILE LIMITED POWERTRAIL
WARRANTY	SERVICE PROVIDER	NAME:
_ B.E	FRUE DODGE	
	YFACILITY ADDRESS:	√T
	ERHE, TX.	
	,	N 90-110 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTI	ON CUT-OFF DATE : _	7/30/16
INDICATE T	THE LAST DAY THAT HE PRODUCTION CU	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE: $\frac{5/6(16)}{}$
THAT OITS	COCC NOT AMADD.	M FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE UBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	vment Discount: 2	1/2 % o days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
20	1	3/4 Ton, 56"Cab to Axle, 4x4 Utility Bed Truck
		(
TOTAL: \$	32,064	
	E & MODEL OFFERED:	
2016	Ram 2500 R	Legador Coly Dogatiles 4x4
SPECIFIC M	AKE & MODEL OF ENGI	NE OFFERED (INCLUDE SAE NET HP)
	76 A8 383	he
ΜΑΡΡΔΝΤΥ		5/EAR/100, 000 MILE LIMITED PROTECTION
•	SERVICE PROVIDER N	
BOE	WE DODGE	
	'FACILITY ADDRESS:	
	. It lo WEST	
<u>ರೀ</u> ಕ	FRHE, TX.	
DELIVERY V	WILL BE MADE WITHIN 4	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	ON CUT-OFF DATE :	7 (30/16
INDICATE T	THE LAST DAY THAT TI HE PRODUCTION CUT C	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
THAT CITY	DOES NOT AWARD A	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount: 2 1/2	days. (if no discount is offered, Net 30 will apply.)

21 2 ¾ Ton, 56" Cab to Axle, 4x4 Utility Bed Truck w Headache Rack and Beacon Lighting
PRICE EACH: \$
TOTAL: \$
YEAR, MAKE & MODEL OFFERED: Zolb Ram 2500 Regular Cab 444 DJ 7662
SPECIFIC MAKE & MODEL OF ENGINE OFFERED (INCLUDE SAE NET HP) S. > L V8 383 H P
WARRANTY: 3/EAR/36,000 MILE 5/EAR/100,000 MILE LIMITED PROTECTION
WARRANTY/SERVICE PROVIDER NAME: BOERNE DODGE
WARRANTY FACILITY ADDRESS: 30300 IH O WEST
BOERNE, TX
DELIVERY WILL BE MADE WITHIN 100-120 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION CUT-OFF DATE: 7(36(16
INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 51616
BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENTHAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payment Discount: $\frac{2}{2}$ % $\frac{1}{2}$ days. (If no discount is offered, Net 30 will apply.)

QUANTITY DESCRIPTION

ITEM

ITEM	QUANTITY	DESCRIPTION	
22	1	3/4 Ton Extended Cab 4x2 Pickup Truck	
PRICE EACH:	\$ 26,248		
TOTAL: \$	26,248		•
•	& MODEL OFFERED:		
2016 3	am 2500 Cre	m Cap D2561	
	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)	
WARRANTY:	/36,000 MILE	5/Eq. / 100,000 MILE	LIMITED PROTECTION
	SERVICE PROVIDER NA		
Do EKA	IE DODGE		
WARRANTY	FACILITY ADDRESS:		
	, IH lo WEST		
BOER,	JE, TX		
	,	70-90 CALENDER DAYS AFTER ISSU	JANCE OF PURCHASE ORDER.
PRODUCTION	N CUT-OFF DATE :	7/30/16	-
INDICATE TH	IE LAST DAY THAT THE PRODUCTION CUT O	E CITY CAN PLACE ORDERS UNDER THE FF DATE: \(\(5\(6 \) 1\(6 \) \(\) \(\) .	HIS CONTRACT FOR 2016 WITHOUT
TUAT CITY D	NOTES NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO T CONTRACT PRIOR TO PRODUCTION CU MITTED, AFTER THE PRODUCTION CUT (I OFF DATE, CAN BIDDER PROVIDE
Prompt Payn	nent Discount: 2 1/2	% days. (If no discou	nt is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
23	2	3/4 Ton Extended Cab 4x2 Full Size Truck w/ Lift Gate
PRICE EACH	: \$ 28,789	
TOTAL: \$	57,578	
	* MODEL OFFERED:	Grew Cob DJ 2191
		NE OFFERED (INCLUDE SAE NET HP)
<u>ר.5</u>	L V8 383	<i>4</i> 6
WARRANTY	: ,	- /. I - D
3/EAR	/36,000 MILE	54EAR / 100,000 MILE LIMITED PROTECTION
WARRANTY	SERVICE PROVIDER N	IAME:
	•	
	FACILITY ADDRESS:	
305	100 IH 10 WES	7
	ERNE, TX.	
	,	86-1∞ CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	ON CUT-OFF DATE :	
INDICATE T MISSING TH	HE LAST DAY THAT THE PRODUCTION CUT	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DEFE DATE:
THAT OITY	DODE NOT AMADD A	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount: 2 1/2	∠%ˈadays. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
24	10	3/4 Ton Extended Cab 4x2 Full Size Long Bed Truck w/ Toolbox
PRICE EAC	th: \$ 26,84°	3
TOTAL: \$	268,4	<u> </u>
	Ram 2500	Crew Cob DJ2292
		NGINE OFFERED (INCLUDE SAE NET HP)
WARRANT	Y: 136,000 MILE	5 JEAR/100, DOOMILE LIMITED PROTECTION
	Y SERVICE PROVIDE	,
<u>I</u>	POERNE DODG	E
WARRANT	Y FACILITY ADDRESS	;:
3.3	300 IH 10 WE	rt
<i>B</i> ₀	ERHE, TX.	
DELIVERY	WILL BE MADE WITH	IN 75-90 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCT	ION CUT-OFF DATE :	7/30/16
INDICATE MISSING T	THE LAST DAY THAT THE PRODUCTION CU	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT TOFF DATE: SIGNAL.
THAT CITY	V DOES NOT AWARD	RM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pa	nyment Discount: 2	1/2 % days. (If no discount is offered, Net 30 will apply.)

DESCRIPTION

ITEM	QUANTITY	DESCRIPTION
25	2	3/4 Ton Extended Cab 4x4 Pickup Truck
PRICE EACH	1: \$	527
TOTAL: \$	53,0	420
•	E & MODEL OFFEREI	
2016	Rem 25:00	crew Cob year 057291
	IAKE & MODEL OF ER	NGINE OFFERED (INCLUDE SAE NET HP)
WARRANTY	':	
3 JEAR	36,000 MILE	5/EAR / 100, 000 MILE LIMITED PROTECTION
	SERVICE PROVIDE	9
Bor	RNE DODGE	
	•	
	FACILITY ADDRESS	
	WE, TX	
	CNE, IX	
DELIVERY \	WILL BE MADE WITH	IN 70-90 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	ON CUT-OFF DATE :	7 30(16
INDICATE T	THE LAST DAY THAT HE PRODUCTION CU	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT TOFF DATE:
THAT CITY	DOES NOT AWARD	RM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount: 21	/2 % o days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
26	7	3/4 Ton Four Full Door 4x2 Pickup Truck
PRICE EACI	H: \$ 26 24	· · · · · · · · · · · · · · · · · · ·
TOTAL: \$	183,73	٥6
-	E & MODEL OFFERE	
SO(P	Kam 2500	Crew Cob DIZZE91
SPECIFIC N	MAKE & MODEL OF E	NGINE OFFERED (INCLUDE SAE NET HP)
<u> </u>	L 18 38	3hp
WARRANTY	<i>(</i> :,	
3 /EAR/	36,000 MILE	5/EAR/100,000 MILE LIMITED PROTECTION
	SERVICE PROVIDE	
	ERME DOOGE	
	0000	
WARRANTY	Y FACILITY ADDRES	S:
3030	o IH lo WEN	T
BOER	NE, TX.	
DELIVERY '	WILL BE MADE WITH	HIN 70-90 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTI	ON CUT-OFF DATE	7(30116
INDICATE THE	THE LAST DAY THA HE PRODUCTION C	T THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT UT OFF DATE:
THAT CITY	DOES NOT AWARD	IRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DIA CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	yment Discount: <u>2</u>	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
27	5	% Ton Four Full Door 4x4 Gasoline Pickup Truck
PRICE EA	ксн: \$ <u>28</u>	590
TOTAL: \$_	142,	950
•	AKE & MODEL OFFERE	Crew Car Yxy DJ 7L91
SPECIFIC		NGINE OFFERED (INCLUDE SAE NET HP)
WARRAN	ITY [.]	5/EAR/100,000 MILE LIMITED PROTECTION
_	ITY SERVICE PROVIDE ERNE DODGE	ER NAME:
	ITY FACILITY ADDRES	
	BOERNE, TX.	
	•	HINCALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUC	CTION CUT-OFF DATE	7 170116
INDICAT MISSING	E THE LAST DAY THA THE PRODUCTION C	NT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT UT OFF DATE:
BID PRIC THAT CI BID ITEM	CES SHALL REMAIN F TY DOES NOT AWARI IIS, AT THE BID PRICE	IRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT DIESE ACCUSED A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt I	Payment Discount:	2 1/2 % adays. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
28	3	3/4 Ton Four Full Door 4x4 Diesel Pickup Truck
PRICE EACH:	\$	NO B.E
YEAR, MAKE	& MODEL OFFERED:	
SPECIFIC MA	KE & MODEL OF ENC	GINE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY S	SERVICE PROVIDER	NAME:
WARRANTY	FACILITY ADDRESS:	
		ICALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	N CUT-OFF DATE : $_$	

Prompt Payment Discount: ______% _____days. (If no discount is offered, Net 30 will apply.)

BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE

MISSING THE PRODUCTION CUT OFF DATE: _____.

ITEM	QUANTITY	DESCRIPTION
29	6	¾ Ton Four Full Door 4x2 Gasoline Pickup Truck w/ Fiberglass Camper Shell
PRICE EACH	1: \$ <u>28, 4</u> 8	3
TOTAL: \$	170,8	358
	E & MODEL OFFERED:	
2016	Rem 2500	Crew Cob 252492
SPECIFIC M	AKE & MODEL OF ENG	INE OFFERED (INCLUDE SAE NET HP)
5.7	L V8 38	3 hp
WARRANTY	: /36,000 MILE	Syear/100,000 MILE LIMITED PROTECTION
	SERVICE PROVIDER N	NAME:
3030	FACILITY ADDRESS:	
	RIE TX	
	ŕ	So-110 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	ON CUT-OFF DATE :	7(30(16
INDICATE T	THE LAST DAY THAT THE PRODUCTION CUT	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
BID PRICES	S SHALL REMAIN FIRM	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT

THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, IN THE EVENT BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?

Prompt Payment Discount: 21/2 % | a days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
30	3	1 Ton, Diesel, Regular Cab SRW 4x2 Pickup Truck
PRICE EACH	H: \$ 39_34	36,442
TOTAL: \$	433	18 DC 109,326
YEAR, MAK	E & MODEL OFFERED:	
2016	Ram 3500	D23162
SPECIFIC N	1AKE & MODEL OF ENG	GINE OFFERED (INCLUDE SAE NET HP)
6.7 L	Commins die	sul 370 hp
WARRANTY	/ : _	Syear/100, soo mile mator 5/100,000 MILE LIMITED PROTECTION NAME:
34EAR	130,000 MILE	5/100 000 MILE LIMITED PROTECTION
WARRANTY	/ SERVICE PROVIDER	NAME:
Bos	RNE DODGE	
	Y FACILITY ADDRESS:	
	OO IH OWES	T
Bog	ERNE, TX.	
DELIVERY '	WILL BE MADE WITHIN	Soulo CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	ON CUT-OFF DATE : _	
INDICATE T	THE LAST DAY THAT HE PRODUCTION CUT	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
THAT CITY	TOPES NOT AMARD A	M FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	yment Discount: 2 1/2	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
31	1	1 Ton, Diesel, Regular Cab DRW 4x2 Pickup Truck
PRICE EACH	t: \$37,	549
TOTAL: \$	37	549
	E & MODEL OFFER	ED:
		ENGINE OFFERED (INCLUDE SAE NET HP)
WARRANTY _ 3 √ E4 ®	: = \ 36,000 M	ILE 5/EAR/100,000 MILE LIMITED PROTECTION
	SERVICE PROVID	PER NAME:
3	FACILITY ADDRE	WEST
Į	BOERNE TX	
		THIN 75-90 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	ON CUT-OFF DATE	7/30/16
INDICATE T	THE LAST DAY TH	AT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT CUT OFF DATE: \$ /6 (
THAT CITY	DOES NOT AWAR	FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT RD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	vment Discount:	2 //2 % 0 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
32	2	1 Ton, Diesel, 84" Cab to Axle, DRW, 4x2 Welder Body Pickup Truck
PRICE EACH:	\$ 45,55	<u>`</u>
TOTAL: \$	91,10	<u> </u>
,	& MODEL OFFERED:	202.4.1 *
		003164
		NE OFFERED (INCLUDE SAE NET HP)
6-7 に	Cumming die	so 325 hp
WARRANTY:	a	Seen 100,000 mile motor
34E9R	36000 MILE -	Spear 100,000 mile motor 5/EAR/100,000 MILE - LIMITED PROTECTION
	SERVICE PROVIDER N	
	SERNE DODGE	
	SERNE - BGE	
WARRANTY	FACILITY ADDRESS:	
	o THIOWEST	
ರ್ಟ	RNE, TX.	
DELIVERY W	/ILL BE MADE WITHIN _	RO-NO CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	N CUT-OFF DATE :	7(30/16
INDICATE TH	HE LAST DAY THAT THE PRODUCTION CUT O	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT FF DATE:
THAT CITY I	THE NOT AWARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?

Prompt Payment Discount: 21/2 % days. (If no discount is offered, Net 30 will apply.)

TEM	QUANTITY	DESCRIPTION
33	1	1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 10' Dump Bed Truck
PRICE EACH:	: \$ <u>\</u> \8,\\	41
TOTAL: \$	48,1	41
YEAR, MAKE	& MODEL OFFERED:	
2016	Ram 3500	DA3164
		NE OFFERED (INCLUDE SAE NET HP)
		54EAR 100,000 MILE - LIMITED PROTECTION
WARRANTY:	SERVICE PROVIDER N	3
	FACILITY ADDRESS:	e3T
B	BOERNE, TX	
	,	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	ON CUT-OFF DATE :	
INDICATE TI	HE LAST DAY THAT T IE PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
THAT OITY	DOES NOT AWARD A	I FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pays	ment Discount: 2/12	days. (If no discount is offered, Net 30 will apply.)

TEM	QUANTITY	DESCRIPTION
34	1	1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 Flat/Stake Bed Truck
PRICE EACH	1: \$	4998
TOTAL: \$	Ł	14.998
YEAR, MAKE	E&MODEL OFFERED:	DD3164
SPECIFIC M.	AKE & MODEL OF ENG	SINE OFFERED (INCLUDE SAE NET HP)
WARRANTY	: /36000 MILI	Syper (100,000 mile motor = - 5 YEAR / 100,000 MILE LIMITED PROTECTION
WARRANTY	SERVICE PROVIDER	NAME:
WARRANTY	FACILITY ADDRESS:	
B.	ERNE, TX	
DELIVERY V	WILL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	ON CUT-OFF DATE : _	7(30(16
INDICATE T	THE LAST DAY THAT THE PRODUCTION CUT	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE: <u>くんし</u>
THAT CITY	DOES NOT AWARD A	M FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE IBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount: 2 1/	2 % days. (If no discount is offered, Net 30 will apply.)

ITEM

QUANTITY

DESCRIPTION

35

3

1 Ton, Diesel, 84" Cab to Axle, DRW 4x2 Flat/Stake Bed Truck with Lift Gate

PRICE EACH: \$
TOTAL: \$
YEAR, MAKE & MODEL OFFERED:
2016 Ram 3500 DD 3664
SPECIFIC MAKE & MODEL OF ENGINE OFFERED (INCLUDE SAE NET HP)
6.7 L Comming diesel 325 hp
WARRANTY: 3/EAR/36000 - 5/EAR/100000 MILE - LIMITED PROTECTION
WARRANTY SERVICE PROVIDER NAME:
30300 It 10 WEST Boerne Dodge
BOERNE, TX.
WARRANTY FACILITY ADDRESS:
DELIVERY WILL BE MADE WITHIN 106-126 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION CUT-OFF DATE: 7/30/16
INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: $5/6/6$
BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payment Discount: 21/2 % (days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
36	4	1 Ton Four Full Door, DRW, 4x2 Pickup Truck
PRICE EACH:	\$39	796
TOTAL: \$	15	796 9184
•	& MODEL OFFERED:	
		DD3 L92
		NE OFFERED (INCLUDE SAE NET HP)
6.7L	Comming die	ised 370 hp
WARRANTY:		Sycar 100,000 mile diese me ior
3 YEAR	30000 MILE-	5 year 100000 mile diesel meter 5 year 100000 mile - LIMITED PROTECTED
	SERVICE PROVIDER N	
		T Boerne Dodge
	ERNE TX.	
	FACILITY ADDRESS:	
DELIVERY W	ILL BE MADE WITHIN	25-96 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	N CUT-OFF DATE :	0130/16
INDICATE TH	HE LAST DAY THAT THE PRODUCTION CUT C	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT HEF DATE:
THAT CITY D	OFS NOT AWARD A (FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pavn	nent Discount: 21/2	% days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
37	1	1 Ton Full Four Door, DRW, 4x4 Pickup Truck w/ Arrow Bar
PRICE EACH	H: \$	42,370
TOTAL: \$		42,370
	E & MODEL OF	
		cs D 28 4 92
		OF ENGINE OFFERED (INCLUDE SAE NET HP)
676	2 ninual	MLE-5/EAR 100000 MILE LIMITED PROTECTION
WARRANTY	′: ₁	- D
3 JEAR	136000 H	MLE - STEAR 100000 MILE LIMITED PROJECTION
WARRANTY	SERVICE PRO	OVIDER NAME:
Bor	RHE DO	DGE
·		•
		
	Y FACILITY AD	•
		o West
	FRAF, TO	×.
DELIVERY	WILL BE MADE	EWITHIN 86-100 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
		DATE: 7/3°/16
MISSING T	HE PRODUCTI	Y THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT ION CUT OFF DATE:
	· NIOT 4	IAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN WARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN, BIDDER PROVIDE PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pa	vment Discour	nt: 2 1/2 % 6 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
38	1	1 Ton Full Four Door, DRW, 4x4 Pickup Truck w/ Toolbox
PRICE EAG	CH: \$	236
TOTAL: \$_	4/2	236
	KE & MODEL OFFERE	
2016	Rom 3500	D 28 L92
	. 1	NGINE OFFERED (INCLUDE SAE NET HP)
WARRANT	ГҮ	- 5 year 100000 MILE - LIMITED PROTECTION
3/EAR	36000 MILE	- 5 YEAR 100000 MILE - LIMITED PROTECTION
WARRANT	TY SERVICE PROVIDE	K NAME:
<u> 505</u>	FRUE DODGE	
WARRAN [*]	TY FACILITY ADDRES	S:
న ునేం	o It lower	<i>∿</i> 7
B	FWE, TX	
		HIN 86-/00 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	TION CUT-OFF DATE :	
INDICATE MISSING	THE LAST DAY THA THE PRODUCTION CU	T THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT JT OFF DATE:
THAT OIL	TO DO DO NOT AWARE	IRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT O A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _^_6
Dramat D	ovment Discount: 2	days. (If no discount is offered, Net 30 will apply.)

Gate – School Bus Yellow
PRICE EACH: \$
TOTAL: \$
YEAR, MAKE & MODEL OFFERED:
SPECIFIC MAKE & MODEL OF ENGINE OFFERED (INCLUDE SAE NET HP)
WARRANTY:
WARRANTY SERVICE PROVIDER NAME:
WARRANTY FACILITY ADDRESS:
DELIVERY WILL BE MADE WITHIN CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION CUT-OFF DATE :
INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE:
BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENTHAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payment Discount:%days. (If no discount is offered, Net 30 will apply.)

1 Ton Four Full Door, DRW, 4x4, Utility Bed Truck w Lift

QUANTITY

1

ITEM

39

DESCRIPTION

40 3	1.5 Ton Four Full Door, DRW, 4x2, Diesel Flat / Stake Bed Pickup Truck with Lift Gate
PRICE EACH: \$	55
PRICE EACH: \$	35
YEAR, MAKE & MODEL OFFERED:	DP4 L94
SPECIFIC MAKE & MODEL OF ENG	INE OFFERED (INCLUDE SAE NET HP)
WARRANTY:	Jear 100,000 mile dress moster - 5 year 100,000 mile Limited Protection
WARRANTY SERVICE PROVIDER IN DO	vine.
	lo WEST
DELIVERY WILL BE MADE WITHIN	240-270 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION CUT-OFF DATE : _	TRD
MISSING THE PRODUCTION CUT	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE: OFF DATE. IN THE EVENT
BID PRICES SHALL REMAIN FIRI THAT CITY DOES NOT AWARD A BID ITEMS, AT THE BID PRICE SL	M FOR ALL ORDERS PLACED PRIOR TO THIS GOT ALL ORDERS PLACED PRIOR TO THIS GOT DATE, CAN BIDDER PROVIDE A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE?
Prompt Payment Discount: 2	/2 %days. (If no discount is offered, Net 30 will apply.)

DESCRIPTION

QUANTITY

ITEM

ITEM	QUANTITY	DESCRIPTION
41	6	Compact 4 Door, 4x2, Sports Utility Vehicle
PRICE EACI	H: \$ <u>\%</u> \%\7	2
TOTAL: \$	113,232	
	E & MODEL OFFERE	
2016	Jeel Logi	est matery
		NGINE OFFERED (INCLUDE SAE NET HP)
2.0	L J4 19	18hp CVT transmissia
		E- 5/EAR / 100000 MILE - LIMITED PROTECTION
	Y SERVICE PROVIDE	•
	-	o DGE
WARRANT	Y FACILITY ADDRES	
	30300 1	H OWEST
	BOERNE	, Tx
DELIVERY	WILL BE MADE WITH	HIN 60-75 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	ION CUT-OFF DATE	
MISSING T	HE PRODUCTION C	T THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT JT OFF DATE:
	COOLO NOT MINIOR	IRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT O A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pa	avment Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
42	5	Compact 4 Door, 4x2, Sports Utility Vehicle- OEM Red
PRICE EACH	H: \$\\$	872
TOTAL: \$	9	4 360
YEAR, MAKE	E & MODEL OF	FERED:
2016	Jeep	Patroot MKTE 74
SPECIFIC M	IAKE & MODEL	OF ENGINE OFFERED (INCLUDE SAE NET HP)
2.04	I4 15	8 hp CVT Transmission
WARRANTY 3 /EAR	: /36000 m	ILE - STEAR 100000 MILE - LIMITED PROTECTION
	SERVICE PRO	OVIDER NAME:
	SOERH	E DODGE
WARRANTY	/FACILITY ADE	DRESS: TH OWEST
	BOERN	E, TX
DELIVERY \	WILL BE MADE	WITHIN 6675 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	ON CUT-OFF D	PATE: TID
INDICATE T	THE LAST DAY HE PRODUCTION	' THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT ON CUT OFF DATE:
THAT OITS	DOCC NOT AL	AIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN WARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDING SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	yment Discoun	t: 2 1/2 % (c days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
43	3	Compact 4 Door, 4x4, Sports Utility Vehicle
PRICE EACH	:\$ 22,5	13
TOTAL: \$	675	<u> </u>
-	& MODEL OFFERED:	
2016 7	Jeep Patrix	+ MKIE74
SPECIFIC MA	AKE & MODEL OF ENG	INE OFFERED (INCLUDE SAE NET HP)
2.42	I4 1724	19 CVT transmissian
WARRANTY:		
3 JEAR	30000 MILE -	5-JEAR /100000 MILE-LIMITED PROTECTION
	SERVICE PROVIDER N	
71 7 d d d d d l l l		DODGE
	OVERNE -	-030
WARRANTY	FACILITY ADDRESS:	
	30300 TH	o west
	BOERNE -	(x.
	•	
DELIVERY V	VILL BE MADE WITHIN	60-75 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	ON CUT-OFF DATE :	TB0
INDICATE T	HE LAST DAY THAT T IE PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DFF DATE: くてきしい
TUAT CITY	DOES NOT MMADD A	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount: 21	2 % days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
44	6	Medium 4 Door, 2wd, Sports Utility Vehicle
PRICE EACH	1: \$ 26,28	
TOTAL: \$	157,	728
YEAR, MAKE	& MODEL OFFERED:	_
2016	Dodge Duren	ngo SSV WODERS
		NE OFFERED (INCLUDE SAE NET HP)
3.6 L	V6 290 4	· e
3 /EAR	36000 MILE	5-yEAR / 100 000 MILE - LIMITED PROTECTION
	SERVICE PROVIDER N	
	BUERNE D	
WARRANTY	FACILITY ADDRESS:	
	30300 TH 10	WEST
	BOERNE, TX	
DELIVERY \	WILL BE MADE WITHIN	75.100 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	ON CUT-OFF DATE :	7/16/16
INDICATE T	THE LAST DAY THAT THE PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
VIIO TALET	DOES NOT AWARD A	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Promnt Pay	ment Discount: 2 1/	2 % adays. (If no discount is offered, Net 30 will apply.)

TEM	QUANTITY	DESCRIPTION
45	4	Medium 4 door, 4x4, Sports Utility Vehicle
PRICE EACH:	\$ 32.0	. 28
TOTAL: \$		
YEAR, MAKE	& MODEL OFFERED:	
2616	Jeep Grand	Cherokee
	•	NE OFFERED (INCLUDE SAE NET HP)
3.62	10 530 H	P
		5/EAR 100000 MILE - LIMITED PROTECTION
	SERVICE PROVIDER N	<i>1</i>
	BOENIE DO	b G E
WARRANTY	FACILITY ADDRESS:	
		UEIT
	30300 IH 100 BOERNE, TX.	
		75-90 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	ON CUT-OFF DATE :	7116/16
MISSING TH	IE PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DFF DATE:
TULKE OITS!	DATE NATIONAL AND A .	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount: 21/	2 % o days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
46	1	Large 4 door, 2wd, Sports Utility Vehicle
PRICE EACH:	\$	163
TOTAL: \$		<u> </u>
YEAR, MAKE	& MODEL OFFERED:	
SPECIFIC MA	KE & MODEL OF ENG	GINE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY	SERVICE PROVIDER	NAME:
WARRANTY	FACILITY ADDRESS:	
DELIVERY W	VILL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	N CUT-OFF DATE :	
INDICATE TH	HE LAST DAY THAT T E PRODUCTION CUT	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHO OFF DATE:
TUAT CITY I	DOES NOT AWARD A	M FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVE A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVI JBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payr	nent Discount:	

ITEM	QUANTITY	DESCRIPTION	
47	2	Large 4 door, 4wd, Sports Utility Vehicle	
PRICE EACH:	\$	No Bid	
TOTAL: \$			
YEAR, MAKE	& MODEL OFFERED:		
SPECIFIC MA	KE & MODEL OF ENGI	NE OFFERED (INCLUDE SAE NET HP)	
WARRANTY:			
WARRANTY	SERVICE PROVIDER N	AME:	
WARRANTY	FACILITY ADDRESS:		
DELIVERY V	VILL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
	ON CUT-OFF DATE :		
MISSING TH	IE PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITH OFF DATE:	
		I FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EV CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROV BMITTED, AFTER THE PRODUCTION CUT OFF DATE?	ENT VIDE
Prompt Pay	ment Discount:	days. (If no discount is offered, Net 30 will apply.)	

ITEM	QUANTITY	DESCRIPTION
48	2	Mini Van
PRICE EACH:	\$ 22,374	
TOTAL: \$	44748	
	& MODEL OFFERED:	Caravan
		NE OFFERED (INCLUDE SAE NET HP)
3.64	v6 283 h.	6
WARRANTY	SERVICE PROVIDER N	
	BOERNE DOD	YE
WARRANTY		lo WEST
	BUERNE,	Γχ
DELIVERY V	VILL BE MADE WITHIN	70-90 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	N CUT-OFF DATE :	
MISSING TH	E PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
		FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount: <u>21/</u>	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
49	1	Sprinter Van with Auxiliary AC Unit, Diesel	
PRICE EACH:	\$	1600	
TOTAL: \$			
YEAR, MAKE	& MODEL OFFERED:		
SPECIFIC MA	KE & MODEL OF ENG	INE OFFERED (INCLUDE SAE NET HP)	
WARRANTY:			
WARRANTY	SERVICE PROVIDER I	NAME:	
WARRANTY	FACILITY ADDRESS:		
	·		
DELIVERY W	VILL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.	
PRODUCTIO	N CUT-OFF DATE :		
MISSING TH	E PRODUCTION CUT	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DATE:	
ナロムエ ヘげン	DOES NOT AMARD A	I FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVE CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVI BMITTED, AFTER THE PRODUCTION CUT OFF DATE?	TV DE
Prompt Pay	ment Discount:		

ITEM	QUANTITY	DESCRIPTION
50	3	1.5 Ton Step Van- Rear Barn Door Type
PRICE EACH:	\$	HO Bod
TOTAL: \$		
YEAR, MAKE	& MODEL OFFERED:	
SPECIFIC MA	KE & MODEL OF ENGI	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY	SERVICE PROVIDER N	AME:
WARRANTY	FACILITY ADDRESS:	
		1
DELIVERY W	/ILL BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	N CUT-OFF DATE :	
INDICATE TH	HE LAST DAY THAT THE PRODUCTION CUT C	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DATE:
TUAT CITY	DOES NOT AWARD A (FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payr	ment Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
51	2	Mini Cargo Van	í
PRICE EACH:	\$	plo Bi	
TOTAL: \$			
YEAR, MAKE	& MODEL OFFERED:		
SPECIFIC MA	KE & MODEL OF ENGI	NE OFFERED (INCLU	UDE SAE NET HP)
WARRANTY:			
WARRANTY S	SERVICE PROVIDER N	AME:	
WARRANTY	FACILITY ADDRESS:		
DELIVERY W	/ILL BE MADE WITHIN _	CALEND	DER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	N CUT-OFF DATE :		
MISSING TH	E PRODUCTION CUT C	OFF DATE:	
- LAT 017/	DAEA NAT AMADD A 1	CONTRACT PRICK	PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVEN TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVID PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount:	<u></u> %%	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
52	2	1 Ton Cargo Van
PRICE EACH:	\$	No Bot
TOTAL: \$		
YEAR, MAKE	& MODEL OFFERED:	
SPECIFIC MA	KE & MODEL OF ENGII	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY S	SERVICE PROVIDER N	AME:
WARRANTY	FACILITY ADDRESS:	
DELIVERY W	VILL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	N CUT-OFF DATE :	
MISSING TH	E PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
		I FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
53	1	1 Ton- 4 Passenger Cargo Van
PRICE EACH:	\$	Ho B.J
TOTAL: \$		
YEAR, MAKE	& MODEL OFFERED:	
SPECIFIC MA	KE & MODEL OF ENGI	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY	SERVICE PROVIDER N	AME:
WARRANTY	FACILITY ADDRESS:	
DELIVERY W	VILL BE MADE WITHIN	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	N CUT-OFF DATE :	
MISSING TH	E PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DEF DATE:
		I FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION	
54	7	1 Ton 12-15 Passenger Transport Van	
	\$	Ho Bid	
PRICE EACH.	Ψ		
TOTAL: \$			
YEAR, MAKE	& MODEL OFFERED:		
SPECIFIC MA	KE & MODEL OF ENG	INE OFFERED (INCLUDE SAE NET HP)	
WARRANTY:			
WARRANTY	SERVICE PROVIDER I	NAME:	
WARRANTY	FACILITY ADDRESS:		
DELIVERY '	WILL BE MADE WITHIN	NCALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER	₹.
PRODUCTI	ON CUT-OFF DATE : _		THOUT
T TOOLS IN	195 00011116 11111111111111	THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WIT OFF DATE:	
DIN DRICE	S SHALL REMAIN FIR	RM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PRUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?	EVENT ROVIDE
Prompt Pa	yment Discount:	%days. (If no discount is offered, Net 30 will apply.	-)

ITEM	QUANTITY	DESCRIPTION
55	1	1 Ton 12-15 Passenger Transport Van- Black & White
PRICE EACH:	\$	- Ho Bi
TOTAL: \$		
YEAR, MAKE	& MODEL OFFERED:	
SPECIFIC MA	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY S	SERVICE PROVIDER NA	AME:
WARRANTY F	FACILITY ADDRESS:	
DELIVERY W	ILL BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTION	N CUT-OFF DATE :	
INDICATE TH	HE LAST DAY THAT THE PRODUCTION CUT O	IE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT FF DATE:
THAT OITY D	NOTE NOT ANNARD A C	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payn	nent Discount:	%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
56	5	19,501 - 26,000 GVWR Flat/Stake Bed with Lift Gate
PRICE EACH:	\$	H. B.d
TOTAL: \$		
YEAR, MAKE	& MODEL OFFERED:	
SPECIFIC MA	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY S	SERVICE PROVIDER NA	AME:
WARRANTY	FACILITY ADDRESS:	
DELIVERY W	/ILL BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	N CUT-OFF DATE :	
MISSING TH	E PRODUCTION CUT C	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE:
TIME OIT / 1	DOUG NOT AMADD A (FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pavi	ment Discount:	

ITEM	QUANTITY	DESCRIPTION
5 7	1	1 Ton, Diesel, 84" Cab to Axle, DRW Utility Bed Pickup Truck with Lift Gate
PRICE EACH:		8
TOTAL: \$	49,15	8
·	& MODEL OFFERED:	20 3.1.4
	KE & MODEL OF ENGIN	NE OFFERED (INCLUDE SAE NET HP)
6-7 4	Cummine d	iesel 325 hp Syear (log coo mile motor 5/EAR 100000 MILE - LINITED PROTECTION
WARRANTY:		Syear (100,000 state 17
3 y EAR	36000 WILE -	5YEAR 100000 MILE - LINITED PROTECTION
	/ SERVICE PROVIDER N	
BOER	HE DODGE	
WARRANTY	FACILITY ADDRESS:	
	30300 -4	o West
	BUERNE, T	X.
DELIVERY W	·	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	N CUT-OFF DATE :	
MISSING TH	E PRODUCTION CUT C	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DEFE DATE:
		FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE MITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Payı	ment Discount: 21/	2%days. (If no discount is offered, Net 30 will apply.)

TEM	QUANTITY	DESCRIPTION
58	1	10,000-14,000 GVWR 36' Utility Bed Aerial Truck School Bus Yellow
PRICE EACH:	\$	No Bod
TOTAL: \$		
YEAR, MAKE	& MODEL OFFERED:	
SPECIFIC MA	KE & MODEL OF ENGII	NE OFFERED (INCLUDE SAE NET HP)
WARRANTY:		
WARRANTY	SERVICE PROVIDER N	AME:
WARRANTY	FACILITY ADDRESS:	
DELIVERY W	/ILL BE MADE WITHIN _	CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	N CUT-OFF DATE :	
MISSING TH	E PRODUCTION CUT (HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT DEFE DATE:
· · · - · · · · · · · · · · · · · ·	DOED NOT AMADD A	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount:	days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
59	1	14,001-16,000 GVWR 36' Utility Bed Aerial Truck
PRICE EACH:	\$ 105,89	9
TOTAL: \$	105,89	8
YEAR, MAKE	& MODEL OFFERED:	D84264
		NE OFFERED (INCLUDE SAE NET HP)
6.7 4	Cummins die	sel 325 HP
WARRANTY.		Syear 100,000 mile motor
31508	34000 MILE-	Syer/100,000 mile motor Syear 100,000 mile Motor Syear 100,000 mile PROTECTION
WARRANTY	/ SERVICE PROVIDER N	AME:
ANVINIA	_	DGE
	<u> </u>	- }*
WARRANTY	FACILITY ADDRESS:	
	30300 IH	lo west
<u></u>	BOERNE,	Tx-
DELIVERY V	*	2 40-30 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUCTIO	ON CUT-OFF DATE :	46T
MISSING TH	IE BRODUCTION COT	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE: Creen 6/8/6
BID PRICES THAT CITY BID ITEMS,	SHALL REMAIN FIRM DOES NOT AWARD A AT THE BID PRICE SUI	FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt Pay	ment Discount:2	/2_%days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
60	1	⅓ Ton Full Size Extended Cab 4x4 Pickup Truck
PRICE EAC	CH: \$Z	-4.896
TOTAL: \$_	7	-4 _{.896}
YEAR, MA'	KE & MODEL OFFER	ED: Quan Cob 256L41
		ENGINE OFFERED (INCLUDE SAE NET HP)
3.6	h u b 30	5 HP
	TY SERVICE PROVI	
	BOERNE	D.04E
WARRAN	ITY FACILITY ADDRE	:SS:
	30300	TH OWENT
	POFE	HE TX.
DELIVER	Y WILL BE MADE W	THIN 70-90 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
PRODUC	CTION CUT-OFF DAT	E: 7/30/16
MISSING	THE PRODUCTION	HAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT CUT OFF DATE:
BID PRIC	CES SHALL REMAIN	FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT RD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prompt	Payment Discount: ₋	2 1/2 %days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
61	1	% Ton Four Full Door 4x2 with Toolbox
TOTAL: \$	26,77	
YEAR, MAKE	Rown,500	eren Cas DSIL9!
SPECIFIC M	AKE & MODEL OF ENG	NE OFFERED (INCLUDE SAE NET HP)
5.7	L hemi UB	383 hp
	SERVICE PROVIDER	IAME:
	BOERNE DO	045
WARRANTY	/ FACILITY ADDRESS: ろるそのこ	IH 6 WEST
	P. 3	III O WEST
DELIVERY		70-90 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER.
	ON CUT-OFF DATE :	
MISSING T	HE PRODUCTION CUT	HE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT OFF DATE: <u>らんしし</u>
		I FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BMITTED, AFTER THE PRODUCTION CUT OFF DATE?
Prom	nt Payment Discount:	2 1/2 % adays. (If no discount is offered, Net 30 will apply.)



ADDENDUM II

SUBJECT: Formal INVITATION FOR BID (IFB) 6100007067 PURCHASE OF LIGHT DUTY TRUCKS & VEHICLES scheduled to open March 2, 2016 date of issue February 12, 2016.

DATE:

February 26, 2016

THE ABOVE MENTIONED INVITATION FOR BID (IFB) IS HEREBY AMENDED AS FOLLOWS:

THE IFB OPENING WILL REMAIN MARCH 2, 2015, 2:00 P.M. CENTRAL TIME.

1. Changed to read:

4.45.10

GROUND CLEARANCE: Each unit will have a minimum ground clearance

2. Added to read:


4.61.13.7

Compartments to be equipped with LED lighting?

Paul J. Calaga

Purchasing Administrator

Finance Department, Purchasing Division



3. Keys



City of San Antonio

ADDENDUM I

SUBJECT: Formal INVITATION FOR BID (IFB) 6100007067 PURCHASE OF LIGHT DUTY TRUCKS & VEHICLES scheduled to open March 2, 2016 date of issue February 12, 2016.

DATE:

February 25, 2016

THE ABOVE MENTIONED INVITATION FOR BID (IFB) IS HEREBY AMENDED AS FOLLOWS:

THE IFB OPENING WILL REMAIN MARCH 2, 2015, 2:00 P.M. CENTRAL TIME.

1. Added to read:

4.1 SCOPE: The City of San Antonio is soliciting bids to furnish 185 light duty trucks, vans, SUV's, aerials, and flat/stake beds in accordance with the specifications listed herein. These vehicles will be utilized by various departments including Transportation & Capital Improvements, Parks and Recreation, Convention Facilities, Solid Waste Management, San Antonio Police, Aviation, Animal Care Services, Department of Human Services Head Start Program, San Antonio Public Library, and the San Antonio Fire.

2. Changed to read:

4.2.1 City of San Antonio reserves the right to increase or decrease quantity of vehicles being purchased up to the production "cut-off" date submitted on the bid for the particular item, depending on availability of funds. Prices may not be increased during this period; however, the City should benefit from any price decrease. Successful vendor is required to notify the City of all production "cut-off" dates necessary for order submission. Vehicles are to be year model 2016 or newer. It is anticipated this item will be considered by City Council on April 21, 2016 with purchase orders being issued by April 25, 2016. Bidders should consider these dates when determining model year offered.

3. Added to read:

4.2.25 Lighting: All vehicles that require amber color LED strobe lights are to be installed on the front grill of chassis and rear panel body. Strobes to be wired to a factory type or toggle switch inside of the cab.

4. Changed to read:

4.10	ITEM	QUANTITY	DESCRIPTION
	8	2	1/2 Ton Full Size Extended Cab 4x2 Pickup Truck w/ Bucket Seats

- 5. Changed to read:
- **4.12.5 DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 6. Changed to read:
- **4.13.5 DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 7. Changed to read:
- **4.14.5 DIMENSIONS:** Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 8. Changed to read:
- 4.15.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 67 inches. Wheelbase to be a minimum of 139 inches.
- 9. Changed to read:
- **4.32.5 DIMENSIONS:** Regular cab configuration. Minimum 75" bed length. Wheelbase to be a minimum 135 inches.
- 10. Changed to read:
- 4.32.7 TIRES & WHEELS: Tires must be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 11. Changed to read:
- **4.33.5 DIMENSIONS:** Regular cab configuration. Minimum 75" bed length. Wheelbase to be a minimum 135 inches.
- 12. Changed to read:
- 4.33.7 TIRES & WHEELS: Dual rear wheel. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 13. Changed to read:
- 4.34.1 ENGINE: 6 cylinder or greater with a minimum of 300 HP.
- 14. Changed to read:
- **4.34.7** TIRES & WHEELS: Dual wheel rear unit. Tires to meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with a full size spare tire and wheel.
- 15. Changed to read:
- 4.34.12.1 Welding bed to be assembled and installed on vehicle including wiring.

 Bed must fit a 1 ton regular cab 84" cab to axle and be an all steel frame

construction.

- 16. Changed to read:
- 4.35.1 ENGINE: Minimum 6 cylinders with a minimum 300 HP.
- 17. Changed to read:
- 4.35.5 DIMENSIONS: Regular cab configuration. Wheelbase to be a minimum 160 inches.
- 18. Changed to read:
- 4.35.7 TIRES & WHEELS: Dual rear wheel. Tires must be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 19. Changed to read:
- 4.36.1 ENGINE: Minimum 6 cylinders with a minimum 300 HP.
- 20. Changed to read:
- **4.36.5 DIMENSIONS**: Regular cab configuration. Wheelbase to be a minimum 160 inches.
- 21. Changed to read:
- 4.36.7 TIRES & WHEELS: Dual rear wheel. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 22. Changed to read;
- 4.36.12.2 WIDTH: 96" inches.
- 23. Changed to read:
- 4.37.1 ENGINE: Minimum 6 cylinders with a minimum 300 HP.
- 24. Changed to read:
- 4.37.5 DIMENSIONS: Regular cab configuration. Wheelbase to be a minimum 160 inches.
- 25. Changed to read:
- 4.37.7 TIRES & WHEELS: Dual rear wheel. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 26. Changed to read:
- 4.37.12.2 WIDTH: 96" inches.

27. Changed to read:

4.38.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

28. Changed to read:

4.39.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

29. Changed to read:

4.40.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.

30. Changed to read:

4.41	ITEM	QUANTITY	DESCRIPTION
	39	•	1 Ton Four Full Door, DRW, 4x4, Utility Bed Truck w/ Lift Gate – School Bus Yellow

31. Added to read:

4.41.17.5 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Right front compartment to have roll-out tool box tray and one adjustable removable shelf with a minimum of 6 dividers. Left front compartments to have 3 adjustable removable shelves with a minimum of 6 adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of 10 adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" wide, 59" to 68" long and a minimum of 17" high. Rear doors to be half or full size when horizontal compartment extends through rear door. Lower rear compartment must have 1 adjustable removable shelf with a minimum of 4 adjustable dividers. All doors to be weather-sealed and positive horizontal door holders. All compartments to have LED lighting.

32. Changed to read:

4.42	ITEM	QUANTITY	DESCRIPTION
	40	3	1.5 Ton Four Full Door, DRW, 4x2, Diesel Flat / Stake Bed Pickup Truck with Lift Gate

33. Changed to read:

4.42.13.3 WIDTH: 96" inches.

34. Changed to read:

4.43.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating

of vehicle, all season off road design with space saver spare. Unit must be equipped with a spare tire locking device and three keys.

35. Changed to read:

- **4.43.9 SEATING:** Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 4 passengers. Seats to be dark colored cloth.
- 36. Changed to read:
- 4.43.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 6.7".
- 37. Changed to read:
- 4.44.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season off road design with space saver spare. Unit must be equipped with a spare tire locking device and three keys.
- 38. Changed to read:
- **4.44.9 SEATING**: Driver and front passenger bucket seating and one bench seat in the rear. Minimum seating should be 4 passengers. Seats to be dark colored cloth.
- 39. Changed to read:
- 4.44.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 6.7".
- 40. Changed to read:
- 4.45.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season off road design with space saver spare. Unit must be equipped with a spare tire locking device and three keys.
- 41. Changed to read:
- 4.46.8 FUEL SYSTEM: Fuel tank shall have a 19 gallon minimum capacity.
- 42. Changed to read:
- 4.47.8 FUEL SYSTEM: Fuel tank shall have a 19 gallon minimum capacity.
- 43. Changed to read:
- 4.48.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.
- 44. Changed to read:
- 4.49.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.
- 45. Changed to read:
- 4.50.1 ENGINE: 4 cylinders with a minimum 130 HP.

- 46. Changed to read:
- 4.50.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be meet or exceed minimum gross vehicle weight rating of vehicle, all season/all terrain design with space saver spare tire and wheel and tire locking device and three keys.
- 47. Changed to read:
- 4.52.12 VAN BODY: Aluminum 14 ft. minimum.
- 48. Changed to read:
- 4.53.1 ENGINE: 4 cylinders with a minimum 130 HP.
- 49. Changed to read:
- 4.53.5 WHEELBASE: Unit to be long wheel base; minimum of 115" inches.
- 50. Changed to read:
- 4.53.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- 51. Changed to read:
- 4.53.10 CARGO SPACE: Cargo space to be at least 122 cu ft.
- 52. Changed to read:
- 4.54.8 TIRES & WHEELS: Tire pressure monitoring system required. Tires must be all season design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit shall be equipped with spare tire locking device and three keys.
- 53. Changed to read:
- 4.55.8 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all season design with full size matching spare fire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- 54. Changed to read:
- 4.59.1 ENGINE: Minimum 6 cylinders with a minimum 300 HP.
- 55. Changed to read:
- 4.59.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 56. Changed to read:
- 4.59.11 LIFT GATE: Minimum 1,500 lb lift capacity heavy duty hydraulic electric power lift

gate (non-tuck-a-way) to be in place of tailgate. Material shall be tread plate steel with two piece platform, minimum 42" loading deck.

- 57. Changed to read:
- 4.60.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.
- 58. Changed to read:
- 4.60.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain tread design with full size matching spare tire and wheel.
- 59. Changed to read:
- 4.60.10 LIGHTING: Vehicle to have LED strobe lights mounted on grill and connected to rear LED strobe light mounted on body and wired to up-fitter switch located in cab of vehicle. Strobes are to be amber in color. Four flood type working lights to be wired to up-fitter switches located in cab- 2 mounted in front facing forward and 2 mounted at the rear of the stake bed.
- 60. Added to read:
- 4.60.12.6 Compartments to be equipped with LED lighting.
- 61. Added to read:
- 4.60.13.7 Compartments to be equipped with LED lighting.
- 62. Changed to read:
- 4.61.1 ENGINE: Minimum 6 cylinder with a minimum 300 HP.
- 63. Changed to read:
- 4.61.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain tread design with full size matching spare tire and wheel.
- 64. Changed to read:
- 4.61.10 LIGHTING: Vehicle to have LED strobe lights mounted on grill and connected to rear LED strobe light mounted on body and wired to up-fitter switch located in cab of vehicle. Strobes are to be amber in color. Four flood type working lights to be wired to up-fitter switches located in cab- 2 mounted in front facing forward and 2 mounted at the rear of the stake bed.
- 65. Added to read;
- 4.61.11.6 Compartments to be equipped with LED lighting.
- 66. Changed to read:
- 4.61.12.5 Compartments to be equipped with LED lighting.

67. Added to read:

4.62 ITEM QUANTITY DESCRIPTION

60 1 ½ Ton Full Size Extended Cab
4x4 Pickup Truck

- 4.62.1 ENGINE: 6 cylinders or greater with a minimum of 270 HP
- 4.62.2 GVWR: Minimum of 6,000 lbs.
- 4.62.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum; power steering; 4x4 drive train with an electric shift control two speed transfer case.
- 4.62.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.62.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75 inches. Wheelbase to be a minimum of 140 inches.
- 4.62.6 BRAKES: Equipped with 4-wheel automatic braking system and front vented discs at minimum.
- 4.62.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must meet or exceed minimum gross vehicle weight rating of vehicle.
- 4.62.8 FUEL SYSTEM: Fuel tank shall hold a minimum of 20 gallons of Unleaded 87 Octane.
- 4.62.9 SEATING: Vinyl seating and upholstery.

68. Added to read:

4.63.	ITEM	QUANTITY	DESCRIPTION
	61	4	% Ton Four Full Door 4x2 with Toolbox

- 4.63.1 ENGINE: Minimum 6 cylinders with a minimum 360 HP.
- 4.63.2 GVWR: Minimum 8,501 lbs.
- 4.63.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 4.63.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 4.63.5 DIMENSIONS: Four full door cab configuration, minimum 75" inch bed length, maximum 82" inch bed length. Wheelbase to be a minimum of 149" inches.
- 4.63.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 4.63.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires must

meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.

- 4.63.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 4.63.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 4.63.10 LIGHTING: See 4.2.25 Hide-a-way type amber colored LED strobe lights to be installed on front lens covers of cab and chassis and rear panel of body. Strobes to be wired to factory type switch located in cab.
- 4.63.11 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin)
- 4.63.12 TOOLBOX: Unit to be equipped with a truck bed tool box. The box is to be made of heavy duty diamond tread plate aluminum to prevent rusting and be equipped with 2 locks. Tool box is to be flush against the cab of the truck and belted down on bed rails. The dimensions of the tool box to be a minimum 69"L x 12"W x 13"H and to be black in color.

69. Revised Section 009 - Attachments

Attachment A, Price Schedule, is replaced in its entirety. See Attachment A

Price Schedule REVISED.	Paul J. Calapa Purchasing Administrator Finance Department, Purchasing Divisi

Company Name Gogoviologica
Address 2600 without last
City/State/Zip Code Grope J-va [IX 7605
Acknowledged and Agreed:
Signature:

CERTIFICATE OF INTERESTED PARTIES

FORM 1295

1 of 1

Complete Nos. 1 - 4 and 6 if there are interested parties. Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.		OFFICE USE ONLY			
		CERTIFICATION OF FILING			
1	Name of business entity filing form, and the city, state and country of the business entity's place of business.		Certificate Number: 2016-19206		
	Grapevine DCJ, LLC		Date Filed: 02/28/2016		
	GRAPEVINE, TX United States				
2	Name of governmental entity or state agency that	t is a party to the contract for which the form is			
_	being filed.	Date Acknowledg		ed:	
CITY OF SAN ANTONIO			Date Acknowledged.		
				i provido o	
3	Provide the identification number used by the go	vernmental entity or state agency to track or identi	fy the contract, and	provide a	
_	description of the goods or services to be provid	led under the contract.			
	IFB 6100007067	•			
	NEW VEHICLES				
				Nature of interest (check applicable)	
4	Name of Interested Party	City, State, Country (place of business)	Controlling	Intermediary	
T"	ENNANT, BILL	Grapevine, TX United States	X		
				ļ.	
L					
		1		1	
L					
l			1		
L					
Į					
L					
ŀ					
l					
ŀ					
1					
-					
١				<u> </u>	
F	Check only if there is NO Interested Party.				
	<u></u>				
t	AFFIDAVIT	I swear, or affirm, under penalty of perjury, that	the above disclosure	is true and correct.	
ļ					
	III MOSICON III				
١	RODNEY PHILLIP CARLSON, II. Notary Public, State of Texas Notary Public, State of Texas	450			
İ		Signature of authorized agent of	contraction business	entity	
l	November 25, 2017	Signature of authorized agent of	Contracting business	chacy	
۱	7/11111				
Į	AFFIX NOTARY STAMP / SEAL ABOVE				
1		. this the	day o	Murch .	
Į	Sworn to and subscribed before me, by the said	·			
20, to certify which, witness my hand and seal of office.					
Ī		000	^		
PERMIT	5204C0	Roser & Contrue	(65~		
	Signature of officer administering oath	Printed name of officer administering oath	Title of officer adm	inistering oath	
ı	Signistary of Smoot Walling To The Smooth				

CONFLICT OF INTEREST QUESTIONNAIRE

FORM CIQ

For vendor doing business with local governmental entity

This questionnaire reflects changes made to the law by H.B. 23, 84th Leg., Regular Session.	OFFICE USE ONLY
This questionnaire is being filed in accordance with Chapter 176, Local Government Code, by a vendor who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the vendor meets requirements under Section 176.006(a).	Date Received
By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. See Section 176.006(a-1), Local Government Code.	
A vendor commits an offense if the vendor knowingly violates Section 176.006, Local Government Code. An offense under this section is a misdemeanor.	
Name of vendor who has a business relationship with local governmental entity.	
Dennis Thomas Graperine Detrice	
Check this box if you are filing an update to a previously filed questionnaire. (The law recompleted questionnaire with the appropriate filing authority not later than the 7th business you became aware that the originally filed questionnaire was incomplete or inaccurate.)	ss day after the date on which
Name of local government officer about whom the information is being disclosed.	
N / A	
Name of Officer	
Describe each employment or other business relationship with the local government off officer, as described by Section 176.003(a)(2)(A). Also describe any family relationship with Complete subparts A and B for each employment or business relationship described. Attack CIQ as necessary. A. Is the local government officer or a family member of the officer receiving or other than investment income, from the vendor? Yes No B. Is the vendor receiving or likely to receive taxable income, other than investment of the local government officer or a family member of the officer AND the taxable local governmental entity? Yes No	th the local government officer. It had additional pages to this Form likely to receive taxable income, at income, from or at the direction income is not received from the
Describe each employment or business relationship that the vendor named in Section 1 is other business entity with respect to which the local government officer serves as an ownership interest of one percent or more.	maintains with a corporation or officer or director, or holds an
Check this box if the vendor has given the local government officer or a family member as described in Section 176.003(a)(2)(B), excluding gifts described in Section 176.003(a)(B), excluding gifts described in Section	r of the officer one or more gifts .003(a-1).
Signature of vendor doing business with the governmental entity	B-Lb Date



Office of the City Clerk

FORM CIQ-A CONFLICT OF INTEREST QUESTIONNAIRE ADDENDUM

For vendor or other person doing business with local governmental entity

Completed Conflict of Interest Questionnaires and Conflict of Interest Questionnaire Addenda are to be submitted by all individuals and/or entities who seek to do business with the City of San Antonio. Completed Forms shall be filed with the City Clerk no later than the 7th business day after the date the person/entity: (1) begins contract discussions or negotiations with the City; or (2) submits to the City an application, response to a request for proposal or bid, correspondence, or another writing related to a potential agreement with the City.

A CIQ and CIQ Addendum are required to be filed for EACH solicitation submitted, and are required to be submitted together.

Name of person who has or is seeking to have a business relationship with the City of San Antonio.

DENNIS THOMAS

Name of Company that has or is seeking to have a business relationship with the City of San Antonio.

GRAPEVINE DCJ, LLC

Business Contact information for Company listed above.

Business Address: 2601 WILLIAM TATE GRAPEVINE, TX 76051

Phone:

817-410-7541

Email:

DTHOMAS@GRAPEVINEDCJ.COM

Bid Name or Description of Service

NEW VEHICLES

Printed name of person doing business with the City of San Antonio (same as denoted on Box 4 of Form CIQ).

DENNIS THOMAS

Completed Conflict of Interest Questionnaires and Addenda should be mailed or hand-delivered separately from the solicitation (bid) to one of the following addresses:

Mailing Address: Office of the City Clerk

P.O.Box 839966

San Antonio, TX 78283-3966

Physical Address: Office of the City Clerk City Hall, 2nd Floor 100 Military Plaza San Antonio, TX 78205

Print Form

Rev.2013-1 12/19/13

Finance Department - Purchasing Division Local Preference Program Identification Form

The City of San Antonio Local Preference Program, described in the San Antonio City Code Chapter 2, Article XII, establishes a local preference for specific contracting categories. Each time a bidder or respondent submits a bid for a solicitation, this Local Preference Program Identification Form must be completed and turned in with the solicitation response in order to be identified as a local business and receive the preference described below. The City will not rely on Local Preference Program Identification Forms submitted with prior or contemporaneous bids or proposals.

The Local Preference Program allows the City to grant a preference in the award of the following types of contracts, when selection is made based on price alone:

- Personal Property (Goods / Supplies): The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 or more;
- Non-professional Services: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$500,000;
- <u>Construction Services</u>: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$100,000, excluding contracts awarded using alternative delivery methods.

The Local Preference Program also allows the award of additional points, when multiple evaluation criteria are used in the award of professional service contracts, where the selection process is not governed by statute and in revenue generating and concession contracts. A business meeting the definition of local business stated below may be awarded 10 points for being headquartered within the city, or 5 points for having a local office within the city.

A local business (a.k.a. a City Business) is defined as a business headquartered within the incorporated San Antonio city limits OR one that meets the following conditions:

- Has an established place of business for at least one year in the incorporated limits of the City:
- (a) from which at least 100 of its employees OR at least 20% of its total full-time, part-time and contract employees are regularly based; and
- (b) from which a substantial role in the business' performance of a commercially useful function or a substantial part of its operations is conducted by those employees.

A location utilized solely as a post office box, mail drop or telephone message center or any similar combination, with no other substantial work function, is not a local business.

For the purposes of this program, Headquartered is defined as the place where a business entity's officers direct, control, and coordinate the entity's activities.

THE BIDDER / RESPONDENT MUST COMPLETE THE FOLLOWING TO BE IDENTIFIED AS A LOCAL BUSINESS

BUSINESS			
Name of Business:	Cooperine DCJ, LCC		
Physical Address:	2601 william lote		
City, State, Zip Code:	Graperine, TX 76051		
Phone Number:	817-410-7541		
Email Address:	athomos Ograpevinedej.com		
Is Business headquartered Antonio city limits?	within the incorporated San Yes No		

Finance Department - Purchasing Division Local Preference Program Identification Form

nswer to the	above
Yes	(29)
Yes	(10)
Yes	420
Yes	Nø
Yes	Ng
	Yes Yes Yes

XA

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on this Local Preference Program Identification Formare true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Local Preference Program Identification Formany be investigated and I hereby give my full permission for any such investigation and I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

RESPONDENT'S FULL NAME:

(Print Name) Authorized Representative of Respondent

(Signature) Authorized Representative of Respondent

Title

2-28-16

Date

This Local Preference Identification Form must be submitted with the respondent's bid/proposal response.

ATTACHMENT C

CITY OF SAN ANTONIO VETERAN-OWNED SMALL BUSINESS PREFERENCE PROGRAM (VOSBPP) ORDINANCE LANGUAGE & FORM

Veteran-Owned Small Business Preference Program Identification Form

Authority. The City of San Antonio Veteran-Owned Small Business Preference Program Ordinance 2013-12-05-0864 adopted a veteran-owned small business preference program for specific contracting categories for solicitations issued after January 15, 2014.

Certification. The City relies on inclusion in the database of veteran-owned small businesses (VOSB) maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

Preference. The VOSB preference applies to procurements of discretionary expenditure and revenue contracts for goods, services, and concessions, where the selection criteria is not limited by state or federal law. The preference consists of 5 evaluation points for a PRIME business that is certified as a Veteran-Owned Small Business.

Tracking. In order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both prime contract and subcontract levels.

Exclusions. This program does not apply to any expenditure or revenue contract with a value that is less than the amount that is required to be bid pursuant to state law (Chapter 252, Texas Local Government Code, and as amended), currently \$50,000 or less.

Definitions. The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT IT WITH YOUR PROPOSAL, EVEN IF YOU ARE NOT SEEKING A VETERAN'S PREFERENCE. RESPONDENT MUST COMPLETE AND SUBMIT THE FOLLOWING FORM TO BE IDENTIFIED AS A VETERAN-OWNED SMALL BUSINESS.

Veteran-Owned Small Business Preference Program Identification Form

lame of Respondent:	Crapeuru	ne DCT LCC
Physical Address:	2661 W:11:	am Toto
City, State, Zip Code:	817-410-73	(x 76051
Phone Number:	817-410-73	541
Email Address:	of thomos@sro	benins yell con
s Respondent certified as a VOSB with the U.S. Small Business Administration?	Yes	6
circle one)		
f yes, provide the SBA Certification #		
If not certified by the SBA, is Respondent certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	(No)
If yes, provide the name of the entity who has certified Respondent as a VOSB. Include any identifying certification numbers.		
Participation Dollar Amount		
		T
Is Respondent subcontracting with a business that is certified as a VOSB? (circle one)	Yes	NB
Name of SUBCONTRACTOR Veteran-Owned Small Business:		
Physical Address:		
City, State, Zip Code:		
Phone Number:		
Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	No
If yes, provide the SBA Certification #		
If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.		

Veteran-Owned Small Business Preference Program Identification Form

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on Veteran-Owned Small Business Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected.

RESPONDENT'S FULL NAME:
(Print Name) Authorized Representative of Respondent
(Signature) Authorized Representative of Respondent
Fleet Mgr.
2-28-16
Date

This Veteran-Owned Small Business Preference Program Utilization Plan Form must be submitted with the Respondent's proposal.

Veteran-Owned Small Business Program Tracking Form

Authority. The City of San Antonio Veteran-Owned Small Business Preference Program Ordinance 2013-12-05-0864 adopted a veteran-owned small business preference program for specific contracting categories for solicitations issued after January 15, 2014.

Tracking. This solicitation is not eligible for a preference based on status as a veteran-owned small business (VOSB). Nevertheless, in order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both prime contract and subcontract levels.

Certification. The City relies on inclusion in the database of veteran-owned small businesses (VOSB) maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

Definitions. The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT IT WITH YOUR BID/PROPOSAL.



Veteran-Owned Small Business Program Tracking Form

lame of Respondent:	Grapevine	
hysical Address:	2601 42160	in take
City, State, Zip Code:	Graper ind	TX 76051
Phone Number:	817.410-75	· <u>41</u>
email Address:	dthomas@gr	aprome dej-c
s Respondent certified as a VOSB with the U.S. Small Business Administration?	Yes	
circle one)		
f yes, provide the SBA Certification #		
f not certified by the SBA, is Respondent certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	CHE
If yes, provide the name of the entity who has certified Respondent as a VOSB. Include any identifying certification numbers.		
Participation Dollar Amount		
Is Respondent subcontracting with a business that is certified as a VOSB? (circle one)	Yes	(N9)
Name of SUBCONTRACTOR Veteran-Owned Small Business:		
Physical Address:	 	
City, State, Zip Code:		
Phone Number:		
Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	(ud)
If yes, provide the SBA Certification #		
If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	(Mb)
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.		
Participation Dollar Amount		

City of San Antonio Veteran-Owned Small Business Program Tracking Form

<u>ACKNOWLEDGEMENT</u>

THE STATE OF TEXAS

I certify that my responses and the information provided on Veteran-Owned Small Business Program Tracking Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Program Tracking Form may be investigated and I hereby give my full permission for any such investigation. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected.

BIDDER/RESPONDENT'S FULL NAME:
(Print Name) Authorized Representative of Bidder/Respondent
(Signature) Authorized Representative of Bidder/Respondent
Fleet mgv.
2-28-16
Date

This Veteran-Owned Small Business Program Tracking Form must be submitted with the Bidder/Respondent's bid/proposal.

Veteran-Owned Small Business Program Tracking Form

Authority. San Antonio City Code Chapter 2, Article XI describes the City's veteran-owned small business preference program.

Tracking. This solicitation is not eligible for a preference based on status as a veteran-owned small business (VOSB). Nevertheless, in order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both prime contract and subcontract levels.

Certification. The City relies on inclusion in the database of veteran-owned small businesses (VOSB) maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

Definitions.

The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy,
 Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or
 released under conditions other than dishonorable. Reservists or members of the National Guard
 called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty
 or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program uses the below definition of joint venture.

Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR BID/PROPOSAL.

INSTRUCTIONS

- IF SUBMITTING AS A PRIME CONTRACTOR ONLY, COMPLETE SECTION 1 OF THIS FORM.
- IF SUBMITTING AS A PRIME CONTRACTOR UTILIZING A SUBCONTRACTOR, COMPLETE SECTIONS 1 AND 2 OF THIS FORM.

Veteran-Owned Small Business Program Tracking Form

lame of Respondent:	Grapavina	Destice
Physical Address:	2601 Warin	an Take
City, State, Zip Code:	Graped ine	1x 76051
Phone Number:	817-410-75	11
Email Address:	dthomas De ro	perine déjacon
s Respondent certified as a VOSB with the U.S. Small Business Administration?	Yes	No
(circle one)		
f yes, provide the SBA Certification #		
If not certified by the SBA, is Respondent certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified Respondent as a VOSB. Include any identifying certification numbers.		
Participation Percentage:		
Participation Dollar Amount:		
Is Respondent subcontracting with a business that is certified as a VOSB? (circle one)	Yes	(N6)
Name of SUBCONTRACTOR Veteran-Owned Small Business:		
Physical Address:		
City, State, Zip Code:		
Phone Number:		
Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one) If yes, provide the SBA Certification #	Yes	(No)
If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	No
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.		
Participation Percentage:		
Faiticipation Forcontago.		

Veteran-Owned Small Business Program Tracking Form

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on this Veteran-Owned Small Business Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

BIDDER/RESPONDENT'S FULL NAME:	
Dennis Thomas	ıt
(Print Name) Authorized Representative of Bidder/Responden	
(Signature) Authorized Representative of Bidder/Respondent	
Floot mor	

Title

4-4-16

Date

This Veteran-Owned Small Business Program Tracking Form must be submitted with the Bidder/Respondent's bid/proposal.

Finance Department - Purchasing Division

Local Preference Program Identification Form

The City of San Antonio Local Preference Program, described in the San Antonio City Code Chapter 2, Article XII, establishes a local preference for specific contracting categories. Each time a bidder or respondent submits a bid for a solicitation, this Local Preference Program Identification Form must be completed and turned in with the solicitation response in order to be identified as a City Business and receive the preference described below. The City will not rely on Local Preference Program Identification Forms submitted with prior or contemporaneous bids or proposals.

The Local Preference Program allows the City to grant a preference to a business meeting the definition of City Business in the award of the following types of contracts, when selection is made based on price alone:

- Personal Property (Goods / Supplies): The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 or more;
- Non-professional Services: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$500,000;
- <u>Construction Services</u>: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$100,000, excluding contracts awarded using alternative delivery methods.

The Local Preference Program also allows the award of additional points, when multiple evaluation criteria are used in the award of professional service contracts, where the selection process is not governed by statute and in revenue generating and concession contracts. A business meeting the definition of *City* statute and in revenue generating and concession contracts. A business meeting the definition of *City* statute and in revenue generating and concession contracts. A business meeting the definition of *City* statute and in revenue generating and concession contracts. A business meeting the definition of *City* statute and in revenue generating and concession contracts. A business meeting the definition of *City* statute and in revenue generating and concession contracts. A business meeting the definition of *City* statute and in revenue generating and concession contracts.

Moreover, the program recognizes joint venture agreements and allows for apportioning of points based upon the percentage of ownership of joint ventures by *City Businesses* responding to solicitations for which discretionary points are applied. For solicitations where selection is made based on price alone, all members of a joint venture must be *City Businesses* for the preference to be applied.

<u>City Business</u> is defined as a business headquartered within the incorporated San Antonio city limits for one year or more OR one that meets the following conditions:

- Has an established place of business for one year or more in the incorporated limits of the City:
- (a) from which at least 100 of its employees OR at least 20% of its total full-time, part-time and contract employees are regularly based; and
- (b) from which a substantial role in the business' performance of a commercially useful function or a substantial part of its operations is conducted by those employees.

A location utilized solely as a post office box, mail drop or telephone message center or any similar combination, with no other substantial work function, is not a City Business.

For the purposes of this program, Headquartered is defined as the place where a business entity's officers direct, control, and coordinate the entity's activities.

NOTE: Bidders / Respondents are required to submit documentation to substantiate that the requirements of a City Business have been met. Examples of documentation may include, but are not limited to the following:

- Existence of local headquarters or office: For corporations, Texas Comptroller's listing of names/addresses of officers and directors. For partnerships, partnership agreement and any documents identifying the current managing partners and their current work addresses
- 2. Evidence of local headquarters or office in existence for one year or more: Utility bills, real property lease agreements, equipment leases, personal property taxes, real property taxes
- 3. Evidence of number of employees: Organizational charts, payroll records by location

Finance Department - Purchasing Division Local Preference Program Identification Form

CITY RESERVES THE RIGHT TO REQUEST ADDITIONAL INFORMATION TO VALIDATE BIDDERS'/RESPONDENTS' DESIGNATION AS A CITY BUSINESS.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR RESPONSE EVEN IF YOU ARE NOT SEEKING A LOCAL PREFERENCE. THE BIDDER / RESPONDENT MUST COMPLETE THE FOLLOWING FORM TO BE IDENTIFIED AS A CITY BUSINESS. IF BIDDER / RESPONDENT IS SUBMITTING AS A JOINT VENTURE, EACH CITY BUSINESS THAT IS A MEMBER OF THE JOINT VENTURE MUST COMPLETE AND SIGN THIS FORM.

PROVIDE THE FOLLOWING INFORMATION IF BIDDER/ RESPONDENT IS SUBMITTING AS PART OF A JOINT VENTURE. Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

Olito, p. 100				
STATE BIDDER'S / RESPONDENT'S	PERCENTAGE O	OWNERSHIP II	N THE JOINT VEN	TURE:%
SUBMIT A COPY OF THE JOINT REQUESTED BY CITY TO SUBSTAVENTURE. NO PREFERENCE POSUBMIT REQUIRED DOCUMENTAT	INTS WILL BE AL	I ANULE UE ANU		
SOLICITATION NAME/NUMBER:	61000	07667		
PROVIDE THE FOLLOWING HEADQUARTERS:	INFORMATION	REGARDING	BIDDER'S /	RESPONDENT'S
The of Decimons			100	

Name of Business:	2601 Willia	e OCJU	_
Physical Address:	2601 Willia	m Take	
City, State, Zip Code:	6 roper in	71×76	051
Phone Number:	817-410-7	541	
Email Address:	dthomas o	3 coperined	ici con
Email Address: Provide the total number of full-time, particularly Respondent: 75	part-time, and contrac	personnel e	mployed by
Is Business headquartered within the in Antonio city limits? (circle one)	corporated San	Yes	No
Has the business been headquartered San Antonio city limits for one year or n	in the incorporated nore? (circle one)	Yes	100
If the answers to the questions above the above questions is "No", provide re	are "Yes", stop here.	If the answering questions:	to either of

Finance Department - Purchasing Division Local Preference Program Identification Form

PROVIDE THE FOLLOWING INFORMATION REGARDING BIDDER'S / RESPONDENT'S LOCAL OFFICE (IF APPLICABLE):

Name of Business:	Esaper sa	Dajue	
Physical Address:	2601 00=11:00		
City, State, Zip Code:	Grossens	Tx 7605	-
Phone Number:		0-7541	
Email Address:	dthomaso	grappevin	adej.com
Provide the total number of full-time, Bidder / Respondent in the local office:		t personnel er	nployed by
Is the business located in the incorpora limits? (circle one)	ted San Antonio city	Yes	NO
Has the business been located in the Antonio city limits for one year or more	ne incorporated San ? (circle one)	Yes	Nob
Are at least 100 full-time, part-time or regularly based in the San Antonio office	contract employees	Yes	No
Are at least 20% of the business' total contract employees regularly based office? (circle one)	full-time, part-time or	Yes	No
Do the employees in the San Anton substantial role in the business' commercially useful function or are a substantial operations conducted in the (circle one)	performance of a substantial part of the	Yes	No

Finance Department - Purchasing Division

Local Preference Program Identification Form

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on this Local Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Local Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

BIDDER'S / RESPONDENT'S FULL NAME:

(Print Name) Authorized Representative of Bidder / Respondent

(Signature) Authorized Representative of Bidder / Respondent

Title

Date

This Local Preference Identification Form must be submitted with the bidder's / respondent's bid/proposal response.

Veteran-Owned Small Business (VOSB) Preference Program Identification Form

Authority. San Antonio City Code Chapter 2, Article XI describes the City's veteran-owned small business preference program.

Certification. The City relies on inclusion in the database of veteran-owned small businesses maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

Preference. The VOSB preference applies to procurements of discretionary expenditure and revenue contracts for goods, services, and concessions, where the selection criteria are not limited by state or federal law. The preference consists of 5% of the evaluation points for a business that is certified as a Veteran-Owned Small Business. Moreover, the program recognizes joint venture agreements and allows for apportioning of points based upon the percentage of VOSB ownership of a joint venture responding to solicitations for which discretionary points are applied. There are no points available for VOSB subcontractors.

Tracking. In order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both the primary contract and subcontract levels.

Exclusions. This program does not apply to any expenditure or revenue contract with a value that is less than the amount that is required to be bid pursuant to state law (Chapter 252, Texas Local Government Code, as amended), currently \$50,000 or less, or where limited by state or federal law.

Definitions.

The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program uses the below definition of joint venture.

Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which
is manifested by a written agreement, between two or more independently owned and controlled
business firms to form a third business entity solely for purposes of undertaking distinct roles and
responsibilities in the completion of a given contract. Under this business arrangement, each joint
venture partner shares in the management of the joint venture and also shares in the profits or
losses of the joint venture enterprise commensurately with its contribution to the venture.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR RESPONSE EVEN IF YOU ARE NOT SEEKING A VETERAN'S PREFERENCE. THE RESPONDENT MUST COMPLETE AND SUBMIT THE FOLLOWING FORM TO BE IDENTIFIED AS A VETERAN-OWNED SMALL BUSINESS. IF RESPONDENT IS SUBMITTING AS A JOINT VENTURE, EACH VOSB MEMBER OF A JOINT VENTURE MUST COMPLETE AND SIGN THIS FORM.

Veteran-Owned Small Business (VOSB) Preference Program Identification Form

PROVIDE THE FOLLOWING INFORMATION IF RESPONDENT IS SUBMITTING AS PART OF A JOINT VENTURE.

SUBMIT A COPY OF THE JOINT VENTURE AGREEMENT AND ANY OTHER DOCUMENTATION TO SUBSTANTIATE THE EXISTANCE OF AND/OR PARTICIPATION IN THE JOINT VENTURE. NO PREFERENCE POINTS WILL BE ALLOCATED TO A JOINT VENTURE THAT FAILS TO SUBMIT REQUIRED DOCUMENTATION.

INSTRUCTIONS

- IF SUBMITTING AS A PRIME CONTRACTOR ONLY, COMPLETE SECTION 1 OF THIS FORM.
- IF SUBMITTING AS A PRIME CONTRACTOR UTILIZING A SUBCONTRACTOR, COMPLETE SECTIONS 1 AND 2 OF THIS FORM.
- IF SUBMITTING AS PART OF A JOINT VENTURE, COMPLETE SECTION 3 OF THIS FORM.
- IF SUBMITTING AS A JOINT VENTURE UTILIZING A SUBCONTRACTOR, COMPLETE SECTIONS 2 AND 3 OF THIS FORM.

Veteran-Owned Small Business (VOSB) Preference Program Identification Form

y, State, Zip Code: One Number: mail Address: PRIME CONTRACTOR certified as a VOSB with the U.S. Small siness Administration? (circle one) yes, provide the SBA, is PRIME CONTRACTOR certified as a DSB by another public or private entity that uses similar ertification procedures? (circle one) yes, provide the name of the entity who has certified PRIME ONTRACTOR as a VOSB. Include any identifying certification umbers. Amen of Subcontractor Subcontractor Subcontractor Veteran-Owned Small Business: Drysical Address: Drysical Address: Drysical Address: Subcontractor Certified as a VOSB with the U.S. Small Subscontractor Veteran-Owned Small Business: Drysical Address: Drysical Addre	ction 1: Prime Contractor	0	1 500
Types No None Number: Mail Address: PRIME CONTRACTOR certified as a VOSB with the U.S. Small usiness Administration? (circle one) yes, provide the SBA Certification # not certified by the SBA, is PRIME CONTRACTOR certified as a OSB by another public or private entity that uses similar ertification procedures? (circle one) yes, provide the name of the entity who has certified PRIME CONTRACTOR as a VOSB. Include any identifying certification umbers. Participation Dollar Amount: Section 2: Subcontractor s PRIME CONTRACTOR subcontracting with a business that is yes No Name of SUBCONTRACTOR Veteran-Owned Small Business: Physical Address: City, State, Zip Code: Phone Number: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small yes No Business Administration? (circle one) If yes, provide the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB, include any identifying certification numbers.	ame of PRIME CONTRACTOR:	Orabonina	000
hone Number: mail Address: ### PRIME CONTRACTOR certified as a VOSB with the U.S. Small usiness Administration? (circle one) ### In ot certified by the SBA Certification ### In ot certified by the SBA, is PRIME CONTRACTOR certified as a VOSB by another public or private entity that uses similar retrification procedures? (circle one) #### Find the certified by the SBA, is PRIME CONTRACTOR certified as a VOSB by another public or private entity that uses similar retrification procedures? (circle one) ##### Find the certified by the SBA, is PRIME CONTRACTOR certified as a VOSB. Include any identifying certification numbers. ###################################	hysical Address:		
none Number: mail Address: pRIME CONTRACTOR certified as a VOSB with the U.S. Small usiness Administration? (circle one) ives, provide the SBA Certification # inot certified by the SBA, is PRIME CONTRACTOR certified as a VOSB yanother public or private entity that uses similar vertification procedures? (circle one) f yes, provide the name of the entity who has certified PRIME CONTRACTOR as a VOSB. Include any identifying certification numbers. Participation Percentage:	ity, State, Zip Code:	Gragaevina	1× 76001
SPRIME CONTRACTOR certified as a VOSB with the U.S. Small usiness Administration? (circle one) yes, provide the SBA Certification # not certified by the SBA, is PRIME CONTRACTOR certified as a VOSB by another public or private entity that uses similar retrification procedures? (circle one) f yes, provide the name of the entity who has certified PRIME CONTRACTOR as a VOSB. Include any identifying certification numbers. Participation Percentage: Participation Percentage: Participation Dollar Amount: Section 2: Subcontractor Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one) Name of SUBCONTRACTOR Veteran-Owned Small Business: Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Yes No Business Administration? (circle one) If yes, provide the SBA is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	hone Number:	63 (
SPRIME CONTRACTOR certified as a VOSB with the U.S. Small usiness Administration? (circle one) Tyes, provide the SBA Certification # Finot certified by the SBA, is PRIME CONTRACTOR certified as a VOSB by another public or private entity that uses similar retrification procedures? (circle one) Tyes, provide the name of the entity who has certified PRIME CONTRACTOR as a VOSB. Include any identifying certification numbers. Participation Percentage: Participation Percentage: Participation Dollar Amount: Section 2: Subcontractor Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one) Name of SUBCONTRACTOR Veteran-Owned Small Business: Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Yes No Business Administration? (circle one) If yes, provide the SBA is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	mail Address:	Athomas Bo	properine de
Finot certified by the SBA, is PRIME CONTRACTOR certified as a 7OSB by another public or private entity that uses similar sertification procedures? (circle one) If yes, provide the name of the entity who has certified PRIME CONTRACTOR as a VOSB. Include any identifying certification numbers. Participation Percentage: Participation Percentage: Participation Dollar Amount: Section 2: Subcontractor Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one) Name of SUBCONTRACTOR Veteran-Owned Small Business: Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Yes No Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	PRIME CONTRACTOR certified as a VOSB with the U.S. Small susiness Administration? (circle one)	Yes	NO-)
Finot certified by the SBA, is PRIME CONTRACTOR certified as a 7OSB by another public or private entity that uses similar sertification procedures? (circle one) If yes, provide the name of the entity who has certified PRIME CONTRACTOR as a VOSB. Include any identifying certification numbers. Participation Percentage: Participation Percentage: Participation Dollar Amount: Section 2: Subcontractor Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one) Name of SUBCONTRACTOR Veteran-Owned Small Business: Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Yes No Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	yes, provide the SBA Certification #		
CONTRACTOR as a VOSB. Include any identifying certification. Participation Percentage: Participation Dollar Amount: Section 2: Subcontractor IS PRIME CONTRACTOR subcontracting with a business that is yes No certified as a VOSB? (circle one) Name of SUBCONTRACTOR Veteran-Owned Small Business: Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small yes No Business Administration? (circle one) If yes, provide the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	f not certified by the SBA, is PRIME CONTRACTOR certified as a /OSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	(No)
Participation Dollar Amount: Section 2: Subcontractor Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one) Name of SUBCONTRACTOR Veteran-Owned Small Business: Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Yes No Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	f yes, provide the name of the entity who has certified PRIME CONTRACTOR as a VOSB. Include any identifying certification numbers.		
Section 2: Subcontractor Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one) Name of SUBCONTRACTOR Veteran-Owned Small Business: Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Yes No Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	Participation Percentage:		
Section 2: Subcontractor Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one) Name of SUBCONTRACTOR Veteran-Owned Small Business: Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Yes No Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	Participation Dollar Amount:		
City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one)	Yes	No
City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.			
City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	Name of SUBCONTRACTOR Veteran-Owned Small Business:		
Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.			
Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	Physical Address:		
If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	Physical Address: City, State, Zip Code:		
If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small	Yes	No
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.	Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one) If yes, provide the SBA Certification #	Yes	No
Participation Percentage:	Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small		
I al livipation i	Physical Address: City, State, Zip Code: Phone Number: Email Address: Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification	Yes	

Veteran-Owned Small Business (VOSB) Preference Program Identification Form

Section 3: Joint Ventures Is Respondent submitting as part of a joint venture? No Yes (circle one) Name of Joint Venture VOSB Member: Physical Address: City, State, Zip Code: Phone Number: Email Address: Percentage of Ownership of Joint Venture by VOSB Member: Is Joint Venture VOSB Member certified as a VOSB with the U.S. No Yes Small Business Administration? (circle one) If yes, provide the SBA Certification # If not certified by the SBA, is Joint Venture VOSB Member certified No Yes as a VOSB by another public or private entity that uses similar certification procedures? (circle one) If yes, provide the name of the entity who has certified Joint Venture VOSB Member as a VOSB. Include any identifying certification numbers.

VOSB Member's Percentage Share in Profits / Loss of Joint Venture

Veteran-Owned Small Business (VOSB) Preference Program Identification Form

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on this Veteran-Owned Small Business Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

RESPONDENT'S FULL NAME:

(Print Name) Authorized Representative of Respondent

(Signature) Authorized Representative of Respondent

Tille

Title

4-4-16

Date

This Veteran-Owned Small Business Preference Program Identification Form must be submitted with the Respondent's proposal.

CERTIFICATE OF INTERESTED PARTIES

FORM 1295

1 of 1

omplete Nos. 1 - 4 and 6 if there are interested pa	arties.	CERTIFICATION	N OF FILING
amplete Nice 1 2 3 5 and bil litele ale no inter		Certificate Number:	
ame of business entity filing form, and the city business.	, state and country of the business entity's place	2016-19206	
rapevine DCJ, LLC RAPEVINE, TX United States	1 V L the forms is	Date Filed: 02/28/2016	
ame of governmental entity or state agency the	nat is a party to the contract for which the form is	Date Acknowledge	d:
ITY OF SAN ANTONIO			
lescription of the goods of services to a pro-	governmental entity or state agency to track or ident rided under the contract.	ify the contract, and p	LOAINE a
FB 6100007067 NEW VEHICLES			
	(place of husiness)	Nature of interest	
Name of Interested Party	City, State, Country (place of business)	Controlling	Intermediary
NNANT, BILL	Grapevine, TX United States	X	
Check only if there is NO Interested Party.			· · · · · · · · · · · · · · · · · · ·
AFFIDAVIT	I swear, or affirm, under penalty of perjury, th	nat the above disclosure	is true and correct
RODNEY PHILLIP CARLSON, II. RODNEY Public, State of Texas Notary Public, State of Texas	1322	- Lunimoor	ontity
Notary Public Notices My Commission Expires November 25, 2017	Signature of authorized agent	of contracting business	entity
AFFIX NOTARY STAMP / SEAL ABOVE		,	Murch
course to and subscribed before me, by the sa	vid Deuris Romas, this	the day	of france
20 to certify which, witness my han	d and seal of office.		
Signature of officer administering oath	Printed name of officer administering oath	Title of officer ac	ministering oath
	THE PARTY OF THE P		