

GUNN CHEVKULET

CITY OF SAN ANTONIO Finance Department, Purchasing Division

FORMAL INVITATION FOR BID ("IFB") NO.: 6100012392

ANNUAL CONTRACT FOR LIGHT DUTY PICK-UP TRUCKS

Date Issued: DECEMBER 16, 2019

BIDS MUST BE RECEIVED **NO LATER** THAN: 2:00 PM, CENTRAL TIME, JANUARY 15, 2020

Bids may be submitted by any of the following means: Electronic submission through the Portal Hard copy in person or by mail

Address for hard copy responses:

Physical Address:
Office of the City Clerk
c/o Municipal Records Facility
719 S. Santa Rosa
San Antonio, TX. 78204

Mailing Address:
City Clerk's Office
P.O. Box 839966
San Antonio, Texas 78283-3966

For Hard Copy Submissions, Mark Envelope

"ANNUAL CONTRACT FOR LIGHT DUTY PICK-UP TRUCKS"

Bid Due Date: 2:00 p.m., CENTRAL TIME, JANUARY 15, 2020

Bid No.: 6100012392

Bidder's Name and Address

Bid Bond: None

Performance Bond: None

Payment Bond: None

Other: None

See Supplemental Terms & Conditions for information on these requirements.

Affirmative Procurement Initiative: None

DBE / ACDBE Requirements: None

See Instructions for Bidders and Attachments sections for more information on these requirements.

Pre-Submittal Conference * YES

* If YES, the Pre-Submittal conference will be held on December 19, 2019 at 10:00 AM at CITY OF SAN ANTONIO, SOUTHEAST SERVICE CENTER, BUILDING 1, GATE 1, RM A133, 1318 S.E. LOOP 410, SAN ANTONIO, TX 78220.

Staff Contact Person:

LD MCGARITY, PROCUREMENT SPECIALIST II, P.O. Box 839966, San Antonio, TX 78283-3966.

Email: ld.mcgarity@sanantonio.gov
Phone Number: 210-207-2078

Fax Number:

210-207-4360

002 - TABLE OF CONTENTS

| 002 - | TABLE OF CONTENTS | 2 |
|-------|------------------------------------|----|
| | INSTRUCTIONS FOR BIDDERS | |
| | SPECIFICATIONS / SCOPE OF SERVICES | |
| 005 - | SUPPLEMENTAL TERMS & CONDITIONS | 40 |
| 006 - | GENERAL TERMS & CONDITIONS | 44 |
| 007 - | SIGNATURE PAGE | 50 |
| 008 - | STANDARD DEFINITIONS | 51 |
| 009 - | ATTACHMENTS | 53 |

003 - INSTRUCTIONS FOR BIDDERS

Submission of Bids.

<u>Submission of Hard Copy Bids</u>. Submit one original bid, signed in ink, and two copies of the bid enclosed in a sealed envelope addressed to the City Clerk at the address and by the due date provided on the Cover Page. The name and address of Bidder, the date and hour of the bid opening, bid number and title of the bid solicitation shall be marked on the outside of the envelope(s). All times stated herein are Central Time. Any bid or modification received after the time and date stated on the Cover Page shall be rejected.

<u>Submission of Electronic Bids</u>. Submit one bid electronically by the due date provided on the Cover Page. All times stated herein are Central Time. Any bid or modification received after the time and date stated on the Cover Page shall be rejected. All forms in this solicitation which require a signature must have a signature affixed thereto, either by manually signing the document, prior to scanning it and uploading it with your submission, or affixing it electronically.

Bids sent to City by facsimile or email shall be rejected.

<u>Modified Bids</u>. Bids may be modified provided such modifications are received prior to the time and date set for submission of bids, and submitted in the same manner as original bids. For hard copy bids, provide a cover letter with the bid, indicating it is a modified bid and that the Original bid is being withdrawn. For electronic bids, a modified bid will automatically replace a prior bid submission. See below for information on submitting Alternate Bids.

City shall not be responsible for lost or misdirected bids or modifications.

Bidders must sign the Signature Page on hard copy bids and return the IFB document to City. For electronic bids, Bidder's electronic submission, with accompanying affirmations, constitutes a binding signature for all purposes.

Bidders are cautioned that they are responsible for the security of their log on ID and password, since unauthorized use could result in Bidder's being held liable for the submission.

<u>Certified Vendor Registration Form.</u> If Bidder has not completed City's Certified Vendor Registration (CVR) Form, Bidder is required to do so prior to the due date for submission of bids. The CVR form may be accessed at: http://www.sanantonio.gov/purchasing/. Bidders must identify the correct name of the entity that will be providing the goods and/or services under the contract. No nicknames, abbreviations (unless part of the legal title), shortened or short-hand names will be accepted in place of the full, true and correct legal name of the entity.

Alternate Bids. Alternate bids may be allowed at the sole discretion of City.

<u>Hard Copy Alternate Bids</u>. Alternate bids must be submitted in separate sealed envelopes in the same manner as submission of other bids. Alternate bids must be marked consecutively on the envelope as Alternate Bid No. 1, 2, etc. Failure to submit alternate bids in separate envelopes may result in rejection of a bid.

<u>Electronic Alternate Bids Submitted Through the Portal</u>. All alternate bids are recorded with original bids when submitted electronically.

Catalog Pricing. (This section applies to bids using catalog pricing.)

The bid will be based on manufacturer's latest dated price list(s). Said price list(s) must denote the manufacturer, latest effective date and price schedule.

Bidders shall be responsible for providing one copy of the manufacturer's catalog for each manufacturer for which a bid is submitted. Bidder shall provide said catalog at the time of submission of its bid. Manufacturers' catalogs may be submitted in any of the following formats: paper copy or CD ROM for bids submitted on paper, or PDF file for bids submitted electronically.

Bidders may submit price lists other than the manufacturer's price list. Said price list(s) must denote the company name, effective date and price schedule. These price lists are subject to approval of City Purchasing & General Services Department.

Specified items identified herein, if any, are for overall bid evaluation and represent the commonly and most used items. Net prices entered for those specified items must reflect the actual price derived from quoted price list less all discounts offered.

Restrictions on Communication.

Bidders are prohibited from communicating with: 1) City officials, as defined by §2-62 of the City Code of the City of San Antonio, regarding the IFB or bids from the time the IFB has been released until the contract is posted for consideration as a City Council agenda item during a meeting designated as an "A" session; and 2) City employees from the time the IFB has been released until the contract is awarded. These restrictions extend to "thank you" letters, phone calls, emails and any contact that results in the direct or indirect discussion of the IFB and/or bid submitted by Bidder. Violation of this provision by Bidder and/or its agent may lead to disqualification of Bidder's bid from consideration.

Exceptions to the restrictions on communication with City employees include:

Bidders may ask verbal questions concerning this IFB at the Pre-Submittal Conference.

Bidders may submit written questions, or objections to specifications, concerning this IFB to the Staff Contact Person listed on the Cover Page on or before 7 calendar days prior to the date bids are due. Questions received after the stated deadline will not be answered. Questions submitted and City's responses will be posted with this solicitation. All questions shall be sent by e-mail or through the portal.

Bidders may provide responses to questions asked of them by the Staff Contact Person after bids are received and opened. The Staff Contact Person may request clarification to assist in evaluating Bidder's response. The information provided is not intended to change the bid response in any fashion. Such additional information must be provided within two business days from City's request.

Bidders and/or their agents are encouraged to contact the Small Business Office of the International and Economic Development Department for assistance or clarification with issues specifically related to the City's Small Business Economic Development Advocacy (SBEDA) Program policy and/or completion of the SBEDA form(s), if any. The point of contact is identified on the Cover Page. Contacting the Small Business Office regarding this IFB after the bid due date is not permitted. If this solicitation contains Affirmative Procurement Initiatives, it will be noted on the Cover Page.

If this solicitation contains DBE/ACDBE requirements, bidders and/or their agents may contact the Aviation Department's DBE/ACDBE Liaison Officer for assistance or clarification with issues specifically related to the DBE/ACDBE policy and/or completion of the required form(s). Point of contact is Ms. Lisa Brice, who may be reached via telephone at (210) 207-3505 or through e-mail at lisa.brice@sanantonio.gov. Bidders and/or their agents may contact Ms. Brice at any time prior to the due date for submission of bids. Contacting her or her office regarding this IFB after the bid due date is not permitted. If this solicitation contains DBE/ACDBE requirements, it will be noted on the Cover Page.

Pre-Submittal Conference.

If a Pre-Submittal Conference is scheduled, it will be held at the time and place noted on the Cover Page. Bidders are encouraged to prepare and submit their questions in writing in advance of the Pre-Submittal Conference in order to expedite the proceedings. City's responses to questions received prior to the conference may be distributed at the Pre-Submittal Conference and posted with this solicitation. Attendance at the Pre-Submittal Conference is optional, but highly encouraged.

This meeting place is accessible to disabled persons. Call the Staff Contact Person for information on the location of the wheelchair accessible entrance, or to request an interpreter for the deaf. Interpreters for the deaf must be requested at least 48 hours prior to the meeting. For other assistance, call (210) 207-7245 Voice/TTY.

Any oral response given at the Pre-Submittal Conference that is not confirmed in writing and posted with this solicitation shall not be official or binding on the City.

Changes to IFB.

Changes to this IFB made prior to bid opening shall be made directly to the original IFB. Changes are captured by creating a replacement version each time the IFB is changed. It is Bidder's responsibility to check for new versions

until the bid due date. City will assume that all bids received are based on the final version of the IFB as it exists on the day bids are due.

No oral statement of any person shall modify or otherwise change or affect the terms, conditions or specifications stated in the IFB.

Preparation of Bids.

All information required by the IFB must be furnished or the bid may be deemed non-responsive and rejected. Any ambiguity in the bid as a result of omission, error, unintelligible or illegible wording shall be construed in the favor of City.

<u>Correct Legal Name</u>. If Bidder is found to have incorrectly or incompletely stated the name of the entity that will provide goods and/or services, the bid may be rejected.

<u>Line Item Bids</u>. Any bid that is considered for award by each unit or line item, must include a price for each unit or line item for which Bidder wishes to be considered. All bids are awarded on the basis of low line item, low total line items, or in any other combination that serves the best interest of City, unless City designates this solicitation as an "all or none" bid in the Supplemental Terms & Conditions.

All or None Bids. Any bid that is considered for award on an "all or none" basis must include a price for all units or line items. In an "All or None" bid, a unit price left blank shall result in the bid being deemed nonresponsive and disqualified from consideration. An "All or None" bid is one in which City will award the entire contract to one bidder only.

<u>Delivery Dates</u>. Proposed delivery dates must be shown in the bid form where required and shall include weekends and holidays, unless specified otherwise in this IFB. Proposed delivery times must be specific. Phrases such as "as required", "as soon as possible" or "prompt" may result in disqualification of the bid. Special delivery instructions, if any, may be found in the Specifications / Scope of Services section of this document, or in the Purchase Order.

<u>Tax Exemption</u>. The City of San Antonio is exempt from payment of federal taxes, and State of Texas limited sales excise and use taxes. Bidders must not include such taxes in bid prices. An exemption certificate will be signed by City where applicable upon request by Bidder after contract award.

Description of Supplies.

Any brand names, catalog or manufacturer's reference used in describing an item is merely descriptive, and not restrictive, unless otherwise noted, and is used only to indicate quality and capability desired.

Bids submitted for comparable items must clearly identify the proposed product, model, and type, as applicable, and shall include manufacturer specification sheet(s) for each proposed item with bid response. Product specifications shall be the most current available and be sufficiently detailed and descriptive so as to permit City to determine the item's suitability and compliance with bid specifications. City shall be the sole judge of equality and suitability of comparable items.

Pro-rata adjustments to packaging and pricing may be allowed at the sole discretion of City.

<u>Samples</u>, <u>Demonstrations</u> and <u>Pre-award Testing</u>. If requested by City, Bidder shall provide product samples, demonstrations, and/or testing of items bid to ensure compliance with specifications prior to award of the contract. Samples, demonstrations and/or testing must be provided within 7 calendar days of City's request. Failure to comply with City's request may result in rejection of a bid. All samples (including return thereof), demonstrations, and/or testing shall be at Bidder's expense. Samples will be returned upon written request. Requests for return of samples must be made in writing at the time the samples are provided. Otherwise, samples will become property of City at no cost to City. Samples that are consumed or destroyed during demonstrations or testing will not be returned.

Estimated Quantities for Annual Contracts.

Designation as an "annual" contract is found in the contract's title on the Cover Page of this document. The quantities stated are estimates only and are in no way binding upon City. Estimated quantities are used for the purpose of evaluation. City may increase or decrease quantities as needed. Where a contract is awarded on a unit price basis, payment shall be based on the actual quantities supplied.

Bidders shall thoroughly examine the drawings, specifications, schedule(s), instructions and all other contract documents.

Bidders shall make all investigations necessary to thoroughly inform themselves regarding plant and facilities for delivery of material and equipment, or conditions and sites/locations for providing goods and services as required by this IFB. No plea of ignorance by Bidder will be accepted as a basis for varying the requirements of City or the compensation to Bidder.

Confidential or Proprietary Information. All bids become the property of the City upon receipt and will not be returned. Any information deemed to be confidential by Bidder should be clearly noted; however, City cannot guarantee that it will not be compelled to disclose all or part of any public record under the Texas Public Information Act, since information deemed to be confidential by Bidder may not be considered confidential under Texas law, or pursuant to a Court order. Note that pursuant to state law, bids are opened publicly and read aloud. In addition, bids are tabulated and posted to the City's website, so shall not be considered proprietary or confidential.

Interlocal Participation.

City may engage in cooperative purchasing with other governmental entities or governmental cooperatives ("Entity" or "Entities") to enhance City's purchasing power. At City's sole discretion and option, City may inform other Entities that they may acquire items listed in this IFB. If this contract will be subject to cooperative purchasing, such fact will be indicated in the Supplemental Terms and Conditions portion of this IFB. Such acquisition(s) shall be at the prices stated in the bid, and shall be subject to Bidder's acceptance. Entities desiring to acquire items listed in this IFB shall be listed on a rider attached hereto, if known at the time of issuance of the IFB. City may issue subsequent riders after contract award setting forth additional Entities desiring to utilize this bid.

Bidder must sign and submit the rider, if attached to this IFB, with its bid, indicating whether Bidder wishes to allow other Entities to use its bid. Bidder shall sign and return any subsequently issued riders within ten calendar days of receipt. Bidder's decision on whether to allow other Entities to use the bid shall not be a factor in awarding this IFB.

<u>Costs of Bidding</u>. Bidder shall bear any and all costs that are associated with the preparation of the Bid, attendance at the Pre-Submittal Conference, if any, or during any phase of the selection process.

Rejection of Bids.

City may reject any and all bids, in whole or in part, cancel the IFB and reissue the solicitation. City may reject a bid if:

Bidder misstates or conceals any material fact in the bid; or

The bid does not strictly conform to law or the requirements of the solicitation:

The bid is conditional; or

Any other reason that would lead City to believe that the bid is non-responsive or Bidder is not responsible.

City, in its sole discretion, may also waive any minor informalities or irregularities in any bid, such as failure to submit sufficient bid copies, failure to submit literature or similar attachments, or business affiliation information.

<u>Variances and Exceptions to Bid Terms</u>. In order to comply with State law, bidders must submit bids on the same material terms and conditions. Bids that contain material variances or exceptions to the terms and conditions, including additional terms and conditions, will be rejected.

<u>Changes to Bid Form</u>. Bids must be submitted on the forms furnished. Bids that change the format or content of City's IFB will be rejected.

<u>Withdrawal of Bids</u>. Bids may be withdrawn prior to the time set for the bid opening. Written notice of withdrawal shall be provided to the City Clerk for bids submitted in hard copy. Bids submitted electronically may be withdrawn electronically.

<u>Bid Opening</u>. Bids will be opened publicly and read aloud at 2:30 on the day the bids are due. Bid openings are held at Purchasing & General Services, Riverview Tower, 11th Floor, 111 Soledad, Suite 1100, San Antonio, Texas 78205.

Evaluation and Award of Contract.

Per Section §252.043 of the Texas Local Government Code, the contract will be awarded to the lowest responsible bidder. The Purchasing Division evaluates bids for responsiveness and the responsibility of the bidder, and makes a recommendation to the City Council. The City Council makes the final determination regarding award.

City reserves the right to make an award on the basis of low line item, low total line items, or in any other combination that serves the best interest of City, unless City designates this solicitation as an "all or none" bid in the Supplemental Terms & Conditions.

A written award of acceptance (manifested by a City Ordinance) and Purchase Order furnished to Bidder results in a binding contract without further action by either party. Vendor must have the Purchase Order before making any delivery.

City reserves the right to utilize historical usage data as a basis for evaluation of bids when future usages are unable to be determined.

Breaking of tie bids shall be in accordance with the Texas Local Government Code §271.901.

City reserves the right to delete items prior to the awarding of the contract, and purchase said items by other means.

Inspection of Facilities/Equipment.

Depending on the nature of the IFB, Bidders' facilities and equipment may be a determining factor in making the bid award. All bidders may be subject to inspection of their facilities and equipment.

Prospective bidders must prove beyond any doubt to City Purchasing Administrator that they are qualified and capable of performing the contract's requirements.

Prompt Payment Discount.

Provided Bidder meets the requirements stated herein, City shall take Bidder's offered prompt payment discount into consideration. The evaluation will not be based on the discount percentage alone, but rather the net price as determined by applying the discount to the bid price, either per line item or total bid amount. However, City reserves the right to reject a discount if the percentage is too low to be of value to City, all things considered. City may also reject a discount if the percentage is so high as to create an overly large disparity between the price City would pay if it is able to take advantage of the discount and the price City would pay if it were unable to pay within the discount period. City may always reject the discount and pay within the 30 day period, at City's sole option.

City will not consider discounts that provide fewer than 10 days to pay in order to receive the discount.

For example, payment terms of 2% 5, Net 30 will NOT be considered in bid evaluations or in the payment of invoices. However, payment terms of 2% 10, Net 30 will result in a two percent reduction in the bid price during bid evaluation, and City will take the 2% discount if the invoice is paid within the 10 day time period.

<u>Tabulations</u>. The Purchasing Division will post preliminary tabulations within 7 days of the advertised bid opening. The information on these tabulations will be posted for informational purposes only, and will be posted as read during the bid opening. This tabulation is not a notice of award of the contract. All bids are subject to review for completeness, accuracy and compliance with the terms set forth in the bid documents.

Bid Protest Procedures.

Any bidder who is adversely affected in connection with the solicitation, evaluation, or proposed award of a contract may file a protest with the Director and appeal any adverse decision to the City Manager of the City of San Antonio.

Bidder must deliver a written notice of protest to the Director within 7 calendar days of the posting of the intent to award. If Bidder does not file a written notice within this time, Bidder will have waived all rights to formally protest the intent to award. It is Bidder's responsibility to check the City's website posting.

Debriefing. Debriefing of contract award is available upon request and after award of the Contract,

<u>Prohibited Financial Interest</u>. The Charter of the City of San Antonio and the City of San Antonio Code of Ethics prohibit a City officer or employee, as those terms are defined in §2-52 of the Code of Ethics, from having a direct or indirect financial interest in any contract with City. An officer or employee has a "prohibited financial interest" in a contract with City

or in the sale to City of land materials, supplies or service, if any of the following individual(s) or entities is a party to the contract or sale:

- a City officer or employee; his or her spouse, sibling, parent, child or other family member within the first degree of consanguinity or affinity;
- an entity in which the officer or employee, or his or her parent, child or spouse directly or indirectly owns (i) 10% or more of the voting stock or shares of the entity, or 10% or more of the fair market value of the entity; or
- an entity in which any individual or entity listed above is (i) a subcontractor on a City contract, (ii) a partner or (iii) a parent or subsidiary entity.

By submitting a bid, Bidder warrants and certifies, and a contract awarded pursuant to this IFB is made in reliance thereon, that it, its officers, employees and agents are neither officers nor employees of the City.

<u>Unfair Advancement of Private Interests</u>. Pricing and discounts contained in this contract are for use by City departments conducting City business. City employees may not use their positions to obtain special treatment or prices that are not available to the general public.

<u>State of Texas Conflict of Interest Questionnaire (Form CIQ)</u>. Chapter 176 of the Texas Local Government Code requires that persons, or their agents, who seek to contract for the sale or purchase of property, goods, or services with the City, shall file a completed Form CIQ with the City Clerk if those persons meet the requirements under 176.006(a) of the statute.

By law this questionnaire must be filed with the City Clerk not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. See Section 176.006(a-1), Texas Local Government Code.

Form CIQ is available from the Texas Ethics Commission by accessing the following web address:

https://ethics.state.tx.us/forms/conflict/

In addition, please complete the City's Addendum to Form CIQ (Form CIQ-A) and submit it with Form CIQ to the Office of the City Clerk. The Form CIQ-A can be found at:

http://www.sanantonio.gov/atty/ethics/pdf/OCC-CIQ-Addendum.pdf

When completed, the CIQ Form and the CIQ-A Form should be submitted together, either by mail or hand delivery, to the Office of the City Clerk. If mailing, mail to:

Office of the City Clerk, P.O. Box 839966, San Antonio, TX 78283-3966.

If delivering by hand, deliver to:

Office of the City Clerk c/o Municipal Archives and Records Facility 719 S. Santa Rosa Ave. San Antonio, Texas **78204-3114**

Do not include these forms with your sealed bid. The Purchasing Division will not deliver the forms to the City Clerk for you.

CERTIFICATE OF INTERESTED PARTIES (FORM 1295)

The Texas Government Code §2252.908, and the rules issued by the Texas Ethics Commission found in Title 1, Chapter 46 of the Texas Administrative Code, require a business entity to submit a completed Form 1295 to the City before the City may enter into a contract with that business entity.

Form 1295 must be completed online. It is available from the Texas Ethics Commission by accessing the following web address:

https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm.

Print and sign your completed Form 1295. Submit your signed Form 1295 with your response to this solicitation. Where requested to provide the name of the public entity with whom you are contracting, insert "City of San Antonio". Where requested to provide the contract number, provide the solicitation number shown on the cover page of this solicitation (e.g. IFB 6100001234, RFO 6100001234 or RFCSP 6100001234).

The following definitions found in the statute and Texas Ethics Commission rules may be helpful in completing Form 1295.

"Business entity" includes an entity through which business is conducted with a governmental entity or state agency, regardless of whether the entity is a for-profit or nonprofit entity. The term does not include a governmental entity or state agency. (NOTE: The City of San Antonio should never be listed as the "Business entity".)

"Controlling interest" means: (1) an ownership interest or participating interest in a business entity by virtue of units, percentage, shares, stock, or otherwise that exceeds 10 percent; (2) membership on the board of directors or other governing body of a business entity of which the board or other governing body is composed of not more than 10 members; or (3) service as an officer of a business entity that has four or fewer officers, or service as one of the four officers most highly compensated by a business entity that has more than four officers. Subsection (3) of this section does not apply to an officer of a publicly held business entity or its wholly owned subsidiaries.

"Interested party" means: (1) a person who has a controlling interest in a business entity with whom a governmental entity or state agency contracts; or (2) an intermediary.

"Intermediary," for purposes of this rule, means a person who actively participates in the facilitation of the contract or negotiating the contract, including a broker, adviser, attorney, or representative of or agent for the business entity who:

- (1) receives compensation from the business entity for the person's participation;
- (2) communicates directly with the governmental entity or state agency on behalf of the business entity regarding the contract; and
- (3) is not an employee of the business entity or of an entity with a controlling interest in the business entity.

Publicly traded business entities, including their wholly owned subsidiaries, are exempt from this requirement and are not required to submit Form 1295.

004 - SPECIFICATIONS / SCOPE OF SERVICES

- 4.1 SCOPE: The City of San Antonio is issuing a multi-year solicitation to purchase an estimated **159** light duty 4x2/RWD trucks and **28** light duty 4x4/AWD trucks for the period beginning upon contract award and ending December 31, 2020 with one year renewal at City's option. This solicitation is for **13** different truck types:
 - Compact Four Door 4x2 Truck
 - ½ Ton Regular Cab 4x2/RWD Truck
 - ½ Ton Regular Cab 4x4/AWD Truck
 - ½ Ton Extended Cab 4x2/RWD Truck
 - ½ Ton Extended Cab 4x4/AWD Truck
 - ½ Ton Four Full Door Cab 4x2/RWD Truck
 - ½ Ton Four Full Door Cab 4x4/AWD Truck
 - ¾ Ton Regular Cab 4x2/RWD Truck
 - ¾ Ton Regular Cab 4x4/AWD Truck
 - ¾ Ton Extended Cab 4x2/RWD Truck
 - ¾ Ton Extended Cab 4x4/AWD Truck
 - ¾ Ton Four Full Door 4x2/RWD Truck
 - ¾ Ton Four Full Door 4x4/AWD Truck

This solicitation provides specifications for truck and truck options, such as tow hitch, tool box, strobe lighting, beacon lighting, arrow stick, bed liner, color, lift gate, and 4x4/All-Wheel Drive (AWD) upgrades. These truck options may be purchased in any combination on each vehicle purchase order. Specific options have been identified for each solicitation item that are believed to be the most common vehicle purchase under this solicitation, however it will not limit the purchase of other truck options. There shall be only one vendor selected per solicitation item. This solicitation may be utilized by every City Department for its light duty truck needs.

- 4.2 GENERAL CONDITIONS: The following general conditions will apply to all items within this bid unless specifically excluded within any item.
- 4.2.1 City reserves the right to increase or decrease the quantity of vehicles being purchased up to the production "cut-off" date submitted on the bid for the particular item, depending on availability of funds. Prices may not be increased during this period; however, the City should benefit from any price decrease. Additional units may be purchased on an "as needed" basis. Successful vendor is required to notify the City of all production "cut-off" dates necessary for order submission. Vehicles are to be year model 2020 or newer.
- 4.2.2 Vehicles shall include all manufacturers' standard equipment unless otherwise specified or replaced therein. All components shall be new, unused, standard production models, and equipment. All components shall be installed, ready for operation upon delivery, and serviced in accordance with the manufacturer's recommended pre-delivery check list. Equipment offered under the below listed specifications will be considered unacceptable if for any reason its long term availability on the U.S. market or in the local area is in doubt.
- 4.2.3 All items bid must include the maximum standard manufacturer's warranty available, including both parts and labor, for all components and attachments. All warranties must be for a minimum period of twelve months. The warranty shall begin on the date the vehicle is placed in service, not on the delivery date. Vendor shall attach a copy of the manufacturer's warranty to Vendor's bid. City will notify Vendor by letter of the in-service date for each item by serial number. Such parts and service must be available within Bexar County from and by a factory authorized dealer. Bidders located outside Bexar County must include a signed agreement with a factory authorized dealer located within Bexar County, which provides warranty, parts and service for items bid. All warranty repairs shall be completed within five (5) business days from the date equipment is delivered to the vendor unless otherwise approved by the appropriate City Building and Equipment Services Department (BESD) Fleet Operations Manager or designee.
- 4.2.4 Delivery: All deliveries are to be made inside the City limits of San Antonio to the following address:

City of San Antonio, Southeast Service Center Building 6, Gate 5 San Antonio, TX 78220

- 4.2.5 Delivery to a non-specified location will result in non-acceptance of the vehicle(s) by the City. All deliveries must be pre-arranged with a minimum 24-hour notification, NO EXCEPTIONS. Vehicles will be accepted from 8:00 A.M. to 3:00 P.M. CST. Vehicles with more than 1000 miles accumulated on the odometer will not be accepted. All vehicles are required to have a full tank(s) when delivered to the City specified location.
- 4.2.6 The City anticipates that a quick delivery of vehicles will be essential. Per Section §252.043 of the Texas Local Government Code, the contract will be awarded to the lowest responsible bidder or the bidder who provides the best value for the City. Upon City's issuance of each purchase order, vendor shall provide written acknowledgement of order placement and supply a copy of the build sheet and guaranteed delivery date of the completed unit in compliance with delivery timeframes indicated on the Price Schedule. A 30 day or longer delivery delay may cause cancelation of order at ordering department's discretion. Electrical wiring schematics that include lighting and air conditioning systems for the body shall be provided at time of delivery. Electrical wiring schematics shall be provided in paper and electronic format.
- 4.2.7 Literature and Equipment Manuals Vendor shall furnish (4) complete sets per vehicle type of the following: Parts Manual, Maintenance Manual, Service Manual, and Operators Manual or USB drive per model of all equipment, accessories, and components. Vendor shall furnish (4) complete sets of detailed literature and specifications of each vehicle type upon contract award. On-line access to these manuals may also be accepted in-lieu of printed manuals or USB drive.
- 4.2.8 The Manufacturer's Statement of Origin (MSO), dealer temporary license plates/tags that is a minimum of 30 days until expiration, proper invoice, Texas Vehicle Inspection Report, signed 130U form and a State Weight Certificate/slip (for trucks over one ton) are required upon delivery of each vehicle. If any of these items are missing, City will deem the vehicle delivered Not as Specified and the vehicle will not be processed or accepted. All completed paperwork shall be provided to Fleet Acquisition staff.
- 4.2.9 Vendor will install all bodies and components in accordance with the appropriate complete Vehicle Data Manual. Vendor will post certification of compliance on the left door post of the vehicle. Except for manufacturer's data plates (maximum 4" x 6"), vendor will not apply vendor's or the manufacturer's identifying markings (decals and plates) to the vehicle or mounted components. Vendor will complete installation in compliance with Federal Motor Vehicle Department of Transportation Standards and Texas State Highway requirements. Vendor will install the body and accessories on City furnished vehicles by drilling holes in the frame. Welding on or cutting of the frame is not authorized forward of the rear spring hanger or support. Bidders will be responsible for the relocation of any truck components to facilitate installation of the body and equipment. Such relocation must be included as part of the basic bid. No dealership nameplates, markings or decals will be permitted on the vehicles.
- 4.2.10 All vehicles shall be factory-equipped with an air conditioning/heater/defroster with the maximum capacity cooling system which is offered by manufacturer, full headliner, minimum OEM AM/FM radio, power steering, power ABS brakes, power windows, power door locks, power mirrors and a manual tilt steering wheel. All units must be equipped with a steering column mounted gear selector unless otherwise specified. Each unit shall have a minimum of three keyless remotes (fobs) and shall have a minimum of three (3) sets of keys, unless the vehicle utilizes a push button ignition system, then a minimum of three (3) keyless remote fobs are required.
- 4.2.11 Convenience Features: Vehicle shall be equipped with adjustable steering seats, intermittent wipers, automatic-off headlights, and cruise control.
- 4.2.12 All units shall be equipped with safety equipment as required by the Federal Government and shall MEET ALL SAFETY STANDARDS AND REQUIREMENTS.
- 4.2.13 All accessories and equipment shall be OEM. All equipment provided by vendor must be manufacturer-rated as low emission on all models on which it is available.
- 4.2.14 Electrical: A standard duty battery shall be offered by manufacturer for models being bid. All units shall be equipped with oil pressure, water temperature, and volt or amp gauges.
- 4.2.15 Vehicles shall be equipped with OEM tinted glass.
- 4.2.16 Vehicles shall have at minimum a driver's seat and one passenger seat, unless otherwise specified.
- 4.2.17 All vehicles shall have vinyl type seating for front and rear seats, if applicable, along with rubber or carpet delete flooring unless otherwise specified.

- 4.2.18 Exhaust: Vehicles shall be equipped with stainless steel rear pipe with catalytic converter unless otherwise specified.
- 4.2.19 Driveline: All units shall be equipped with a locking differential.
- 4.2.20 All vehicles shall be equipped with safety equipment as required by the Federal Government and shall MEET ALL SAFETY STANDARDS AND REQUIREMENTS.
- 4.2.21 Any permanent manufacturer increase or decrease in offered pricing for a base contract item or a published option is considered to be a price change. Temporary increases in pricing by whatever name (e.g. 'surcharge', 'adjustment', 'equalization charge', 'compliance charge', 'recovery charge', etc.), are also considered price changes.
- 4.2.22 No price change will be allowed unless it has been reviewed and approved by City in writing. Vendor must have received a written approval from the City prior to charging the new price or using it in any quotation prepared for an end user.
- 4.2.23 Price change requests must be submitted to the City in writing and must be received at least thirty (30) calendar days prior to the requested effective date of the change.
- 4.2.24 The City reserves the right to accept or reject any price change request. Acceptance, if granted, will be in writing and the approved changes will become part of the contract.
- 4.2.25 SILENCE OR ERROR OF SPECIFICATIONS: The apparent omission or error of specification as to any detailed description concerning any point shall be regarded as meaning that only the best commercial practice is to prevail and only the material and workmanship of the first quality are to be used. Proof of specification compliance will be the responsibility of the awarded respondent.

4.3 ITEM ESTIMATED QUANTITY DESCRIPTION 1 12 Compact Four Door 4x2 Truck

- 4.3.1 Listed here are the specifications for a Compact Four Door 4x2 pick-up truck. Options for strobe lighting, toolbox, color, and lift gate are listed and may be purchased in any combination, or not included on vehicle purchase orders. The lowest bid will be determined by the base vehicle and Options 1-2 for beacon lighting and toolbox.
- 4.3.2 ENGINE: Minimum 4 cylinder able to deliver a minimum 200 HP.
- 4.3.3 GVWR: No less than 5.000.
- 4.3.4 TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2 design
- 4.3.5 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.3.6 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.3.7 DIMENSIONS: Four Full Door Cab configuration. Bed length shall be a minimum 60" inches.
- 4.3.8 WHEELBASE: Wheelbase shall be a minimum 125" inches.
- 4.3.9 WHEELS & TIRES: Tires shall meet or exceed minimum gross vehicle weight rating of vehicle and shall be an all season design.
- 4.3.10 FUEL SYSTEM: Minimum 17 gallon tank capacity and certified to use 87 Octane; Gasoline.
- 4.3.11 SEATING: Vinyl seating and upholstery. Front bucket seats, center console with rear bench.
- 4.3.12 FLOOR: Vinyl flooring.
- 4.3.13 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.

be heard inside the cab. 4.3.15 ACCEPTABLE MODELS: Chevrolet Colorado, Ford Ranger, Toyota Tacoma, Nissan Frontier 4.3.16 ITEM **ESTIMATED QUANTITY** DESCRIPTION 1A Strobe Lighting 4.3.16.1 Truck shall be equipped with total of 4 strobe lights - 2 (qty.) amber and 2 (qty.) white. Strobes will be mounted 2 (qty.) on front grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and visible to surrounding motorists. Control toggle switch for strobe lighting shall be installed on the truck dash. 4.3.17 ITEM **ESTIMATED QUANTITY** DESCRIPTION 1B Toolbox 4.3.17.1 Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of truck that is bid. 4.3.18 ITEM **ESTIMATED QUANTITY** DESCRIPTION 1C 2 Lift Gate 4.3.18.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform. 4.3.19 ITEM ESTIMATED QUANTITY DESCRIPTION 1D 1 Color 4.3.19.1 Vehicles are specified as OEM White. This option when exercised is for any OEM base package color offered by manufacturer. 4.3.20 ITEM **ESTIMATED QUANTITY** DESCRIPTION 1E 1 **Bed Liner** 4.3.20.1 Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. Liner must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble. 4.3.21 ITEM **ESTIMATED QUANTITY** DESCRIPTION 1F 2 Tow Hitch 4.3.21.1 Truck shall be equipped to provide a frame mounted Class IV hitch, receiver, and locking pin with key. Unit shall be equipped with a 7 way round flat pin RV style connector. 4.3.22 ITEM **ESTIMATED QUANTITY** DESCRIPTION 1G 2 Headache Rack 4.3.22.1 Truck shall come equipped with an OEM white head rack. Rack shall have louvers or screening to protect the rear window. Rack shall be mounted to the bed rails.

4.3.14 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can

| 4.3.23 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
|--------|----------|---|---|--|
| | 1H | 1 | Arrow Stick | |
| | 4.3.23.1 | equivalent, mounted to the | ed with an arrow stick, SHO-ME Chameleon LED Signal Stick – or top of the head rack. Warning light colors shall be Blue and Amber. Blue set up to operate independently of one another. Control switch shall be | |
| 4.3.24 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 11 | 1 | Traffic Advisor | |
| | 4.3.24.1 | Truck shall come equipped mounted to the top of the mounted on truck dash. | ed with a Whelen Traffic Advisor TAC815 Super-LED – or equivalent, e head rack. Warning colors shall be amber. Control switch shall be | |
| 4.3.25 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 1J | 3 | Top Mount Side Boxes | |
| | 4.3.25.1 | Truck shall come equipped with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall be of a side door design, metal construction and painted OEM white. Boxes shall be the longest available to cover the length of truck bed for the model of truck that is bid. | | |
| 4.3.26 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 1K | 12 | Running Boards | |
| | 4.3.26.1 | Truck shall come equipped model of truck that is bid a have a minimum weight lim | with running boards. Running boards shall be the widest available for the and have a non-slip surface to provide safe entry and exit of vehicle and it of 500 lbs. | |

| 4.4 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|-----|------|--------------------|---------------------------------|
| | 2 | 15 | ½ Ton Regular Cab 4x2/RWD Truck |

- 4.4.1 ENGINE: Minimum 6 cylinder engine capable of producing a minimum 285 HP.
- 4.4.2 GVWR: Minimum 6,000 lbs.
- 4.4.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2/RWD drive train.
- 4.4.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.4.5 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.4.6 DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum 65" inches.
- 4.4.7 WHEELBASE: Wheelbase shall be a minimum 120 inches.
- 4.4.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.4.9 FUEL SYSTEM: Minimum 20 gallon tank capacity and to be certified to use 87 Octane Gasoline.
- 4.4.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Driver and passenger mirror configuration shall be equipped with a standard and convex type mirrors. Recreational swing or telescoping type are acceptable. Largest size available in model offered. Remote controlled from driver.

- 4.4.11 SEATING: Vinyl seating and upholstery. Front 40/20/40 bench seating and center console shall be equipped.
- 4.4.12 FLOOR: Vinyl flooring.
- 4.4.13 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.4.14 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.4.15 Acceptable Models: Ford F150 Regular Cab, Chevrolet 1500 Regular Cab, GMC Sierra 1500 Regular Cab, and RAM 1500 Regular Cab.

4.4.16 ITEM ESTIMATED QUANTITY DESCRIPTION

2A 13 Strobe Lighting

4.4.16.1 Truck shall be equipped with total of 4 strobe lights - 2 (qty.) amber and 2 (qty.) white. Strobes will be mounted 2 (qty.) on front grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and visible to surrounding motorists. Control toggle switch for strobe lighting shall be installed on the truck dash.

4.4.17 ITEM ESTIMATED QUANTITY DESCRIPTION

2B 5 Toolbox

4.4.17.1 Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of truck that is bid.

4.4.18 ITEM ESTIMATED QUANTITY DESCRIPTION

2C 1 Lift Gate

4.4.18.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform.

4.4.19 ITEM ESTIMATED QUANTITY DESCRIPTION

2D 1 Color

4.4.19.1 Vehicles are specified as OEM White. This option when exercised is for any OEM base package color offered by manufacturer.

4.4.20 ITEM ESTIMATED QUANTITY DESCRIPTION

2E 1 Bed Liner

4.4.20.1 Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. Liner must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble.

4.4.21 ITEM ESTIMATED QUANTITY DESCRIPTION

2F 1 Tow Hitch

4.4.21.1 Truck shall be equipped to provide a frame mounted Class IV hitch, receiver, and locking pin with key. Unit shall be equipped with a 7 way round flat pin RV style connector.

| 4.4.22 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
|--|----------|---|---|--|
| | 2G | 1 | Headache Rack | |
| | 4.4.22.1 | Truck shall come equipped protect the rear window. R | d with an OEM white head rack. Rack shall have louvers or screening to ack shall be mounted to the bed rails. | |
| 4.4.23 ITEM ESTIMATED QUANTITY DESCRIPTION | | | DESCRIPTION | |
| | 2H | 1 . | Arrow Stick | |
| | 4.4.23.1 | ed with an arrow stick, SHO-ME Chameleon LED Signal Stick – or top of the head rack. Warning light colors shall be Blue and Amber. Blue set up to operate independently of one another. Control switch shall be | | |
| 4.4.24 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 21 | 1 | Traffic Advisor | |
| | 4.4.24.1 | Truck shall come equippe mounted to the top of the mounted on truck dash. | ed with a Whelen Traffic Advisor TAC815 Super-LED — or equivalent, e head rack. Warning colors shall be amber. Control switch shall be | |
| 4.4.25 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 2J | 1 | Top Mount Side Boxes | |
| | 4.4.25.1 | be of a side door design, | with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall metal construction and painted OEM white. Boxes shall be the longest h of truck bed for the model of truck that is bid. | |
| 4.4.26 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 2K | 15 | Running Boards | |
| | 4.4.26.1 | Truck shall come equipped model of truck that is bid a have a minimum weight lim | with running boards. Running boards shall be the widest available for the and have a non-slip surface to provide safe entry and exit of vehicle and it of 500 lbs. | |

| 4.5 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|-----|------|--------------------|-----------------------------------|
| | 3 | 1 | 1/2 Ton Regular Cab 4x4/AWD Truck |

- 4.5.1 ENGINE: Minimum 6 cylinder engine capable of producing a minimum 285 HP.
- 4.5.2 GVWR: Minimum 6,000 lbs.
- 4.5.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x4/AWD drive train. With an electric shift control two speed transfer case.
- 4.5.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.5.5 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.5.6 DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum 65" inches.
- 4.5.7 WHEELBASE: Wheelbase shall be a minimum 120 inches.

- 4.5.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.5.9 FUEL SYSTEM: Minimum 20 gallon tank capacity and to be certified to use 87 Octane Gasoline,
- 4.5.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Driver and passenger mirror configuration shall be equipped with a standard and convex type mirrors. Recreational swing or telescoping type are acceptable. Largest size available in model offered. Remote controlled from driver.
- 4.5.11 SEATING: Vinyl seating and upholstery. Front 40/20/40 bench seating and center console shall be equipped.
- 4.5.12 FLOOR: Vinyl flooring.
- 4.5.13 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.5.14 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.5.15 Acceptable Models: Ford F150 Regular Cab, Chevrolet 1500 Regular Cab, GMC Sierra 1500 Regular Cab, and RAM 1500 Regular Cab.

| 4.5.16 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|--------|------|--------------------|-----------------|
| | 3A | 1 | Strobe Lighting |

4.5.16.1 Truck shall be equipped with total of 4 strobe lights - 2 (qty.) amber and 2 (qty.) white. Strobes will be mounted 2 (qty.) on front grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and visible to surrounding motorists. Control toggle switch for strobe lighting shall be installed on the truck dash.

4.5.17 ITEM ESTIMATED QUANTITY DESCRIPTION

3B 1 Toolbox

4.5.17.1 Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of truck that is bid.

4.5.18 ITEM ESTIMATED QUANTITY DESCRIPTION

3C 1 Lift Gate

4.5.18.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform.

4.5.19 ITEM ESTIMATED QUANTITY DESCRIPTION

3D 1 Color

4.5.19.1 Vehicles are specified as OEM White. This option when exercised is for any OEM base package color offered by manufacturer.

4.5.20 ITEM ESTIMATED QUANTITY DESCRIPTION

3E 1 Bed Liner

4.5.20.1 Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. Liner must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble.

| 4.5.21 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
|--------|----------|----------------------------|---|--|
| | 3F | 1 | Tow Hitch | |
| | 4.5.21.1 | | provide a frame mounted Class IV hitch, receiver, and locking pin with with a 7 way round flat pin RV style connector. | |
| 4.5.22 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 3G | 1 | Headache Rack | |
| | 4.5.22.1 | | I with an OEM white head rack. Rack shall have louvers or screening to ack shall be mounted to the bed rails. | |
| 4.5.23 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 3H | 1 | Arrow Stick | |
| | 4.5.23.1 | equivalent, mounted to the | ed with an arrow stick, SHO-ME Chameleon LED Signal Stick — or top of the head rack. Warning light colors shall be Blue and Amber. Blue set up to operate independently of one another. Control switch shall be | |
| 4.5.24 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 31 | 1 | Traffic Advisor | |
| | 4.5.24.1 | | d with a Whelen Traffic Advisor TAC815 Super-LED - or equivalent, head rack. Warning colors shall be amber. Control switch shall be | |
| 4.5.25 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 3J | 1 | Top Mount Side Boxes | |
| | 4.5.25.1 | be of a side door design, | with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall metal construction and painted OEM white. Boxes shall be the longest of truck bed for the model of truck that is bid. | |
| 4.5.26 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | зК | 1 | Running Boards | |
| | 4.5.26.1 | | with running boards. Running boards shall be the widest available for the and have a non-slip surface to provide safe entry and exit of vehicle and t of 500 lbs. | |
| 4.6 | ITEM | ESTIMATED QUANTIT | Y DESCRIPTION | |

| 4.6 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|-----|------|--------------------|------------------------------------|
| | 4 | 67 | 1/2 Ton Extended Cab 4x2/RWD Truck |

- 4.6.1 ENGINE: Minimum 6 cylinder engine capable of producing a minimum 285 HP.
- 4.6.2 GVWR: Minimum 6,000 lbs.
- 4.6.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2/RWD drive train.
- 4.6.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.

- 4.6.5 BRAKES: Equipped with 4-wheel braking system, and front vented discs minimum.
- 4.6.6 DIMENSIONS: Extended or four door cab configuration. Pick-up box length shall be a minimum of 75 inches.
- 4.6.7 WHEELBASE: Wheelbase to be a minimum 138 inches.
- 4.6.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.6.9 FUEL SYSTEM: Minimum 20 gallon tank capacity. Unit must run on Unleaded Gasoline, 87 Octane.
- 4.6.10 SEATING: Vehicle shall be equipped with 40/20/40 front seat with console and rear bench seat; vinyl seating and upholstery.
- 4.6.11 FLOOR: Vinyl flooring.

4.6.19 ITEM

4E

1

ESTIMATED QUANTITY

- 4.6.12 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.613 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.6.14 Acceptable Models: Ford F150 Super Cab, Chevrolet Silverado 1500 Double Cab, GMC Sierra 1500 Double Cab, Toyota Tundra Double Cab, Nissan Titan King Cab, and RAM 1500 Quad Cab.

| 4.6.15 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | | |
|---|----------|---|---|--|--|
| | 4A . | 49 | Strobe Lighting | | |
| mounted 2 (qty.) on front grill, and 2 (qty.) | | | th total of 4 strobe lights - 2 (qty.) amber and 2 (qty.) white. Strobes will be grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and rists. Control toggle switch for strobe lighting shall be installed on the truck | | |
| 4.6.16 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | | |
| | 4B | 5 | Toolbox | | |
| | 4.6.16.1 | Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of truck that is bid. | | | |
| 4.6.17 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | | |
| | 4C | 1 | Lift Gate | | |
| | 4.6.17.1 | Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform. | | | |
| 4.6.18 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | | |
| | 4D | 1 | Color | | |
| | 4.6.18.1 | Vehicles are specified as O offered by manufacturer. | EM White. This option when exercised is for any OEM base package color | | |

DESCRIPTION

Bed Liner

| 4.7 | ITEM | ESTIMATED QUANTIT | Y DESCRIPTION | |
|--------|----------|---|---|--|
| | 4.6.24.1 | | with running boards. Running boards shall be the widest available for the and have a non-slip surface to provide safe entry and exit of vehicle and it of 500 lbs. | |
| | 4K | 67 | Running Boards | |
| 4.6.24 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 4.6.24.1 | be of a side door design, | with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall metal construction and painted OEM white. Boxes shall be the longest of truck bed for the model of truck that is bid. | |
| | 4J | 4 | Top Mount Side Boxes | |
| 4.6.24 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 4.6.23.1 | | d with a Whelen Traffic Advisor TAC815 Super-LED — or equivalent, head rack. Warning colors shall be amber. Control switch shall be | |
| | 41 | 2 | Traffic Advisor | |
| 4.6.23 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 4.6.22.1 | equivalent, mounted to the | ed with an arrow stick, SHO-ME Chameleon LED Signal Stick – or top of the head rack. Warning light colors shall be Blue and Amber. Blue set up to operate independently of one another. Control switch shall be | |
| | 4H | 1 | Arrow Stick | |
| 4.6.22 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 4.6.21.1 | | d with an OEM white head rack. Rack shall have louvers or screening to ack shall be mounted to the bed rails. | |
| | 4G | 4 | Headache Rack | |
| 4.6.21 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 4.6.20.1 | Truck shall be equipped to key. Unit shall be equipped | p provide a frame mounted Class IV hitch, receiver, and locking pin with with a 7 way round flat pin RV style connector. | |
| | 4F | 4 | Tow Hitch | |
| 4.6.20 | ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| | 4.6.19.1 | Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble. | | |
| | | | | |

| 4.7 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|-----|------|--------------------|------------------------------------|
| | 5 | 1 | 1/2 Ton Extended Cab 4x4/AWD Truck |

- 4.7.1 ENGINE: Minimum 6 cylinder engine capable of producing a minimum 285 HP.
- 4.7.2 GVWR: Minimum 6,000 lbs.
- 4.7.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x4/AWD drive train with an electric shift control two speed transfer case.

- 4.7.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.7.5 BRAKES: Equipped with 4-wheel braking system, and front vented discs minimum.
- 4.7.6 DIMENSIONS: Extended or four door cab configuration. Pick-up box length shall be a minimum of 75 inches.
- 4.7.7 WHEELBASE: Wheelbase to be a minimum 138 inches.
- 4.7.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.7.9 FUEL SYSTEM: Minimum 20 gallon tank capacity. Unit must run on Unleaded Gasoline, 87 Octane.
- 4.7.10 SEATING: Vehicle shall be equipped with 40/20/40 front seat with console and rear bench seat; vinyl seating and upholstery.
- 4.7.11 FLOOR: Vinyl flooring.
- 4.7.12 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.7.13 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.7.14 Acceptable Models: Ford F150 Super Cab, Chevrolet Silverado 1500 Double Cab, GMC Sierra 1500 Double Cab, Toyota Tundra Double Cab, Nissan Titan King Cab, and RAM 1500 Quad Cab.
- 4.7.15 ITEM ESTIMATED QUANTITY DESCRIPTION

 5A 1 Strobe Lighting
 - 4.7.15.1 Truck shall be equipped with total of 4 strobe lights 2 (qty.) amber and 2 (qty.) white. Strobes will be mounted 2 (qty.) on front grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and visible to surrounding motorists. Control toggle switch for strobe lighting shall be installed on the truck dash.
- 4.7.16 ITEM ESTIMATED QUANTITY DESCRIPTION

5B 1 Toolbox

4.7.16.1 Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of truck that is bid.

4.7.17 ITEM ESTIMATED QUANTITY DESCRIPTION

5C 1 Lift Gate

- 4.7.17.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform.
- 4.7.18 ITEM ESTIMATED QUANTITY DESCRIPTION

5D 1 Color

4.7.18.1 Vehicles are specified as OEM White. This option when exercised is for any OEM base package color offered by manufacturer.

| 4.7.19 | ITEM | ESTIMATED QUANTITY | DESCI | RIPTION |
|--------|----------|--|------------------------|--|
| | 5E | 1 | Bed Li | ner |
| | 4.7.19.1 | Truck shall be equipped w must be resistant to staining | rith Line- g from c | X spray on bed liner, or equivalent, with lifetime warranty. Liner nemicals, prevent corrosion, and not crack, peel, or bubble. |
| 4.7.20 | ITEM | ESTIMATED QUANTITY | DESCI | RIPTION |
| | 5F | 1 | Tow H | tch |
| | 4.7.20.1 | | | e a frame mounted Class IV hitch, receiver, and locking pin with way round flat pin RV style connector. |
| 4.7.21 | ITEM | ESTIMATED QUANTITY | DESCI | RIPTION |
| | 5G | 1 | Heada | che Rack |
| | 4.7.21.1 | | | OEM white head rack. Rack shall have louvers or screening to be mounted to the bed rails. |
| 4.7.22 | ITEM | ESTIMATED QUANTITY | DESCI | RIPTION |
| | 5H | 1 | Arrow | Stick |
| | 4.7.22.1 | equivalent, mounted to the | top of th | an arrow stick, SHO-ME Chameleon LED Signal Stick — or e head rack. Warning light colors shall be Blue and Amber. Blue operate independently of one another. Control switch shall be |
| 4.7.23 | ITEM | ESTIMATED QUANTITY | DESC | RIPTION |
| | 51 | 1 | Traffic | Advisor |
| | 4.7.23.1 | Truck shall come equippe mounted to the top of the mounted on truck dash. | ed with e head i | a Whelen Traffic Advisor TAC815 Super-LED — or equivalent, ack. Warning colors shall be amber. Control switch shall be |
| 4.7.24 | ITEM | ESTIMATED QUANTITY | DESC | RIPTION |
| | 5J | 1 | Тор Мо | ount Side Boxes |
| | | qty) top mount weather resistant lockable side boxes. Boxes shall be the longest bed for the model of truck that is bid. | | |
| 4.7.25 | ITEM | ESTIMATED QUANTITY | DESC | RIPTION |
| | 5K | 1 | Runnin | g Boards |
| | 4.7.25.1 | Truck shall come equipped model of truck that is bid a have a minimum weight lim | and have | ning boards. Running boards shall be the widest available for the a non-slip surface to provide safe entry and exit of vehicle and lbs. |
| 4.8 | ITEM | ESTIMATED QUANTIT | ГΥ | DESCRIPTION |
| | 6 | 3 | | 1/2 Ton Four Full Door Cab 4x2/RWD Truck |

| 4.8.1 | ENGINE: Minimum 6 | o cylinder | engine | capable (| of producing | a minimum | 285 HP. |
|-------|-------------------|------------|--------|-----------|--------------|-----------|---------|
| | | | | | | | |

4.8.2 GVWR: Minimum 6,000 lbs.

- 4.8.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2/RWD drive train.
- 4.8.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.8.5 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.8.6 DIMENSIONS: Four full door cab configuration. Pick-up box length shall be a minimum 65" inches; standard size.
- 4.8.7 WHEELBASE: Wheelbase to be a minimum 138 inches.
- 4.8.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.8.9 FUEL SYSTEM: Minimum 20 gallon tank capacity and to be certified to run on 87 Octane Gasoline.
- 4.8.10 SEATING: Vehicle shall be equipped with 40/20/40 front seat with console and a rear bench seat. Unit interior shall be vinyl seating and upholstery.
- 4.8.11 FLOOR: Vinyl flooring.
- 4.8.12 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.813 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.8.14 Acceptable Models: Ford F150 Super Crew Cab, Chevrolet Silverado 1500 Crew Cab, GMC Sierra 1500 Crew Cab, Toyota Tundra Crew Cab, Nissan Titan Crew Cab, and RAM 1500 Crew Cab.
- 4.8.15 ITEM ESTIMATED QUANTITY DESCRIPTION
 - 6A 3 Strobe Lighting
 - 4.8.15.1 Truck shall be equipped with total of 4 strobe lights 2 (qty.) amber and 2 (qty.) white. Strobes will be mounted 2 (qty.) on front grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and visible to surrounding motorists. Control toggle switch for strobe lighting shall be installed on the truck dash.
- 4.8.16 ITEM ESTIMATED QUANTITY DESCRIPTION
 - 6B 1 Toolbox
 - 4.8.16.1 Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of truck that is bid.
- 4.8.17 ITEM ESTIMATED QUANTITY DESCRIPTION
 - 6C 1 Lift Gate
 - 4.8.17.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform.
- 4.8.18 ITEM ESTIMATED QUANTITY DESCRIPTION

6D 1 Color

| 4.9 | ITEM | ESTIMATED QUANTIT | Υ | DESCRIPTION |
|--------|----------|---|------------------------|--|
| | 4.8.25.1 | Truck shall come equipped model of truck that is bid a have a minimum weight limi | ınd have | nning boards. Running boards shall be the widest available for the e a non-slip surface to provide safe entry and exit of vehicle and lbs. |
| | 6K | 3 | Running | ng Boards |
| 4.8.25 | ITEM | ESTIMATED QUANTITY | DESCR | RIPTION |
| | 4.8.24.1 | be of a side door design, | metal co | qty) top mount weather resistant lockable side boxes. Boxes shall onstruction and painted OEM white. Boxes shall be the longest k bed for the model of truck that is bid. |
| | 6J | 1 | Тор Мо | ount Side Boxes |
| 4.8.24 | ITEM | ESTIMATED QUANTITY | DESCF | RIPTION |
| | 4.8.23.1 | Truck shall come equippe mounted to the top of the mounted on truck dash. | d with a head r | a Whelen Traffic Advisor TAC815 Super-LED — or equivalent, rack. Warning colors shall be amber. Control switch shall be |
| | 61 | 1 | Traffic / | Advisor |
| 4.8.23 | ITEM | ESTIMATED QUANTITY | DESCF | RIPTION |
| | 4.8.22.1 | equivalent, mounted to the | top of th | an arrow stick, SHO-ME Chameleon LED Signal Stick — or ne head rack. Warning light colors shall be Blue and Amber. Blue to operate independently of one another. Control switch shall be |
| | 6H | 1 | Arrow S | Stick |
| 4.8.22 | ITEM | ESTIMATED QUANTITY | DESCF | RIPTION |
| | 4.8.21.1 | | | n OEM white head rack. Rack shall have louvers or screening to ll be mounted to the bed rails. |
| | 6G | 1 | Headad | iche Rack |
| 4.8.21 | ITEM | ESTIMATED QUANTITY | DESCF | RIPTION |
| | 4.8.20.1 | Truck shall be equipped to key. Unit shall be equipped | provided with a 7 | e a frame mounted Class IV hitch, receiver, and locking pin with 7 way round flat pin RV style connector. |
| | 6F | 1 | Tow Hi | litch |
| 4.8.20 | ITEM | ESTIMATED QUANTITY | | RIPTION |
| | 4.8.19.1 | Truck shall be equipped w must be resistant to staining | ith Line- g from ch | -X spray on bed liner, or equivalent, with lifetime warranty. Liner chemicals, prevent corrosion, and not crack, peel, or bubble. |
| | 6E | 1 | Bed Lir | iner |
| 4.8.19 | ITEM | ESTIMATED QUANTITY | DESC | RIPTION |
| | 4.8.18.1 | Vehicles are specified as O offered by manufacturer. | EM Whi | ite. This option when exercised is for any OEM base package color |

| 4.9 | I I EIVI | ESTIMATED QUANTITY | DESCRIPTION |
|-----|----------|--------------------|--|
| | 7 | 5 | 1/2 Ton Four Full Door Cab 4x4/AWD Truck |

- 4.9.1 ENGINE: Minimum 6 cylinder engine capable of producing a minimum 285 HP.
- 4.9.2 GVWR: Minimum 6,000 lbs.
- 4.9.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x4/AWD drive train with an electric shift control two speed transfer case.
- 4.9.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.9.5 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.9.6 DIMENSIONS: Four full door cab configuration. Pick-up box length shall be a minimum 65" inches; standard size.
- 4.9.7 WHEELBASE: Wheelbase to be a minimum 138 inches.
- 4.9.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.9.9 FUEL SYSTEM: Minimum 20 gallon tank capacity and to be certified to run on 87 Octane Gasoline.
- 4.9.10 SEATING: Vehicle shall be equipped with 40/20/40 front seat with console and a rear bench seat. Unit interior shall be vinyl seating and upholstery.
- 4.9.11 FLOOR: Vinyl flooring.
- 4.9.12 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.913 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.9.14 Acceptable Models: Ford F150 Super Crew Cab, Chevrolet Silverado 1500 Crew Cab, GMC Sierra 1500 Crew Cab, Toyota Tundra Crew Cab, Nissan Titan Crew Cab, and RAM 1500 Crew Cab.
- 4.9.15 ITEM ESTIMATED QUANTITY DESCRIPTION
 - 7A 1 Strobe Lighting
 - 4.9.15.1 Truck shall be equipped with total of 4 strobe lights 2 (qty.) amber and 2 (qty.) white. Strobes will be mounted 2 (qty.) on front grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and visible to surrounding motorists. Control toggle switch for strobe lighting shall be installed on the truck dash.
- 4.9.16 ITEM ESTIMATED QUANTITY DESCRIPTION
 - 7B 1 Toolbox
 - 4.9.16.1 Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of truck that is bid.
- 4.9.17 ITEM ESTIMATED QUANTITY DESCRIPTION
 - 7C 1 Lift Gate
 - 4.9.17.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform.

4.9.18 ITEM **ESTIMATED QUANTITY** DESCRIPTION 7D Color Vehicles are specified as OEM White. This option when exercised is for any OEM base package color 4.9.18.1 offered by manufacturer. 4.9.19 ITEM **ESTIMATED QUANTITY** DESCRIPTION 7E **Bed Liner** Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. Liner 4.9.19.1 must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble. 4.9.20 ITEM ESTIMATED QUANTITY DESCRIPTION 7F 1 Tow Hitch 4.9.20.1 Truck shall be equipped to provide a frame mounted Class IV hitch, receiver, and locking pin with key. Unit shall be equipped with a 7 way round flat pin RV style connector. 4.9.21 ITEM **ESTIMATED QUANTITY** DESCRIPTION 7G 1 Headache Rack Truck shall come equipped with an OEM white head rack. Rack shall have louvers or screening to 4.9.21.1 protect the rear window. Rack shall be mounted to the bed rails. 4.9.22 ITEM **ESTIMATED QUANTITY** DESCRIPTION 7H 1 Arrow Stick 4.39.22.1 Truck shall come equipped with an arrow stick, SHO-ME Chameleon LED Signal Stick - or equivalent, mounted to the top of the head rack. Warning light colors shall be Blue and Amber. Blue and amber lights shall be set up to operate independently of one another. Control switch shall be mounted on truck dash. **ESTIMATED QUANTITY** 4.9.23 ITEM DESCRIPTION 71 1 Traffic Advisor 4.9.23.1 Truck shall come equipped with a Whelen Traffic Advisor TAC815 Super-LED - or equivalent. mounted to the top of the head rack. Warning colors shall be amber. Control switch shall be mounted on truck dash. 4.9.24 ITEM **ESTIMATED QUANTITY** DESCRIPTION 7J **Top Mount Side Boxes** Truck shall come equipped with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall 4.9.24.1 be of a side door design, metal construction and painted OEM white. Boxes shall be the longest available to cover the length of truck bed for the model of truck that is bid. 4.9.25 ITEM **ESTIMATED QUANTITY** DESCRIPTION 7K 5 Running Boards 4.9.25.1 Truck shall come equipped with running boards. Running boards shall be the widest available for the model of truck that is bid and have a non-slip surface to provide safe entry and exit of vehicle and

have a minimum weight limit of 500 lbs.

| 4.10 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|------|------|--------------------|-----------------------------------|
| | 8 | 18 | 3/4 Ton Regular Cab 4x2/RWD Truck |

- 4.10.1 ENGINE: Minimum 8 cylinder engine capable of producing a minimum 340 HP.
- 4.10.2 GVWR: Minimum 8,501 10,000 lbs.
- 4.10.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2/RWD drive train.
- 4.10.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.10.5 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.10.6 DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum 65" inches; standard size.
- 4.10.7 WHEELBASE: Wheelbase shall be a minimum 138 inches.
- 4.10.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.10.9 FUEL SYSTEM: Minimum 25 gallon tank capacity and to be certified to use 87 Octane Gasoline.
- 4.10.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Driver and passenger mirror configuration shall be equipped with a standard and convex type mirrors. Recreational swing or telescoping type are acceptable. Largest size available in model offered. Remote controlled from driver.
- 4.10.11 SEATING: Vinyl seating and upholstery. Front 40/20/40 bench seating and center console shall be equipped.
- 4.10.12 FLOOR: Vinyl flooring.
- 4.10.13 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.10.14 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.10.15 Acceptable Models: Ford F250 Super Duty Regular Cab, Chevrolet 2500HD Regular Cab, GMC Sierra 2500HD Regular Cab, and RAM 2500 Tradesman Regular Cab.

| 4.10.16 | SITEM | ESTIMATED QUANTITY | DESCRIPTION |
|---------|-----------|-----------------------------|--|
| | 8A | 13 | Strobe Lighting |
| | 4.10.16.1 | mounted 2 (qty.) on front (| h total of 4 strobe lights - 2 (qty.) amber and 2 (qty.) white. Strobes will be grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and rists. Control toggle switch for strobe lighting shall be installed on the truck |
| 4.10.17 | TEM | ESTIMATED QUANTITY | DESCRIPTION |
| | 8B | 11 | Toolbox |
| | 4.10.17.1 | metal, painted OEM white a | ith a low profile weather resistant toolbox. Toolbox construction shall be and must have toolbox shocks that do not interfere with closing of the lid. pest available depth, and reach the full width of truck bed for the model of |
| 4.10.18 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| | 8C | 6 | Lift Gate |

4.10.18.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform.

4.10.19 ITEM ESTIMATED QUANTITY DESCRIPTION

8D 1 Color

4.10.19.1 Vehicles are specified as OEM White. This option when exercised is for any OEM base package color offered by manufacturer.

4.10.20 ITEM ESTIMATED QUANTITY DESCRIPTION

8E 1 Bed Liner

4.10.20.1 Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. Liner must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble.

4.10.21 ITEM ESTIMATED QUANTITY DESCRIPTION

8F 7 Tow Hitch

4.10.21.1 Truck shall be equipped to provide a frame mounted Class IV hitch, receiver, and locking pin with key. Unit shall be equipped with a 7 way round flat pin RV style connector.

4.10.22 ITEM ESTIMATED QUANTITY DESCRIPTION

8G 4 Headache Rack

4.10.22.1 Truck shall come equipped with an OEM white head rack. Rack shall have louvers or screening to protect the rear window. Rack shall be mounted to the bed rails.

4.10.23 ITEM ESTIMATED QUANTITY DESCRIPTION

8H 1 Light Bar

4.10.23.1 Truck shall come equipped with an arrow stick, SHO-ME Chameleon LED Signal Stick — or equivalent, mounted to the top of the head rack. Warning light colors shall be Blue and Amber. Blue and amber lights shall be set up to operate independently of one another. Control switch shall be mounted on truck dash.

4.10.24 ITEM ESTIMATED QUANTITY DESCRIPTION

8l 2 Traffic Advisor

4.10.24.1 Truck shall come equipped with a Whelen Traffic Advisor TAC815 Super-LED – or equivalent, mounted to the top of the head rack. Warning colors shall be amber. Control switch shall be mounted on truck dash.

4.10.25 ITEM ESTIMATED QUANTITY DESCRIPTION

8J 1 Top Mount Side Boxes

4.10.25.1 Truck shall come equipped with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall be of a side door design, metal construction and painted OEM white. Boxes shall be the longest available to cover the length of truck bed for the model of truck that is bid.

4.10.26 ITEM ESTIMATED QUANTITY DESCRIPTION

8K 18 Running Boards

4.10.26.1 Truck shall come equipped with running boards. Running boards shall be the widest available for the model of truck that is bid and have a non-slip surface to provide safe entry and exit of vehicle and have a minimum weight limit of 500 lbs.

4.11 ITEM ESTIMATED QUANTITY DESCRIPTION 9 4 3/4 Ton Regular Cab 4x4/AWD Truck

- 4.11.1 ENGINE: Minimum 8 cylinder engine capable of producing a minimum 340 HP.
- 4.11.2 GVWR: Minimum 8,501 10,000 lbs.
- 4.11.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x4/AWD drive train with an electric shift control two speed transfer case.
- 4.11.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.11.5 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.11.6 DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum 65" inches; standard size.
- 4.11.7 WHEELBASE: Wheelbase shall be a minimum 138 inches.
- 4.11.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.11.9 FUEL SYSTEM: Minimum 25 gallon tank capacity and to be certified to use 87 Octane Gasoline.
- 4.11.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Driver and passenger mirror configuration shall be equipped with a standard and convex type mirrors. Recreational swing or telescoping type are acceptable. Largest size available in model offered. Remote controlled from driver.
- 4.11.11 SEATING: Vinyl seating and upholstery. Front 40/20/40 bench seating and center console shall be equipped.
- 4.11.12 FLOOR: Vinyl flooring.
- 4.11.13 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.11.14 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.11.15 Acceptable Models: Ford F250 Super Duty Regular Cab, Chevrolet 2500HD Regular Cab, GMC Sierra 2500HD Regular Cab, and RAM 2500 Tradesman Regular Cab. 4x4 and AWD transmissions are both acceptable.

| 4.11.16 ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|--------------|---------------------------|--|
| 9A | 4 | Strobe Lighting |
| 4.11.16.1 | mounted 2 (qty.) on front | th total of 4 strobe lights - 2 (qty.) amber and 2 (qty.) white. Strobes will be grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and crists. Control toggle switch for strobe lighting shall be installed on the truck |
| 4.11.17 ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 9B | 4 | Toolbox |

4.11.17.1 Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of truck that is bid.

4.11.18 ITEM ESTIMATED QUANTITY DESCRIPTION

9C 1 Lift Gate

4.11.18.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform.

4.11.19 ITEM ESTIMATED QUANTITY DESCRIPTION

9D 1 Color

4.11.19.1 Vehicles are specified as OEM White. This option when exercised is for any OEM base package color offered by manufacturer.

4.11.20 ITEM ESTIMATED QUANTITY DESCRIPTION

9E 1 Bed Liner

4.11.20.1 Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. Liner must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble.

4.11.21 ITEM ESTIMATED QUANTITY DESCRIPTION

9F 1 Tow Hitch

4.11.21.1 Truck shall be equipped to provide a frame mounted Class IV hitch, receiver, and locking pin with key. Unit shall be equipped with a 7 way round flat pin RV style connector.

4.11.22 ITEM ESTIMATED QUANTITY DESCRIPTION

9G 1 Headache Rack

4.11.22.1 Truck shall come equipped with an OEM white head rack. Rack shall have louvers or screening to protect the rear window. Rack shall be mounted to the bed rails.

4.11.23 ITEM ESTIMATED QUANTITY DESCRIPTION

9H 1 Light Bar

4.11.23.1 Truck shall come equipped with an arrow stick, SHO-ME Chameleon LED Signal Stick – or equivalent, mounted to the top of the head rack. Warning light colors shall be Blue and Amber. Blue and amber lights shall be set up to operate independently of one another. Control switch shall be mounted on truck dash.

4.11.24 ITEM ESTIMATED QUANTITY DESCRIPTION

9I 1 Traffic Advisor

4.11.24.1 Truck shall come equipped with a Whelen Traffic Advisor TAC815 Super-LED — or equivalent, mounted to the top of the head rack. Warning colors shall be amber. Control switch shall be mounted on truck dash.

4.11.25 ITEM ESTIMATED QUANTITY DESCRIPTION

9J 1 Top Mount Side Boxes

4.11.25.1 Truck shall come equipped with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall be of a side door design, metal construction and painted OEM white. Boxes shall be the longest available to cover the length of truck bed for the model of truck that is bid.

4.11.26 ITEM ESTIMATED QUANTITY DESCRIPTION

9K 4 Running Boards

4.11.26.1 Truck shall come equipped with running boards. Running boards shall be the widest available for the model of truck that is bid and have a non-slip surface to provide safe entry and exit of vehicle and have a minimum weight limit of 500 lbs.

| 4.12 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|------|------|--------------------|------------------------------------|
| | 10 | 12 | 3/4 Ton Extended Cab 4x2/RWD Truck |

- 4.12.1 ENGINE: Minimum 8 cylinder capable of producing a minimum 340 HP.
- 4.12.2 GVWR: Minimum 8,501 10,000 lbs.
- 4.12.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x2/RWD drive train.
- 4.12.3 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.12.5 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.12.6 DIMENSIONS: Extended or four door cab configuration. Pick-up box length shall be a minimum 75" inches.
- 4.12.7 WHEELBASE: Wheelbase to be a minimum 138 inches.
- 4.12.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.12.9 FUEL SYSTEM: Minimum 25 gallon tank capacity and to be certified to use 87 Octane Gasoline.
- 4.12.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Driver and passenger mirror configuration shall be equipped with a standard and convex type mirrors. Recreational swing or telescoping type are acceptable. Largest size available in model offered. Remote controlled from driver.
- 4.12.11 SEATING: Vehicle to be equipped with 40/20/40 front seating with console and a rear bench seat. Unit interior shall be vinyl seating and upholstery.
- 4.12.12 FLOOR: Vinyl flooring.
- 4.10.13 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.10.14 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.12.15 Acceptable Models: Ford F250 Super Duty Super Cab, Chevrolet 2500HD Double Cab, GMC Sierra 2500HD Double Cab, and RAM 2500 Quad Cab.

4.12.16 ITEM ESTIMATED QUANTITY DESCRIPTION

10A 12 Strobe Lighting

4.12.16.1 Truck shall be equipped with total of 4 strobe lights - 2 (qty.) amber and 2 (qty.) white. Strobes will be mounted 2 (qty.) on front grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and

visible to surrounding motorists. Control toggle switch for strobe lighting shall be installed on the truck dash.

4.12.17 ITEM **ESTIMATED QUANTITY DESCRIPTION**

> 10B Toolbox

4.12.17.1 Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of

truck that is bid.

4.12.18 ITEM **ESTIMATED QUANTITY** DESCRIPTION

> 10C 2 Lift Gate

4.12.18.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform.

4.12.19 ITEM **ESTIMATED QUANTITY** DESCRIPTION

> 10D Color

4.12.19.1 Vehicles are specified as OEM White. This option when exercised is for any OEM base package color

offered by manufacturer.

4.12.20 ITEM **ESTIMATED QUANTITY** DESCRIPTION

> 10E 1 **Bed Liner**

4.12.20.1 Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. Liner

must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble.

4.12.21 ITEM **ESTIMATED QUANTITY** DESCRIPTION

> 10F 7 Tow Hitch

4.12.21.1 Truck shall be equipped to provide a frame mounted Class IV hitch, receiver, and locking pin with

key. Unit shall be equipped with a 7 way round flat pin RV style connector.

4.12.22 ITEM ESTIMATED QUANTITY DESCRIPTION

> 10G 6 Headache Rack

4.12.22.1 Truck shall come equipped with an OEM white head rack. Rack shall have louvers or screening to

protect the rear window. Rack shall be mounted to the bed rails.

4.12.23 ITEM **ESTIMATED QUANTITY** DESCRIPTION

> 10H 1 Light Bar

4.12.23.1 Truck shall come equipped with an arrow stick, SHO-ME Chameleon LED Signal Stick - or equivalent, mounted to the top of the head rack. Warning light colors shall be Blue and Amber. Blue

and amber lights shall be set up to operate independently of one another. Control switch shall be

mounted on truck dash.

4.12.24 ITEM **ESTIMATED QUANTITY** DESCRIPTION

> 101 Traffic Advisor

4.12.24.1 Truck shall come equipped with a Whelen Traffic Advisor TAC815 Super-LED — or equivalent, mounted to the top of the head rack. Warning colors shall be amber. Control switch shall be mounted on truck dash.

4.12.25 ITEM ESTIMATED QUANTITY DESCRIPTION

10J 1 Top Mount Side Boxes

4.12.25.1 Truck shall come equipped with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall be of a side door design, metal construction and painted OEM white. Boxes shall be the longest available to cover the length of truck bed for the model of truck that is bid.

4.12.26 ITEM ESTIMATED QUANTITY DESCRIPTION

10K 12 Running Boards

4.12.26.1 Truck shall come equipped with running boards. Running boards shall be the widest available for the model of truck that is bid and have a non-slip surface to provide safe entry and exit of vehicle and have a minimum weight limit of 500 lbs.

| 4.13 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|------|------|--------------------|------------------------------------|
| | 11 | 8 | 3/4 Ton Extended Cab 4x4/AWD Truck |

- 4.13.1 ENGINE: Minimum 8 cylinder capable of producing a minimum 340 HP.
- 4.13.2 GVWR: Minimum 8,501 10,000 lbs.
- 4.13.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x4/AWD drive train with an electric shift control two speed transfer case.
- 4.13.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.13.5 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.13.6 DIMENSIONS: Extended or four door cab configuration. Pick-up box length shall be a minimum 75" inches.
- 4.13.7 WHEELBASE: Wheelbase to be a minimum 138 inches.
- 4.13.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.13.9 FUEL SYSTEM: Minimum 25 gallon tank capacity and to be certified to use 87 Octane Gasoline.
- 4.13.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Driver and passenger mirror configuration shall be equipped with a standard and convex type mirrors. Recreational swing or telescoping type are acceptable. Largest size available in model offered. Remote controlled from driver.
- 4.13.11 SEATING: Vehicle to be equipped with 40/20/40 front seating with console and a rear bench seat. Unit interior shall be vinyl seating and upholstery.
- 4.13.12 FLOOR: Vinyl flooring.
- 4.13.13 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.13.14 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.

Double Cab, and RAM 2500 Quad Cab, 4x4 and AWD transmissions are both acceptable 4.13.16 ITEM **ESTIMATED QUANTITY DESCRIPTION** 11A Strobe Lighting Truck shall be equipped with total of 4 strobe lights - 2 (qty.) amber and 2 (qty.) white. Strobes will be 4.13.16.1 mounted 2 (qty.) on front grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and visible to surrounding motorists. Control toggle switch for strobe lighting shall be installed on the truck dash. 4.13.17 ITEM ESTIMATED QUANTITY DESCRIPTION 11B Toolbox 4.13.17.1 Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of truck that is bid. 4.13.18 ITEM ESTIMATED QUANTITY DESCRIPTION 11C Lift Gate 4.13.18.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform. 4.13.19 ITEM **ESTIMATED QUANTITY** DESCRIPTION 11D 1 Color 4.13.19.1 Vehicles are specified as OEM White. This option when exercised is for any OEM base package color offered by manufacturer. 4.13.20 ITEM **ESTIMATED QUANTITY** DESCRIPTION 11E 1 **Bed Liner** Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. Liner 4.13.20.1 must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble. 4.13.21 ITEM **ESTIMATED QUANTITY** DESCRIPTION 11F 1 Tow Hitch Truck shall be equipped to provide a frame mounted Class IV hitch, receiver, and locking pin with 4.13.21.1 key. Unit shall be equipped with a 7 way round flat pin RV style connector. 4.13.22 ITEM **ESTIMATED QUANTITY** DESCRIPTION 11G 1 Headache Rack 4.13.22.1 Truck shall come equipped with an OEM white head rack. Rack shall have louvers or screening to protect the rear window. Rack shall be mounted to the bed rails. 4.13.23 ITEM **ESTIMATED QUANTITY** DESCRIPTION 11H 1 Light Bar

4.13.15 Acceptable Models: Ford F250 Super Duty Super Cab, Chevrolet 2500HD Double Cab, GMC Sierra 2500HD

4.13.23.1 Truck shall come equipped with an arrow stick, SHO-ME Chameleon LED Signal Stick — or equivalent, mounted to the top of the head rack. Warning light colors shall be Blue and Amber. Blue and amber lights shall be set up to operate independently of one another. Control switch shall be mounted on truck dash.

4.13.24 ITEM ESTIMATED QUANTITY DESCRIPTION

11I 1 Traffic Advisor

4.13.24.1 Truck shall come equipped with a Whelen Traffic Advisor TAC815 Super-LED – or equivalent, mounted to the top of the head rack. Warning colors shall be amber. Control switch shall be mounted on truck dash.

4.13.25 ITEM ESTIMATED QUANTITY DESCRIPTION

11J 1 Top Mount Side Boxes

4.13.25.1 Truck shall come equipped with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall be of a side door design, metal construction and painted OEM white. Boxes shall be the longest available to cover the length of truck bed for the model of truck that is bid.

4.13.25 ITEM ESTIMATED QUANTITY DESCRIPTION

11K 5 Running Boards

4.13.25.1 Truck shall come equipped with running boards. Running boards shall be the widest available for the model of truck that is bid and have a non-slip surface to provide safe entry and exit of vehicle and have a minimum weight limit of 500 lbs.

| 4.14 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|------|------|--------------------|--------------------------------------|
| | 12 | 15 | 3/4 Ton Four Full Door 4x2/RWD Truck |

- 4.14.1 ENGINE: Minimum 8 cylinder engine capable of producing a minimum 340 HP.
- 4.14.2 GVWR: Minimum 8,501 10,000 lbs.
- 4.14.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x4/AWD drive train.
- 4.14.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.14.5 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.14.6 DIMENSIONS: Four full door cab configuration. Bed length shall be a minimum 75".
- 4.14.7 WHEELBASE: Wheelbase to be a minimum 138" inches.
- 4.14.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.14.9 FUEL SYSTEM: Minimum 25 gallon tank capacity and to be certified to use 87 Octane Gasoline.
- 4.14.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Driver and passenger mirror configuration shall be equipped with a standard and convex type mirrors. Recreational swing or telescoping type are acceptable. Largest size available in model offered. Remote controlled from driver.
- 4.14.11 SEATING: Vehicle shall be equipped with 40/20/40 front seating with console and a rear bench seat. Unit interior shall be vinyl seating and upholstery.

- 4.14.12 FLOOR: Vinyl flooring.
- 4.14.13 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.14.14 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.14.15 Acceptable Models: Ford F250 Super Duty Super Cab, Chevrolet 2500HD Crew Cab, GMC Sierra 2500HD Crew Cab, and RAM 2500 Crew Cab.

| T, IT, IO I LIVI LOTINIA LE GOMMANT DECOMMENTO | 4.14.16 ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|--|--------------|--------------------|-------------|
|--|--------------|--------------------|-------------|

12A 14

Strobe Lighting

4.14.16.1 Truck shall be equipped with total of 4 strobe lights - 2 (qty.) amber and 2 (qty.) white. Strobes will be mounted 2 (qty.) on front grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and visible to surrounding motorists. Control toggle switch for strobe lighting shall be installed on the truck dash.

4.14.17 ITEM ESTIMATED QUANTITY DESCRIPTION

12B 15 Toolbox

4.14.17.1 Truck shall be equipped with a low profile weather resistant toolbox. Toolbox construction shall be metal, painted OEM white and must have toolbox shocks that do not interfere with closing of the lid. Toolbox depth shall be deepest available depth, and reach the full width of truck bed for the model of truck that is bid.

4.14.18 ITEM ESTIMATED QUANTITY DESCRIPTION

12C 1 Lift Gate

4.14.18.1 Truck shall be equipped with lift gate capable of lifting 500lbs and painted black. Drive system shall be a wire rope with a hydraulic cylinder. It shall include a safety curb-side fixed control that deactivates 90 seconds after last operation to prevent unauthorized use. Lift gate shall include a pressure relief valve to prevent overloading the platform.

4.14.19 ITEM ESTIMATED QUANTITY DESCRIPTION

12D 1 Color

4.14.19.1 Vehicles are specified as OEM White. This option when exercised is for any OEM base package color offered by manufacturer.

4.14.20 ITEM ESTIMATED QUANTITY DESCRIPTION

12E 1 Bed Liner

4.14.20.1 Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. Liner must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble.

4.14.21 ITEM ESTIMATED QUANTITY DESCRIPTION

12F 10 Tow Hitch

4.14.21.1 Truck shall be equipped to provide a frame mounted Class IV hitch, receiver, and locking pin with key. Unit shall be equipped with a 7 way round flat pin RV style connector.

4.14.22 ITEM ESTIMATED QUANTITY DESCRIPTION

12G 3 Headache Rack

4.14.22.1 Truck shall come equipped with an OEM white head rack. Rack shall have louvers or screening to protect the rear window. Rack shall be mounted to the bed rails.

4.14.23 ITEM ESTIMATED QUANTITY DESCRIPTION

12H 1 Light Bar

4.14.23.1 Truck shall come equipped with an arrow stick, SHO-ME Chameleon LED Signal Stick — or equivalent, mounted to the top of the head rack. Warning light colors shall be Blue and Amber. Blue and amber lights shall be set up to operate independently of one another. Control switch shall be mounted on truck dash.

4.14.24 ITEM ESTIMATED QUANTITY DESCRIPTION

12 1 Traffic Advisor

4.14.24.1 Truck shall come equipped with a Whelen Traffic Advisor TAC815 Super-LED – or equivalent, mounted to the top of the head rack. Warning colors shall be amber. Control switch shall be mounted on truck dash.

4.14.25 ITEM ESTIMATED QUANTITY DESCRIPTION

12J 1 Top Mount Side Boxes

4.14.25.1 Truck shall come equipped with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall be of a side door design, metal construction and painted OEM white. Boxes shall be the longest available to cover the length of truck bed for the model of truck that is bid.

4.14.26 ITEM ESTIMATED QUANTITY DESCRIPTION

12K 15 Running Boards

4.14.26.1 Truck shall come equipped with running boards. Running boards shall be the widest available for the model of truck that is bid and have a non-slip surface to provide safe entry and exit of vehicle and have a minimum weight limit of 500 lbs.

4.15 ITEM ESTIMATED QUANTITY DESCRIPTION

13 5 3/4 Ton Four Full Door 4x4/AWD Truck

- 4.15.1 ENGINE: Minimum 8 cylinder engine capable of producing a minimum 340 HP.
- 4.15.2 GVWR: Minimum 8,501 10,000 lbs.
- 4.15.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum; Power Steering; 4x4/AWD drive train with an electric shift control two speed transfer case.
- 4.15.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers and independent struts with stabilization.
- 4.15.5 BRAKES: Equipped with 4-wheel brake system, and front vented discs minimum.
- 4.15.6 DIMENSIONS: Four full door cab configuration. Bed length shall be a minimum 75".
- 4.15.7 WHEELBASE: Wheelbase to be a minimum 138" inches.
- 4.15.8 WHEELS & TIRES: Tires must meet or exceed the minimum gross vehicle weight rating of vehicle and must be an all season design.
- 4.15.9 FUEL SYSTEM: Minimum 25 gallon tank capacity and to be certified to use 87 Octane Gasoline.

- 4.15.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Driver and passenger mirror configuration shall be equipped with a standard and convex type mirrors. Recreational swing or telescoping type are acceptable. Largest size available in model offered. Remote controlled from driver.
- 4.15.11 SEATING: Vehicle shall be equipped with 40/20/40 front seating with console and a rear bench seat. Unit interior shall be vinyl seating and upholstery.
- 4.15.12 FLOOR: Vinyl flooring.
- 4.15.13 BACK UP CAMERA: Unit shall be equipped with a backup camera with a color display mounted to the dash.
- 4.15.14 BACK UP SENSOR & ALARM: Truck shall be equipped with rear backup sensors with audible alarm which can be heard inside the cab.
- 4.15.15 Acceptable Models: Ford F250 Super Duty Super Cab, Chevrolet 2500HD Crew Cab, GMC Sierra 2500HD Crew

| | Cab, and RAM 2500 Crew Cab. 4x4 and AWD transmissions are both acceptable. | | |
|---------|--|---|--|
| 4.15.16 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| | 13A | 2 | Strobe Lighting |
| | 4.15.16.1 | mounted 2 (qty.) on front | th total of 4 strobe lights - 2 (qty.) amber and 2 (qty.) white. Strobes will be grill, and 2 (qty.) on tailgate. Strobes shall be of alternating color, and rists. Control toggle switch for strobe lighting shall be installed on the truck |
| 4.15.17 | TEM | ESTIMATED QUANTITY | DESCRIPTION |
| | 13B | 4 | Toolbox |
| | 4.15.17.1 | metal, painted OEM white | ith a low profile weather resistant toolbox. Toolbox construction shall be and must have toolbox shocks that do not interfere with closing of the lid. pest available depth, and reach the full width of truck bed for the model of |
| 4.15.18 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| | 13C | 1 | Lift Gate |
| | 4.15.18.1 | be a wire rope with a hy deactivates 90 seconds af | ith lift gate capable of lifting 500lbs and painted black. Drive system shall variable cylinder. It shall include a safety curb-side fixed control that the last operation to prevent unauthorized use. Lift gate shall include a vent overloading the platform. |
| 4.15.19 | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| | 13D | 1 | Color |

Vehicles are specified as OEM White. This option when exercised is for any OEM base package color 4.15.19.1 offered by manufacturer.

ESTIMATED QUANTITY DESCRIPTION 4.15.20 ITEM

> 13E 1 **Bed Liner**

Truck shall be equipped with Line-X spray on bed liner, or equivalent, with lifetime warranty. Liner 4.15.20.1 must be resistant to staining from chemicals, prevent corrosion, and not crack, peel, or bubble.

4.15.20 ITEM **ESTIMATED QUANTITY** DESCRIPTION 13F Tow Hitch 1 Truck shall be equipped to provide a frame mounted Class IV hitch, receiver, and locking pin with 4.15.20.1 key. Unit shall be equipped with a 7 way round flat pin RV style connector. **ESTIMATED QUANTITY** DESCRIPTION 4.15.21 ITEM 13G Headache Rack Truck shall come equipped with an OEM white head rack. Rack shall have louvers or screening to 4.15.21.1 protect the rear window. Rack shall be mounted to the bed rails. **ESTIMATED QUANTITY** DESCRIPTION 4.15.22 ITEM Arrow Stick 13H 1 4.15.22.1 Truck shall come equipped with an arrow stick, SHO-ME Chameleon LED Signal Stick - or equivalent, mounted to the top of the head rack. Warning light colors shall be Blue and Amber. Blue and amber lights shall be set up to operate independently of one another. Control switch shall be mounted on truck dash. 4.15.23 ITEM **ESTIMATED QUANTITY DESCRIPTION** 131 1 Traffic Advisor Truck shall come equipped with a Whelen Traffic Advisor TAC815 Super-LED - or equivalent, 4.15.23.1 mounted to the top of the head rack. Warning colors shall be amber. Control switch shall be mounted on truck dash.

4.15.24 ITEM ESTIMATED QUANTITY DESCRIPTION

13J 1 Top Mount Side Boxes

4.15.24.1 Truck shall come equipped with 2 (qty) top mount weather resistant lockable side boxes. Boxes shall be of a side door design, metal construction and painted OEM white. Boxes shall be the longest available to cover the length of truck bed for the model of truck that is bid.

4.15.25 ITEM ESTIMATED QUANTITY DESCRIPTION

13K 5 Running Boards

4.15.25.1 Truck shall come equipped with running boards. Running boards shall be the widest available for the model of truck that is bid and have a non-slip surface to provide safe entry and exit of vehicle and have a minimum weight limit of 500 lbs.

005 - SUPPLEMENTAL TERMS & CONDITIONS

Original Contract Term.

This contract shall begin upon the effective date of the ordinance awarding the contract. This contract shall begin upon the date specified in the award letter, if it does not exceed \$50,000. This contract shall terminate on DECEMBER 31, 2020.

Renewals.

At City's option, this Contract may be renewed under the same terms and conditions for 1 additional 1 YEAR period(s). Renewals shall be in writing and signed by Director, without further action by the San Antonio City Council, subject to and contingent upon appropriation of funding therefore.

Liquidated Damages for Delay:

The parties agree that the actual damages that might be sustained by the City by reason of the breach by Vendor of its covenant to make delivery within the time specified herein, is uncertain and would be difficult of ascertainment, and that the sum of \$100.00 per day per unit for each day that delivery is late would be a reasonable compensation for such breach. Vendor hereby promises to pay, and City hereby agrees to accept, such sum as liquidated damages, and not as a penalty, in the event of such breach. Furthermore, the parties agree that City may withhold said liquidated damages from any payments due to Vendor hereunder. If Vendor's delay exceeds 30 days, City may, at its option, elect to terminate this contract in whole or in part. In such event, City may pursue actual damages, rather than applying this liquidated damages provision.

Brokers.

Pursuant to Texas Occupations Code, Section 2301.006, pertaining to the sale or lease of motor vehicles, a person may not act as, offer to act as, or claim to be a broker. In compliance with this statute, Bidders must be:

- (A) a franchised dealer or a bona fide employee of a franchised dealer acting for the franchised dealer;
- (B) a representative or a bona fide employee of a representative acting for the representative;
- (C) a distributor or a bona fide employee of a distributor acting for the distributor; or
- (D) the owner of the vehicle at any point in the transaction.

By submitting a bid, Bidder warrants and certifies, and a contract awarded pursuant to this IFB is made in reliance thereon, that it, has not knowingly or intentionally failed to comply with this statute. City hereby relies on Vendor's certification, and if found to be false, City may reject the bid or terminate the Contract for material breach.

Producer Price Index (PPI) Price Adjustment Clause.

Price Adjustments. The prices shown on the Price Schedule may be increased or decreased as follows:

<u>Base Period for Price Adjustment</u>. The base selling price is the price shown on the original Price Schedule submitted by Vendor with its original bid. The effective month and year of the base selling price (known as the "base period") shall be the effective date of the month and year in which this contract is awarded.

Date for Price Adjustment. Prices may be adjusted annually (the "Price Adjustment Date").

<u>Version of Data for Price Adjustment</u>. Calculations of price adjustments shall use the latest version of the PPI data published as of the Price Adjustment Date.

<u>PPI Index for Price Adjustment.</u> The U.S. Department of Labor, Bureau of Labor Statistics ("BLS") Producers Price Index ("PPI") for Trucks, truck tractors, & bus chassis 14,000 lb or less, incl. minivans & suvs PCU3361103361102, not seasonally adjusted, shall be used by the Parties to calculate changes in price. If this index is discontinued, the Parties shall use the next, higher level series of this index that is available. If no higher level series of said index is available, the Parties shall negotiate a successor index. If the BLS changes the title of this index or recodes the index, it is considered the same series and requires no change by the Parties.

Official Source of Data for Price Adjustment. The parties shall use the PPI Detailed Report as the source of data for the index.

Method of Calculation for Price Adjustment. To calculate the price adjustment, the following formula shall be used.

Divide the current index value (the value as of the date stated for the price adjustment) by the index value for the base period. The resulting number is the percentage change in the index value between the current period and the base period (the "percentage change in index value").

Multiply the base price by the percentage change in index value. The sum equals the adjusted price.

Example: (The numbers shown below are for illustration purposes only.)

| Current index value at time of calculation | 115.5 |
|--|-------|
| Divided by index for base period | 110.0 |
| Equals | 1.050 |

Base price \$1,000.00
Multiplied by the percentage change in index value 1.050
Equals adjusted price \$1,050.00

The same procedure shall be followed for each adjustment authorized herein, using the current index at the time the adjustment is made and the original base period.

<u>Limitation of Price Adjustment</u>. In no event shall the aggregate of all price adjustments authorized herein for any given Line Item exceed 10% of the original base price for that Line Item. If the calculation results in an increased price that would exceed this limitation, the price adjustment shall be limited to a maximum price adjustment of 10% of the original base price.

Written Requests for Price Adjustments. Price adjustments are not automatic. Vendor must submit a written request for a price adjustment to the Purchasing & General Services Department. Requests must be received by the Purchasing & General Services Department at least 60 days' prior to the date the price adjustment is to take effect. If City does not wish to accept the price adjustment, City may terminate the contract for convenience. City may initiate a price adjustment in the event of falling prices. City shall notify Vendor at least 60 days' prior to the date the price adjustment is to take effect.

Insurance.

Prior to the commencement of any work under this Agreement, Vendor shall furnish copies of all required endorsements and completed Certificate(s) of Insurance to the City's Finance Department - Purchasing Division, which shall be clearly labeled "Annual Contract for Light Duty Pick-up Trucks" in the Description of Operations block of the Certificate. The Certificate(s) shall be completed by an agent and signed by a person authorized by that insurer to bind coverage on its behalf. City will not accept a Memorandum of Insurance or Binder as proof of insurance. The certificate(s) must have the agent's signature and phone number, and be mailed, with copies of all applicable endorsements, directly from the insurer's authorized representative to City. City shall have no duty to pay or perform under this Agreement until such certificate and endorsements have been received and approved by City's Finance Department - Purchasing Division. No officer or employee, other than City's Risk Manager, shall have authority to waive this requirement.

City reserves the right to review the insurance requirements of this Article during the effective period of this Agreement and any extension or renewal hereof and to modify insurance coverages and their limits when deemed necessary and prudent by City's Risk Manager based upon changes in statutory law, court decisions, or circumstances surrounding this Agreement. In no instance will City allow modification whereby City may incur increased risk.

A Vendor's financial integrity is of interest to City; therefore, subject to Vendor's right to maintain reasonable deductibles in such amounts as are approved by City, Vendor shall obtain and maintain in full force and effect for the duration of this Agreement, and any extension here of, at Vendor's sole expense, insurance coverage written on an occurrence basis, unless otherwise indicated, by companies authorized to do business in the State of Texas and with an A.M Best's rating of no less than A- (VII), in the following types and for an amount not less than the amount listed below:

| TYPE | AMOUNTS |
|---|--|
| | |
| Workers' Compensation | Statutory |
| 2. Employers' Liability | \$1,000,000/\$1,000,000/\$1,000,000 |
| 3. Commercial General Liability Insurance to | For Bodily Injury and Property Damage of |
| include coverage for the following: | \$1,000,000 per occurrence; |
| a. Premises/Operations b. Products/Completed Operations | \$2,000,000 General Aggregate, or its equivalent in Umbrella or Excess Liability |
| c. Personal/Advertising Injury | Coverage |
| d. Contractual Liability | |
| 4. Business Automobile Liability | Combined Single Limit for Bodily Injury |
| a. Owned/leased vehicles | and Property Damage of \$1,000,000 per |
| b. Non-owned vehicles | occurrence |
| c. Hired Vehicles | |

Vendor agrees to require, by written contract, that all subcontractors providing goods or services hereunder obtain the same insurance coverages required of Vendor herein, and provide a certificate of insurance and endorsement that names Vendor and City as additional insureds. Vendor shall provide City with said certificate and endorsement prior to the commencement of any work by the subcontractor. This provision may be modified by City's Risk Manager, without subsequent City Council approval, when deemed necessary and prudent, based upon changes in statutory law, court decisions, or circumstances surrounding this agreement. Such modification may be enacted by letter signed by City's Risk Manager, which shall become a part of the contract for all purposes.

As they apply to the limits required by City, City shall be entitled, upon request and without expense, to receive copies of the policies, declaration page, and all endorsements thereto and may require the deletion, revision, or modification of particular policy terms, conditions, limitations, or exclusions (except where policy provisions are established by law or regulation binding upon either of the parties hereto or the underwriter of any such policies). Vendor shall be required to comply with any such requests and shall submit a copy of the replacement certificate of insurance to City at the address provided below within 10 days of the requested change. Vendor shall pay any costs incurred resulting from said changes.

City of San Antonio

Attn: Finance Department-Purchasing Division

P.O. Box 839966

San Antonio, Texas 78283-3966

Vendor agrees that with respect to the above required insurance, all insurance policies are to contain or be endorsed to contain the following provisions:

Name City, its officers, officials, employees, volunteers, and elected representatives as <u>additional insureds</u> by endorsement, as respects operations and activities of, or on behalf of, the named insured performed under contract with City, with the exception of the workers' compensation and professional liability policies;

Provide for an endorsement that the "other insurance" clause shall not apply to the City of San Antonio where City is an additional insured shown on the policy;

Workers' compensation, employers' liability, general liability and automobile liability policies will provide a waiver of subrogation in favor of City; and

Provide advance written notice directly to City of any suspension, cancellation, non-renewal or material change in coverage, and not less than ten (10) calendar days advance notice for nonpayment of premium.

Within five (5) calendar days of a suspension, cancellation or non-renewal of coverage, Vendor shall provide a replacement Certificate of Insurance and applicable endorsements to City. City shall have the option to suspend Vendor's performance should there be a lapse in coverage at any time during this contract. Failure to provide and to maintain the required insurance shall constitute a material breach of this Agreement.

In addition to any other remedies City may have upon Vendor's failure to provide and maintain any insurance or policy endorsements to the extent and within the time herein required, City shall have the right to order Vendor to stop work hereunder, and/ or withhold any payment(s) which become due to Vendor hereunder until Vendor demonstrates compliance with the requirements hereof.

Nothing herein contained shall be construed as limiting in any way the extent to which Vendor may be held responsible for payment of damages to persons or property resulting from Vendor's or its subcontractors' performance of the work covered under this Agreement.

It is agreed that Vendor's insurance shall be deemed primary and non-contributory with respect to any insurance or self insurance carried by City for liability arising out of operations under this Agreement.

It is understood and agreed that the insurance required is in addition to and separate from any other obligation contained in this Agreement and that no claim or action by or on behalf of City shall be limited to insurance coverage provided.

Vendor and any subcontractors are responsible for all damage to their own equipment and/or property.

Incorporation of Attachments.

Each of the attachments listed below is an essential part of this contract, which governs the rights and duties of the parties, incorporated herein by reference, and shall be interpreted in the order of priority as appears below, with this document taking priority over all attachments:

Attachment A - Price Schedule

Attachment B - City of San Antonio Local Preference Program Forms

Attachment C - Veteran-Owned Small Business Preference Program Tracking Form

006 - GENERAL TERMS & CONDITIONS

<u>Electronic Bid Equals Original</u>. If Vendor is submitting an electronic bid, City and Vendor each agree that this transaction may be conducted by electronic means, as authorized by Chapter 322, Texas Business & Commerce Code, known as the Electronic Transactions Act.

Delivery of Goods/Services.

<u>Destination Contract.</u> Vendor shall deliver all goods and materials F.O.B., City of San Antonio's designated facility, inside delivery, freight prepaid, to the address provided in this IFB or, if different, in the Purchase Order. Vendor shall bear the risk of loss until delivery. Freight charges will be paid only when expedited delivery is requested and approved in writing by the City. Vendor shall be responsible for furnishing necessary personnel or equipment and/or making necessary arrangements to off load at City of San Antonio facility, unless otherwise noted herein.

<u>Failure to Deliver</u>. When delivery is not met as provided for in the contract, City may make the purchase on the open market, with any cost in excess of the contract price paid by Vendor, in addition to any other direct, indirect, consequential or incidental damages incurred by City as a result thereof. In addition, Vendor may be removed from the City's list of eligible bidders.

<u>Purchase Orders</u>. Each time a City department wishes to place an order against this contract, it will issue Vendor a purchase order. Vendor must have the purchase order before making any delivery.

Acceptance by City. City shall have a reasonable time (but not less than 30 days) after receipt to inspect the goods and services tendered by Vendor. City at its option may reject all or any portion of such goods or services which do not, in City's sole discretion, comply in every respect with all terms and conditions of the contract. City may elect to reject the entire goods and services tendered even if only a portion thereof is nonconforming. If City elects to accept nonconforming goods and services, City, in addition to its other remedies, shall be entitled to deduct a reasonable amount from the price thereof to compensate City for the nonconformity. Any acceptance by City, even if non-conditional, shall not be deemed a waiver or settlement of any defect in such goods and services.

<u>Testing</u>. After award of contract, City may, at its sole option, test the product delivered to ensure it meets specifications. Initial testing shall be at City's expense. However, if the product does not to meet specifications, Vendor shall reimburse City for the costs of testing. City may withhold the cost of testing from any amounts owed to Vendor under this or any other contract, or invoice Vendor for same. If invoiced, Vendor shall pay City within 30 calendar days' of the invoice.

<u>Warranty</u>. A minimum of 90-days product guarantee or the manufacturer's standard commercial warranty, whichever is greater, shall apply to all products and/or services purchased under this IFB, unless otherwise specified in the Specifications/Scope of Services section of this IFB. This warranty shall provide for replacement of defective merchandise, parts, and labor, and shall include pick-up of the defective merchandise from City and delivery of the replacement(s) to the same location. The warranty shall be effective from the date of acceptance of the merchandise, or completion of the service, as applicable.

REJECTION OF DISCLAIMERS OF WARRANTIES & LIMITATIONS OF LIABILITY. ANY TERM OR CONDITION IN ANY DOCUMENT FURNISHED BY VENDOR, DISCLAIMING THE IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR ATTEMPTING TO LIMIT VENDOR'S LIABILITY SHALL BE OF NO FORCE OR EFFECT, AND SHALL BE STRICKEN FROM THE CONTRACT DOCUMENTS AS IF NEVER CONTAINED THEREIN.

Invoicing and Payment.

Address for Invoices. All original invoices must be sent to: City of San Antonio, Attn: Accounts Payable, P.O. Box 839976. San Antonio, Texas 78283-3976.

Information Required On Invoice.

All invoices must be in a form and content approved by the City. City may require modification of invoices if necessary in order to satisfy City that all billing is proper and pursuant to the terms of the contract. Invoices are required to show each City Purchase Order Number. Invoices must be legible. Items billed on invoices must be specific as to applicable stock, manufacturer, catalog or part number (if any). All invoices must show unit prices for each item being billed, the quantity of items being billed and the total for each item, as well as the total for all items on the invoice. If prices are

based on list prices basis, then the list prices, the percentage discount or percentage surcharge, net unit prices, extensions and net total prices must be shown. Prompt payment discounts offered shall be shown separately on the invoice.

Payment by City.

In accordance with the Texas Prompt Payment Act, City shall have not less than 30 days to pay for goods or services. Time for payment, including payment under discount terms, will be computed from the later of: (1) the date City receives conforming goods under the contract; (2) the date performance of the service under the contract is completed; or (3) the date City receives a correct and valid invoice for the goods or services. Payment is deemed to be made on the date of mailing of the check. Payment is made in US dollars only.

This provision shall not apply where there is a bona fide dispute between City and Vendor about the goods delivered or the service performed that causes the payment to be late, or where the invoice is not mailed to the address provided herein.

The payment amount due on invoices may not be manually altered by City personnel. Once disputed items are reconciled, Vendor must submit a corrected invoice or a credit memorandum for the disputed amount. City will not make partial payments on an invoice where there is a dispute.

NECESSITY OF TIMELY INVOICE / WAIVER OF PAYMENT. NOTWITHSTANDING THE FORGOING, THE CITY CANNOT PAY FOR ANY GOODS OR SERVICES WITHOUT AN INVOICE. VENDOR MUST INVOICE CITY NO LATER THAN 90 CALENDAR DAYS FROM THE DATE GOODS ARE DELIVERED OR SERVICES RENDERED. FAILURE TO SUBMIT AN INVOICE WITHIN SAID 90 DAYS SHALL NEGATE ANY LIABILITY ON THE PART OF CITY AND CONSTITUTE A WAIVER BY VENDOR OF ANY AND ALL RIGHT OR CLAIMS TO COLLECT MONEYS THAT VENDOR MAY RIGHTFULLY BE OTHERWISE ENTITLED TO FOR GOODS OR SERVICES PERFORMED.

The total price for all goods and/or services is shown on the Price Schedule. No additional fees or expenses of Vendor shall be charged by Vendor nor be payable by City. The parties hereby agree that all compensable expenses of Vendor are shown on the Price Schedule. If there is a discrepancy on the Price Schedule between the unit price for an item, and the extended price, the unit price shall govern.

<u>Change Orders</u>. In order to comply with Texas law governing purchases made by municipalities, the following rules shall govern all change orders made under this contract.

Any change orders that become necessary during the term of this contract as a result of changes in plans, specifications, quantity of work to be performed, materials, equipment or supplies to be furnished must be in writing and conform to the requirements of City Ordinance 2011-12-08-1014, as hereafter amended.

Any other change will require approval of the City Council, City of San Antonio.

Changes that do not involve an increase in contract price may be made by the Director.

No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated herein.

Termination.

<u>Termination-Breach</u>. Should Vendor fail to fulfill in a timely and proper manner, as determined solely by the Director, its material obligations under this contract, or violate any of the material terms of this contract, City shall have the right to immediately terminate the contract in whole or in part. Notice of termination shall be provided in writing to Vendor, effective upon the date set forth in the notice. City may, in City's sole discretion, provide an opportunity for Vendor to cure the default. If City elects to offer an opportunity to cure, City shall provide notice to Vendor specifying the matters in default and the cure period. If Vendor fails to cure the default within the cure period, City shall have the right, without further notice, to terminate the contract in whole or in part. Such termination shall not relieve Vendor of any liability to the City for damages sustained by virtue of any breach by Vendor.

<u>Termination-Notice</u>. City may terminate this contract, in whole or in part, without cause. City shall be required to give Vendor notice ten days prior to the date of termination of the contract without cause.

<u>Termination-Funding</u>. City retains the right to terminate this contract at the expiration of each of City's budget periods. This contract is conditioned on a best efforts attempt by City to obtain and appropriate funds for payment of any debt due by City herein.

Termination by City may be effected by Director, without further action by the San Antonio City Council.

<u>Independent Contractor</u>. Vendor covenants and agrees that it is an independent contractor and not an officer, agent, servant or employee of City. City shall not be liable for any claims which may be asserted by any third party occurring in connection with the services to be performed by Vendor under this contract and that Vendor has no authority to bind City. The doctrine of respondent superior shall not apply as between City and Vendor.

INDEMNIFICATION.

VENDOR covenants and agrees to FULLY INDEMNIFY, DEFEND and HOLD HARMLESS, CITY and the elected officials, employees, officers, directors, volunteers and representatives of CITY, individually and collectively, from and against any and all costs, claims, liens, damages, losses, expenses, fees, fines, penalties, proceedings, actions, demands, causes of action, liability and suits of any kind and nature, including but not limited to, personal or bodily injury, death and property damage, made upon CITY directly or indirectly arising out of, resulting from or related to VENDOR'S activities under this Agreement, including any acts or omissions of VENDOR, any agent, officer, director, representative, employee, consultant or subcontractor of VENDOR, and their respective officers, agents employees, directors and representatives while in the exercise of the rights or performance of the duties under this Agreement. The indemnity provided for in this paragraph shall not apply to any liability resulting from the negligence of CITY, it s officers or employees, in instances where such negligence causes personal injury, death, or property damage. IN THE EVENT VENDOR AND CITY ARE FOUND JOINTLY LIABLE BY A COURT OF COMPETENT JURISDICTION, LIABILITY SHALL BE APPORTIONED COMPARATIVELY IN ACCORDANCE WITH THE LAWS FOR THE STATE OF TEXAS, WITHOUT, HOWEVER, WAIVING ANY GOVERNMENTAL IMMUNITY AVAILABLE TO THE CITY UNDER TEXAS LAW AND WITHOUT WAIVING ANY DEFENSES OF THE PARTIES UNDER TEXAS LAW. In addition, Vendor agrees to indemnify, defend, and hold the City harmless from any claim involving patent infringement, trademarks, trade secrets, and copyrights on goods supplied.

The provisions of this INDEMNITY are solely for the benefit of the parties hereto and not intended to create or grant any rights, contractual or otherwise, to any other person or entity. VENDOR shall advise CITY in writing within 24 hours of any claim or demand against CITY or VENDOR known to VENDOR related to or arising out of VENDOR's activities under this AGREEMENT and shall see to the investigation and defense of such claim or demand at VENDOR's cost. CITY shall have the right, at its option and at its own expense, to participate in such defense without relieving VENDOR of any of its obligations under this paragraph.

Assignment. Except as otherwise stated herein, Vendor may not sell, assign, pledge, transfer or convey any interest in this contract, nor delegate the performance of any duties hereunder, by transfer, by subcontracting or any other means, without the consent of Director. As a condition of such consent, if such consent is granted, Vendor shall remain liable for completion of the services and provision of goods outlined in this contract in the event of default by the successor Vendor, assignee, transferee or subcontractor. Any attempt to transfer, pledge or otherwise assign this Contract without said written approval, shall be void ab initio and shall confer no rights upon any third person.

Ownership of Documents. Pursuant to Texas Local Government Code Chapter 201, any and all Records produced by Vendor pursuant to the provisions of this contract are the exclusive property of City; and no such Record shall be the subject of any copyright or proprietary claim by Vendor. The term "Record" as used herein shall mean any document, paper, letter, book, map, photograph, sound or video recording, microfilm, magnetic tape, electronic medium, or other information recording medium, regardless of physical form or characteristic. Vendor understands and acknowledges that as the exclusive owner of any and all such Records, City has the right to use all such Records as City desires, without restriction.

Records Retention.

Vendor and its subcontractors, if any, shall properly, accurately and completely maintain all documents, papers, and records, and other evidence pertaining to the services rendered hereunder ("Documents"), and shall make such Documents available to the City at their respective offices, at all reasonable times and as often as City may deem necessary during the contract period, including any extension or renewal hereof, and the record retention period established herein, for purposes of audit, inspection, examination, and making excerpts or copies of same by City and any of its authorized representatives.

Vendor shall retain any and all Documents produced as a result of services provided hereunder for a period of four years ("Retention Period") from the date of termination of the contract. If, at the end of the Retention Period, there is litigation or other questions arising from, involving or concerning these Documents or the services provided hereunder, Vendor shall retain the records until the resolution of such litigation or other such questions. Vendor acknowledges and agrees that City shall have access to any and all such Documents at any and all times, as deemed necessary by City, during said Retention Period. City may, at its election, require Vendor to return the documents to City at Vendor's expense prior to or at the conclusion of the Retention Period. In such event, Vendor may retain a copy of the documents.

Vendor shall notify City, immediately, in the event Vendor receives any requests for information from a third party, which pertain to the Documents referenced herein. Vendor understands and agrees that City will process and handle all such requests.

S.B. 943 – Disclosure Requirements for Certain Government Contracts. For contracts (1) with a stated expenditure of at least \$1 million in public funds for the purchase of goods or services by the City, or (2) that result in the expenditure of at least \$1 million in public funds for the purchase of goods or services by the City in a given fiscal year, Vendor acknowledges that the requirements of the Texas Public Information Act, Government Code, Chapter 552, Subchapter J, pertaining to the preservation and disclosure of Contracting Information maintained by the City or sent between the City and a vendor, contractor, potential vendor, or potential contractor, may apply to this bid and any resulting contract. Vendor agrees that the contract can be terminated if Vendor knowingly or intentionally fails to comply with a requirement of that subchapter.

By submitting a bid, Bidder warrants and certifies, and a contract awarded pursuant to this IFB is made in reliance thereon, that it, has not knowingly or intentionally failed to comply with this subchapter in a previous bid or contract. City hereby relies on Vendor's certification, and if found to be false, City may reject the bid or terminate the Contract for material breach.

<u>Severability</u>. If any clause or provision of this contract is held invalid, illegal or unenforceable under present or future federal, state or local laws, including but not limited to the City Charter, City Code, or ordinances of the City of San Antonio, Texas, then and in that event it is the intention of the parties hereto that such invalidity, illegality or unenforceability shall not affect any other clause or provision hereof and that the remainder of this contract shall be construed as if such invalid, illegal or unenforceable clause or provision was never contained herein. It is also the intention of the parties hereto that in lieu of each clause or provision of this contract that is invalid, illegal, or unenforceable, there be added as a part of the contract a clause or provision as similar in terms to such invalid, illegal or unenforceable clause or provision as may be possible, legal, valid and enforceable.

<u>Compliance with Law.</u> Vendor shall provide and perform all services required under this Agreement in compliance with all applicable federal, state and local laws, rules and regulations.

<u>Certifications</u>. Vendor warrants and certifies that Vendor and any other person designated to provide services hereunder has the requisite training, license and/or certification to provide said services, and meets all competence standards promulgated by all other authoritative bodies, as applicable to the services provided herein.

Non-waiver of Performance. Unless otherwise specifically provided for in this Agreement, a waiver by either Party of a breach of any of the terms, conditions, covenants or guarantees of this Agreement shall not be construed or held to be a waiver of any succeeding or preceding breach of the same or any other term, condition, covenant or guarantee herein contained. Further, any failure of either Party to insist in any one or more cases upon the strict performance of any of the covenants of this Agreement, or to exercise any option herein contained, shall in no event be construed as a waiver or relinquishment for the future of such covenant or option. In fact, no waiver, change, modification or discharge by either party hereto of any provision of this Agreement shall be deemed to have been made or shall be effective unless expressed in writing and signed by the party to be charged. No act or omission by a Party shall in any manner impair or prejudice any right, power, privilege, or remedy available to that Party hereunder or by law or in equity, such rights, powers, privileges, or remedies to be always specifically preserved hereby.

<u>Venue</u>. Venue of any court action brought directly or indirectly by reason of this contract shall be in Bexar County, Texas. This contract is made and is to be performed in Bexar County, Texas, and is governed by the laws of the State of Texas.

<u>Non-discrimination</u>. As a condition of entering into this agreement, Vendor represents and warrants that it will comply with City's Commercial Nondiscrimination Policy, as described under Section III.C.1 of the SBEDA Ordinance. As part of such compliance, Vendor shall not discriminate on the basis of race, color, religion, ancestry or national origin, sex, age, marital status, sexual orientation, or on the basis of disability or other unlawful forms of discrimination in the solicitation, selection,

hiring or commercial treatment of subcontractors, vendors, suppliers, or commercial customers, nor shall Vendor retaliate against any person for reporting instances of such discrimination. Vendor shall provide equal opportunity for subcontractors, vendors and suppliers to participate in all of its public sector and private sector subcontracting and supply opportunities, provided that nothing contained in this clause shall prohibit or limit otherwise lawful efforts to remedy the effects of marketplace discrimination that have occurred or are occurring in the City's Relevant Marketplace. Vendor understands and agrees that a material violation of this clause shall be considered a material breach of this agreement and may result in termination of this agreement, disqualification of Vendor from participating in City contracts, or other sanctions. This clause is not enforceable by or for the benefit of, and creates no obligation to, any third party. Vendor shall include this nondiscrimination clause in all subcontracts for the performance of this contract.

As a party to this contract, Vendor understands and agrees to comply with the *Non-Discrimination Policy* of the City of San Antonio contained in Chapter 2, Article X of the City Code and further, shall not discriminate on the basis of race, color, religion, national origin, sex, sexual orientation, gender identity, veteran status, age or disability, unless exempted by state or federal law, or as otherwise established herein.

Attorney's Fees. The Parties hereto expressly agree that, in the event of litigation, each party hereby waives its right to payment of attorneys' fees.

Prohibition on Contracts with Companies Boycotting Israel

Texas Government Code §2270.002 provide that a governmental entity may not enter into a contract with a company for goods or services, unless the contract contains a written verification from the company that it:

- (1) does not boycott Israel; and
- (2) will not boycott Israel during the term of the contract.

This section only applies to a contract that:

- (1) is between a governmental entity and a company with 10 or more full-time employees; and
- (2) has a value of \$100,000 or more that is to be paid wholly or partly from public funds of the governmental entity.

"Boycott Israel" means refusing to deal with, terminating business activities with, or otherwise taking any action that is intended to penalize, inflict economic harm on, or limit commercial relations specifically with Israel, or with a person or entity doing business in Israel or in an Israeli-controlled territory, but does not include an action made for ordinary business purposes.

"Company" means a for-profit organization, association, corporation, partnership, joint venture, limited partnership, limited liability partnership, or limited liability company, including a wholly owned subsidiary, majority-owned subsidiary, parent company, or affiliate of those entities or business associations that exists to make a profit. This term does not include a sole proprietorship.

By submitting an offer to or executing contract documents with the City of San Antonio, Company hereby verifies that it does not boycott Israel, and will not boycott Israel during the term of the contract. City's hereby relies on Company's verification. If found to be false, City may terminate the contract for material breach.

CONTRACTS WITH COMPANIES ENGAGED IN BUSINESS WITH IRAN, SUDAN, OR FOREIGN TERRORIST ORGANIZATIONS PROHIBITED. Texas Government Code §2252.152 provides that a governmental entity may not enter into a governmental contract with a company that is identified on a list prepared and maintained under Texas Government Code §§2270.0201 or 2252.153. Vendor hereby certifies that it is not identified on such a list. City hereby relies on Vendor's certification. If found to be false, or if Vendor is identified on said list during the course of its contract with City, City may terminate the Contract for material breach.

<u>Delinquent Taxes</u>. In the event that Vendor is or subsequently becomes delinquent in the payment of taxes owed to the City of San Antonio, the City reserves the right to deduct any delinquent taxes from payments that the City may owe to the delinquent Vendor as a result of this contract.

<u>Binding Contract</u>. This contract shall be binding on and inure to the benefit of the parties hereto and their respective heirs, executors, administrators, legal representatives, and successors and assigns, except as otherwise expressly provided for herein.

<u>Entire Agreement.</u> This contract, including City's final electronically posted online version, together with its authorizing ordinance and its price schedule(s), attachments, purchase orders, and exhibits, if any, constitutes the final and entire agreement between the parties hereto and contains all of the terms and conditions agreed upon. No other agreements,

oral or otherwise, regarding the subject matter of this contract shall be deemed to exist or to bind the parties hereto, unless same be in writing, dated subsequent to the date hereof, and be duly executed by the parties, in accordance with the Change Order provision herein. Parties agree that City's final electronically posted online version of this solicitation contains the agreed upon specifications, scope of services, and terms and conditions of this contract, and shall control in the event of a conflict with any printed version signed and submitted by Vendor.

007 - SIGNATURE PAGE

By submitting a bid, whether electronically or by paper, Bidder represents that:

(s)he is authorized to bind Bidder to fully comply with the terms and conditions of City's Invitation for Bid for the prices stated therein;

(s)he has read the entire document, including the final version issued by City, and agreed to the terms therein;

Bidder is in good standing with the Texas State Comptroller's Office; and

to the best of his/her knowledge, all information is true and correct.

Signature of Person Authorized to Sign Bid

If submitting your bid by paper, complete the following and sign on the signature line below. Failure to sign and submit this Signature Page will result in rejection of your bid.

| Bidder Information: | |
|--------------------------|--------------------------|
| Please Print or Type: | |
| Vendor ID No.: | V/00064/ |
| Signer's Name: | DANNY MIRELES |
| Name of Business: | GUNN CHEVROLET LID |
| Street Address: | 16550 11135N |
| City, State, Zip Code: | SELMA, TEXAS 18154 |
| Email Address: | amireles @ gunnauto. Com |
| Telephone No.: | 210-599 -5000 EXT 2059 |
| Fax No.: | 210-599-4251 |
| City's Solicitation No.: | 6/000/2392 |

008 - STANDARD DEFINITIONS

Whenever a term defined by the Uniform Commercial Code ("UCC"), as enacted by the State of Texas, is used in the Contract, the UCC definition shall control, unless otherwise defined in the Contract.

All-or-None Bid - an invitation to bid in which the City will award the entire contract to one bidder only.

Alternate Bid - two or more bids with substantive variations in the item or service offered from the same bidder in response to a solicitation.

Assignment - a transfer of claims, rights or interests in goods, services or property.

Bid - a complete, signed response to a solicitation. The term "bid" is synonymous with the term "offer".

Bid Opening - a public meeting during which bid responses are disclosed.

<u>Bidder</u> - a person, firm or entity that submits a bid in response to a solicitation. The bidder whose bid is accepted by City may also be referred to herein as Contractor, Vendor or Supplier.

<u>Bid Bond or Bid Guarantee</u> - security to ensure that Bidder (a) will not withdraw the bid within the period specified for acceptance, and (b) will furnish any required bonds or performance guarantees, and any necessary insurance within the time specified in the solicitation.

<u>Change Order</u> - a change to the plans or specifications of the contract, or an increase or decrease in the quantity of work to be performed or of materials, equipment, or supplies to be furnished, issued by the Director after the bid has been accepted by the City.

City - the City of San Antonio, a Texas home-rule municipal corporation.

Contract - the binding legal agreement between the City and Vendor.

<u>Contractor</u> - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

<u>Director</u> - the Director of City's Purchasing & General Services Department, or Director's designee.

<u>Equal or Equivalent</u> - terms to indicate that similar products or other brands may be acceptable for purchase if specifications and functional requirements are met.

<u>Invitation for Bid (IFB)</u> – a solicitation requesting pricing for a specified good or a service.

<u>Line Item</u> - a listing of items in a bid for which a bidder is expected to provide separate pricing.

Low Bid - a bid which is lowest in price, but may not meet all requirements or specifications.

<u>Lowest Responsible Bidder</u> - the bidder whose bid meets all requirements of the specifications, terms and conditions of the IFB and results in the lowest cost to the City in an award based solely on price, taking into consideration the bidder's competence and qualifications to perform the contract.

Non-Responsive Bid - a bid or offer that does not comply with the terms and conditions, or specifications and/or requirements of the IFB.

Offer - a complete, signed response to an IFB that, if accepted, would bind the bidder to perform the resultant contract. The term "offer" is synonymous with the term "bid".

<u>Payment Bond</u> - a particular form of security provided by the contractor to protect the City against loss due to the contractor's failure to pay suppliers and subcontractors.

<u>Performance Bond</u> - a particular form of security provided by the contractor to protect the City against loss due to the contractor's inability or unwillingness to complete the contract as agreed.

<u>Performance Deposit</u> - security provided by the contractor to protect the City against loss due to the contractor's inability or unwillingness to complete the contract as agreed.

<u>Pre-Submittal Conference</u> - a meeting conducted by the City, held in order to allow bidders to ask questions about the proposed contract and particularly, the contract specifications.

<u>Purchase Order</u> - a validly issued order placed by an authorized City department for the purchase of goods or services, written on the City's standard purchase order form, and which is Vendor's authority to deliver to and invoice the City for the goods or services specified in an IFB for the price stated in Vendor's bid.

Responsible Bidder - a bidder who is known to have the necessary competence and qualifications to perform and provide all requirements of an intended contract.

Responsive Bidder - a bidder who tenders a bid which meets all requirements of the invitation to bid and is a responsible bidder.

<u>Sealed Bid</u> - a bid submitted as a sealed document, whether hard copy or electronic, by a prescribed time to the location indicated in the IFB. The contents of the bid will not be made public prior to the bid opening.

<u>Specifications</u> - a description of what the City requires and what the bidder must offer; a description of the physical or functional characteristics of a product or material, or the nature of a service or construction item.

<u>Subcontractor</u> - a person, firm or entity providing goods or services to a vendor to be used in the performance of the Vendor's obligations under the contract with the City.

<u>Supplier</u> - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

<u>Vendor</u> - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

Waiver of Irregularity - noting, but disregarding an immaterial variance within a bid.

009 - ATTACHMENTS

Attachment A:

PRICE SCHEDULE

Local Preference Program (LPP) Ordinance

The 82nd Texas Legislature adopted a revision to the law that allowed the City of San Antonio (City) to adopt a policy that would grant contracting preferences to local businesses for certain types of contracts. The City adopted such a policy, known as the Local Preference Program, described in the San Antonio City Code Chapter 2, Article XII, effective for solicitations issued after May 1, 2013.

This solicitation is subject to the Local Preference Program. For more information on the program, refer to the Local Preference Program Identification Form attached to this solicitation.

In order to receive consideration the Local Bidder must complete and return the attached Local Preference Identification Form.

| FOIIII. | | | | |
|--------------|---|------------------------|----------------------|----------------------------|
| | | ITEM PRICING | | \ |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | 01) | N |
| 1 | 12 | Compact Four Door | 4k2 Truck | |
| PRICE EACH: | \$ 23 69 | 525 | | $\int_{0}^{\infty} C_{1} $ |
| TOTAL: \$ | 284 313 | 00 | Mon Differ | |
| YEAR, MAKE 8 | MODEL TRUCK OF OFFERED: | COLORADO CI | REWCAB | Dole K. |
| SPECIFIC MAR | KE & MODEL OF ENGINE OFFEREI | O (INCLUDE SAE NET HP) | <u></u> | θ' |
| GM 1 | CV GAS IX 25 | L 200/SA | EHP_ | XD |
| TRANSMISSIC | | rc | | ¥ |
| WARRANTY: | 236000K BTB # | Syr or 100, | 000K Powers | RAIN |
| WARRANTY S | ERVICE PROVIDER FACILITY NAM CHEVROLET/ LT | ME: | | of of |
| | / | | | To ah |
| WARRANTY S | ERVICE PROVIDER FACILITY ADD | RESS: | , | y ra sp |
| 1655 | 0 1H35N | | | 10,010 -015,0 |
| SEL | MA, TEXAS 78, | 154 | | 2 / R |
| DELIVERY WIL | LL BE MADE WITHINC | CALENDER DAYS AFTER I | ISSUANCE OF PURCHASI | E ORDER. |

PRODUCTION CUT-OFF DATE FOR CURRENT YEAR MODEL: ____

DONE FOR 2020

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT WITHOUT MISSING THE PRODUCTION CUT OFF DATE FOR CURRENT YEAR MODEL:

| | OPTIONS/ACC | <u>CESSORIES</u> | |
|---|---------------------------------|---------------------------------------|--|
| | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| - | 1 A | • • • 11 17 | Strobe Lighting |
| | PRICE: | 347 - : 3829 00 | _ |
| | TOTAL PRICE | : <u>3829 = </u> | _ |
| | MANUFACTUE | RER OFFERED: <u>£CCO</u> | |
| | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| / | 1B | | Toolbox |
| | PRICE: | : 3315°° | $ \sim$ \sim \sim \sim |
| | TOTAL PRICE | : <u>3315 –</u> | $ \sim$ \sim \sim \sim \sim \sim \sim \sim |
| | | RER OFFERED: <u>RK/</u> | |
| | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| | | 2 | Lift Gate + RECIEVER HITCH |
| | PRICE: | 3335 | -/ . KC 31 L3 3 1/ |
| | TOTAL PRICE | 3335 <u>6670 °°</u> | |
| | MANUFACTUE | RER OFFERED: <u>TONIMY GA</u> | TE ACE HITCH |
| | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| | 1D | 1 | Color |
| | PRICE: | STO WHITE | _ |
| | TOTAL PRICE | :W/C | |
| | Vehicles are s manufacturer. | specified as OEM White. This option w | hen exercised is for any OEM base package color offered by |
| | ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| | 1E | 1 / 00 00 | Bed Liner |
| | PRICE: | 7X / 325 - | |
| | TOTAL PRICE | :_/ 325°° | |
| | MANUFACTUE | REPOFFERED: VZX QM | DROP IN BEO LINER |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
|-----------------|----------------------------|----------------------|-------------------------|
| 1F | 2 | Tow Hitch | NCLUDED W/LIFTGA MOX |
| PRICE: | 18394 | | NCLUDED W/LIFTGA |
| TOTAL PRIC | DE: | HIJOH II | ocourt , |
| MANUFACT | URER OFFERED: CM | OPERY HOOKS | <u>KGX</u> |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 1G | 2 //22 OG | Headache Rack | |
| PRICE: | 925 | | |
| TOTAL PRIC | 2 V23 00 846 DV1 | | |
| MANUFACT | URER OFFERED: RK/ | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| /1H | 1 | Arrow Stick | $(\land b)$ |
| PRICE: | 867 00 BE: 867 00 | / | |
| TOTAL PRIC | DE: 8676 | | |
| MANUFACT | URER OFFERED: | SHOWME | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | ' / |
| /11 | 642/0 | Traffic Advisor | |
| PRICE: | | | |
| TOTAL PRIC | CE: 642 00 | | |
| MANUFACT | URER OFFERED: <u>/ECCO</u> | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| [/] 1J | 3 / 2/00 | Top Mount Side Boxes | S |
| PRICE: | 86/55 (3) X × 3 × 3 | | |
| TOTAL PRIC | DE: | 2503 | |
| MANUFACT | URER OFFERED: | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 1K | 12 | Running Boards | * |
| PRICE: | /250 | | 1 |
| TOTAL PRIC | CE/ | <u> </u> | |
| MANUEACT | TIDER OFFEREN. PROMH | ¹ X | |

MANUFACTURER OFFERED:

1/2 Ton Regular Cab 4x2/RWD Truck 2 15 PRICE EACH: \$ TOTAL: \$ YEAR, MAKE & MODEL TRUCK OF OFFERED: 2020 CHEVROLET 2WD 1500 REG CAB CC10903 SPECIFIC MAKE & MODEL OF ENGINE OFFERED (INCLUDE SAE NET HP): LV3 GAS V.6 4.3L 285 HP TRANSMISSION OFFERED: 6SPD AUTOMATIC TRANSMISSION WARRANTY:

34ROR 36K BTB AND 54ROR 100,000K POWERTRAIN WARRANTY: WARRANTY SERVICE PROVIDER FACILITY NAME: UNN CHEVROLET LTO WARRANTY SERVICE PROVIDER FACILITY ADDRESS: LMA, TEXAS 78154 DELIVERY WILL BE MADE WITHIN 120 CALENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. PRODUCTION CUT-OFF DATE FOR CURRENT YEAR MODEL: APRIL - MAY INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT WITHOUT MISSING THE PRODUCTION CUT OFF DATE FOR CURRENT YEAR MODEL: **OPTIONS/ACCESSORIES** ITEM **ESTIMATED QUANTITY DESCRIPTION** 2A 13 Strobe Lighting TOTAL PRICE:

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|---------------------------------|--------------------------------------|--|
| 2B | 5 | Toolbox |
| PRICE: | 69/00 | |
| TOTAL PRICE | 34550-532 | |
| MANUFACTUR | RER OFFERED: RKI | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 2C | 1 | Lift Gate |
| PRICE: | <u> 2589 00</u> | |
| TOTAL PRICE | :2589 ⁰⁰ | |
| MANUFACTUR | RER OFFERED: Tommy | IGATE |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 2D | 1 | Color |
| PRICE: | STO WHITE | |
| TOTAL PRICE | :/ <i>N</i> /C | |
| Vehicles are s manufacturer. | pecified as OEM White. This option w | hen exercised is for any OEM base package color offered by |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 2E | 1 22,00 | Bed Liner |
| PRICE: | 3/5- | _ CM |
| TOTAL PRICE | _ | |
| MANUFACTU | rer offered: <u>CM DRO</u> | PIN BED LINER |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 2F | 1 | Tow Hitch |
| PRICE: | 35000 | |
| TOTAL PRICE | : <u>350</u> | - , , |
| MANUFACTU | RER OFFERED: 26M TRAIL | ER HITCH (FACTORY INSTALLED) |
| | ESTIMATED QUANTITY | DESCRIPTION |
| 2G | 1 1/00 00 | Headache Rack |
| PRICE: | 923 - | |
| TOTAL PRICE | 1 423 00 : 423 00 | - |
| MANUFACTU | RER OFFERED: RK. | <u>Z</u> |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|--------------|----------------------------------|-----------------------------------|
| 2H | 1 00 | Arrow Stick |
| PRICE: | 867- | |
| TOTAL PRICE: | | _ |
| MANUFACTUE | RER OFFERED: SHOW M | <i>18</i> |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 21 | 1 , 00 | Traffic Advisor |
| PRICE: | | |
| TOTAL PRICE: | : 6/2 · | |
| | RER OFFERED: <u>ECCO</u> | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 2J | 1 00000 | Top Mount Side Boxes |
| PRICE: | 936 00 | |
| TOTAL PRICE: | 936 | _ |
| MANUFACTUR | RER OFFERED: | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 2K | 15 20 100 | Running Boards |
| PRICE: | 7 L3 🔍 | _ |
| TOTAL PRICE: | 3/13- | |
| MANUFACTUF | RER OFFERED: VQO $G(I)$ | BLACK WORK STEPS |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 3 | 1 | 1/2 Ton Regular Cab 4x4/AWD Truck |
| DDICE EACH. | 1 \$ 25,830 25,830, 75 |) <u>25</u> |
| TOTAL . 6 | 25830'75 | |
| 101AL. φ | 710,000, | |
| | MODEL TRUCK OF OFFERED: | 2 2 2 2 2 2 2 |
| 2020 | CHEVROLET 4WD | 1500 REG CAB CK10903 |
| | KE & MODEL OF ENGINE OFFERED (IN | |
| OM LV | 13 GAS V6 4.3L | 285 SAE HP |
| TRANSMISSIC | ON OFFERED: C 6SPD AUTOMA. | TIO TOOLSON |
| 1114 | C 6SPD MOTOMA | IN JKANSIIIW |

| WARRANTY: | | | | | |
|-----------------------|---|--|--|--|--|
| SYR I | 34R OR 36K BIB AND SYR OR 100,000K POWERTRAIN | | | | |
| | ERVICE PROVIDER FACILITY NAME: | | | | |
| CUNN | CHEVROLET LTO | | | | |
| | | | | | |
| | ERVICE PROVIDER FACILITY ADDRES | | | | |
| 16550 , | 1435N SELMA, TE | XAS 78134 | | | |
| | | | | | |
| DELIVERY WI | LL RE MADE WITHIN 120 CALE | NDER DAYS AFTER ISSUANCE OF PURCHASE ORDER | | | |
| PRODUCTION | I CUT-OFF DATE FOR CURRENT YEAF | ENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. NO INFO NOT AND AND ASCE AT THIS TIME MODEL: APRIL - MAY 2020 } | | | |
| | | CE ORDERS UNDER THIS CONTRACT WITHOUT MISSING | | | |
| | TION CUT OFF DATE FOR CURRENT | | | | |
| | NO | <u></u> | | | |
| ODTIONS:400 | orogonico | • | | | |
| OPTIONS/ACC | | | | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | | | |
| 3A | 1 211200 | Strobe Lighting | | | |
| PRICE: | 211200 | | | | |
| TOTAL PRICE | : <u>391—</u> | _ | | | |
| MANUFACTU | RER OFFERED: <u>£CCO</u> | | | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | | | |
| 3B | 1 ,0,00 | Toolbox | | | |
| PRICE: | 69/ | | | | |
| TOTAL PRICE | : 69/00 | | | | |
| MANUFACTURER OFFERED: | | | | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | | | |
| 3C | 1 | Lift Gate | | | |
| PRICE: | 2589 °° : 2589 °° | | | | |
| TOTAL PRICE | | - 0 200 | | | |
| MANUFACTU | RER OFFERED: JOMI | NY U-H/E | | | |
| | | , | | | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|---------------------------------|---------------------------------------|---|
| 3D | 1 | Color |
| PRICE: | STO WHITE | |
| TOTAL PRICE | ::N/C | |
| Vehicles are s manufacturer. | specified as OEM White. This option v | when exercised is for any OEM base package color offered by |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 3E | 1 | Bed Liner |
| PRICE: | 37500 | |
| TOTAL PRICE | ::375°° | |
| MANUFACTU | rer offered: <u>CM DR</u> | OPIN |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 3 F | 1 | Tow Hitch |
| PRICE: | 350 00 | |
| TOTAL PRICE | 350 00 ::350 00 | |
| MANUFACTU | reroffered: <u>782 GM</u> | TRAILER HITCH (FACTORY INSTALLE) |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 3G | 1 (10000 | Headache Rack |
| PRICE: | 423- | |
| TOTAL PRICE | | <u> </u> |
| MANUFACTU | rer offered:RK/ | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 3H | 1 00 | Arrow Stick |
| PRICE: | 86/ | |
| TOTAL PRICE | ::867 <u>00</u> | <u> </u> |
| MANUFACTU | rer offered: S40u | ME |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 31 | 1 | Traffic Advisor |
| PRICE: | 612 | |
| TOTAL PRICE | 612 00 | |
| | RER OFFERED: <i>ECCO</i> | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION | | |
|---|----------------------------------|---|--|--|
| 3J | 1 | Top Mount Side Boxes | | |
| PRICE: | 936 - | | | |
| TOTAL PRICE | : <u>936 00</u> | _ | | |
| MANUFACTUE | RER OFFERED: KKL | | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | | |
| зК | 1 20,00 | Running Boards | | |
| PRICE: | 3/3 | | | |
| TOTAL PRICE | | _ | | |
| MANUFACTUR | RER OFFERED: VQO GM | BLACK STERS | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | | |
| 4 | 67 d/ | √½ Ton Extended Cab 4x2/RWD Truck | | |
| PRICE EACH: | \$ 228415 | | | |
| TOTAL: \$ | 1530,397,25 | | | |
| | R MODEL TRUCK OF OFFERED: | OO DOUBLECAB CC10753 | | |
| | KE & MODEL OF ENGINE OFFERED (IN | | | |
| GM LV | | 285 SAE 14P | | |
| TRANSMISSIC | | | | |
| | GSPD AUTOMATIC TR | PANSMISSION | | |
| WARRANTY: | | | | |
| 3/R OR 36000K BTB AND SYR OR 100,000K POWER TRAIN WARRANT | | | | |
| WARRANTY SERVICE PROVIDER FACILITY NAME: | | | | |
| GUNN CHEVROLET LTD | | | | |
| | | | | |
| WARRANTY SERVICE PROVIDER FACILITY ADDRESS: | | | | |
| 16550 1 | IH35N SELMA, TEXI | AS 78154 | | |
| | | | | |
| DELIVERY WI | LL BE MADE WITHIN 120 CALE | ENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. | | |
| PRODUCTION | I CUT-OFF DATE FOR CURRENT YEAR | ENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. O INFO DEST AVAILABLE ATTHIS TIME R MODEL: <u>APRIL - May 2020 ?</u> | | |

| INDICATE THE THE PRODUC | E LAST DAY THAT THE CITY CAN PLAC TION CUT OFF DATE FOR CURRENT \ | CE ORDERS UNDER THIS CONTRACT WI'YEAR MODEL: | THOUT MISSING |
|---------------------------------|--|--|----------------------|
| OPTIONS/ACC | CESSORIES | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 4A | 49 | Strobe Lighting | |
| PRICE: | 6/21- 547 | | |
| TOTAL PRICE | : <i>2680300</i> | _ | |
| MANUFACTU | RER OFFERED: <u>ECCO</u> | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 4B | 5 | Toolbox | |
| PRICE: | 69/ | <u> </u> | |
| TOTAL PRICE | :3455° | | |
| MANUFACTU | rer offered: <u>RKI</u> | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 4C | 1 | Lift Gate | |
| PRICE: | 2589 °° :- 2589 °° | | |
| TOTAL PRICE | :: <u>2589 09</u> | | |
| MANUFACTU | RER OFFERED: JOMMY | UATE | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 4D | 1 | Color | |
| PRICE: | SID WHITE | | |
| TOTAL PRICE | :: <i>N/C</i> | | |
| Vehicles are s manufacturer. | specified as OEM White. This option v | when exercised is for any OEM base pac | kage color offered b |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 4E | 1 | Bed Liner | |
| PRICE: | 379 - | <u> </u> | |
| TOTAL PRICE | :: <u>379 - </u> | <u> </u> | |
| MANUFACTU | RER OFFERED: <u>G-/// ////</u> | of IN | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|---------------------|--|--------------------------------|
| 4F | 4 | Tow Hitch |
| PRICE: | 350 - | <u> </u> |
| TOTAL PRICE | : 140000 | |
| MANUFACTU | rer offered: <u>CM TRAIL</u> | ER HITCH Z82 (FACTORY INSTALSE |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 4G PRICE: | | Headache Rack — |
| TOTAL PRICE | 169200 | <u> </u> |
| MANUFACTU | RER OFFERED: RKI | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 4H | 1 | Arrow Stick |
| PRICE: | 861- | |
| TOTAL PRICE | :867= | |
| MANUFACTU | RER OFFERED: SHO | W ME |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 41 | 2 | Traffic Advisor |
| PRICE: | 6/2 | |
| TOTAL PRICE | : | _ |
| MANUFACTU | RER OFFERED: <u>ECCO</u> | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 4J | 4 | Top Mount Side Boxes |
| PRICE: | 937- | <u> </u> |
| TOTAL PRICE | :: <u>3828 = </u> | _ |
| MANUFACTU | RER OFFERED: //K/ | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 4K | 67 | Running Boards |
| PRICE: | 400 - | <u> </u> |
| TOTAL PRICE | :: 26800 °° | |
| MANUFACTU | rer offered: <u>VQ'O BLK .</u> | WORK STEPS GM |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|--------------|--|---|
| 5 | 1 | 1/2 Ton Extended Cab 4x4/AWD Truck |
| PRICE EACH: | \$ 25/07 S | |
| TOTAL: \$ | \$ 25/01 ⁷⁵ 25/07 | <u>25</u> |
| | MODEL TRUCK OF OFFERED: | |
| 2020 | CHEVROLET YWD , | 1500 DOUBLE CAB CK 10753 |
| | KE & MODEL OF ENGINE OFFERED (IN 4.36 | |
| TRANSMISSIO | NOFFERED: SPD AUTOMATIC T | TRAISMICCION |
| WARRANTY: | , | |
| 3yR OR | 36000K BTB AND | Syr or 100,000K POWER TRAIN |
| • | ERVICE PROVIDER FACILITY NAME: | |
| GUNN | CHEVROLET LTO | |
| | | |
| | ervice provider facility address 1435N, SEMA, TEX | |
| | L BE MADE WITHIN <u>/20</u> CALE | ENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. NO INFOSSIX AVAILABLE OF THIS TIME MODEL: APRIL-MAY 2020 ? |
| INDICATE THE | | CE ORDERS UNDER THIS CONTRACT WITHOUT MISSING |
| OPTIONS/ACC | ESSORIES | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 5A | 1 | Strobe Lighting |
| PRICE: | 54700 | |
| TOTAL PRICE: | 54700 | |
| MANUFACTUF | RER OFFERED: <u>FCCO</u> | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|------------------------------|---|--|
| 5B | 1 (0) 00 | Toolbox |
| PRICE: | 67/ | |
| TOTAL PRICE: | / 4/ | = |
| MANUFACTUF | RER OFFERED: | - |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 5C | 1 ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ | Lift Gate |
| PRICE: | 258900 | |
| TOTAL PRICE: | | |
| MANUFACTUF | RER OFFERED: Toma | MY GATE |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 5D | 1 | Color |
| PRICE: | STD WHITE | <u> </u> |
| TOTAL PRICE: | \mathcal{N}/\mathcal{C} | _ |
| Vehicles are s manufacturer. | pecified as OEM White. This option w | hen exercised is for any OEM base package color offered by |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 5E | 1 | Bed Liner |
| PRICE: | 3/5- | |
| TOTAL PRICE: | | <u></u> |
| MANUFACTUE | rer offered: <u>GM DROF</u> | IN LINER |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 5 F | 25000 | Tow Hitch |
| PRICE: | 350 - | |
| TOTAL PRICE: | (330) | |
| MANUFACTUF | RER OFFERED: <u>CM Z82 T</u> | RAILER HIRH (FACTORY INSTALLED) |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 5G | 1 //22 00 | Headache Rack |
| PRICE: | 42300 | |
| TOTAL PRICE: | 423 | _ |
| MANUFACTUF | RER OFFERED: <u>RKJ</u> | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|--------------|----------------------------------|---|
| 5H | 1 00 | Arrow Stick |
| PRICE: | 867 | <u> </u> |
| TOTAL PRICE: | 86/- | |
| MANUFACTUR | RER OFFERED: SHOK |) ME |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 51 | 1 //2 00 | Traffic Advisor |
| PRICE: | 612 | |
| TOTAL PRICE: | | _ |
| MANUFACTUR | RER OFFERED: ECCO | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 5J | 1 0 - 00 | Top Mount Side Boxes |
| PRICE: | | |
| TOTAL PRICE: | 95700 | _ |
| MANUFACTUF | RER OFFERED: KKI | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 5K | 1 /// 00 | Running Boards |
| PRICE: | 11/1/1 | |
| TOTAL PRICE: | 900 - | - DEALER |
| MANUFACTUR | REROFFERED: VQO GM (| WORK STEPS (FROZORY INSTALLED) |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 6 | 3 | 72 Ton Four Full Door Cab 4x2/RWD Truck |
| PRICE EACH: | \$ | 2497175 |
| TOTAL: \$ | | 9 74 4/2 = |
| VEAR MAKE 8 | MODEL TRUCK OF OFFERED: | • |
| 2020 | | 1500 CREW CAB SHORT BOX CC10543 |
| | KE & MODEL OF ENGINE OFFERED (IN | |
| | LV3 GAS V6 4. | |
| TRANSMISSIO | | MATIC TRANSMISSION |

| WARRANTY: | | 0 - |
|--|--|---|
| SYR OR | 2.36000K BIB AND C | SYR OR 100,000K POWER TRANS |
| WARRANTY | SERVICE PROVIDER FACILITY NAME: | |
| GUND | CHEVROLET LTD | |
| AND CONTRACTOR OF CONTRACTOR O | ANA CONTRACTOR OF THE PROPERTY | |
| WARRANTY | SERVICE PROVIDER FACILITY ADDRI | ESS: |
| 16550 | 1 H35 N | |
| SELM | A, TEXAS 78154 | |
| | , /2 () | |
| DELIVERY W | /ILL BE MADE WITHIN/_C CAI | LENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. INFONOT AVAILABLE AT THIS TIME |
| PRODUCTIO | N CUT-OFF DATE FOR CURRENT YEA | AR MODEL: APRILA MAY 2020 |
| | HE LAST DAY THAT THE CITY CAN PLACTION CUT OFF DATE FOR CURRENT | ACE ORDERS UNDER THIS CONTRACT WITHOUT MISSING *YEAR MODEL: |
| | | NO |
| | | |
| OPTIONS/AC | CCESSORIES | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 6A | 3 ///7 | Strobe Lighting |
| PRICE: | 371 | |
| TOTAL PRIC | E: | |
| MANUFACTU | JRER OFFERED: | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 6B | 1 | Toolbox |
| PRICE: | | · |
| TOTAL PRIC | E: 69/00 | |
| MANUFACTI | JRER OFFERED: RKT | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 6C | 1 40 | Lift Gate |
| PRICE: | 2589 | |
| TOTAL PRIC | 2589 00 E: 2589 00 | |
| MANUFACTI | JRER OFFERED: JOMM | y GATE |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|----------------------------|---------------------------|---|
| 6D | 1 | Color |
| PRICE: | STD WHITE | |
| TOTAL PRICE | :: <i>N/C</i> | <u> </u> |
| Vehicles are manufacturer. | | when exercised is for any OEM base package color offered by |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 6E | 1 | Bed Liner |
| PRICE: | 37500 | |
| TOTAL PRICE | 37500 | |
| MANUFACTU | RER OFFERED: OM BES L | INER |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 6F | 1 | Tow Hitch |
| PRICE: | 350 | <u> </u> |
| TOTAL PRICE | :350 | |
| MANUFACTU | RER OFFERED: GM Z82 | TRAILER HITCH FACTORY INSTALLED |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 6G | 1 | Headache Rack |
| PRICE: | 423 - | |
| TOTAL PRICE | | |
| MANUFACTU | RER OFFERED: RKI | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 6H | 1 | Arrow Stick |
| PRICE: | | |
| TOTAL PRICE | E:867°° | |
| MANUFACTU | IRER OFFERED: SHOW I | ME |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 61 | 1 | Traffic Advisor |
| PRICE: | 6/2 | |
| TOTAL PRICE | | |
| MANUFACTU | IRER OFFERED: <u>FCCO</u> | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|---------------------------------|---|---|
| 6J | 1 | Top Mount Side Boxes |
| PRICE: | 436 | |
| TOTAL PRICE: | 936 | _ |
| MANUFACTUF | RER OFFERED: <u>RKI</u> | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 6K | 3 | Running Boards |
| PRICE: | 400 | |
| TOTAL PRICE: | /200 | |
| MANUFACTUF | RER OFFERED: V90 BUK | GM WORK STEPS |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 7 | 5 | 1/2 Ton Four Full Door Cab 4x4/AWD Truck |
| PRICE EACH: | | |
| TOTAL: \$ | 12/ /// | 75 |
| SPECIFIC MAKE O-M TRANSMISSIO | KE & MODEL OF ENGINE OFFERED (IN IV3 OAS V6 43) ON OFFERED: | · · · · · · · · · · · · · · · · · · · |
| WARRANTY: | OR 36000K BTB . | AND SYROR 100,000K POWER TRAIN |
| WARRANTY S | ERVICE PROVIDER FACILITY NAME: CHEVROLET LTD | |
| 16 550 | ERVICE PROVIDER FACILITY ADDRESS 1 H35N A, TEXAS 78154 | |
| DELIVERY WIL | L BE MADE WITHIN <u>/20</u> CALE | ENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. NO INFO AVAILABLE AT THIS TIME R MODEL: APRIL - MAY 2020 |

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT WITHOUT MISSING THE PRODUCTION CUT OFF DATE FOR CURRENT YEAR MODEL: **OPTIONS/ACCESSORIES** ITEM **ESTIMATED QUANTITY DESCRIPTION 7A Strobe Lighting** PRICE: TOTAL PRICE: MANUFACTURER OFFERED: ITEM **ESTIMATED QUANTITY DESCRIPTION** 7B Toolbox PRICE: TOTAL PRICE: MANUFACTURER OFFERED: ___ RKI ITEM **ESTIMATED QUANTITY** DESCRIPTION 7C Lift Gate TOTAL PRICE: MANUFACTURER OFFERED: ITEM **ESTIMATED QUANTITY DESCRIPTION** 7D Color TOTAL PRICE: ____ Vehicles are specified as OEM White. This option when exercised is for any OEM base package color offered by manufacturer. ITEM **ESTIMATED QUANTITY DESCRIPTION** 7E **Bed Liner** PRICE:

MANUFACTURER OFFERED: CM DROP IN BEDLINER

TOTAL PRICE:

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|--|--|--|
| 7 F | 1 | Tow Hitch |
| PRICE: | 350 | <u> </u> |
| TOTAL PRICE | : <i>350</i> | |
| MANUFACTU | rer offered: <u>Z82</u> <i>GM</i> | TRAILER HITCH (FACTORY INSTAUSE |
| ITEM | | DESCRIPTION |
| 7G | 1 | Headache Rack |
| PRICE: | 923 | |
| TOTAL PRICE | :: <u>423</u> | |
| MANUFACTU | RER OFFERED: RKI | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 7H | 1 | Arrow Stick |
| PRICE: | 86700 | |
| TOTAL PRICE | : | |
| MANUFACTU | RER OFFERED: SHOW | ME |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| | | |
| 71 | 1 | Traffic Advisor |
| 7I PRICE: | 6/2 | Traffic Advisor |
| 7I PRICE: | 6/2 | Traffic Advisor —— |
| 7I PRICE: TOTAL PRICE | 6/2 | Traffic Advisor |
| 7I PRICE: TOTAL PRICE | 6/2 E000 | Traffic Advisor DESCRIPTION |
| 7I PRICE: TOTAL PRICE MANUFACTU | 6/2 :6/2 rer offered: <i>ECCO</i> | |
| 7I PRICE: TOTAL PRICE MANUFACTU | 6/2 :6/2 rer offered: <i>ECCO</i> | DESCRIPTION |
| 7I PRICE: TOTAL PRICE MANUFACTU ITEM 7J | $\frac{6/2}{6/2}$ RER OFFERED: \underline{ECCO} ESTIMATED QUANTITY $\frac{1}{936} \frac{00}{888}$ 0.26 | DESCRIPTION |
| 7I PRICE: TOTAL PRICE MANUFACTU ITEM 7J PRICE: TOTAL PRICE | $\frac{6/2}{6/2}$ RER OFFERED: \underline{ECCO} ESTIMATED QUANTITY $\frac{1}{936} \frac{00}{888}$ 0.26 | DESCRIPTION |
| 7I PRICE: TOTAL PRICE MANUFACTU ITEM 7J PRICE: TOTAL PRICE | 6/2 ERER OFFERED: $ECCO$ ESTIMATED QUANTITY $936 - 886$ ESTIMATED QUANTITY $936 - 886$ EXAMPLE SOLUTION | DESCRIPTION |
| 7I PRICE: TOTAL PRICE MANUFACTU ITEM 7J PRICE: TOTAL PRICE MANUFACTU | ESTIMATED QUANTITY 1 936 ESTIMATED QUANTITY 1 936 ESTIMATED QUANTITY 1 936 ESTIMATED QUANTITY 1 936 ESTIMATED QUANTITY | DESCRIPTION Top Mount Side Boxes |
| 7I PRICE: TOTAL PRICE MANUFACTUI ITEM 7J PRICE: TOTAL PRICE MANUFACTU ITEM | ESTIMATED QUANTITY 1 936 ESTIMATED QUANTITY 1 936 EER OFFERED: RKI ESTIMATED QUANTITY 5 | DESCRIPTION Top Mount Side Boxes DESCRIPTION |
| 7I PRICE: TOTAL PRICE MANUFACTUI ITEM 7J PRICE: TOTAL PRICE MANUFACTU ITEM 7K PRICE: TOTAL PRICE | ESTIMATED QUANTITY 1 936 ESTIMATED QUANTITY 1 936 ESTIMATED QUANTITY 5 400 100 | DESCRIPTION Top Mount Side Boxes DESCRIPTION Running Boards |

DESCRIPTION

| 8 | 18 | 3/4 Ton Regular Cab 4x2/RWD Truck | |
|--------------------------------------|---|--|----|
| PRICE EACH: | \$ 27060 = | | |
| TOTAL: \$ | \$ 27060 ⁵⁰ 487,089 | <i></i> | |
| YEAR, MAKE 8 | MODEL TRUCK OF OFFERED: | WD LWB REG CAB CC 20903 | |
| SPECIFIC MAI | KE & MODEL OF ENGINE OFFERED (IN | CLUDE SAE NET HP): | |
| _GM | 18T GAS V8 6 | 6L 401 HP SAE | |
| TRANSMISSIO | ON OFFERED: 6 SPO AUTOMATI | C TRANSMISSION | |
| WARRANTY: | | | |
| | 36 K BTB AND 54 | R OR 100,000K POWER TRAIN | |
| WARRANTY S | ERVICE PROVIDER FACILITY NAME: CHEVROLET LTD | | |
| | ERVICE PROVIDER FACILITY ADDRES | | |
| | , TEXAS 78154 | | |
| DELIVERY WII PRODUCTION INDICATE THE | LL BE MADE WITHIN/2_0_ CALE CUT-OFF DATE FOR CURRENT YEAR | NDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. NO INFO AVAILABLE AT THIS TO MODEL: E ORDERS UNDER THIS CONTRACT WITHOUT MISSING | Tm |
| OPTIONS/ACC | | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 8 A | 13 X47 | Strobe Lighting | |
| PRICE: | . 577 : 6564 | | |
| TOTAL PRICE | | _ | |
| MANUFACTUR | RER OFFERED: ECCO | | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|---------------------------------|--------------------------------------|---|
| 8B | 11 | Toolbox |
| PRICE: | | |
| TOTAL PRICE | | |
| MANUFACTUE | RER OFFERED: <u>RK1 C63</u> L | <u> </u> |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 8C | 6 | Lift Gate |
| PRICE: | 2587- | a - |
| TOTAL PRICE | : 15,539° | |
| MANUFACTUR | 2589°- : | MY GOTE |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 8D | 1 | Color |
| PRICE: | STO WHITE N/C | <u> </u> |
| TOTAL PRICE | : <i>N/C</i> | _ |
| Vehicles are s manufacturer. | pecified as OEM White. This option w | then exercised is for any OEM base package color offered by |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 8 E | 1 | Bed Liner |
| PRICE: | 375 | |
| TOTAL PRICE | | |
| MANUFACTUR | RER OFFERED: <u>GM BED</u> | DROP IN LINER |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 8 F | 7 (1) | Tow Hitch |
| PRICE: | STD STD | 7/- |
| TOTAL PRICE | | C X |
| MANUFACTUR | RER OFFERED: 282 CXIXA | EXDRY HITCH (FACTORY INSTALLED) |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 8G | 4 (102 00 | Headache Rack |
| PRICE: | 423 | |
| TOTAL PRICE | | _ |
| MANUFACTUR | rer offered: <u>RK /</u> | |

.

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|-------------|----------------------------------|---|
| 8H | 1 | Light Bar |
| PRICE: | | |
| TOTAL PRICE | : | |
| MANUFACTU | RER OFFERED: SHOW | M& |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 81 | 2 | Traffic Advisor |
| PRICE: | 6/2 | <u> </u> |
| TOTAL PRICE | : /224 00 | _ |
| | RER OFFERED: <u>FCCO</u> | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 8J | 1 | Top Mount Side Boxes |
| PRICE: | 951 | |
| TOTAL PRICE | / / / | |
| MANUFACTU | RER OFFERED: KKI | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 8K | 18 | Running Boards |
| PRICE: | XXX 3/3° | . |
| TOTAL PRICE | | _ |
| MANUFACTUI | rer offered: <u>GM VQO</u> | WORK STEP |
| ITERA | ESTIMATED QUANTITY | DECORIDATION |
| ITEM | | DESCRIPTION 3/ Top Regular Cab 4x4/AWD Truck |
| 9 | 4 | 34 Ton Regular Cab 4x4/AWD Truck 29059 — |
| PRICE EACH: | - XXX/ S | |
| TOTAL: \$ | 7000 | - 116,230 |
| YEAR, MAKE | & MODEL TRUCK OF OFFERED: | |
| 2020 | CHEVROLET 2500 | 4WD LWB REG CAB CK20903 |
| SPECIFIC MA | KE & MODEL OF ENGINE OFFERED (II | |
| GM | LOT GAS V8 6.0 | 62 401 SAE HP |
| TRANSMISSIO | | |
| MYD | 6SPD AUTOMATIC | TRANSMISSION |

| WARRANTY: | | _ | |
|-------------|--|--|---------------------------|
| 3yR OR | 36KBIB AND SYR | OR 100,000K POWER TRAIN | - |
| , | SERVICE PROVIDER FACILITY NAME: | , | |
| GUNI | U CHEVROLET LID | | |
| | | | |
| WARRANTY | SERVICE PROVIDER FACILITY ADDRE | SS: | |
| 16550 | 1435N | | |
| SELM | 1435N A, TEXAS 78154 | | |
| | , | | |
| DELIVERY W | ILL BE MADE WITHIN /2 CAL | ENDER DAYS AFTER ISSUANCE OF PURCHAS | BE ORDER. PT THIS TIME |
| PRODUCTION | N CUT-OFF DATE FOR CURRENT YEAR | R MODEL: APRIL - MA | y 20 20 |
| | E LAST DAY THAT THE CITY CAN PLACTION CUT OFF DATE FOR CURRENT | CE ORDERS UNDER THIS CONTRACT WITHO YEAR, MODEL: | UT MISSING |
| | | <i>10</i> | |
| | | | |
| OPTIONS/AC | CESSORIES | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 9A | 4 51/200 | Strobe Lighting | |
| PRICE: | 07/ | | |
| TOTAL PRICE | :: <u>2/80</u> | | |
| MANUFACTU | RER OFFERED: | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 9B | 4 /0,00 | Toolbox | |
| PRICE: | 691 | | |
| TOTAL PRICE | 4 691 00 == 276400 RER OFFERED: RKI | | |
| MANUFACTU | RER OFFERED: RKI | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 9C | 1 00 | Lift Gate | |
| PRICE: | 2589 - | - The state of the | |
| TOTAL PRICE | 2589°° == 2589°° | | |
| MANUFACTU | RER OFFERED: TOMA | NU GATE | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|------------------------------|--------------------------------------|--|
| 9D | 1 | Color |
| PRICE: | STD WHITE | <u> </u> |
| TOTAL PRICE: | N/C | _ |
| Vehicles are s manufacturer. | pecified as OEM White. This option w | hen exercised is for any OEM base package color offered by |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 9E | 1 | Bed Liner |
| PRICE: | 373 | |
| TOTAL PRICE: | | _ , |
| MANUFACTUF | rer offered: <u>GM DROP</u> | IN LINER |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 9F | 1 | Tow Hitch |
| PRICE: | STIB | |
| TOTAL PRICE: | <i>N/C</i> | |
| MANUFACTUF | RER OFFERED: | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 9G | 1 | Headache Rack |
| PRICE: | 423 | <u> </u> |
| TOTAL PRICE: | | _ |
| MANUFACTUF | RER OFFERED: <u>RK/</u> | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 9H | 1 | Light Bar |
| PRICE: | 861- | |
| TOTAL PRICE: | 86700 | _ |
| MANUFACTUE | RER OFFERED: <u>SHOW</u> | NE |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 91 | 1 | Traffic Advisor |
| PRICE: | 6/2 | |
| TOTAL PRICE: | 612 | _ |
| MANUFACTUP | RER OFFERED: FCCO | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|--------------|----------------------------------|---|
| 9J | 1 | Top Mount Side Boxes |
| PRICE: | 957 00 | |
| TOTAL PRICE: | 06 | _ |
| MANUFACTUF | RER OFFERED: | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 9K | 4 | Running Boards |
| PRICE: | 3/3 | - 1500 OO |
| TOTAL PRICE: | COO GAN WORK STR | 1500 - |
| MANUFACTUF | RER OFFERED: VQO GM U | TORK STEPS |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 10 | 12 | 3/4 Ton Extended Cab 4x2/RWD Truck |
| PRICE EACH: | \$ 27.591° | <u> </u> |
| TOTAL: \$ | 331,098,0 | 0 |
| | MODEL TRUCK OF OFFERED: | |
| 2020 Ci | HEVROLET AWD 2500 | DOUBLE CAB SWB CC20753 |
| SPECIFIC MAK | (E & MODEL OF ENGINE OFFERED (IN | CLUDE SAE NET HP): |
| GM 4 | L8T GAS V8 6.6L | 401 HP SAE |
| TRANSMISSIO | N OFFERED: | |
| MYD | 6 SPS AUTOMATIC | TRANS MISSION |
| WARRANTY: | | |
| 34R OF | R 36K BIB AND 50 | IR OR 100,000K POWER TRAIN |
| | ERVICE PROVIDER FACILITY NAME: | |
| GUNN | CHEVROLET LID | |
| | | |
| WARRANTY S | ERVICE PROVIDER FACILITY ADDRES | SS: |
| 16550 | 1H35N | |
| SELMA, | TEXAS 78154 | |
| DELIVERY WIL | LL BE MADE WITHIN CALE | NDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. |
| PRODUCTION | CUT-OFF DATE FOR CURRENT YEAR | MODEL: APRIL - MAY ? |

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT WITHOUT MISSING THE PRODUCTION CUT OFF DATE FOR CURRENT YEAR MODEL:

| OPTIONS/ACCESSORIES | | |
|---|--------------------------------------|--|
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 10A | 12 | Strobe Lighting |
| PRICE: | 347= | |
| TOTAL PRICE: | 656400 | _ |
| MANUFACTUF | RER OFFERED: #CCO | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 10B | 8 | Toolbox |
| PRICE: | | |
| TOTAL PRICE: | 5528 00 | - - |
| MANUFACTUF | RER OFFERED: KKI | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 10C | 2 2 200 00 | Lift Gate |
| PRICE: | 2589 <u>00</u> 5178 <u>00</u> | |
| TOTAL PRICE: | 5178 | _ |
| MANUFACTUF | RER OFFERED: | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 10D | 1 | Color |
| PRICE: | STO WHITE | |
| TOTAL PRICE: Vehicles are s manufacturer. | pecified as OEM White. This option w | hen exercised is for any OEM base package color offered by |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 10E | 1 22 400 | Bed Liner |
| PRICE: | 315 | |
| TOTAL PRICE: | | _ , |
| MANUFACTUR | RER OFFERED: <u>CM DROP</u> | in Liner |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|---|---|---|
| 10F | 7 | Tow Hitch |
| PRICE: | - STU - | |
| TOTAL PRICE: | N/C | _ |
| MANUFACTUR | ER OFFERED: | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 10G | 6 | Headache Rack |
| PRICE: | 423 | |
| TOTAL PRICE: | 2538 | _ |
| MANUFACTUR | RER OFFERED: <u>RK/</u> | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 10H | 1 00 | Light Bar |
| PRICE: | 868 <u>-</u> 868 <u>- 0</u> | |
| TOTAL PRICE: | 86800 | _ |
| MANUFACTUF | RER OFFERED: SHOW | ME |
| | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| ITEM 10l | ESTIMATED QUANTITY 3 | DESCRIPTION Traffic Advisor |
| 101 | 3 | |
| 101 | 3 6/2 00 | |
| 10I PRICE: | 3 6/2 °0 1836 °0 Enno | |
| 10I PRICE: TOTAL PRICE: | 3 6/2 °0 1836 °0 Enno | |
| 10I PRICE: TOTAL PRICE: MANUFACTUE | 3 6/2 00 1836 00 RER OFFERED: <u>FCC</u> 0 | Traffic Advisor |
| 10I PRICE: TOTAL PRICE: MANUFACTUF ITEM | 3 6/2 00 1836 00 RER OFFERED: FCCO ESTIMATED QUANTITY 1 0 5 2 0 0 | Traffic Advisor DESCRIPTION |
| 10I PRICE: TOTAL PRICE: MANUFACTUF ITEM 10J | 3 6/2 00 1836 00 RER OFFERED: FCCO 1957 00 1000 | Traffic Advisor DESCRIPTION |
| 10I PRICE: TOTAL PRICE: MANUFACTUF ITEM 10J PRICE: TOTAL PRICE: | 3 6/2 00 1836 00 RER OFFERED: FCCO 1957 00 1000 | Traffic Advisor DESCRIPTION |
| 10I PRICE: TOTAL PRICE: MANUFACTUF ITEM 10J PRICE: TOTAL PRICE: | 3 6/2 00 1836 00 RER OFFERED: FCCO 1937 00 957 00 | Traffic Advisor DESCRIPTION |
| 10I PRICE: TOTAL PRICE: MANUFACTUF ITEM 10J PRICE: TOTAL PRICE: MANUFACTUF | 3 6/2 00 1836 00 RER OFFERED: | Traffic Advisor DESCRIPTION Top Mount Side Boxes |
| 10I PRICE: TOTAL PRICE: MANUFACTUF ITEM 10J PRICE: TOTAL PRICE: MANUFACTUF ITEM | 3 6/2 00 1836 00 RER OFFERED: FCCO ESTIMATED QUANTITY 1 957 00 RER OFFERED: RK/ ESTIMATED QUANTITY 12 400 -6 0 | Traffic Advisor DESCRIPTION Top Mount Side Boxes DESCRIPTION |
| 10I PRICE: TOTAL PRICE: MANUFACTUF ITEM 10J PRICE: TOTAL PRICE: MANUFACTUF ITEM 10K | 3 6/2 00 1836 00 RER OFFERED: FCCO ESTIMATED QUANTITY 1 957 00 RER OFFERED: RK/ ESTIMATED QUANTITY 12 4800 00 | Traffic Advisor DESCRIPTION Top Mount Side Boxes DESCRIPTION |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|----------------|-----------------------------------|--|
| 11 | 8 | 3/4 Ton Extended Cab 4x4/AWD Truck |
| | \$ 293525 | |
| TOTAL: \$ | 322,877,5 | 0 |
| | | |
| • | MODEL TRUCK OF OFFERED: | 0.0000000000000000000000000000000000000 |
| 2020 C | HEVROLET 4/NO 25 | OO DOUBLE CAB SWB CK20753 |
| | KE & MODEL OF ENGINE OFFERED (II | |
| GM L | 8T GAS V8 6.6L | 401HP SAE |
| TRANSMISSIC | | |
| MYD | 6 SPD AUTOMATIC | TRANSMISSION |
| WARRANTY: | | |
| 3UR | OR 36K AND SUR OF | R 100,000 K POWER TRAIN |
| / | ERVICE PROVIDER FACILITY NAME: | , • • |
| GUNN | CHEVROLET LTO | |
| | | |
| WARRANTYS | ERVICE PROVIDER FACILITY ADDRE | SS· |
| | 14.35N | |
| | , TEXAS 78154 | · · |
| <u>OELIVIA</u> | , IEXAS (OIS) | |
| DELIVERY WII | LL BE MADE WITHIN <u>/20</u> cali | ENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. |
| PRODUCTION | CUT-OFF DATE FOR CURRENT YEAR | ENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. NO IN TO AVATLABLE BY THIS TIME R MODEL: APRIC - MAY 2020 |
| INDICATE THE | | CE ORDERS UNDER THIS CONTRACT WITHOUT MISSING |
| THE PRODUC | TION CUT OFF DATE FOR CURRENT | YEAR MODEL: |
| | | |
| OPTIONS/ACC | CESSORIES | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| | _ | |
| 11A | 54700 | Strobe Lighting |
| PRICE: | 072/00 | |
| TOTAL PRICE | COC | |
| MANUFACTUR | RER OFFERED: | \cup |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|----------------------------|-----------------------------|--|
| 11B | 1 10100 | Toolbox |
| PRICE: | | |
| TOTAL PRICE | == 69/00 | |
| MANUFACTU | RER OFFERED: KK | <u></u> |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 11C | 1 | Lift Gate |
| PRICE: | 2589 | |
| TOTAL PRICE | =:2589 <u>@</u> | |
| MANUFACTU | RER OFFERED: TOMA | NY GATE |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 11D | 1 | Color |
| PRICE: | STO WHITE | <u></u> |
| TOTAL PRICE | ≣: <i>N/C</i> | |
| Vehicles are manufacturer. | | when exercised is for any OEM base package color offered b |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 11E | 1 275 00 | Bed Liner |
| PRICE: | | |
| TOTAL PRICE | | |
| MANUFACTU | irer offered: <u>GM DRO</u> | PIN LINER |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 11F | 1 | Tow Hitch |
| PRICE: | | |
| TOTAL PRICE | =: | |
| | IRER OFFERED: | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 11G | 1 | Headache Rack |
| PRICE: | 423 | |
| TOTAL PRICE | 423 =: 423 | <u> </u> |
| MANUELOTI | IDED OFFEDEN: RKI | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
|--|-------------------------------------|--------------------------------------|---------|
| 11H | 1 01200 | Light Bar | |
| PRICE: | 861 — | _ | |
| TOTAL PRICE | | _ | |
| MANUFACTUE | RER OFFERED: SHOW MO | <u> </u> | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 111 | 1 | Traffic Advisor | |
| PRICE: | 6/2 - | | |
| TOTAL PRICE | :6/2°° | _ | |
| | RER OFFERED: <u>ECCO</u> | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 11J | 1 | Top Mount Side Boxes | |
| PRICE: | 957 - | | |
| TOTAL PRICE: | 957 00 | | |
| MANUFACTUE | RER OFFERED: RK/ | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 11K | 5 | Running Boards | |
| PRICE: | 400 | <u> </u> | |
| TOTAL PRICE: | | _ | |
| MANUFACTUE | RER OFFERED: BY OM WO | ORK STEPS (FACTORY) | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 12 | 15 | 3/4 Ton Four Full Door 4x2/RWD Truck | |
| PRICE EACH: | \$ 29238 50 428 577 5 | | |
| TOTAL: \$ | 438,577 | | |
| YEAR, MAKE & MODEL TRUCK OF OFFERED: 2020 CHEVROLET 2WD 2500 SWB CREW CAB CC20743 | | | |
| 2020 | CHEVKUCE! ZWD | ASOU SIUB CREW CAB | 0030193 |
| | (E & MODEL OF ENGINE OFFERED (IN | _ | |
| GM L | 18T GAS V8 6.6L | 401 SAE HP | |
| TRANSMISSIO | | | |
| MYD | 6 SPD AUTOMATI | IC TRANSMISSION | |

| WARRANTY: | | | |
|-------------|--|---|---------------------------------|
| 3yR o | R36KBIB AND 50 | UR OR 100,000K POWER') | TRAIN |
| | > SERVICE PROVIDER FACILITY NAME: | · | |
| GUNN | CHEVROLET LTD | | |
| | | | |
| WARRANTY S | SERVICE PROVIDER FACILITY ADDRE | SS: | |
| | 1435N | | |
| SELM | A, TEXAS 78154 | | |
| | 12 1 | | |
| DELIVERY WI | ILL BE MADE WITHIN <u>/ ∠ U</u> CAL | ENDER DAYS AFTER ISSUANCE OF PU | RCHASE ORDER. 30 @ Khis Time |
| PRODUCTION | N CUT-OFF DATE FOR CURRENT YEA | R MODEL: APRIC - MAY | 2020 |
| | E LAST DAY THAT THE CITY CAN PLA CTION CUT OFF DATE FOR CURRENT | ICE ORDERS UNDER THIS CONTRÁCT ' YEAR MODEL: | WITHOUT MISSING |
| | | | |
| | | | |
| OPTIONS/ACC | <u>CESSORIES</u> | | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 12A | 14 ×××× 5479 | O Strobe Lighting | |
| PRICE: | 280 591- = 7658 <u>- 76</u> | | |
| TOTAL PRICE | :: <u>/638 —</u> | <u> </u> | |
| MANUFACTU | RER OFFERED: ECCO | , | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 12B | 15 | Toolbox | |
| PRICE: | <u>691 –</u> : 1036500 | | |
| TOTAL PRICE | 1036500 | | |
| MANUFACTU | RER OFFERED: RK/ | | _ |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION | |
| 12C | 1 00000 | Lift Gate | |
| PRICE: | 2589 - | <u></u> | |
| TOTAL PRICE | | | |
| MANUEACTU | RER OFFERED: TOMMY | GATE | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|---------------------------------|---------------------------------------|---|
| 12D | 1 | Color |
| PRICE: | STO WHITE | <u> </u> |
| TOTAL PRICE | : <i>N/C</i> | |
| Vehicles are s manufacturer. | specified as OEM White. This option w | then exercised is for any OEM base package color offered by |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 12E | 1 | Bed Liner |
| PRICE: | 375 | |
| TOTAL PRICE | :37500 | |
| MANUFACTU | rer offered: <u>CM DRO</u> | PIN |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 12F | 10 | Tow Hitch |
| PRICE: | STD | <u> </u> |
| TOTAL PRICE | : <i>N/</i> C | |
| MANUFACTUR | RER OFFERED: | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 12G | 3 | Headache Rack |
| PRICE: | 423— 1269°° | |
| TOTAL PRICE | • | _ |
| MANUFACTUR | RER OFFERED: RKZ | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 12H | 1 017 00 | Light Bar |
| PRICE: | 861 - | <u> </u> |
| TOTAL PRICE | | |
| MANUFACTUR | RER OFFERED: SHOW | ME |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 12 I | 1 | Traffic Advisor |
| PRICE: | 6/200 | |
| TOTAL PRICE | : | _ |
| MANUFACTUR | RER OFFERED: <u>FCCO</u> | |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|-------------------------------|--|---|
| 12J | 1 | Top Mount Side Boxes |
| PRICE: | 95700 | |
| TOTAL PRICE | 95700 | -, |
| MANUFACTU | RER OFFERED: | <u> </u> |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 12K | 15 | Running Boards |
| PRICE: | 900 - | — |
| TOTAL PRICE | : <u> </u> | |
| MANUFACTU | rer offered: <u>VOO CM LAA</u> | CK WORK STEPS |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 13 | 5 | 3/4 Ton Four Full Door 4x4/AWD Truck |
| PRICE EACH: | \$ 3/198 <u>0</u> 155.990 | |
| TOTAL: \$ | 155,990 | <u>00</u> |
| 2020 (SPECIFIC MAI | KE & MODEL OF ENGINE OFFERED (IN | |
| GM L | 97 GAS V8 6.6L | 401 SAE HP |
| TRANSMISSIC | 1 | TRANSMISSION |
| WARRANTY: <i>3yr or</i> | BTB 36K AXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | R Syr or 100,000K Power TRAIL |
| | ERVICE PROVIDER FACILITY NAME: CHEVROLET LTD | |
| WARRANTY S 16 550 SEI M | ERVICE PROVIDER FACILITY ADDRESS A. TEXAS 78154 | |
| | , | ENDER DAYS AFTER ISSUANCE OF PURCHASE ORDER. NO INFOIR VAILABLE @ THIS TH |

| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
|-------------|--------------------------|----------------------|
| 13F | 1 | Tow Hitch |
| PRICE: | STO | |
| TOTAL PRICE | : <i>N/C</i> | |
| MANUFACTUR | RER OFFERED: | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 13G | 1 00 | Headache Rack |
| PRICE: | . 423°C : 423°C | |
| TOTAL PRICE | :423 <u>U</u> | _ |
| MANUFACTU | RER OFFERED: RK/ | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 13H | 1 | Arrow Stick |
| PRICE: | 868 - | |
| TOTAL PRICE | :86800 | |
| MANUFACTU | RER OFFERED: SHOW M | £ |
| | ESTIMATED QUANTITY | DESCRIPTION |
| 131 | 1 | Traffic Advisor |
| PRICE: | 6/2 - | |
| TOTAL PRICE | :61200 | _ |
| MANUFACTU | rer offered: <u>Ecco</u> | |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 13J | 1 | Top Mount Side Boxes |
| PRICE: | 957 | |
| TOTAL PRICE | | _ |
| MANUFACTUI | RER OFFERED: RK/ | · |
| ITEM | ESTIMATED QUANTITY | DESCRIPTION |
| 13K | 5 | Running Boards |
| PRICE: | 400 | |
| TOTAL PRICE | : | |
| | \sim 1/00 CM | BLK WORK STEPS |
| MANUFACTU | REROFFERED: VYVVV | DUE WORK DILYS |

Veteran-Owned Small Business Program Tracking Form

Authority. San Antonio City Code Chapter 2, Article XI describes the City's veteran-owned small business preference program.

Tracking. This solicitation is not eligible for a preference based on status as a veteran-owned small business (VOSB). Nevertheless, in order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both prime contract and subcontract levels.

Certification. The City relies on inclusion in the database of veteran-owned small businesses (VOSB) maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

Definitions.

The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program uses the below definition of joint venture.

Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which
is manifested by a written agreement, between two or more independently owned and controlled
business firms to form a third business entity solely for purposes of undertaking distinct roles and
responsibilities in the completion of a given contract. Under this business arrangement, each joint
venture partner shares in the management of the joint venture and also shares in the profits or
losses of the joint venture enterprise commensurately with its contribution to the venture.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR BID/PROPOSAL.

INSTRUCTIONS

- IF SUBMITTING AS A PRIME CONTRACTOR ONLY, COMPLETE SECTION 1 OF THIS FORM.
- IF SUBMITTING AS A PRIME CONTRACTOR UTILIZING A SUBCONTRACTOR, COMPLETE SECTIONS 1 AND 2 OF THIS FORM.

Veteran-Owned Small Business Program Tracking Form

| SOLICITATION NAME/NUMBER: <u>ANNUAL CONTRACT</u> | 1000 123 92 | PICK-UP TRUCKS /6. | | |
|---|--------------------|--------------------|--|--|
| Name of Respondent: | GUNN CHEVE | 01.8T LTO | | |
| Physical Address: | 16550 1H35N | | | |
| City, State, Zip Code: | SELMA, TEXAS 78154 | | | |
| Phone Number: | 210-599- | 5000 EXT 2059 | | |
| Email Address: | dnirele | s@gunnauto.co | | |
| Is Respondent certified as a VOSB with the U.S. Small Business Administration? | Yes | No | | |
| (circle one) | | | | |
| If yes, provide the SBA Certification # | | | | |
| If not certified by the SBA, is Respondent certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) | Yes | No | | |
| If yes, provide the name of the entity who has certified Respondent as a VOSB. Include any identifying certification numbers. | | | | |
| Participation Percentage: | | | | |
| Participation Dollar Amount: | | | | |
| | | | | |
| Is Respondent subcontracting with a business that is certified as a VOSB? (circle one) | Yes | No | | |
| Name of SUBCONTRACTOR Veteran-Owned Small Business: | | | | |
| Physical Address: | | | | |
| City, State, Zip Code: | | | | |
| Phone Number: | | | | |
| Email Address: | | | | |
| Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one) If yes, provide the SBA Certification # | Yes | (No) | | |
| | | | | |
| If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one) | Yes | No | | |
| If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers. | | | | |
| Participation Percentage: | | | | |
| Participation Dollar Amount | | | | |
| | 1 | | | |

Veteran-Owned Small Business Program Tracking Form

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on this Veteran-Owned Small Business Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

BIDDER/RESPONDENT'S FULL NAME:

(Print Name) Authorized Representative of Bidder/Respondent

(Signature) Authorized Representative of Bidder/Respondent

GOVERNMENT FLEET

/ 2020

Date

This Veteran-Owned Small Business Program Tracking Form must be submitted with the Bidder/Respondent's bid/proposal.

Finance Department - Purchasing Division

Local Preference Program Identification Form

The City of San Antonio Local Preference Program, described in the San Antonio City Code Chapter 2, Article XII, establishes a local preference for specific contracting categories. Each time a bidder or respondent submits a bid for a solicitation, this Local Preference Program Identification Form must be completed and turned in with the solicitation response in order to be identified as a City Business and receive the preference described below. The City will not rely on Local Preference Program Identification Forms submitted with prior or contemporaneous bids or proposals.

The Local Preference Program allows the City to grant a preference to a business meeting the definition of *City Business* in the award of the following types of contracts, when selection is made based on price alone:

- <u>Personal Property (Goods / Supplies)</u>: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 or more;
- Non-professional Services: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$500,000;
- <u>Construction Services</u>: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$100,000, excluding contracts awarded using alternative delivery methods.

The Local Preference Program also allows the award of additional points, when multiple evaluation criteria are used in the award of professional service contracts, where the selection process is not governed by statute and in revenue generating and concession contracts. A business meeting the definition of *City Business* stated below may be awarded 10 points for being headquartered within the city, or 5 points for having a local office within the city.

Moreover, the program recognizes joint venture agreements and allows for apportioning of points based upon the percentage of ownership of joint ventures by *City Businesses* responding to solicitations for which discretionary points are applied. For solicitations where selection is made based on price alone, all members of a joint venture must be *City Businesses* for the preference to be applied.

<u>City Business</u> is defined as a business headquartered within the incorporated San Antonio city limits for one year or more OR one that meets the following conditions:

- Has an established place of business for one year or more in the incorporated limits of the City:
- (a) from which at least 100 of its employees OR at least 20% of its total full-time, part-time and contract employees are regularly based; and
- (b) from which a substantial role in the business' performance of a commercially useful function or a substantial part of its operations is conducted by those employees.

A location utilized solely as a post office box, mail drop or telephone message center or any similar combination, with no other substantial work function, is not a *City Business*.

For the purposes of this program, Headquartered is defined as the place where a business entity's officers direct, control, and coordinate the entity's activities.

NOTE: Bidders / Respondents are required to submit documentation to substantiate that the requirements of a City Business have been met. Examples of documentation may include, but are not limited to the following:

- Existence of local headquarters or office: For corporations, Texas Comptroller's listing of names/addresses of officers and directors. For partnerships, partnership agreement and any documents identifying the current managing partners and their current work addresses
- 2. Evidence of local headquarters or office in existence for one year or more: Utility bills, real property lease agreements, equipment leases, personal property taxes, real property taxes
- 3. Evidence of number of employees: Organizational charts, payroll records by location

Finance Department - Purchasing Division Local Preference Program Identification Form

CITY RESERVES THE RIGHT TO REQUEST ADDITIONAL INFORMATION TO VALIDATE BIDDERS'/RESPONDENTS' DESIGNATION AS A CITY BUSINESS.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR RESPONSE EVEN IF YOU ARE NOT SEEKING A LOCAL PREFERENCE. THE BIDDER / RESPONDENT MUST COMPLETE THE FOLLOWING FORM TO BE IDENTIFIED AS A CITY BUSINESS. IF BIDDER / RESPONDENT IS SUBMITTING AS A JOINT VENTURE, EACH CITY BUSINESS THAT IS A MEMBER OF THE JOINT VENTURE MUST COMPLETE AND SIGN THIS FORM.

PROVIDE THE FOLLOWING INFORMATION IF BIDDER/ RESPONDENT IS SUBMITTING AS PART OF A JOINT VENTURE. Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

| A THE BIDDER OF REGIONAL TO LERGERITHOLD OF OWNER, IN THE COURT VEHTORE. | ٠ |
|---|------------|
| | |
| | |
| SUBMIT A COPY OF THE JOINT VENTURE AGREEMENT. SUBMIT ANY OTHER DOCUMENTATION | N C |
| | |
| REQUESTED BY CITY TO SUBSTANTIATE THE EXISTANCE OF AND/OR PARTICIPATION IN THE JOIN | NI |
| VENTURE. NO PREFERENCE POINTS WILL BE ALLOCATED TO A JOINT VENTURE THAT FAILS T | ΓC |
| | |
| SUBMIT REQUIRED DOCUMENTATION. | |

STATE RIDDER'S / RESPONDENT'S PERCENTAGE OF OWNERSHIP IN THE JOINT VENTURE:

PROVIDE THE FOLLOWING INFORMATION REGARDING BIDDER'S / RESPONDENT'S HEADQUARTERS:

SOLICITATION NAME/NUMBER: ANNUAL CONTRACT FOR LIGHT DUTY PICK-UP TRUCKS,

Name of Business: GUNN HUTOMOTIVE Physical Address: City, State, Zip Code: Phone Number: -500 X2058 MNIN 210-472-2501 Email Address: Provide the total number of full-time, part-time, and contract personnel employed by Bidder / Respondent: Is Business headquartered within the incorporated San No Yes Antonio city limits? (circle one) Has the business been headquartered in the incorporated No San Antonio city limits for one year or more? (circle one) If the answers to the questions above are "Yes", stop here. If the answer to either of

the above questions is "No", provide responses to the following questions:

Finance Department - Purchasing Division Local Preference Program Identification Form

PROVIDE THE FOLLOWING INFORMATION REGARDING BIDDER'S / RESPONDENT'S LOCAL OFFICE (IF APPLICABLE):

| Name of Business: | GUNN AUTOMO? | TIVE GRO | DUP | |
|--|---|----------|----------|-----|
| Physical Address: | 227 BRO | ADWAY | ST | |
| City, State, Zip Code: | SAN ANTONI | | | |
| Phone Number: | 210-472-2 | • | A1170 . | COM |
| Email Address: | dmirelesce | QUANCE | HEXPROXX | |
| Provide the total number of full-time, part-time, and contract personnel employed by Bidder / Respondent in the local office: | | | | |
| Is the business located in the incorporated San Antonio city limits? (circle one) | | Ves | No | |
| Has the business been located in the incorporated San Antonio city limits for one year or more? (circle one) | | (es) | No | |
| Are at least 100 full-time, part-time or contract employees regularly based in the San Antonio office? (circle one) | | Yes | No | |
| Are at least 20% of the business' total contract employees regularly based office? (circle one) | | Yes | No | |
| Do the employees in the San Antor substantial role in the business' commercially useful function or are a s business' operations conducted in the (circle one) | performance of a ubstantial part of the | (Fes) | No | |

Finance Department - Purchasing Division

Local Preference Program Identification Form

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on this Local Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Local Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

BIDDER'S / RESPONDENT'S FULL NAME:

1/15/2020

| DANNY MIRELES |
|---|
| (Print Name) Authorized Representative of Bidder / Respondent |
| (Signature) Authorized Representative of Bidder / Respondent |
| (Signature) Authorized Representative of Bidder / Respondent |
| GOVERNMENT FLEET SALES REP |
| Title |

This Local Preference Identification Form must be submitted with the bidder's / respondent's bid/proposal response.