Notice of Confidentiality Rights: If You Are a Natural Person, You May Remove or Strike Any or All the Following Information from Any Instrument That Transfers an Interest in Real Property Before it Is Filed for Record in the Public Records: Your Social Security Number or Your Driver's License Number.

State of Texas §

**Know All By These Presents:** 

County of Bexar §

#### **Public Access Easement**

\_\_\_\_\_

#### **Authorizing Ordinance:**

**Grantor:** GrayStreet Houston – 150 E. Houston Street, LLC

Grantor's Address: c/o Caliburn Capital, LLC

4515 San Pedro

San Antonio, TX 78212

**Grantee** City of San Antonio

Grantee's Address: P.O. Box 839966

San Antonio, Texas 78283-3966

(Bexar County)

Purpose of Easement: A non-exclusive access easement for the benefit of the

general public, the City of San Antonio and its licensees, lessees, invitees, employees, agents and contractors and for the purpose of conducting City business as needed to maintain and repair the Appurtenant Property, and for ingress to and egress from the Appurtenant Property by

Grantee and the general public.

**Appurtenant Property:** 0.0042 acre tract, more or less, out of Lot 11, Block 20

N.C. 404, an addition to the City of San Antonio, Bexar County, Texas according to plat thereof filed of record in Volume 9550, Page 24 of the Deed and Plat Records of Bexar County, Texas, the land being more particularly described on **Exhibit A**, which is incorporated herein by reference for all purposes as if it

were fully set forth.

0.0112 acre tract, more or less, out of Lot 11, Block 20 N.C. 404, an addition to the City of San Antonio, Bexar County, Texas according to plat thereof filed of record in Volume 9550, Page 24 of the Deed and Plat Records of Bexar County, Texas, the land being more particularly described on **Exhibit A**, which is incorporated herein by reference for all purposes as if it were fully set forth.

#### **Easement Property:**

0.0020 acre tract, more or less, out of Lot 11, Block 20 N.C. 404, an addition to the City of San Antonio, Bexar County, Texas according to plat thereof filed of record in Volume 9550, Page 24 of the Deed and Plat Records of Bexar County, Texas, the land being more particularly described on **Exhibit B**, which is incorporated herein by reference for all purposes as if it were fully set forth.

Grantor grants, dedicates, and conveys to Grantee and to the public generally, for and in consideration of the benefits accruing to Grantor, to Grantor's other property, and to the public generally, a perpetual easement over, across, and upon the surface only of the Easement Property. This easement is appurtenant to the Appurtenant Property and runs with title to the Appurtenant Property. By its acceptance of the easement, the Grantee specifically acknowledges that the easement does not constitute a conveyance in fee of the Easement Property and Grantor reserves for Grantor's successors and assigns the right to use and enjoy the Easement Property for all purposes which do not interfere with Grantee's use of the Easement Property for the Purpose of Easement.

The easement may be used only for the Purpose of Easement stated above. Grantor covenants and for itself, its successors, and assigns, that no building or obstruction of any kind will be placed on the Easement Property herein granted.

Grantee has had full opportunity to examine the Easement Property and Grantee hereby waives any claim for damages that may arise out of the condition of the Easement Property. Grantee's taking possession of the Easement Property shall be conclusive evidence of Grantee's acceptance thereof and Grantee, as a material part of the consideration for this easement, hereby accepts the Easement Property "AS IS, WHERE IS, AND WITH ALL FAULTS" with any and all latent and patent defects. Grantee acknowledges and stipulates that Grantee is not relying on any representation, statement or other assertion with respect to the condition of the Easement Property but is relying on Grantee's examination of the Easement Property.

To Have and To Hold the above describ successors and assigns, until its use is term	ped easement and rights unto Grantee, its inated or abandoned.
Witness my hand, this day of	, 2015.
GRANTOR:	
GRAYSTREET HOUSTON – 150 E. HOULLC, a Texas limited liability company	USTON STREET,
By: GrayStreet Houston Management, LI managing member	LC, its
By: Caliburn Capital, LLC, its sole	member
By:	
Name:	
Title:	
Date:	<u> </u>
AGREED AND ACCEPTED:	
GRANTEE:	
CITY OF SAN ANTONIO, TEXAS A Texas Municipal Corporation	
By:	
Name:	, City Manager or Designee
Accepted under Ordinance:	

#### **ACKNOWLEDGEMENT**

THE STATE OF §
COUNTY OF
This instrument was acknowledged before me on
Notary Public in and for the State of My Commission Expires:
ACKNOWLEDGEMENT
THE STATE OF TEXAS \$  \$ COUNTY OF BEXAR \$
BEFORE ME, the undersigned authority, on this day personally appeared, City Manager or Designee for and on behalf of the CITY SAN ANTONIO, TEXAS, a Texas home rule municipal corporation; he/she acknowledged to me that he/she is the duly authorized representative of the CITY OF SAN ANTONIO, TEXAS, and that he/she executed said instrument for the purposes and consideration therein expressed and in the capacity therein stated.  GIVEN UNDER MY HAND AND SEAL OF OFFICE this day of
Notary Public in and for the State of My Commission Expires:


### **GRANTOR'S ADDRESS:**


GrayStreet Houston – 150 E. Houston Street, LLC c/o Caliburn Capital, LLC 4515 San Pedro San Antonio, TX 78212


### **GRANTEE'S ADDRESS:**

City of San Antonio PO Box 839966 San Antonio, Texas 78283

### Exhibit A









LEGEND

(UNLESS OTHERWISE NOTED)

POINT ON FACE OF WALL/BUILDING CORNER

HANDICAP SIGN (UNLESS OTHERWISE NOTED)

GAS, ELECTRIC, TELEPHONE AND CABLE TELEVISION

OFIR FOUND 1/2" IRON ROD

UTILITY POLE

-OU E- OVERHEAD UTILITY

E ELECTRIC TRANSFORMER

WATER VALVE

WATER METER

S STORM WATER MANHOLE

**CLEAN OUT** LIGHT STANDARD ELECTRIC METER

RIGHT-OF-WAY SQUARE FEET

C.D.P. CONCRETE DUMPSTER PAD

RECORD INFORMATION

TELEPHONE PEDESTAL

ELECTRIC PULL BOX VARIABLE WIDTH PARKING SPACE AIR CONDITIONER PAD

★ ELEVATION REFERENCE POINT

N.T.S. NOT TO SCALE

CABLE PEDESTAL

OVERALL P PROPERTY LINE

----X----- WIRE FENCE 

D.R. DEED RECORD OF BEXAR COUNTY, TEXAS

D.P.R. DEED AND PLAT RECORDS OF BEXAR COUNTY, TEXAS O.P.R. OFFICIAL PUBLIC RECORD OF REAL PROPERTY OF BEXAR COUNTY, TEXAS

WASTEWATER MANHOLE

PROJ NO. 2543-001-104 DATE: 11/03/2014

# METES AND BOUNDS DESCRIPTION TRACT 2 0.0042-ACRE TRACT OUT OF LOT 11, BLOCK 20, N.C.B. 404 CITY OF SAN ANTONIO, BEXAR COUNTY, TEXAS

BEING A 0.0042-ACRE (181 SQUARE FEET) TRACT OF LAND OUT OF LOT 11, BLOCK 20, NEW CITY BLOCK 404, HOTEL VALENCIA SAN ANTONIO RIVERWALK, AN ADDITION TO THE CITY OF SAN ANTONIO, ACCORDING TO PLAT THEREOF RECORDED IN VOLUME 9SSO, PAGE 24, DEED AND PLAT RECORDS OF BEXAR COUNTY, TEXAS, SAID LOT 11 BEING THAT SAME LAND CONVEYED FROM GILBERT M. DENMAN, JR. AND MARGARET W. BLOCK TO STREET RETAIL SAN ANTONIO, L.P. BY SPECIAL WARRANTY DEED, DATED MARCH 10, 1998 AND RECORDED IN VOLUME 7381, PAGE 8S6, OFFICIAL PUBLIC RECORDS OF REAL PROPERTY OF BEXAR COUNTY, TEXAS, SAID 0.0042-ACRE TRACT BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS, WITH ALL BEARINGS BEING REFERENCED TO NAD83, TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE (4204):

COMMENCING AT AN "X" ON CONCRETE ON THE SOUTH RIGHT-OF-WAY LINE OF E. HOUSTON STREET (60' WIDE), SAME POINT ALSO BEING ON THE EAST LINE OF THE SAN ANTONIO RIVER AND BEING THE NORTHWEST CORNER OF SAID LOT 11;

THENCE S21°48'50"W, DEPARTING SAID RIGHT-OF-WAY, ALONG THE COMMON LINE OF SAID LOT 11 AND SAN ANTONIO RIVER, A DISTANCE OF 7.41 FEET TO A POINT ON EDGE OF ROCK WALL, FOR THE NORTHWEST CORNER AND **POINT** OF **BEGINNING** OF THE HEREIN DESCRIBED TRACT;

THENCE DEPARTING SAID COMMON LINE, INTO AND ACROSS SAID LOT 11, THE FOLLOWING SIX (6) CALLS:

- 1) N89°18'18"E, ALONG SAID EDGE OF ROCK WALL, A DISTANCE OF 3.81 FEET TO A NON-TANGENT POINT OF CURVATURE TO THE LEFT, FOR THE NORTHEAST CORNER OF THE HEREIN DESCRIBED TRACT,
- 2) ALONG SAID CURVE TO THE LEFT AND GENERALLY ALONG EDGE OF ROCK WALL, A DISTANCE OF 27.32 FEET, WITH A RADIUS OF 17.S0 FEET, A CENTRAL ANGLE OF 89°26'49", AND A CHORD BEARING AND DISTANCE OF S08°08'54"E, 24.63 FEET TO A CORNER OF ROCK WALL, FOR A CORNER OF THE HEREIN DESCRIBED TRACT.
- 3) S42°40'00"W, DEPARTING SAID ROCK WALL, A DISTANCE OF 8.97 FEET TO A CORNER OF ROCK WALL, FOR THE SOUTH CORNER OF THE HEREIN DESCRIBED TRACT,
- 4) N42°12'33"W, ALONG THE EDGE OF ROCK WALL, A DISTANCE OF 3.08 FEET TO A CORNER OF ROCK WALL, FOR A CORNER OF THE HEREIN DESCRIBED TRACT,
- S) NS0°S4'47"E, ALONG THE EDGE OF ROCK WALL, A DISTANCE OF 0.7S FEET TO A CORNER OF ROCK WALL AT A NON-TANGENT POINT OF CURVATURE TO THE RIGHT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT, AND
- 6) ALONG SAID CURVE TO THE RIGHT, ALONG SAID EDGE OF ROCK WALL, A DISTANCE OF 13.22 FEET, WITH A RADIUS OF 26.00 FEET, A CENTRAL ANGLE OF 29°07'S6", AND A CHORD BEARING AND DISTANCE OF N29°32'S2"W, 13.08 FEET TO A POINT ON THE COMMON LINE OF SAID LOT 11 AND SAN ANTONIO RIVER, FOR THE MOST WESTERLY CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE N21°48'50"E, DEPARTING SAID EDGE OF WALL, ALONG SAID COMMON LINE, A DISTANCE OF 18.09 FEET RETURNING TO THE **POINT OF BEGINNING** AND CONTAINING 0.0042 OF AN ACRE (181 SQUARE FEET) OF LAND.


JOB NO. 2543-001-104 JANUARY 16, 2015 REVISED FEBRUARY 16, 2015

CERTIFIED THIS 16TH DAY OF FEBRUARY, 2015

ROBERT M. ANGUIANO, R.P.L.S. REGISTERED PROFESSIONAL LAND SURVEYOR TEXAS CERTIFIED REGISTRATION NO. 6347 VICKREY & ASSOCIATES, INC.

An accompanying survey plat of even date accompanies this description.





LEGEND OFIR FOUND 1/2" IRON ROD (UNLESS OTHERWISE NOTED) POINT ON FACE OF WALL/BUILDING CORNER/ELEVATOR SHAFT UTILITY POLE ---OU E--- OVERHEAD UTILITY E ELECTRIC TRANSFORMER HANDICAP SIGN (UNLESS OTHERWISE NOTED) WATER VALVE WATER METER WASTEWATER MANHOLE STORM WATER MANHOLE **CLEAN OUT** LIGHT STANDARD ELECTRIC METER FIRE HYDRANT G,E,T,CA GAS, ELECTRIC, TELEPHONE AND CABLE TELEVISION R.O.W. RIGHT-OF-WAY SQ.FT. SQUARE FEET D.R. DEED RECORD OF BEXAR COUNTY, TEXAS D.P.R. DEED AND PLAT RECORDS OF BEXAR COUNTY, TEXAS O.P.R. OFFICIAL PUBLIC RECORD OF REAL PROPERTY OF BEXAR COUNTY, TEXAS C.D.P. CONCRETE DUMPSTER PAD N.T.S. NOT TO SCALE ( ) RECORD INFORMATION CHAIN LINK FENCE ----X----- WIRE FENCE 

> CABLE PEDESTAL TELEPHONE PEDESTAL

ELECTRIC PULL BOX

PARKING SPACE

PROPERTY LINE

**ELEVATION REFERENCE POINT** 

OVERALL

TRACT 1 A 0.0112-ACRE TRACT OUT OF LOT 11, BLOCK 20, N.C.B. 404

I, ROBERT M. ANGUIANO, HEREBY CERTIFY THAT THIS SURVEY SUBSTANTIALLY COMPLIES WITH THE CURRENT TEXAS SOCIETY OF PROFESSIONAL LAND SURVEYORS STANDARDS AND SPECIFICATIONS FOR A CATEGORY 1A, CONDITION I

DATED 02-16-15 ROBERT M. ANGUIANO REGISTERED PROFESSIONAL LAND SURVEYOR TEXAS REGISTRATION NO. 6347 VICKREY AND ASSOCIATES, INC. RANGUIANO@VICKREYINC.COM



PREPARED FOR:

PROJ NO. 2543-001-104 DATE: 11/03/2014

STREET RETAIL SAN ANTONIO, L.P.

DRAWN BY: R.M.A. / R.C.S.

APPROVED BY: R.M.A.

FIELD CREW: J.B./R.R.

# METES AND BOUNDS DESCRIPTION TRACT 1 0.0112-ACRE TRACT OUT OF LOT 11, BLOCK 20, N.C.B. 404 CITY OF SAN ANTONIO, BEXAR COUNTY, TEXAS

BEING A 0.0112-ACRE (488 SQUARE FEET) TRACT OF LAND OUT OF LOT 11, BLOCK 20, NEW CITY BLOCK 404, HOTEL VALENCIA SAN ANTONIO RIVERWALK, AN ADDITION TO THE CITY OF SAN ANTONIO, ACCORDING TO PLAT THEREOF RECORDED IN VOLUME 9SSO, PAGE 24, DEED AND PLAT RECORDS OF BEXAR COUNTY, TEXAS, SAID LOT 11 BEING THAT SAME LAND CONVEYED FROM GILBERT M. DENMAN, JR. AND MARGARET W. BLOCK TO STREET RETAIL SAN ANTONIO, L.P. BY SPECIAL WARRANTY DEED, DATED MARCH 10, 1998 AND RECORDED IN VOLUME 7381, PAGE 8S6, OFFICIAL PUBLIC RECORDS OF REAL PROPERTY OF BEXAR COUNTY, TEXAS, SAID 0.0112-ACRE TRACT BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS, WITH ALL BEARINGS BEING REFERENCED TO NAD83, TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE (4204):

**COMMENCING** AT AN "X" ON CONCRETE ON THE SOUTH RIGHT-OF-WAY LINE OF E. HOUSTON STREET (60' WIDE), SAME POINT ALSO BEING ON THE EAST LINE OF THE SAN ANTONIO RIVER AND BEING THE NORTHWEST CORNER OF SAID LOT 11;

THENCE N89°S6'02"E, ALONG THE COMMON LINE OF SAID LOT 11 AND RIGHT-OF-WAY, A DISTANCE OF 20.60 FEET TO A POINT;

THENCE SO0°27'46"E, DEPARTING SAID COMMON LINE, INTO AND ACROSS SAID LOT 11 AND PARTIALLY ALONG THE FACE OF EXISTING BUILDING WALL, A DISTANCE OF 1.80 FEET TO THE POINT OF BEGINNING AND NORTHEAST CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE CONTINUING INTO AND ACROSS SAID LOT 11 AND ALONG SAID FACE OF BUILDING WALL, THE FOLLOWING THREE (3) CALLS:

- 1) S00°27'46"E, A DISTANCE OF S.04 FEET TO A POINT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT,
- 2) N90°00'00"E, A DISTANCE OF 1.S4 FEET TO A POINT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT. AND
- 3) S00°00'00"E, A DISTANCE OF 6.49 FEET TO THE CORNER OF AN ELEVATOR SHAFT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE DEPARTING SAID FACE OF BUILDING WALL, CONTINUING INTO AND ACROSS SAID LOT 11, ALONG SAID FACE OF ELEVATOR SHAFT, THE FOLLOWING SEVEN (7) CALLS:

- 1) S89°27'12"W, A DISTANCE OF 7.02 FEET TO A CORNER OF ELEVATOR SHAFT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT,
- 2) S01°02'04"W, A DISTANCE OF 2.96 FEET TO A CORNER OF ELEVATOR SHAFT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT,
- 3) S88°12'SS"W, A DISTANCE OF 1.39 FEET TO A CORNER OF ELEVATOR SHAFT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT.
- 4) S01°20'37"E, A DISTANCE OF 2.01 FEET TO A CORNER OF ELEVATOR SHAFT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT,

- S) S87°S2'40"E, A DISTANCE OF 0.95 FEET TO A CORNER OF ELEVATOR SHAFT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT,
- 6) S00°40'04"E, A DISTANCE OF 2.9S FEET TO A CORNER OF ELEVATOR SHAFT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT, AND
- 7) S89°33'S3"E, A DISTANCE OF 7.31 FEET TO THE FACE OF AFOREMENTIONED BUILDING WALL, FOR A CORNER OF THE HEREIN DESCRIBED TRACT,

THENCE S00°00'20"W, ALONG SAID FACE OF BUILDING WALL, A DISTANCE OF 9.30 FEET TO A POINT, FOR THE SOUTHEAST CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE DEPARTING SAID FACE OF BUILDING WALL, CONTINUING INTO AND ACROSS SAID LOT 11, THE FOLLOWING SIX (6) CALLS:

- 1) N79°21'1S"W, A DISTANCE OF 7.13 FEET TO A POINT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT.
- 2) S87°48'41"W, A DISTANCE OF 9.19 FEET TO A NON-TANGENT POINT OF CURVATURE TO THE RIGHT, AT A CORNER OF ROCK WALL, FOR THE SOUTHWEST CORNER OF THE HEREIN DESCRIBED TRACT,
- 3) ALONG SAID CURVE TO THE RIGHT, ALONG THE EDGE OF SAID ROCK WALL, A DISTANCE OF 16.86 FEET, WITH A RADIUS OF 16.00 FEET, A CENTRAL ANGLE OF 60°21'S9", AND A CHORD BEARING AND DISTANCE OF N22°00'4S"W, 16.09 FEET TO A POINT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT,
- 4) N88°S6'S2"W, ALONG THE EDGE OF ROCK WALL, A DISTANCE OF 0.38 FEET TO A NON-TANGENT POINT OF CURVATURE TO THE RIGHT, FOR A CORNER OF THE HEREIN DESCRIBED TRACT.
- S) ALONG SAID CURVE TO THE RIGHT, DEPARTING SAID ROCK WALL, ALONG THE FACE OF ROCK COLUMNS, A DISTANCE OF 22.78 FEET, WITH A RADIUS OF 16.00 FEET, A CENTRAL ANGLE OF 81°34'29", AND A CHORD BEARING AND DISTANCE OF NS1°28'4S"E, 20.90 FEET TO A CORNER OF ROCK COLUMN, FOR A CORNER OF THE HEREIN DESCRIBED TRACT, AND
- 6) N89°32'14"E, DEPARTING SAID ROCK COLUMN, A DISTANCE OF 4.78 FEET RETURNING TO THE POINT OF BEGINNING AND CONTAINING 0.0112 OF AN ACRE (488 SQUARE FEET) OF LAND.

JOB NO. 2543-001-104 JANUARY 16, 201S REVISED FEBRUARY 16, 201S

CERTIFIED THIS 16TH DAY OF FEBRUARY, 201S

ROBERT M. ANGUIANO, R.P.L.S.


REGISTERED PROFESSIONAL LAND SURVEYOR TEXAS CERTIFIED REGISTRATION NO. 6347 VICKREY & ASSOCIATES, INC.


An accompanying survey plat of even date accompanies this description.








## Exhibit B











LEGEND

(UNLESS OTHERWISE NOTED)

(UNLESS OTHERWISE NOTED)

POINT ON FACE OF WALL/BUILDING CORNER

HANDICAP SIGN (UNLESS OTHERWISE NOTED)


FOUND 1/2" IRON ROD

E ELECTRIC TRANSFORMER

WATER VALVE WATER METER

WASTEWATER MANHOLE

UTILITY POLE ---OU E--- OVERHEAD UTILITY



STANDARD LAND SURVEY

**EASEMENT 2** 

A 0.0020-ACRE SURFACE ACCESS EASEMENT OUT OF LOT 11, BLOCK 20, N.C.B. 404

CITY OF SAN ANTONIO, BEXAR COUNTY, TEXAS

I, ROBERT M. ANGUIANO, HEREBY CERTIFY THAT THIS SURVEY SUBSTANTIALLY COMPLIES WITH THE CURRENT TEXAS SOCIETY OF PROFESSIONAL LAND SURVEYORS STANDARDS AND SPECIFICATIONS FOR A CATEGORY 1B, CONDITION I

DATED 02-16-15 ROBERT M. ANGUIANO REGISTERED PROFESSIONAL LAND SURVEYOR TEXAS REGISTRATION NO. 6347



VICKREY AND ASSOCIATES, INC.

PREPARED FOR:



STREET RETAIL SAN ANTONIO, L.P.

PROJ NO. 2543-001-104 DATE: 11/03/2014

DRAWN BY: R.M.A.

APPROVED BY: -

FIELD CREW: J.B./R.R.

# METES AND BOUNDS DESCRIPTION EASEMENT 2 0.0020-ACRE SURFACE ACCESS EASEMENT OUT OF LOT 11, BLOCK 20, N.C.B. 404 CITY OF SAN ANTONIO, BEXAR COUNTY, TEXAS

BEING A 0.0020-ACRE (86 SQUARE FEET) SURFACE ACCESS EASEMENT OUT OF LOT 11, BLOCK 20, NEW CITY BLOCK 404, HOTEL VALENCIA SAN ANTONIO RIVERWALK, AN ADDITION TO THE CITY OF SAN ANTONIO, ACCORDING TO PLAT THEREOF RECORDED IN VOLUME 9SSO, PAGE 24, DEED AND PLAT RECORDS OF BEXAR COUNTY, TEXAS, SAID LOT 11 BEING THAT SAME LAND CONVEYED FROM GILBERT M. DENMAN, JR. AND MARGARET W. BLOCK TO STREET RETAIL SAN ANTONIO, L.P. BY SPECIAL WARRANTY DEED, DATED MARCH 10, 1998 AND RECORDED IN VOLUME 7381, PAGE 8S6, OFFICIAL PUBLIC RECORDS OF REAL PROPERTY OF BEXAR COUNTY, TEXAS, SAID 0.0020-ACRE EASEMENT BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS, WITH ALL BEARINGS BEING REFERENCED TO NAD83, TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE (4204):

**COMMENCING** AT AN "X" ON CONCRETE ON THE SOUTH RIGHT-OF-WAY LINE OF E. HOUSTON STREET (60' WIDE), SAME POINT ALSO BEING ON THE EAST LINE OF THE SAN ANTONIO RIVER AND BEING THE NORTHWEST CORNER OF SAID LOT 11;

THENCE S21°48'S0"W, DEPARTING SAID RIGHT-OF-WAY, ALONG THE COMMON LINE OF SAID LOT 11 AND SAN ANTONIO RIVER, A DISTANCE OF 34.27 FEET TO A POINT;

THENCE S68°11'10"E, DEPARTING SAID COMMON LINE, INTO AND ACROSS SAID LOT 11, A DISTANCE OF 13.16 FEET TO A POINT ON EDGE OF ROCK WALL, FOR THE **POINT OF BEGINNING** AND MOST WESTERLY CORNER OF THE HEREIN DESCRIBED EASEMENT;

THENCE N42°40'00"E, GENERALLY ALONG SAID EDGE OF ROCK WALL, A DISTANCE OF 9.46 FEET TO A CORNER OF ROCK WALL, FOR A CORNER OF THE HEREIN DESCRIBED EASEMENT;

THENCE CONTINUING INTO AND ACROSS SAID LOT 11, THE FOLLOWING FOUR (4) CALLS:

- 1) N87°48'41"E, A DISTANCE OF 7.30 FEET TO A POINT, FOR THE NORTH CORNER OF THE HEREIN DESCRIBED EASEMENT,
- 2) S02°11'19"E, A DISTANCE OF 2.S3 FEET TO A POINT, FOR THE MOST EASTERLY CORNER OF THE HEREIN DESCRIBED EASEMENT,
- 3) S43°00'SS"W, A DISTANCE OF 12.86 FEET TO A POINT, FOR THE SOUTH CORNER OF THE HEREIN DESCRIBED EASEMENT, AND
- 4) N46°S9'0S"W, A DISTANCE OF 6.89 RETURNING TO THE POINT OF BEGINNING AND CONTAINING 0.0020 ACRES (86 SQUARE FEET) OF EASEMENT.

JOB NO. 2S43-001-104 JANUARY 16, 201S REVISED FEBRUARY 16, 201S

CERTIFIED THIS 16TH DAY OF FEBRUARY, 201S

ROBERT M. ANGUIANO, R.P.L.S.
REGISTERED PROFESSIONAL LAND SURVEYOR
TEXAS CERTIFIED REGISTRATION NO. 6347

VICKREY & ASSOCIATES, INC.

An accompanying survey plat of even date accompanies this description.



