



CITY OF SAN ANTONIO

PURCHASING AND GENERAL SERVICES DEPARTMENT

FORMAL INVITATION FOR BID ("IFB") NO.: 6100006180

PURCHASE OF LIGHT DUTY TRUCKS, SUVs & VANS

Date Issued: JUNE 26, 2015

**BIDS MUST BE RECEIVED NO LATER THAN:
2:00 PM, C.T. JULY 17, 2015**

Bids may be submitted by any of the following means:

Electronic submission through the Portal

Hard copy in person or by mail

Address for hard copy responses:

Physical Address:

City Clerk's Office

100 Military Plaza

2nd Floor, City Hall

San Antonio, Texas 78205

Mailing Address:

City Clerk's Office

P.O. Box 839966

San Antonio, Texas 78283-3966

For Hard Copy Submissions, Mark Envelope

"PURCHASE OF LIGHT DUTY TRUCKS, SUVs & VANS"

Bid Due Date: 2:00 p.m., C.T. JULY 17, 2015

Bid No.: 6100006180

Bidder's Name and Address

Bid Bond: Performance Bond: Payment Bond: Other:

See Supplemental Terms & Conditions for information on these requirements.

Affirmative Procurement Initiative:

DBE / ACDBE Requirements:

See Instructions for Bidders and Attachments sections for more information on these requirements.

Pre-Submittal Conference * YES

* If YES, the Pre-Submittal conference will be held on JULY 8, 2015 at 1:00 P.M., C.T. at the Fleet Operations Conference Room, 329 S. Frio, San Antonio, Texas 78207.

Staff Contact Person: IAN MONTEMAYOR, PS II, P.O. Box 839966, San Antonio, TX 78283-3966.

Email: IAN.MONTEMAYOR@SANANTONIO.GOV

SBEDA Contact Information: , 210-207-3900,

002 - TABLE OF CONTENTS

002 - TABLE OF CONTENTS.....	2
003 - INSTRUCTIONS FOR BIDDERS	3
004 - SPECIFICATIONS / SCOPE OF SERVICES.....	9
005 - SUPPLEMENTAL TERMS & CONDITIONS	42
006 - GENERAL TERMS & CONDITIONS	45
007 - SIGNATURE PAGE.....	50
008 - STANDARD DEFINITIONS	51
009 - ATTACHMENTS	53

003 - INSTRUCTIONS FOR BIDDERS

Submission of Bids.

Submission of Hard Copy Bids. Submit one original bid, signed in ink, and two copies of the bid enclosed in a sealed envelope addressed to the City Clerk at the address and by the due date provided on the Cover Page. The name and address of Bidder, the date and hour of the bid opening, bid number and title of the bid solicitation shall be marked on the outside of the envelope(s). All times stated herein are Central Time. Any bid or modification received after the time and date stated on the Cover Page shall be rejected.

Submission of Electronic Bids. Submit one bid electronically by the due date provided on the Cover Page. All times stated herein are Central Time. Any bid or modification received after the time and date stated on the Cover Page shall be rejected. All forms in this solicitation which require a signature must have a signature affixed thereto, either by manually signing the document, prior to scanning it and uploading it with your submission, or affixing it electronically.

Bids sent to City by facsimile or email shall be rejected.

Modified Bids. Bids may be modified provided such modifications are received prior to the time and date set for submission of bids, and submitted in the same manner as original bids. For hard copy bids, provide a cover letter with the bid, indicating it is a modified bid and that the Original bid is being withdrawn. For electronic bids, a modified bid will automatically replace a prior bid submission. See below for information on submitting Alternate Bids.

City shall not be responsible for lost or misdirected bids or modifications.

Bidders must sign the Signature Page on hard copy bids and return the IFB document to City. For electronic bids, Bidder's electronic submission, with accompanying affirmations, constitutes a binding signature for all purposes.

Bidders are cautioned that they are responsible for the security of their log on ID and password, since unauthorized use could result in Bidder's being held liable for the submission.

Certified Vendor Registration Form. If Bidder has not completed City's Certified Vendor Registration (CVR) Form, Bidder is required to do so prior to the due date for submission of bids. The CVR form may be accessed at: <http://www.sanantonio.gov/purchasing/>. Bidders must identify the correct name of the entity that will be providing the goods and/or services under the contract. No nicknames, abbreviations (unless part of the legal title), shortened or short-hand names will be accepted in place of the full, true and correct legal name of the entity.

Alternate Bids. Alternate bids may be allowed at the sole discretion of City.

Hard Copy Alternate Bids. Alternate bids must be submitted in separate sealed envelopes in the same manner as submission of other bids. Alternate bids must be marked consecutively on the envelope as Alternate Bid No. 1, 2, etc. Failure to submit alternate bids in separate envelopes may result in rejection of a bid.

Electronic Alternate Bids Submitted Through the Portal. All alternate bids are recorded with original bids when submitted electronically.

Catalog Pricing. (This section applies to bids using catalog pricing.)

The bid will be based on manufacturer's latest dated price list(s). Said price list(s) must denote the manufacturer, latest effective date and price schedule.

Bidders shall be responsible for providing one copy of the manufacturer's catalog for each manufacturer for which a bid is submitted. Bidder shall provide said catalog at the time of submission of its bid. Manufacturers' catalogs may be submitted in any of the following formats: paper copy or CD ROM for bids submitted on paper, or PDF file for bids submitted electronically.

Bidders may submit price lists other than the manufacturer's price list. Said price list(s) must denote the company name, effective date and price schedule. These price lists are subject to approval of City Purchasing & General Services Department.

Specified items identified herein, if any, are for overall bid evaluation and represent the commonly and most used items. Net prices entered for those specified items must reflect the actual price derived from quoted price list less all discounts offered.

Restrictions on Communication.

Bidders are prohibited from communicating with: 1) elected City officials and their staff regarding the IFB or bids from the time the IFB has been released until the contract is posted as a City Council agenda item; and 2) City employees from the time the IFB has been released until the contract is awarded. These restrictions extend to "thank you" letters, phone calls, emails and any contact that results in the direct or indirect discussion of the IFB and/or bid submitted by Bidder. Violation of this provision by Bidder and/or its agent may lead to disqualification of Bidder's bid from consideration.

Exceptions to the restrictions on communication with City employees include:

Bidders may ask verbal questions concerning this IFB at the Pre-Submittal Conference.

Bidders may submit written questions, or objections to specifications, concerning this IFB to the Staff Contact Person listed on the Cover Page on or before 7 calendar days prior to the date bids are due. Questions received after the stated deadline will not be answered. Questions submitted and City's responses will be posted with this solicitation. All questions shall be sent by e-mail or through the portal.

Bidders may provide responses to questions asked of them by the Staff Contact Person after bids are received and opened. The Staff Contact Person may request clarification to assist in evaluating Bidder's response. The information provided is not intended to change the bid response in any fashion. Such additional information must be provided within two business days from City's request.

Bidders and/or their agents are encouraged to contact the Small Business Office of the International and Economic Development Department for assistance or clarification with issues specifically related to the City's Small Business Economic Development Advocacy (SBEDA) Program policy and/or completion of the SBEDA form(s), if any. The point of contact is identified on the Cover Page. Contacting the Small Business Office regarding this IFB after the bid due date is not permitted. If this solicitation contains Affirmative Procurement Initiatives, it will be noted on the Cover Page.

If this solicitation contains DBE/ACDBE requirements, bidders and/or their agents may contact the Aviation Department's DBE/ACDBE Liaison Officer for assistance or clarification with issues specifically related to the DBE/ACDBE policy and/or completion of the required form(s). Point of contact is Ms. Lisa Brice, who may be reached via telephone at (210) 207-3505 or through e-mail at lisa.brice@sanantonio.gov. Bidders and/or their agents may contact Ms. Brice at any time prior to the due date for submission of bids. Contacting her or her office regarding this IFB after the bid due date is not permitted. If this solicitation contains DBE/ACDBE requirements, it will be noted on the Cover Page.

Pre-Submittal Conference.

If a Pre-Submittal Conference is scheduled, it will be held at the time and place noted on the Cover Page. Bidders are encouraged to prepare and submit their questions in writing in advance of the Pre-Submittal Conference in order to expedite the proceedings. City's responses to questions received prior to the conference may be distributed at the Pre-Submittal Conference and posted with this solicitation. Attendance at the Pre-Submittal Conference is optional, but highly encouraged.

This meeting place is accessible to disabled persons. Call the Staff Contact Person for information on the location of the wheelchair accessible entrance, or to request an interpreter for the deaf. Interpreters for the deaf must be requested at least 48 hours prior to the meeting. For other assistance, call (210) 207-7245 Voice/TTY.

Any oral response given at the Pre-Submittal Conference that is not confirmed in writing and posted with this solicitation shall not be official or binding on the City.

Changes to IFB.

Changes to this IFB made prior to bid opening shall be made directly to the original IFB. Changes are captured by creating a replacement version each time the IFB is changed. It is Bidder's responsibility to check for new versions

until the bid due date. City will assume that all bids received are based on the final version of the IFB as it exists on the day bids are due.

No oral statement of any person shall modify or otherwise change or affect the terms, conditions or specifications stated in the IFB.

Preparation of Bids.

All information required by the IFB must be furnished or the bid may be deemed non-responsive and rejected. Any ambiguity in the bid as a result of omission, error, unintelligible or illegible wording shall be construed in the favor of City.

Correct Legal Name. If Bidder is found to have incorrectly or incompletely stated the name of the entity that will provide goods and/or services, the bid may be rejected.

Line Item Bids. Any bid that is considered for award by each unit or line item, must include a price for each unit or line item for which Bidder wishes to be considered. All bids are awarded on the basis of low line item, low total line items, or in any other combination that serves the best interest of City, unless City designates this solicitation as an "all or none" bid in the Supplemental Terms & Conditions.

All or None Bids. Any bid that is considered for award on an "all or none" basis must include a price for all units or line items. In an "All or None" bid, a unit price left blank shall result in the bid being deemed nonresponsive and disqualified from consideration. An "All or None" bid is one in which City will award the entire contract to one bidder only.

Delivery Dates. Proposed delivery dates must be shown in the bid form where required and shall include weekends and holidays, unless specified otherwise in this IFB. Proposed delivery times must be specific. Phrases such as "as required", "as soon as possible" or "prompt" may result in disqualification of the bid. Special delivery instructions, if any, may be found in the Specifications / Scope of Services section of this document, or in the Purchase Order.

Tax Exemption. The City of San Antonio is exempt from payment of federal taxes, and State of Texas limited sales excise and use taxes. Bidders must not include such taxes in bid prices. An exemption certificate will be signed by City where applicable upon request by Bidder after contract award.

Description of Supplies.

Any brand names, catalog or manufacturer's reference used in describing an item is merely descriptive, and not restrictive, unless otherwise noted, and is used only to indicate quality and capability desired.

Bids submitted for comparable items must clearly identify the proposed product, model, and type, as applicable, and shall include manufacturer specification sheet(s) for each proposed item with bid response. Product specifications shall be the most current available and be sufficiently detailed and descriptive so as to permit City to determine the item's suitability and compliance with bid specifications. City shall be the sole judge of equality and suitability of comparable items.

Pro-rata adjustments to packaging and pricing may be allowed at the sole discretion of City.

Samples, Demonstrations and Pre-award Testing. If requested by City, Bidder shall provide product samples, demonstrations, and/or testing of items bid to ensure compliance with specifications prior to award of the contract. Samples, demonstrations and/or testing must be provided within 7 calendar days of City's request. Failure to comply with City's request may result in rejection of a bid. All samples (including return thereof), demonstrations, and/or testing shall be at Bidder's expense. Samples will be returned upon written request. Requests for return of samples must be made in writing at the time the samples are provided. Otherwise, samples will become property of City at no cost to City. Samples that are consumed or destroyed during demonstrations or testing will not be returned.

Estimated Quantities for Annual Contracts.

Designation as an "annual" contract is found in the contract's title on the Cover Page of this document. The quantities stated are estimates only and are in no way binding upon City. Estimated quantities are used for the purpose of evaluation. City may increase or decrease quantities as needed. Where a contract is awarded on a unit price basis, payment shall be based on the actual quantities supplied.

Bidders shall thoroughly examine the drawings, specifications, schedule(s), instructions and all other contract documents.

Bidders shall make all investigations necessary to thoroughly inform themselves regarding plant and facilities for delivery of material and equipment, or conditions and sites/locations for providing goods and services as required by this IFB. No plea of ignorance by Bidder will be accepted as a basis for varying the requirements of City or the compensation to Bidder.

Confidential or Proprietary Information. All bids become the property of the City upon receipt and will not be returned. Any information deemed to be confidential by Bidder should be clearly noted; however, City cannot guarantee that it will not be compelled to disclose all or part of any public record under the Texas Public Information Act, since information deemed to be confidential by Bidder may not be considered confidential under Texas law, or pursuant to a Court order. Note that pursuant to state law, bids are opened publicly and read aloud. In addition, bids are tabulated and posted to the City's website, so shall not be considered proprietary or confidential.

Interlocal Participation.

City may engage in cooperative purchasing with other governmental entities or governmental cooperatives ("Entity" or "Entities") to enhance City's purchasing power. At City's sole discretion and option, City may inform other Entities that they may acquire items listed in this IFB. If this contract will be subject to cooperative purchasing, such fact will be indicated in the Supplemental Terms and Conditions portion of this IFB. Such acquisition(s) shall be at the prices stated in the bid, and shall be subject to Bidder's acceptance. Entities desiring to acquire items listed in this IFB shall be listed on a rider attached hereto, if known at the time of issuance of the IFB. City may issue subsequent riders after contract award setting forth additional Entities desiring to utilize this bid.

Bidder must sign and submit the rider, if attached to this IFB, with its bid, indicating whether Bidder wishes to allow other Entities to use its bid. Bidder shall sign and return any subsequently issued riders within ten calendar days of receipt. Bidder's decision on whether to allow other Entities to use the bid shall not be a factor in awarding this IFB.

Costs of Bidding. Bidder shall bear any and all costs that are associated with the preparation of the Bid, attendance at the Pre-Submittal Conference, if any, or during any phase of the selection process.

Rejection of Bids.

City may reject any and all bids, in whole or in part, cancel the IFB and reissue the solicitation. City may reject a bid if:

Bidder misstates or conceals any material fact in the bid; or

The bid does not strictly conform to law or the requirements of the solicitation;

The bid is conditional; or

Any other reason that would lead City to believe that the bid is non-responsive or Bidder is not responsible.

City, in its sole discretion, may also waive any minor informalities or irregularities in any bid, such as failure to submit sufficient bid copies, failure to submit literature or similar attachments, or business affiliation information.

Variances and Exceptions to Bid Terms. In order to comply with State law, bidders must submit bids on the same material terms and conditions. Bids that contain material variances or exceptions to the terms and conditions, including additional terms and conditions, will be rejected.

Changes to Bid Form. Bids must be submitted on the forms furnished. Bids that change the format or content of City's IFB will be rejected.

Withdrawal of Bids. Bids may be withdrawn prior to the time set for the bid opening. Written notice of withdrawal shall be provided to the City Clerk for bids submitted in hard copy. Bids submitted electronically may be withdrawn electronically.

Bid Opening. Bids will be opened publicly and read aloud at 2:30 P.M., C.T. on the day the bids are due. Bid openings are held at Purchasing & General Services, Riverview Tower, 11th Floor, 111 Soledad, Suite 1100, San Antonio, Texas 78205.

Evaluation and Award of Contract.

Per Section §252.043 of the Texas Local Government Code, the contract will be awarded to the lowest responsible bidder. The Purchasing Division evaluates bids for responsiveness and the responsibility of the bidder, and makes a recommendation to the City Council. The City Council makes the final determination regarding award.

City reserves the right to make an award on the basis of low line item, low total line items, or in any other combination that serves the best interest of City, unless City designates this solicitation as an "all or none" bid in the Supplemental Terms & Conditions.

A written award of acceptance (manifested by a City Ordinance) and Purchase Order furnished to Bidder results in a binding contract without further action by either party. Vendor must have the Purchase Order before making any delivery.

City reserves the right to utilize historical usage data as a basis for evaluation of bids when future usages are unable to be determined.

Breaking of tie bids shall be in accordance with the Texas Local Government Code §271.901.

City reserves the right to delete items prior to the awarding of the contract, and purchase said items by other means.

Inspection of Facilities/Equipment.

Depending on the nature of the IFB, Bidders' facilities and equipment may be a determining factor in making the bid award. All bidders may be subject to inspection of their facilities and equipment.

Prospective bidders must prove beyond any doubt to City Purchasing Administrator that they are qualified and capable of performing the contract's requirements.

Prompt Payment Discount.

Provided Bidder meets the requirements stated herein, City shall take Bidder's offered prompt payment discount into consideration. The evaluation will not be based on the discount percentage alone, but rather the net price as determined by applying the discount to the bid price, either per line item or total bid amount. However, City reserves the right to reject a discount if the percentage is too low to be of value to City, all things considered. City may also reject a discount if the percentage is so high as to create an overly large disparity between the price City would pay if it is able to take advantage of the discount and the price City would pay if it were unable to pay within the discount period. City may always reject the discount and pay within the 30 day period, at City's sole option.

City will not consider discounts that provide fewer than 10 days to pay in order to receive the discount.

For example, payment terms of 2% 5, Net 30 will NOT be considered in bid evaluations or in the payment of invoices. However, payment terms of 2% 10, Net 30 will result in a two percent reduction in the bid price during bid evaluation, and City will take the 2% discount if the invoice is paid within the 10 day time period.

Tabulations. The Purchasing Division will post preliminary tabulations within 7 days of the advertised bid opening. The information on these tabulations will be posted for informational purposes only, and will be posted as read during the bid opening. This tabulation is not a notice of award of the contract. All bids are subject to review for completeness, accuracy and compliance with the terms set forth in the bid documents.

Bid Protest Procedures.

Any bidder who is adversely affected in connection with the solicitation, evaluation, or proposed award of a contract may file a protest with the Director and appeal any adverse decision to the City Manager of the City of San Antonio.

Bidder must deliver a written notice of protest to the Director within 7 calendar days of the posting of the intent to award. If Bidder does not file a written notice within this time, Bidder will have waived all rights to formally protest the intent to award. It is Bidder's responsibility to check the City's website posting.

Debriefing. Debriefing of contract award is available upon request and after award of the Contract.

Prohibited Financial Interest. The Charter of the City of San Antonio and its Ethics Code prohibit a City officer or employee, as those terms are defined in the Ethics Code, from having a financial interest in any contract with City or any

City agency such as City-owned utilities. An officer or employee has a "prohibited financial interest" in a contract with City or in the sale to City of land materials, supplies or service, if any of the following individual(s) or entities is a party to the contract or sale: the City officer or employee; his parent, child or spouse; a business entity in which he or his parent, child or spouse owns ten (10) percent or more of the voting stock or shares of the business entity, or ten (10) percent or more of the fair market value of the business entity; or a business entity in which any individual or entity above listed is a subcontractor on a City contract, a partner or a parent or subsidiary business entity.

Conflict of Interest. Effective January 1, 2006, Chapter 176 of the Texas Local Government Code requires that persons, or their agents, who seek to contract for the sale or purchase of property, goods, or services with the City, shall file a completed conflict of interest questionnaire with the City Clerk not later than the 7th business day after the date that the person: (1) begins contract discussions or negotiations with the City; or (2) submits to the City an application, response to a request for proposals or bids, correspondence, or another writing related to a potential agreement with the City. The conflict of interest questionnaire form is available from the Texas Ethics Commission at www.ethics.state.tx.us. Completed conflict of interest questionnaires may be mailed or delivered by hand to the Office of the City Clerk. If mailing a completed conflict of interest questionnaire, mail to: Office of the City Clerk, P.O. Box 839966, San Antonio, TX 78283-3966. If delivering a completed conflict of interest questionnaire, deliver to: Office of the City Clerk, City Hall, 2nd floor, 100 Military Plaza, San Antonio, TX 78205." Bidder should consult its own legal advisor with questions regarding the statute or form. Do not include this form with your sealed bid. The Purchasing Division will not deliver the form to the City Clerk for you.

004 - SPECIFICATIONS / SCOPE OF SERVICES

1. SCOPE: The City of San Antonio is soliciting bids to purchase light duty trucks, sports utility vehicle, and vans as needed until November 30, 2015. One hundred sixty nine (169) vehicles are identified in this bid as part of the operating budget for fiscal year 2015. Said vehicles will be utilized by the Fire Department, Development Services Department, Office of Historic Preservation, Transportation & Capital Improvements Department, Aviation Department, Information & Technology Services Department, Parks & Recreation Department, Building & Equipment Services Department, Police Department and any other City Department as needed.
2. GENERAL CONDITIONS: The following general conditions will apply to all items within this bid unless specifically excluded within any item.
3. City of San Antonio reserves the right to increase or decrease quantity of vehicles being purchased on the bid for the particular item, depending on availability of funds. Prices may not be increased during this period; however, the City should benefit from any price decrease. ADDITIONAL UNITS MAY BE PURCHASED ON AN "AS NEEDED" BASIS UNTIL NOVEMBER 30, 2015 UTILIZING THE SAME BID PRICES AS RECEIVED IN THE BID RESPONSE. Successful vendor is required to notify the City of all production "cut-off" dates necessary for order submission. Vehicles are to be year model 2015 or newer. Unless otherwise approved by the City, VEHICLES DELIVERED DURING A CALENDAR YEAR MUST BE THE MODEL YEAR VEHICLES FOR THAT CALENDAR YEAR OR NEWER. UNDER NO CIRCUMSTANCES SHALL VENDOR DELIVER MODEL YEAR VEHICLES FOR THE PRECEDING CALENDAR YEAR.
4. All components shall be installed new, unused, standard production model, and equipment is to be serviced in accordance with manufacturer's recommended pre-delivery check list, and ready for operation upon delivery, and shall include all manufacturers' standard equipment unless otherwise specified or replaced therein. Equipment offered under the below listed specifications will be considered unacceptable if for any reason its long term availability on the U.S. Market or in the local area is in doubt.
5. All items bid must include the maximum standard manufacturer's warranty available, including both parts and labor, for all components and attachments. All warranties must be for a minimum period of twelve months. The warranty shall begin on the date the vehicle is placed in service, not on the delivery date. Vendor shall attach a copy of the manufacturer's warranty to Vendor's bid. City will notify Vendor by letter of the in-service date for each item by serial number. Such parts and service must be available within Bexar County from and by a factory authorized dealer. Bids submitted by dealers located outside Bexar County will include a signed agreement with a factory authorized dealer located within Bexar County, providing warranty, parts and service for items bid. All warranty repair shall be completed within three (3) business days from the date equipment is delivered to the vendor unless otherwise approved by the appropriate City of San Antonio BESD Fleet Operations Manager or designate.

Authorized Warranty Provider:

Grande Truck Center

Warranty Provider Address:

4562 IH-10 East SAN Antonio, TX 78219

6. Delivery: All deliveries are to be made inside the City limits of San Antonio. Vendor must deliver equipment to the following address:

City of San Antonio,
Northeast Service Center,
10303 Tool Yard, Bldg #2,
San Antonio, TX 78233
Attn: Acquisitions

7. Delivery to a non-specified location will result in non-acceptance of the equipment by the City. All deliveries must be pre-arranged with a minimum 24-hour notification, NO EXCEPTIONS. Vehicles will be accepted 8:00 A.M. to 3:00 P.M. CST. Vehicles with more than 1500 miles accumulated on the odometer will not be accepted. All vehicles are required to have a full tank(s) when delivered to City specified location.

8. The Manufacturer's Statement of Origin (MSO), Dealer Temporary license plates/tags, proper Invoice, Texas state inspection decal, signed 130U form and State Weight Certificate/slip (for trucks over one ton) are required upon delivery of each vehicle. Any of these missing items will deem the vehicle delivered *Not as Specified* and will not be processed or accepted vehicle all required paperwork is completed and provided to Fleet Acquisition staff.
9. Vendor shall remove noncompliant vehicle(s) from City premises within 5 working days after receiving written notification from Fleet Acquisition staff. If vehicle is not removed by vendor within the specified time frame, the City may arrange for vehicle to be removed and secured by a local towing and storage facility. Vendor will be responsible for payment of all related towing and storage charges. The City will not be responsible or liable for damage or loss of noncompliant vehicles which remain on City premises, or which are removed by towing company, 5 working days after vendor notification.
10. Upon contract award, vendor shall provide written acknowledgement of order placement and supply copy of build sheet and guaranteed delivery date of completed unit. Understanding that build date may be influenced by outside forces, slight delay in delivery can be overlooked. 30 day or longer delay may cause cancelation of order at ordering departments' discretion or penalty. Electrical wiring schematics that include lighting and air conditioning systems for body shall be provided at time of delivery. Electrical wiring schematics shall be provided in paper and electronic format.
11. VEHICLE INSPECTION: The vendor shall have each vehicle (except cab and chassis units delivered without bodies) properly inspected in compliance with Texas motor vehicle laws. Texas Inspection Sticker shall be attached prior to delivery to the receiving entity (2 year Inspection Certificate for vehicles through $\frac{3}{4}$ ton pickups and 1 year Inspection Certificate for 1 ton trucks and up, excluding cab and chassis units delivered without bodies).
 - 11.1 CHECK-IN INSPECTION: The City shall check the vehicle upon delivery to ensure compliance with this specification and any other specific requirements. The vendor shall deliver with the vehicle a vehicle-specific line-setting ticket, manufacturer's invoice, and MSO or any official documentation to verify the fact that ordered options, GVWR rating, and other requirements have been met.
 - 11.2 Failure to provide required documentation as listed in Sections 9, 12, 15, and 16 may cause the delay of payment. Payment will be made within 30 days after vehicle's acceptance or receipt of correct invoice, whichever is later. Acceptance will not be made, nor payment initiated on vehicles failing to meet specifications (unless they are brought into full compliance), and all necessary documents (i.e. MSO, odometer statement, etc.) are received by the City.
 - 11.3 The City shall have a maximum of 5 working days to complete this inspection. Sample of Inspection check list is attached as Exhibit 1.
12. LITERATURE AND EQUIPMENT MANUALS: The supplier shall furnish (2) complete sets per vehicle type, of the following: Parts Manual, Maintenance Manual, Service Manual, and Operators Manual; or free online access of all equipment, accessories, and components. The supplier shall furnish (2) complete sets of detailed literature and specifications of each vehicle type upon contract award.
 - 12.1 All bodies and components in this bid will be installed in accordance with the appropriate complete Vehicle Data Manual. Certification of compliance will be posted on the left door post of the vehicle. Except for manufacturer's data plates (maximum 4" x 6"), vendor or manufacturer's identifying markings (decals and plates) will not be applied to the vehicle or mounted components. Installation will be completed in compliance with Federal Motor Vehicle Department of Transportation Standards and Texas State Highway requirements. Installation of body and accessories on City furnished vehicles will be accomplished by drilling holes in the frame. Welding on or cutting of frame is not authorized forward of the rear spring hanger or support. Bidders will be responsible for the relocation of any truck components to facilitate installation of the body and equipment. Such relocation must be included as part of the basic bid. No dealership nameplates, markings or decals will be permitted on the vehicles.
 - 12.2 MANUFACTURER'S STATEMENT OF ORIGIN (MSO): Awarded vendor(s) shall furnish the receiving entity a MSO (Certificate of Title will not meet this requirement). A vehicle shall not be considered "delivered" until the MSO is received by the City. MSO shall either be furnished at the time of vehicle delivery or within 48 hours of vehicle delivery to the receiving entity and shall be made out to the City of San Antonio

- 12.3 GVWR for the particular model specified is required for the entity's written exception, or; a greater GVWR required by extra equipment, and; nominal weight rating (in tons).
 - 12.4 Odometer Disclosure Statement confirming miles upon delivery.
13. PRE-DELIVERY SERVICE: All units (including complete vehicles and cab and chassis units) shall include new vehicle pre-delivery service.
- 13.1 All fluid levels checked and maintained with the proper grade and type of fluids.
 - 13.2 The interior and exterior of units shall be clean and freshly washed at time of delivery.
 - 13.3 A full tank must show on the fuel gauge when delivered.
 - 13.4 The delivered unit shall not have more than 1500 miles on the Odometer, unless previously agreed upon in writing with the purchaser.
 - 13.5 When so specified in the Invitation for Bid, the awarded vendor(s) or their representative who is responsible for the final delivery shall attach signed certificates to the units stating that the above service was performed and that inspection indicates they are in good condition and ready for delivery.
 - 13.6 Unless specifically permitted by the City, vehicles shall be equipped with all accessories as stated in the purchase order prior to delivery. Generally, the upfitting or servicing of ordered vehicles on the premises of the City is not permitted.
 - 13.7 All shipping tickets shall reference the applicable entity requisition/purchase order number(s) and will accompany each delivery shipment. If shipping tickets are received without applicable purchase order number(s), delivery may be rejected. All window stickers shall remain attached to the vehicle. The vendor shall provide an official and acceptable weight certificate when applicable and required for vehicle registration.
14. CONVENIENCE FEATURES: Vehicle shall be equipped with adjustable steering seats; intermittent wipers; automatic-off headlights, cruise control, full headliner, minimum OEM AM/FM radio.
15. AIR CONDITIONING: All vehicles shall be equipped at the factory with air Conditioning /Heater/defroster, (Maximum capacity cooling system offered by manufacturer).
16. POWER FEATURES: Power steering, power ABS brakes and manual tilt steering wheel. All units shall be equipped with steering column mounted gear selector unless otherwise specified.
17. KEYS: Each unit shall have a minimum three keyless remotes (fobs) and shall have a minimum of three (3) sets of keys unless vehicle utilizes a push button ignition system, then a minimum of three (3) keyless remote fobs are required.
18. All units shall be equipped with safety equipment as required by the Federal Government. Shall MEET ALL SAFETY STANDARDS AND REQUIREMENTS
19. All accessories and equipment shall be OEM. The manufacturer will rate all equipment provided as low emission on all models available.
20. FUEL SYSTEMS: All units shall be certified to run on 87 octane fuel and have a minimum 25 gallon fuel tank capacity unless otherwise specified.
21. ELECTRICAL: Standard duty battery and minimum 150 amp alternator offered by manufacturer for models being bid. All units to be equipped with oil pressure, water temperature, and volt or amp gauges.
22. DOORS & WINDOWS: Vehicles shall be equipped with power windows, power mirrors and power door locks.
23. TINT: Vehicles shall be equipped with OEM tinted glass.

24. INTERIOR: Vehicles provided shall have a minimum of a driver's seat and one passenger seat, unless otherwise specified. All vehicles shall have vinyl type seating for front and rear seats if applicable, along with rubber or carpet delete flooring unless otherwise specified.
25. FOUR FULL DOOR CAB: configurations provided shall have the largest forward facing door available and have "B" pillar door hinges so rear doors will open in the same direction as front doors. All "Four Full Door Cab" configurations provided shall have "B" pillar door hinges so rear doors will open in the same direction as front doors.
26. AXLES: All pickup trucks and vans shall be provided with limited slip axles
27. SPARE TIRES: required by the below listed specifications must be identical in manufacturer's tread design, ply rating (load range) etc., as those furnished on driving and steering axles, unless otherwise noted. Tires still under evaluation will not be acceptable.
28. SAFETY: Vehicles shall be equipped with driver and passenger airbags, seatbelts, running daytime lights, Standard front and rear bumpers unless otherwise specified.
29. EXHAUST: Vehicles shall be equipped with stainless steel rear pipe with catalytic converter unless otherwise specified.
30. EXTERIOR AND INTERIOR COLOR: Unless otherwise specified, each vehicle shall have a white exterior body color. Unless otherwise specified, interior coloring shall be dark grey.

31.	ITEM 1	QUANTITY 10	DESCRIPTION ½ Ton Extended Cab Compact Pickup Truck
31.1	ENGINE: 6 cylinders or greater with a minimum 236 HP.		
31.2	GVWR: Minimum of 4,900 lbs.		
31.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.		
31.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
31.5	DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 60" inches. Wheelbase to be a minimum of 119" inches.		
31.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
31.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.		
31.8	FUEL SYSTEM: Fuel tank shall have a 17 gallon minimum capacity.		
31.9	COLOR: One (1) unit to be OEM Dark Blue and the remaining Ten (10) to be OEM White.		
32.	ITEM 2	QUANTITY 7	DESCRIPTION ½ Ton Full Size Regular Cab Pickup Truck
32.1	ENGINE: 6 cylinders or greater with a minimum 270 HP.		
32.2	GVWR: Minimum of 6,000 lbs.		
32.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.		
32.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
32.5	DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 119" inches.		

- 32.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 32.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.
- 32.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.

33. ITEM QUANTITY DESCRIPTION
3 25 ½ Ton Full Size Extended Cab Pickup Truck

- 33.1 ENGINE: 6 cylinders or greater with a minimum 270 HP.
- 33.2 GVWR: Minimum of 6,000 lbs.
- 33.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum.. 4x2 design.
- 33.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 33.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 140" inches.
- 33.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 33.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.
- 33.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity. Flex Fuel engine acceptable.

34. ITEM QUANTITY DESCRIPTION
4 3 ½ Ton Full Size Extended Cab 4x4 Pickup Truck

- 34.1 ENGINE: 6 cylinders or greater with a minimum 270 HP.
- 34.2 GVWR: Minimum of 6,000 lbs.
- 34.3 TRANSMISSION/ DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4x4 driver train- Two speed transfer case with electronic shift control.
- 34.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 34.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 139" inches.
- 34.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 34.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.
- 34.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.

35. ITEM QUANTITY DESCRIPTION
5 1 ½ Ton Full Size Extended Cab Pickup Truck w/Camper

- 35.1 ENGINE: 6 cylinders or greater with a minimum 270 HP.
- 35.2 GVRW: Minimum of 6,000 lbs.

- 35.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 35.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 35.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 139" inches.
- 35.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 35.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.
- 35.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 35.9 CAMPER SHELL: Cab high fiberglass camper shell. Large 16" half slider side windows with expanded metal security screens for added security. Picture window in front of shell. Full lift rear door with dual gas shock struts and double "T" door handles. Two (2) 12 volt LED lights mounted inside to the top/rear of the shell and wired to constant power source with circuit protection. Unit shall have LED third brake light. Unit shall have rubber seals and weather stripping around rear doors and side access hatches. Shell shall be painted to match color of truck. *A.R.E model "V" series* or equal is acceptable.

36.	ITEM 6	QUANTITY 2	DESCRIPTION ½ Ton Full Size Extended Cab Truck Law Enforcement Pursuit Severe Service Vehicle- Black & White
36.1	LAW ENFORCEMENT PURSUIT PACKAGE: Heavy duty suspension and components.		
36.2	ENGINE: 6 cylinders or greater with a minimum 355 HP.		
36.3	GVWR: Minimum of 6,900 lbs.		
36.4	TRANSMISSION/DRIVE: 4x4 Drive train- Two speed transfer case with electronic shift control.		
36.5	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.		
36.6	DIMENSIONS: Minimum extended cab configuration. Pick-up box length shall be a minimum of 67" inches. Wheelbase to be a minimum of 133" inches.		
36.7	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
36.8	TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain and meet or exceed minimum gross vehicle weight rating of vehicle.		
36.9	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.		
36.10	SEATING: Seating must be 40/20/40.		
36.11	SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored strobe LED lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.		
36.12	TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).		
36.13	COLOR: Unit is to be OEM Black body and OEM White doors.		

37.	ITEM 7	QUANTITY 1	DESCRIPTION ½ Ton Four Full Door Full Size Pickup Truck
37.1	ENGINE: 6 cylinders or greater with a minimum 270 HP.		
37.2	GVWR: Minimum 6,800 lbs.		
37.3	TRANSMISSION / DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4x2 design.		
37.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.		
37.5	DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 139" inches.		
37.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
37.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.		
37.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.		
37.9	SEATING: Front to be equipped with 40/20/40 seating. The rear to be bench seating. Seats to be dark colored cloth.		
37.10	CONVENIENCE FEATURES: Adjustable steering seats. USB port.		
37.11	COLOR: OEM Dark Blue.		
38.	ITEM 8	QUANTITY 1	DESCRIPTION ¾ Ton Regular Cab 4x4 Pickup Truck
38.1	ENGINE: Minimum 8 cylinders with a minimum 360 HP. ✓		
38.2	GVWR: Minimum 8,650 lbs. ✓		
38.3	TRANSMISSION/ DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control. ✓		
38.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.		
38.5	DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 133" inches.		
38.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
38.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.		
38.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.		
38.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.		
38.10	REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).		

39.	ITEM 9	QUANTITY 2	DESCRIPTION ¾ Ton Regular Cab 4x4 Pickup Truck w/ Tool Box
	39.1	ENGINE: Minimum 8 cylinders with a minimum 360 HP.	
	39.2	GVWR: Minimum 8,650 lbs.	
	39.3	TRANSMISSION/ DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.	
	39.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	39.5	DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 133" inches.	
	39.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	39.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.	
	39.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.	
	39.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	
	39.10	REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).	
	39.11	TOOLBOX: To be pressed up against the rear of the cab in the bed of the truck. Toolbox will be a minimum of 72" long X 15" wide X 18" height and will be bolted down to the side rails of the bed. Toolbox is to come equipped with dual locks. Color to be black.	
40.	ITEM 10	QUANTITY 7	DESCRIPTION ¾ Ton Reg Cab 56" cab to axle, SRW Service Body w/ Ladder Rack
	40.1	ENGINE: Minimum 8 cylinders with a minimum 350 HP.	
	40.2	GVWR: Minimum 8,650 lbs.	
	40.3	TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4x2 design.	
	40.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	40.5	DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 133" inches.	
	40.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	40.7	TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.	
	40.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.	

- 40.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 40.10 UTILITY BODY WITH LADDER RACK- SPECIFICATIONS
- 40.10.1 MATERIAL: Minimum 14 gauge Steel Construction.
- 40.10.2 LENGTH: Ninety-six inches (96") approximately.
- 40.10.3 WIDTH: Seventy-eight inches (78") approximately.
- 40.10.4 HEIGHT: Minimum thirty-nine inches (39").
- 40.10.5 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have two (2) adjustable removable shelves with a minimum of six (6) adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of ten (10) adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear doors to be 19 1/2" W X 38" H X 14 1/2" D with 2 adjustable shelves. All doors to be weather-sealed and positive horizontal door holders.
- 40.10.6 BODY: All steel, all welded.
- 40.10.7 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have two (2) LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 40.10.8 MASTER LOCKING SYSTEM MUST BE USED.
- 40.10.9 LADDER RACK: Ladder rack to be as wide and long as utility bed. Rack shall be height tall enough to clear cab of vehicle by a minimum 8" inches. Rack shall mount to service body.
- 40.10.10 REAR BUMPER: Tow package and receiver type hitch. Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. *Wilton 656 HD* or equal

41.	ITEM	QUANTITY	DESCRIPTION
	11	7	¾ Ton Reg Cab 56" cab to axle, SRW Service Body w/ Pipe Rack
41.1	ENGINE:	Minimum 8 cylinders with a minimum 350 HP.	
41.2	GVWR:	Minimum 8,650 lbs.	
41.3	TRANSMISSION/DRIVE:	Automatic, minimum 4 speed with separate auxiliary transmission cooler mounted in front of radiator.	
41.4	SUSPENSIONS:	Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
41.5	DIMENSION:	Regular cab configuration. Minimum 96" inch bed length. Wheelbase to be a minimum of 133" inches.	
41.6	BRAKES:	Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
41.7	TIRES & WHEELS:	Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.	

- 41.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 41.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 41.10 UTILITY BODY WITH PIPE RACK- SPECIFICATIONS:
- 41.10.1 MATERIAL: Minimum 14 gauge Steel Construction
- 41.10.2 LENGTH: Ninety-six inches (96") approximately.
- 41.10.3 WIDTH: Seventy-eight inches (78") approximately.
- 41.10.4 HEIGHT: Minimum thirty-nine inches (39")
- 41.10.5 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Right front compartment to have roll-out tool box tray and one adjustable removable shelf with a minimum of six (6) dividers. Left front compartments to have three (3) adjustable removable shelves with a minimum of six (6) adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of ten (10) adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" wide, 59" to 68" long and a minimum of 17" high. Rear doors to be half or full size when horizontal compartment extends through rear door. Lower rear compartment must have one (1) adjustable removable shelf with a minimum of four (4) adjustable dividers. All doors to be weather-sealed and positive horizontal door holders.
- 41.10.6 BODY: All steel, all welded.
- 41.10.7 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have two (2) LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed.
- 41.10.8 MASTER LOCKING SYSTEM MUST BE USED.
- 41.10.9 PIPE RACK: Pipe rack to be as wide and long as vehicle. Rack shall be height tall enough to clear cab of vehicle by a minimum 8" inches. Rack shall mount to front and rear bumpers and service body. Material to be metal with metal mesh bottom, sides, and front. Front and sides to be a minimum 1'ft tall. Rack to be painted Black.
- 41.10.10 REAR BUMPER: Tow package and receiver type hitch. Rear bumper must include a heavy duty 6" jaw width, 6" jaw opening with a 180 degree swivel base with lockdown and powder coated vise. Vise shall have large anvil work surface with built-in pipe jaws to handle various pipe sizes. Vise shall be mounted curb side on vise bracket. *Wilton 656 HD* or equal

42.	ITEM	QUANTITY	DESCRIPTION
	12	10	¾ Ton Extended Cab Pickup Truck
42.1	ENGINE:	Minimum 8 cylinders with a minimum 350 HP.	
42.2	GVWR:	Minimum 9,400 lbs.	
42.3	TRANSMISSION/DRIVE:	Automatic with overdrive; 5 speed minimum. 4x2 design.	
42.4	SUSPENSION:	Heaviest duty available to include heavy duty shock absorbers, independent struck with stabilization.	
42.5	DIMENSIONS:	Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 141" inches.	

- 42.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 42.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- 42.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 42.9 BODY/BED: Extended cab configuration. Minimum 75" inch bed length, maximum 82" inch bed length.
- 42.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 42.11 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

43. ITEM QUANTITY DESCRIPTION
13 6 ¾ Ton Extended Cab 4x4 Pickup Truck

- 43.1 ENGINE: Minimum 8 cylinders with a minimum 350 HP.
- 43.2 GVRW: Minimum of 9,400 lbs.
- 43.3 TRANSMISSION/DRIVE: 4X4 Drive train - Two speed transfer case with electronic shift control.
- 43.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 43.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 141" inches.
- 43.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 43.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 43.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 43.10 SAFETY: Equipped with driver and passenger airbags, , , hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.
- 43.11 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 43.12 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

44. ITEM QUANTITY DESCRIPTION
14 1 ¾ Ton Extended Cab Full Size Truck w/ Hydraulic Lift Gate

- 44.1 ENGINE: Minimum 8 cylinders with a minimum 350 HP.
- 44.2 GVWR: Minimum 9,400 lbs.
- 44.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.

- 44.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 44.5 DIMESNIIONS: Extended cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 141" inches.
- 44.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 44.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
- 44.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 44.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 44.10 REAR BUMPER: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).
- 44.11 LIFTGATE: Minimum 1,200 lbs. lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way). Material shall be tread plate steel with two piece platform, minimum 42" loading depth.

45.	ITEM	QUANTITY	DESCRIPTION
	15	1	¾ Ton Extended Cab Full Size Long Bed Truck
	45.1	ENGINE: Minimum 8 cylinders with a minimum 350 HP.	
	45.2	GVWR: Minimum 9,400 lbs.	
	45.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.	
	45.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	45.5	DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum 158" inches.	
	45.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	45.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.	
	45.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.	
	45.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	
	45.10	TOW PACKAGE: Tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).	

46.	ITEM	QUANTITY	DESCRIPTION
	16	5	¾ Ton Four Full Door Pickup Truck

- 46.1 ENGINE: Minimum 8 cylinders with a minimum 350 HP.
- 46.2 GVWR: Minimum 8,800 lbs.
- 46.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 46.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 46.5 DIMENSIONS: Four full door cab configuration, minimum 75" inch bed length, maximum 82" inch bed length. Wheelbase to be a minimum of 149" inches.
- 46.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 46.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 46.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 46.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 46.10 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

47.	ITEM 17	QUANTITY 11	DESCRIPTION ¾ Ton Four Full Door 4x4 Pickup Truck w/ Tow Package
	47.1	ENGINE: Minimum 8 cylinders with a minimum 360 HP.	
	47.2	GVWR: Minimum 8,800 lbs.	
	47.3	TRANSMISSION /DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.	
	47.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	47.5	DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum 149" inches.	
	47.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	47.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.	
	47.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.	
	47.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	
	47.10	TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).	

48.	ITEM	QUANTITY	DESCRIPTION
-----	-------------	-----------------	--------------------

18 1 ¾ Ton Four Full Door Long Bed Pickup Truck

- 48.1 ENGINE: Minimum 8 cylinders with a minimum 350 HP.
- 48.2 GVWR: Minimum 8,800 lbs.
- 48.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 48.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 48.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum of 158" inches.
- 48.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 48.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
- 48.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 48.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 48.10 TOW PACKAGE: tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

49.	ITEM 19	QUANTITY 2	DESCRIPTION ¾ Ton Four Full Door 4x4 Long Bed Pickup Truck w/ Tow Package
	49.1		ENGINE: Minimum 8 cylinders with a minimum 350 HP.
	49.2		GVWR: Minimum 8,800 lbs.
	49.3		TRANSMISSION /DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.
	49.4		SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.
	49.5		DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum of 155" inches.
	49.6		BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
	49.7		TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel.
	49.8		FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
	49.9		MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
	49.10		TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

50.	ITEM 20	QUANTITY 3	DESCRIPTION ¾ Ton Live Animal Control/Transport Pickup Truck
50.1	ENGINE: Minimum 8 cylinders with a minimum 350 HP.		
50.2	GVWR: Minimum 8,650 lbs.		
50.3	TRANSMISSION / DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control		
50.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
50.5	DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 96" inches. Unit shall be 56" Cab to Axle and to be SRW with 8 Cages and 1 Storage Compartment with an Animal Control Unit Body. Wheelbase to be a minimum of 133" inches.		
50.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
50.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.		
50.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity..		
50.9	SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored strobe LED lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.		
50.10	ANIMAL CONTROL UNIT (ACU) ANIMAL COMPARTMENTS: ACU should consist of four (4) compartments on curbside and four (4) compartments on street side.		
50.11	All Street Side and curb side compartments shall measure as follows:		
50.12	Minimum 27.5"W x 36" H x 28" D.		
50.13	REAR CENTER STORAGE SHALL MEASURE AS FOLLOWS: 24"W x 36"H x 110"D For interior lighting, each compartment should have a minimum 3" flush mounted light. All lights are operated by a switch within the truck cab. There are a total of ten (10) lights (one per cage) and two (2) for the storage compartment. To allow for removal of fluids, all floors should slope towards the middle of the compartment to a minimum 1.5" ID drain. For safety of operators, all doors (excluding rear storage compartment) should have secondary interior safety doors made of stainless steel with catch-pole opening. The interior door is secured with a chrome-plated or stainless steel latch which is easily operated while securing animals.		
50.14	All compartments should have minimum 20 gauge aluminum floors or fiberglass. All dog compartments shall have ½" thick; chew proof rubber mats to fit the entire floor of the dog compartment. All dog compartments shall be designed in a square format as to allow washing with hose without spray-back. All dog compartments shall not have areas that can hide or prevent pestilence carrying debris from being easily washed out. All compartments except the storage compartment shall have removable divider shelves 18" above the compartment		
50.15	ANIMAL CONTROL UNIT(ACU) STORAGE COMPARTMENTS: Storage compartment is accessed from the rear of the ACU via a lockable door. The storage compartment has a minimum of two (2) lights located at the front and rear of the compartment operated by a switch in the truck cab.		
50.16	Minimum overall dimensions are: 24"W x 36"H x 110"D.		
50.17	ANIMAL CONTROL UNIT (ACU) HEATING, AIR CONDITIONING, AND AIR CIRCULATION: A/C unit shall consist of an auxiliary compressor separate from the cab and chassis a/c system. Duct work should be installed to allow for heating and air conditioning. The BTU capacity of the HVAC unit should allow for a minimum of 28,000 BTU cooling and 32,000 BTU heat. Minimum CFM rating of blower is 295. Console-		

mounted heat and air conditioning panel should be located in the truck cab. Panel shall display temperature of each individual dog compartment. Air temperatures in the animal compartments should be accessed via a digital touch-screen which allows user to program and monitor temperatures. Variations of temperature outside the programmed settings shall set off audible alarm inside cab.

- 50.18 ANIMAL CONTROL UNIT (ACU) EXTERIOR LIGHTING: Unit shall have high-mounted amber colored LED strobe lights mounted on each side of rear of unit. Unit shall have low-mounted white colored LED strobe lights mounted on each side of rear of unit. All strobe lights will be wired to a switch mounted in the cab of the truck.

50.18.1 Tail Lights – recess-mounted LED stop/turn and parking capabilities.

50.18.2 Brake Lights – additional high-level red LED.

50.18.3 Audible Back-Up alarm shall be installed.

- 50.19 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.

- 50.20 LIGHTING: Hide-a-way type amber colored LED strobe lights to be installed on front lens covers of cab and chassis and rear panel of body. Strobes to be wired to factory type switch located in cab.

51.	ITEM 21	QUANTITY 1	DESCRIPTION 1 Ton, Gasoline, Four Full Door SRW Pickup Truck 4x2
51.1	ENGINE: Minimum 6 cylinders, with a minimum 316 HP.		
51.2	GVWR: Minimum 10,500 lbs.		
51.3	TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.		
51.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
51.5	DIMENSIONS: Four full door cab configuration. Minimum 96" bed length. Wheelbase to be a minimum of 167" inches.		
51.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
51.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.		
51.8	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.		
51.9	SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber LED colored strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.		
51.10	TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).		

52.	ITEM 22	QUANTITY 1	DESCRIPTION 1 Ton, Diesel, Four Full Door SRW Pickup Truck 4x2
52.1	ENGINE: Minimum 6 cylinders with a minimum 370 HP.		

- 52.2 GVWR: Minimum 11,400 lbs.
- 52.3 TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 52.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 52.5 DIMENSIONS: Four full door cab configuration. Minimum 96" bed length. Wheelbase to be a minimum 167" inches.
- 52.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 52.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 52.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.
- 52.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 52.10 SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.
- 52.11 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

53.	ITEM	QUANTITY	DESCRIPTION
	23	1	1 Ton, Diesel, Four Full Door DRW Pickup Truck 4x2
	53.1	ENGINE: Minimum 6 cylinders with a minimum 370 HP.	
	53.2	GVWR: Minimum 13,000 lbs.	
	53.3	TRANSMISSION/ DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.	
	53.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	53.5	DIMENSIONS: Four full door cab configuration. Minimum 96" bed length. Wheelbase to be a minimum of 167" inches.	
	53.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	53.7	TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.	
	53.8	FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.	
	53.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	

- 53.10 SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.
- 53.11 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

54.	ITEM 24	QUANTITY 4	DESCRIPTION 1 Ton Full Four Door, DRW, 4x4 Pickup Truck w/ Tow Package
	54.1	ENGINE: Minimum 6 cylinders, with a minimum 370 HP.	
	54.2	GVWR: Minimum 13,000 lbs.	
	54.3	TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.	
	54.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	54.5	DIMENSIONS: Four full door cab configuration. Bed length to be a minimum of 96". Wheelbase to be a minimum of 167" inches.	
	54.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	54.7	TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.	
	54.8	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	
	54.9	FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.	
	54.10	SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.	
	54.10	TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).	

55.	ITEM 25	QUANTITY 3	DESCRIPTION 1 Ton Full Four Door, SRW, 4x4 Truck w/ Utility Toolbox Bed
	55.1	ENGINE: Minimum 6 cylinder, with a minimum 370 HP.	
	55.2	GVWR: Minimum 11,300 lbs	
	55.3	TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control	
	55.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	55.5	DIMENSIONS: Four full door cab configuration. Bed to be a utility toolbox configuration. Minimum 96" bed length. Wheelbase to be a minimum of 158" inches.	

- 55.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 55.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain/off road and meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 55.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.
- 55.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 55.10 SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.
- 55.11 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish.
- 55.12 UTILITY TOOLBOX BED SPECIFICATIONS
- 55.12.1 MATERIAL: Minimum 14 gauge Steel Construction
- 55.12.2 LENGTH: Ninety-six inches (96") approximately
- 55.12.3 WIDTH: Seventy-eight inches (78") approximately
- 55.12.4 HEIGHT: Minimum thirty-nine inches (39")
- 55.12.5 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Left front compartments to have two (2) adjustable removable shelves with a minimum of six (6) adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of ten (10) adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" deep, minimum 48" long and a minimum of 17" high. Rear doors to be 19 1/2" W X 38" H X 14 1/2" D with 2 adjustable shelves. All doors to be weather-sealed and positive horizontal door holders.
- 55.12.6 BODY: All steel, all welded.
- 55.12.7 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have two (2) LED amber strobe lights mounted above or next to brake, parking and turn signal lights. All FMVSS #108 approved lighting required to complete State Safety Inspection, all recessed
- 55.12.8 MASTER LOCKING SYSTEM MUST BE USED.

56.	ITEM	QUANTITY	DESCRIPTION
	26	1	1 Ton Four Full Door, 60" cab to axle, DRW, 4x4, Stake Bed Truck
56.1	ENGINE:	Minimum 6 cylinders, with a minimum 350 HP.	
56.2	GVWR:	Minimum 11,500.	
56.3	TRANSMISSION/DRIVE:	Automatic transmission with overdrive; 5 speed minimum. 4X4 Drive train - Two speed transfer case with electronic shift control.	
56.4	SUSPENSION:	Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	

- 56.5 DIMENSIONS: Full Four Door cab configuration; Stake bed. Wheelbase to be minimum of 167" inches.
- 56.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 56.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 56.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.
- 56.9 56.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 56.11 LIGHTING: Vehicle shall have hide-a-way type LED strobe lights in headlight assemblies and connected to rear LED strobe light mounted on body and wired to up-fitter switch located in cab of vehicle.

STAKE BED SPECIFICATIONS

- 56.12 DESIGN: Must be bolt-on design and compatible to fit truck cab and chassis specifications above.
- 56.13 DIMENSIONS: 9'ft long x 96"inch wide, 1/8" steel tread plate floor, 4" steel structural channel long sills, minimum 3" inch formed 10 gauge cross members on 15" centers, 2" square tubing frame. 40" removable stake sides. Rear swing-out type stake racks. Bed type should be a utility type with locking storage boxes on both sides.
- 56.14 FEATURES: Shall have two (2) lockable underbody tool box's mounted in front of rear axle on both curbside and street side. Tool boxes shall be 36" W, 18" D, 18" T. Shall have bottom hinge and cable door retainer. Side entry ladder mounted curbside front of bed. Stake bed sides, and rear bumper to be marked with reflective conspicuity tape and reflectors. All components of stake body must be finished in automotive grade Black paint.
- 56.15 MUD FLAPS: Vehicle body must have black unmarked mud flaps with anti-sail device positioned in front and rear of rear axle.
- 56.16 LIGHTING: Two (2) LED type strobes amber color shall be provided and mounted on rear of stake bed facing rearward and shall be wired to up-fitter switches located in cab and chassis. Strobes to be amber in color.
- 56.17 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch shall have two (2) "D" rings for safety chains. Hitch shall have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.

57.	ITEM	QUANTITY	DESCRIPTION
	27	1	1 Ton Four Full Door, DRW, Welder Body Truck

- 57.1 ENGINE: Minimum 6 cylinder; with a minimum 350 HP.
- 57.2 GVWR: Minimum 13,000 lbs.
- 57.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 57.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.

- 57.5 **DIMENSIONS:** Four full door cab configuration. Wheelbase to be a minimum of 167" inches. Bed to be flatbed with ½ foot sides to prevent items from falling off and a minimum 4 ½ ft toolbox on the right side (top) of bed. A vice is to be equipped at the driver rear of the bed. Rear to be open (no sides).
- 57.6 **BRAKES:** Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 57.7 **TIRES & WHEELS:** Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 57.8 **FUEL SYSTEM:** Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.
- 57.9 **MIRRORS:** OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 57.10 **SAFETY:** Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.
- 57.11 **TOW/ BUMPER:** Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish.

WELDER BODY & WELDER

- 57.12 **BED:** Flatbed with a vice at the left rear. Bed to be equipped with 2 (two) L bar/poles approx 3 ' ½" ft from the bed floor and to run from headache rack of cab to end of bed. Unit to also be equipped with a secured spot to hold tank and welder hose.
- 57.13 **WELDER/ GENERATOR:** To be gas operated with a minimum 10 gallon fuel capacity. Unit to peak at 12,000 watts (10,500 continuous). Unit will produce a minimum continuous 4,000 watt generator load to expect a minimum of 12hr of run time.

58.	ITEM 28	QUANTITY 1	DESCRIPTION 1 Ton Four Full Door, SRW, 4x4, Service Body Truck w/ Winch
	58.1	ENGINE:	Minimum 6 cylinder, with a minimum 350 HP.
	58.2	GVWR:	Minimum 11,300 lbs
	58.3	TRANSMISSION/DRIVE:	Automatic, minimum 5 speed with separate auxiliary transmission cooler mounted in front of radiator. 4X4 Drive train - Two speed transfer case with electronic shift control.
	58.4	SUSPENSION:	Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
	58.5	DIMENSIONS:	Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches. Wheelbase to be a minimum of 167" inches.
	58.6	BRAKES:	Equipped with 4-wheel automatic braking system, and front vented discs minimum.
	58.7	TIRES & WHEELS:	Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.
	58.8	FUEL SYSTEM:	Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.

- 58.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 58.10 LIGHTING: Vehicle shall have hide-a-way LED strobe lights in headlight assemblies and connected to rear LED strobe light mounted on service body and wired to up-filler switch located in cab of vehicle.
- 58.11 WINCH ASSEMBLY: Electric type winch with minimum 10,000 pound single line pull. Minimum cable drum capacity two hundred feet (200'). Winch to have power in and out capability and be configured with a free spooling clutch and adjustable brake. Winch to be installed on truck frame on the front bumper

UTILITY BODY SPECIFICATIONS:

- 58.12 MATERIAL: Minimum 14 gauge Steel Construction
- 58.13 LENGTH: Ninety-six inches (96") approximately.
- 58.14 WIDTH: Seventy-eight inches (78") approximately.
- 58.15 HEIGHT: Minimum thirty-nine inches (39")
- 58.16 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Right front compartment to have roll-out tool box tray and one adjustable removable shelf with a minimum of six (6) dividers. Left front compartments to have three (3) adjustable removable shelves with a minimum of six (6) adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of ten (10) adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" wide, 59" to 68" long and a minimum of 17" high. Rear doors to be half or full size when horizontal compartment extends through rear door. Lower rear compartment must have one (1) adjustable removable shelf with a minimum of four (4) adjustable dividers. All doors to be weather-sealed and positive horizontal door holders.
- 58.17 BODY: All steel, all welded.
- 58.18 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish.
- 58.19 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have two (2) LED amber strobe lights mounted above or next to brake, parking and turn signal lights. LED strobe lights must be wired to up-fitter switches located in cab of truck.
- 58.20 MASTER LOCKING SYSTEM MUST BE USED.

59.	ITEM	QUANTITY	DESCRIPTION
	29	1	1 Ton Regular Cab, 84" cab to axle, 4x4, DRW w/12' Stake Bed with Lift Gate
59.1	ENGINE: Minimum 6 cylinders, with a minimum 316 HP.		
59.2	GVWR: Minimum 13,000 lbs.		
59.3	TRANSMISSION/DRIVE: Automatic, minimum 5 speed with separate auxiliary transmission cooler mounted in front of radiator. 4X4 Drive train - Two speed transfer case with electronic shift control.		
59.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
59.5	DIMENSIONS: Regular cab configuration. Minimum 75" inch bed length. Wheelbase to be a minimum of 133" inches.		

- 59.6 BRAKES: Heavy duty, 4-wheel ABS, disc front drum rear as minimum. Unit shall have in-cab OEM installed brake controller wired to a 7 way (flat/blade pin) vehicle connector on body bumper.
- 59.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 59.8 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 59.9 SAFETY: Equipped with driver and passenger airbags, hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.

STAKE BED SPECIFICATIONS

- 59.10 DESIGN: Must be bolt-on design and compatible to fit truck cab and chassis specifications above.
- 59.11 DIMENSIONS: 12'ft long x 96"inch wide, 1/8" steel tread plate floor, 4" steel structural channel long sills, minimum 3" inch formed 10 gauge cross members on 15" centers, 2" square tubing frame. 40" removable stake sides. Rear swing-out type stake racks.
- 59.12 FEATURES: Shall have two (2) lockable underbody tool box's mounted in front of rear axle on both curbside and street side. Tool boxes shall be 36" W, 18" D, 18" T. Shall have bottom hinge and cable door retainer. Side entry ladder mounted curbside front of bed. Stake bed sides, and rear bumper to be marked with reflective conspicuity tape and reflectors. All components of stake body must be finished in automotive grade Black paint.
- 59.13 MUD FLAPS: Vehicle body must have black unmarked mud flaps with anti-sail device positioned in front and rear of rear axle.
- 59.14 LIGHTING: Two (2) LED type strobes amber color shall be provided and mounted on rear of stake bed facing rearward and shall be wired to up-fitter switches located in cab and chassis. Strobes to be amber in color.
- 59.15 LIFTGATE: 1,200 lbs. lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way). Material shall be tread plate steel with two piece platform, minimum 42" loading depth.
- 59.16 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch shall have two (2) "D" rings for safety chains. Hitch shall have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.
- 59.17 FUEL SYSTEM: Fuel tank shall have a 30 minimum gallon minimum capacity and be certified to run on 87 octane fuel.

60.	ITEM 30	QUANTITY 1	DESCRIPTION 1.5 Ton Four Full Door, DRW, Diesel Pickup Truck
60.1	ENGINE: Minimum 6 cylinders, with a minimum 300 HP.		
60.2	GVWR: Minimum 14,000 lbs.		
60.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.		
60.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.		

- 60.5 DIMENSIONS: Four Full Door configuration 60" cab to axle. Wheelbase to be a minimum of 152".
- 60.6 BRAKES: Heavy duty, 4-wheel ABS, disc front drum rear as minimum. Unit shall have in-cab OEM installed brake controller wired to a 7 way (flat/blade pin) vehicle connector on body bumper.
- 60.7 TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.
- 60.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.
- 60.9 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 60.10 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

61.	ITEM 31	QUANTITY 1	DESCRIPTION 15K Diesel Barrier Truck
	61.1	ENGINE: Minimum 6 cylinders, with a minimum 300 HP.	
	61.2	GVWR: Minimum 15,000 lbs.	
	61.3	TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum 4x2 design.	
	61.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	61.5	DIMENSIONS: Regular cab configuration. 60" Cab to axle. Wheelbase to be a minimum of 134" inches.	
	61.6	BRAKES: Heavy duty, 4-wheel ABS, disc front drum rear as minimum. Unit shall have in-cab OEM installed brake controller wired to a 7 way (flat/blade pin) vehicle connector on body bumper.	
	61.7	TIRES & WHEELS: Unit to be equipped with dual rear tires and wheels. Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle, maximum traction tread design with full size matching spare tire and wheel.	
	61.8	FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.	
	61.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.	
	61.10	BED CONFIGURATION	
	61.11	DESIGN: Must be bolt-on design and compatible to fit truck cab and chassis specifications.	
	61.12	DIMENSIONS: 9'ft long x 96"inch wide, 1/8" steel tread plate floor, 4" steel structural channel long sills, minimum 3" inch formed 10 gauge cross members on 15" centers, 2" square tubing frame. 40" removable stake sides. Rear swing-out type stake racks.	
	61.13	FEATURES: Shall have two (2) lockable underbody tool box's mounted in front of rear axle on both curbside and street side. Tool boxes shall be 36" W, 18" D, 18" T. Shall have bottom hinge and cable door retainer. Side entry ladder mounted curbside front of bed. Stake bed sides, and rear bumper to be marked with reflective tape and reflectors. All components of stake body must be finished in automotive grade Black paint.	

- 61.14 MUD FLAPS: Vehicle body must have black unmarked mud flaps with anti-sail device positioned in front and rear of rear axle.
- 61.15 LIGHTING: Two (2) LED type strobes amber color shall be provided and mounted on rear of stake bed facing rearward and shall be wired to up-fitter switches located in cab and chassis. Strobes to be amber in color.
- 61.16 LIFTGATE: 1,200 lbs. lift capacity heavy duty hydraulic electric power lift gate (non-tuck-a-way). Material shall be tread plate steel with two piece platform, minimum 42" loading depth.
- 61.17 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish. Hitch shall have two (2) "D" rings for safety chains. Hitch shall have a 7 Way flat pin/blade vehicle connector. Receiver type hitch is not acceptable.

62.	ITEM 32	QUANTITY 1	DESCRIPTION 16K Full Four Door, 4x4, Diesel, DRW Utility Body w/ Winch
62.1	ENGINE: Minimum 6 cylinders, with a minimum 300 HP.		
62.2	GVWR: Minimum 16,001 lbs.		
62.3	TRANSMISSION/DRIVE: Automatic, minimum 5 speed with separate auxiliary transmission cooler mounted in front of radiator. 4X4 Drive train - Two speed transfer case with electronic shift control.		
62.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
62.5	DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 75" inches.		
62.6	BRAKES: Heavy duty, 4-wheel ABS, disc front drum rear as minimum. Unit shall have in-cab OEM installed brake controller wired to a 7 way (flat/blade pin) vehicle connector on body bumper.		
62.7	TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Equipped with spare tire locking device and three keys.		
62.8	FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.		
62.9	MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.		
62.10	LIGHTING: Vehicle shall have hide-a-way LED strobe lights in headlight assemblies and connected to rear LED strobe light mounted on service body and wired to up-filler switch located in cab of vehicle.		
62.11	WINCH ASSEMBLY: Electric type winch with minimum 10,000 pound single line pull. Minimum cable drum capacity two hundred feet (200'). Winch to have power in and out capability and be configured with a free spooling clutch and adjustable brake. Winch to be installed on truck frame on the front bumper.		
62.12	UTILITY BODY SPECIFICATIONS:		
62.12.1	MATERIAL: Minimum 14 gauge Steel Construction.		
62.12.2	LENGTH: One hundred-eight inches (108") approximately.		
62.12.3	WIDTH: Ninety-two inches (92") approximately.		

62.12.4 HEIGHT: Minimum thirty-nine inches (39").

62.12.5 COMPARTMENTS: Left and right front compartments to be full height, approximately 26" to 33" wide, 14" to 15" deep. Right front compartment to have roll-out tool box tray and one adjustable removable shelf with a minimum of six (6) dividers. Left front compartments to have three (3) adjustable removable shelves with a minimum of six (6) adjustable dividers each. Right and left horizontal compartments to have a reinforced shelf, each with a minimum of ten (10) adjustable dividers for each side. Horizontal compartments to be a minimum 14-1/2" wide, 59" to 68" long and a minimum of 17" high. Rear doors to be half or full size when horizontal compartment extends through rear door. Lower rear compartment must have one (1) adjustable removable shelf with a minimum of four (4) adjustable dividers. All doors to be weather-sealed and positive horizontal door holders.

62.12.6 BODY: All steel, all welded.

62.12.7 LIGHTS: Must have State required lighting system. Rear brake, parking, turn signal, and backup lights to be mounted in highest possible location and must be high intensity LED type lighting. Must have two (2) LED amber strobe lights mounted above or next to brake, parking and turn signal lights. LED strobe lights must be wired to up-fitter switches located in cab of truck.

62.12.8 MASTER LOCKING SYSTEM MUST BE USED.

62.12.9 TOW/ BUMPER: Unit shall have an ICC bumper that is flush mounted with the end of the platform bed. Unit shall have a combination ball hitch/pintle hook with a minimum capacity of 17,000 lbs. Hitch shall be bolted to ICC bumper. Hitch shall have a black powder coat finish.

62.12.10 SAFETY: Equipped with driver and passenger airbags, seatbelts, running daytime lights, hide-away type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.

63.	ITEM	QUANTITY	DESCRIPTION
	33	14	Compact 4 Door, 4x4, Sports Utility Vehicle
63.1	ENGINE: 4 cylinder with a minimum 158 HP.		
63.2	GVWR: Minimum 3,515 lbs.		
63.3	TRANSMISSION/ DRIVE: Minimum of 5 speed automatic with over drive. Unit to be 4x4 drive train and equipped with a two speed transfer case.		
63.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
63.5	WHEELBASE: To be a minimum of 103" inches.		
63.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
63.7	TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season off road design with full size matching, off road design spare tire and wheel, if available. Unit must be equipped with a spare tire locking device and three keys.		
63.8	FUEL SYSTEM: Fuel tank shall have a 14 gallon minimum capacity.		
63.9	SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Maximum seating should be for 5) Seats to be cloth.		
63.10	GROUND CLEARANCE: Each unit will have a minimum ground clearance of 6.9".		
63.11	COLOR: To be decided at award.		

64.	ITEM	QUANTITY	DESCRIPTION
-----	------	----------	-------------

34 10 Medium 4 Door, 2wd, Sports Utility Vehicle

- 64.1 ENGINE: 6 cylinder with a minimum 260 HP.
- 64.2 GVWR: Minimum 5,100 lbs.
- 64.3 TRANSMISSION/DRIVE: Minimum of 5 speed automatic with over drive.
- 64.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 64.5 WHEELBASE: To be a minimum of 109" inches.
- 64.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 64.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/terrain design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.
- 64.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 64.9 SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.
- 64.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".
- 64.11 COLOR: To be decided at award.

65. ITEM QUANTITY DESCRIPTION
35 1 Medium 4 Door, 2wd, Sports Utility Vehicle w/Amber Lighting

- 65.1 ENGINE: 6 cylinder with a minimum 260 HP.
- 65.2 GVWR: Minimum 5,100 lbs.
- 65.3 TRANSMISSION/DRIVE: Minimum of 5 speed automatic with over drive.
- 65.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 65.5 WHEELBASE: To be a minimum of 109" inches.
- 65.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 65.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/terrain design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.
- 65.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 65.9 SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.
- 65.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".
- 65.11 COLOR: To be decided at award.
- 65.12 ADDITIONAL SPECIFICATIONS: Amber LED strobe lights at the front and rear of the vehicles. Controls for the strobe lights shall be mounted under the driver side dashboard.

66.	ITEM 36	QUANTITY 6	DESCRIPTION Medium 4 door, 4x4, Sports Utility Vehicle
	66.1	ENGINE: 6 cylinder with a minimum 260 HP.	
	66.2	GVWR: Minimum 5,100 lbs.	
	66.3	TRANSMISSION/ DRIVE: Minimum of 5 speed automatic with over drive. 4x4 Drive Train with two speed transfer case.	
	66.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	66.5	WHEELBASE: To be a minimum of 109" inches.	
	66.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	66.7	TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/all terrain design with full size matching, off road design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.	
	66.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.	
	66.9	SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.	
	66.10	GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".	
	66.11	COLOR: To be decided at award.	

67.	ITEM 37	QUANTITY 1	DESCRIPTION Medium 4 door, 4x4, Sports Utility Vehicle w/Amber Lighting
	67.1	ENGINE: 6 cylinder with a minimum 260 HP.	
	67.2	GVWR: Minimum 5,100 lbs.	
	67.3	TRANSMISSION/ DRIVE: Minimum of 5 speed automatic with over drive. 4x4 Drive Train with two speed transfer case.	
	67.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	67.5	WHEELBASE: To be a minimum of 109" inches.	
	67.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	67.7	TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season/all terrain design with full size matching, off road design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.	
	67.8	FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.	
	67.9	SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.	
	67.10	GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7".	

67.11 COLOR: To be decided at award.

67.12 ADDITIONAL SPECIFICATIONS: Equip with amber LED strobe lights at the front and rear of the vehicles. Controls for the strobe lights shall be mounted under the driver side dashboard.

68.	ITEM 38	QUANTITY 2	DESCRIPTION Large 4 door, 2wd, Sports Utility Vehicle
68.1	ENGINE: Minimum 6 cylinder with a minimum 310 HP.		
68.2	GVWR: Minimum 7,100 lbs.		
68.3	TRANSMISSION/DRIVE: Minimum 6 speed automatic with over drive.		
68.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
68.5	WHEELBASE: To be a minimum of 116" inches.		
68.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
68.7	TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.		
68.8	FUEL SYSTEM: Fuel tank shall have a 26 gallon minimum capacity.		
68.9	GROUND CLEARANCE: Unit will have a minimum ground clearance of 7".		
68.10	SEATING: Five (5) passenger body to have bucket front seats, (NO EXCEPTIONS). Minimum three (3) passenger bench type rear seat. Seating material to be cloth. rubber or vinyl flooring throughout vehicle.		
68.11	COLOR: Color determined at award.		

69.	ITEM 39	QUANTITY 2	DESCRIPTION Large 4 door, 4x4, Sports Utility Vehicle
69.1	ENGINE: Minimum 6 cylinder with a minimum 310 HP.		
69.2	GVWR: Minimum 7,100 lbs.		
69.3	TRANSMISSION/DRIVE: 4X4 minimum 6 speed automatic with over drive.		
69.4	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.		
69.5	WHEELBASE: To be a minimum of 116" inches.		
69.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.		
69.7	TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season design with full size matching design spare tire and wheel. Unit must be equipped with a spare tire locking device and three keys.		
69.8	FUEL SYSTEM: Fuel tank shall have a 26 gallon minimum capacity.		
69.9	GROUND CLEARANCE: Unit will have a minimum ground clearance of 7.8".		

- 69.10 SEATING: Five (5) passenger body to have bucket front seats, (NO EXCEPTIONS). Minimum three (3) passenger bench type rear seat. Seating material to be cloth. rubber or vinyl flooring throughout vehicle.
- 69.11 COLOR: One (1) OEM White and one (1) Silver.

70. ITEM QUANTITY DESCRIPTION
40 1 Suburban Type Wagon 4 door, 2 wheel drive

- 70.1 ENGINE: 6 cylinders minimum with a minimum 310 HP.
- 70.2 GVWR: Minimum 7,100 lbs.
- 70.3 TRANSMISSION/DRIVE: Minimum 6 speed automatic with over drive. Gear shift to be in steering column.
- 70.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 70.5 WHEELBASE: To be a minimum of 116" inches.
- 70.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 70.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all terrain design with full size matching spare tire and wheel. Unit to be equipped with spare tire locking device and three keys.
- 70.8 FUEL SYSTEM: Fuel tank shall have a 31 gallon minimum capacity.
- 70.9 AIR CONDITIONING: OEM dual type.
- 70.10 SEATING: Cloth seating and upholstery. Front bucket seating, no console, and 2 rows of bench seating.
- 70.11 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7.8".
- 70.12 COLOR: OEM White.

71. ITEM QUANTITY DESCRIPTION
41 1 Mini Cargo Van

- 71.1 ENGINE: 4 cylinders with a minimum 131 HP.
- 71.2 GVWR: Minimum 4,718 lbs.
- 71.3 TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum.
- 71.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 71.5 WHEELBASE: To be a minimum of 103" inches.
- 71.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 71.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- 71.8 FUEL SYSTEM: Fuel tank shall have a 14 gallons minimum capacity.
- 71.9 SEATING: Dark colored synthetic upholstery.
- 71.10 SEATING: Passenger seat required, right side.

- 71.11 CARGO SPACE: Cargo space to be
- 71.11.1 (minimum) 54 inches in length
- 71.11.2 (minimum) 48 inches between wheel wells.
- 71.11.3 (minimum) 53 inches in height.
- 71.12 WINDOWS & DOORS: Unit to be equipped with driver and front passenger windows, and windows on the rear doors. Rear door to be swing out type.

72.	ITEM 42	QUANTITY 1	DESCRIPTION 1 Ton Diesel Cargo Van
	72.1	ENGINE: 5 cylinders minimum with a minimum 255 HP.	
	72.2	GVWR: Minimum 8,600 lbs.	
	72.3	WHEELBASE: To be a minimum of 130".	
	72.4	TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum,, 4x2.	
	72.5	SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	72.6	DOORS, WINDOWS, & MIRRORS: Unit to be equipped with power driver and passenger windows and mirrors, and automatic door locks all around.	
	72.7	ADDITIONAL WINDOWS & DOORS: Vented windows all around, double swing right side door, double swing rear doors, rear door windows. Vented windows will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivots/swing out windows offered including side and rear doors.	
	72.8	TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.	
	72.9	SUSPENSION: Heaviest duty available.	
	72.10	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	72.11	FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity and be certified to run on Ultra Low Sulfur Diesel.	
	72.12	SEATING: Right side passenger seat required and back space to be empty for cargo transport. Seats to be dark colored synthetic upholstery.	
	72.13	REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening.	
73.	ITEM 43	QUANTITY 1	DESCRIPTION Black & White Paddy Wagon
	73.1	ENGINE: Minimum 6 cylinders with a minimum 275 HP.	
	73.2	GVWR: Minimum 8,600 lbs.	
	73.3	TRANSMISSION/DRIVE: Automatic transmission with overdrive; 4 speed minimum.	

- 73.4 SUSPENSION: Heaviest Duty available to include heavy duty shock absorbers, independent struts with stabilization.
- 73.5 WHEELBASE: To be a minimum of 130" inches.
- 73.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 73.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain design with full size matching spare tire and wheel and will meet or exceed minimum gross vehicle weight rating of vehicle. Unit to be equipped with spare tire locking device and three keys.
- 73.8 FUEL SYSTEM: Fuel tank shall have a 25 gallon minimum capacity.
- 73.9 SEATING: Passenger seat required, right side.
- 73.10 ADDITIONAL WINDOWS & DOORS: Vented windows all around, double swing right side door, double swing rear doors, rear door windows. Vented windows will have the maximum amount of windows offered by the manufacturer on both sides, to include the maximum amount of pivots/swing out windows offered including side and rear doors.
- 73.11 AIR CONDITIONING: Unit to be equipped with OEM dual air conditioning system.
- 73.12 SEATING: Dark cloth or fabric upholstery.
- 73.13 REAR BUMPER: OEM rear bumper and tow package to include receiver hitch with 2" hitch opening.
- 73.14 EXTERIOR AND INTERIOR COLOR: Each vehicle shall have a black & white exterior body color. Doors are to be White and remainder of unit to be Black. Interior coloring shall be dark grey or brown.

74.	ITEM 44	QUANTITY 1	DESCRIPTION ¾ Ton Extended Cab Black & White Pickup Truck
	74.1	ENGINE: Minimum 8 cylinders with a minimum 360 HP.	
	74.2	GVWR: Minimum 9,400.	
	74.3	TRANSMISSION/DRIVE: Automatic transmission with overdrive; 5 speed minimum. 4X2	
	74.4	SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization.	
	74.5	DIMENSIONS: Extended cab configuration. Minimum 75" bed length, maximum 82" inch bed length. Wheelbase to be a minimum of 141" inches.	
	74.6	BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.	
	74.7	TIRES & WHEELS: Tire pressure monitoring system required. Tires to meet or exceed minimum gross vehicle weight rating of vehicle.	
	74.8	FUEL SYSTEM: Fuel tank shall have a 20 gallons minimum capacity.	
	74.9	SEATING: Vinyl or premium synthetic upholstery.	
	74.10	COLOR: Exterior shall be OEM Black with doors OEM White.	

75.	ITEM 45	QUANTITY 5	DESCRIPTION ¾ Ton Four Full Door Pickup Truck w/ Bed Roller Cover
	75.1	ENGINE: Minimum 8 cylinders with a minimum 350 HP.	

- 75.2 GVWR: Minimum 8,800 lbs.
- 75.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.
- 75.4 SUSPENSION: Heaviest duty available to include heavy duty shock absorbers, independent struts with stabilization. Wheelbase to be a minimum 149" inches.
- 75.5 DIMENSIONS- BODY/ BED / BED COVER: Four full door cab configuration, unit shall be short wheeled base/ short bed with a minimum 72" inch bed length, Unit will be equipped with a retractable roller to cover contents in bed. Unit to be equipped with a key locking mechanism.
- 75.6 BRAKES: Equipped with 4-wheel automatic braking system, and front vented discs minimum.
- 75.7 TIRES & WHEELS: Tire pressure monitoring system required. Tires to be all terrain type and meet or exceed minimum gross vehicle weight rating of vehicle.
- 75.8 FUEL SYSTEM: Fuel tank shall have a 20 gallon minimum capacity.
- 75.9 SEATING: Unit will be equipped with front bucket seats and no center console and the rear bench seating.
- 75.10 MIRRORS: OEM standard type inside. Power mirrors outside, left and right, collapsible, below eye level type. Recreational swing or telescoping type. Largest size available in model offered. Remote controlled from driver.
- 75.11 SAFETY: Shall be equipped with hide-a-way type amber colored LED strobe lights to be installed in all four corners (front and rear light assemblies) of truck. All strobes to be wired to a factory type switch located in cab.
- 75.12 TOW PACKAGE: Rear Bumper – OEM rear bumper and tow package to include receiver hitch with 2" hitch opening, OEM in-cab mounted trailer brake controller and both a 4-Way flat vehicle connector and 7-Way round vehicle connector (Flat Pin).

005 - SUPPLEMENTAL TERMS & CONDITIONS

Original Contract Term.

This contract shall begin upon the effective date of the ordinance awarding the contract, or date specified in the award letter if this contract does not exceed \$50,000. This contract shall terminate upon completion of all work described herein or delivery of all goods ordered, as applicable.

Change Orders

Notwithstanding anything stated to the contrary in Section 006 – General Terms & Conditions, in order to comply with Texas law governing purchases made by municipalities, the following rules shall govern all change orders made under this contract.

Any change orders that become necessary during the term of this contract as a result of changes in plans, specifications, quantity of work to be performed, materials, equipment or supplies to be furnished must be in writing and conform to the requirements of City Ordinance 2011-12-08-1014, as hereafter amended.

Any other change will require approval of the City Council, City of San Antonio. Changes that do not involve an increase in contract price may be made by the Director.

No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated herein.

Insurance.

Prior to the commencement of any work under this Agreement, Vendor shall furnish copies of all required endorsements and completed Certificate(s) of Insurance to the City's Finance Department, which shall be clearly labeled "PURCHASE OF LD TRUCKS, SUVS & VANS" in the Description of Operations block of the Certificate. The Certificate(s) shall be completed by an agent and signed by a person authorized by that insurer to bind coverage on its behalf. City will not accept a Memorandum of Insurance or Binder as proof of insurance. The certificate(s) must have the agent's signature and phone number, and be mailed, with copies of all applicable endorsements, directly from the insurer's authorized representative to City. City shall have no duty to pay or perform under this Agreement until such certificate and endorsements have been received and approved by City's Finance Department. No officer or employee, other than City's Risk Manager, shall have authority to waive this requirement.

City reserves the right to review the insurance requirements of this Article during the effective period of this Agreement and any extension or renewal hereof and to modify insurance coverages and their limits when deemed necessary and prudent by City's Risk Manager based upon changes in statutory law, court decisions, or circumstances surrounding this Agreement. In no instance will City allow modification whereby City may incur increased risk.

A Vendor's financial integrity is of interest to City; therefore, subject to Vendor's right to maintain reasonable deductibles in such amounts as are approved by City, Vendor shall obtain and maintain in full force and effect for the duration of this Agreement, and any extension here of, at Vendor's sole expense, insurance coverage written on an occurrence basis, unless otherwise indicated, by companies authorized to do business in the State of Texas and with an A.M Best's rating of no less than A- (VII), in the following types and for an amount not less than the amount listed below:

TYPE	AMOUNTS
1. Garage Keepers Liability Insurance- provided on a direct primary basis	Damage to vehicles \$300,000
2. Broad form Commercial General Liability Insurance to include coverage for the following: a. Premises/Operations *b. Independent Contractors c. Products/Completed Operations	For Bodily Injury and Property Damage of \$1,000,000 per occurrence; \$2,000,000 General Aggregate, or its equivalent in Umbrella or Excess Liability Coverage

d. Personal Injury e. Contractual Liability f. Damage to property rented by you *if applicable	f. \$100,000
---	--------------

Vendor agrees to require, by written contract, that all subcontractors providing goods or services hereunder obtain the same insurance coverages required of Vendor herein, and provide a certificate of insurance and endorsement that names Vendor and City as additional insureds. Vendor shall provide City with said certificate and endorsement prior to the commencement of any work by the subcontractor. This provision may be modified by City's Risk Manager, without subsequent City Council approval, when deemed necessary and prudent, based upon changes in statutory law, court decisions, or circumstances surrounding this agreement. Such modification may be enacted by letter signed by City's Risk Manager, which shall become a part of the contract for all purposes.

As they apply to the limits required by City, City shall be entitled, upon request and without expense, to receive copies of the policies, declaration page, and all endorsements thereto and may require the deletion, revision, or modification of particular policy terms, conditions, limitations, or exclusions (except where policy provisions are established by law or regulation binding upon either of the parties hereto or the underwriter of any such policies). Vendor shall be required to comply with any such requests and shall submit a copy of the replacement certificate of insurance to City at the address provided below within 10 days of the requested change. Vendor shall pay any costs incurred resulting from said changes.

City of San Antonio
Attn: Finance Department
P.O. Box 839966
San Antonio, Texas 78283-3966

Vendor agrees that with respect to the above required insurance, all insurance policies are to contain or be endorsed to contain the following provisions:

Name City, its officers, officials, employees, volunteers, and elected representatives as additional insureds by endorsement, as respects operations and activities of, or on behalf of, the named insured performed under contract with City, with the exception of the workers' compensation and professional liability policies;

Provide for an endorsement that the "other insurance" clause shall not apply to the City of San Antonio where City is an additional insured shown on the policy;

Workers' compensation, employers' liability, general liability and automobile liability policies will provide a waiver of subrogation in favor of City; and

Provide advance written notice directly to City of any suspension, cancellation, non-renewal or material change in coverage, and not less than ten (10) calendar days advance notice for nonpayment of premium.

Within five (5) calendar days of a suspension, cancellation or non-renewal of coverage, Vendor shall provide a replacement Certificate of Insurance and applicable endorsements to City. City shall have the option to suspend Vendor's performance should there be a lapse in coverage at any time during this contract. Failure to provide and to maintain the required insurance shall constitute a material breach of this Agreement.

In addition to any other remedies City may have upon Vendor's failure to provide and maintain any insurance or policy endorsements to the extent and within the time herein required, City shall have the right to order Vendor to stop work hereunder, and/ or withhold any payment(s) which become due to Vendor hereunder until Vendor demonstrates compliance with the requirements hereof.

Nothing herein contained shall be construed as limiting in any way the extent to which Vendor may be held responsible for payment of damages to persons or property resulting from Vendor's or its subcontractors' performance of the work covered under this Agreement.

It is agreed that Vendor's insurance shall be deemed primary and non-contributory with respect to any insurance or self insurance carried by City for liability arising out of operations under this Agreement.

It is understood and agreed that the insurance required is in addition to and separate from any other obligation contained in this Agreement and that no claim or action by or on behalf of City shall be limited to insurance coverage provided.

Vendor and any subcontractors are responsible for all damage to their own equipment and/or property.

Incorporation of Attachments.

Each of the attachments listed below is an essential part of this contract, which governs the rights and duties of the parties, incorporated herein by reference, and shall be interpreted in the order of priority as appears below, with this document taking priority over all attachments:

Attachment A – Price Schedule

Attachment B – City of San Antonio Local Preference Program Forms

Attachment C – Non-Discrimination Ordinance Language

Attachment D – Supplemental Information Related to State of Texas Conflict of Interest Requirement

Attachment E – City of San Antonio Veteran-Owned Small Business Preference Program (VOSBPP) Ordinance Language & Form

006 - GENERAL TERMS & CONDITIONS

Electronic Bid Equals Original. If Vendor is submitting an electronic bid, City and Vendor each agree that this transaction may be conducted by electronic means, as authorized by Chapter 322, Texas Business & Commerce Code, known as the Electronic Transactions Act.

Delivery of Goods/Services.

Destination Contract. Vendor shall deliver all goods and materials F.O.B., City of San Antonio's designated facility, inside delivery, freight prepaid, to the address provided in this IFB or, if different, in the Purchase Order. Vendor shall bear the risk of loss until delivery. Freight charges will be paid only when expedited delivery is requested and approved in writing by the City. Vendor shall be responsible for furnishing necessary personnel or equipment and/or making necessary arrangements to off load at City of San Antonio facility, unless otherwise noted herein.

Failure to Deliver. When delivery is not met as provided for in the contract, City may make the purchase on the open market, with any cost in excess of the contract price paid by Vendor, in addition to any other direct, indirect, consequential or incidental damages incurred by City as a result thereof. In addition, Vendor may be removed from the City's list of eligible bidders.

Purchase Orders. Each time a City department wishes to place an order against this contract, it will issue Vendor a purchase order. Vendor must have the purchase order before making any delivery.

Acceptance by City. City shall have a reasonable time (but not less than 30 days) after receipt to inspect the goods and services tendered by Vendor. City at its option may reject all or any portion of such goods or services which do not, in City's sole discretion, comply in every respect with all terms and conditions of the contract. City may elect to reject the entire goods and services tendered even if only a portion thereof is nonconforming. If City elects to accept nonconforming goods and services, City, in addition to its other remedies, shall be entitled to deduct a reasonable amount from the price thereof to compensate City for the nonconformity. Any acceptance by City, even if non-conditional, shall not be deemed a waiver or settlement of any defect in such goods and services.

Testing. After award of contract, City may, at its sole option, test the product delivered to ensure it meets specifications. Initial testing shall be at City's expense. However, if the product does not to meet specifications, Vendor shall reimburse City for the costs of testing. City may withhold the cost of testing from any amounts owed to Vendor under this or any other contract, or invoice Vendor for same. If invoiced, Vendor shall pay City within 30 calendar days' of the invoice.

Warranty. A minimum of 90-days product guarantee or the manufacturer's standard commercial warranty, whichever is greater, shall apply to all products and/or services purchased under this IFB, unless otherwise specified in the Specifications/Scope of Services section of this IFB. This warranty shall provide for replacement of defective merchandise, parts, and labor, and shall include pick-up of the defective merchandise from City and delivery of the replacement(s) to the same location. The warranty shall be effective from the date of acceptance of the merchandise, or completion of the service, as applicable.

REJECTION OF DISCLAIMERS OF WARRANTIES & LIMITATIONS OF LIABILITY. ANY TERM OR CONDITION IN ANY DOCUMENT FURNISHED BY VENDOR, DISCLAIMING THE IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR ATTEMPTING TO LIMIT VENDOR'S LIABILITY SHALL BE OF NO FORCE OR EFFECT, AND SHALL BE STRICKEN FROM THE CONTRACT DOCUMENTS AS IF NEVER CONTAINED THEREIN.

Invoicing and Payment.

Address for Invoices. All original invoices must be sent to: City of San Antonio, Attn: Accounts Payable, P.O. Box 839976, San Antonio, Texas 78283-3976.

Information Required On Invoice.

All invoices must be in a form and content approved by the City. City may require modification of invoices if necessary in order to satisfy City that all billing is proper and pursuant to the terms of the contract. Invoices are required to show each City Purchase Order Number. Invoices must be legible. Items billed on invoices must be specific as to applicable stock, manufacturer, catalog or part number (if any). All invoices must show unit prices for each item being billed, the

quantity of items being billed and the total for each item, as well as the total for all items on the invoice. If prices are based on list prices basis, then the list prices, the percentage discount or percentage surcharge, net unit prices, extensions and net total prices must be shown. Prompt payment discounts offered shall be shown separately on the invoice.

Payment by City.

In accordance with the Texas Prompt Payment Act, City shall have not less than 30 days to pay for goods or services. Time for payment, including payment under discount terms, will be computed from the later of: (1) the date City receives conforming goods under the contract; (2) the date performance of the service under the contract is completed; or (3) the date City receives a correct and valid invoice for the goods or services. Payment is deemed to be made on the date of mailing of the check. Payment is made in US dollars only.

This provision shall not apply where there is a bona fide dispute between City and Vendor about the goods delivered or the service performed that causes the payment to be late, or where the invoice is not mailed to the address provided herein.

The payment amount due on invoices may not be manually altered by City personnel. Once disputed items are reconciled, Vendor must submit a corrected invoice or a credit memorandum for the disputed amount. City will not make partial payments on an invoice where there is a dispute.

NECESSITY OF TIMELY INVOICE / WAIVER OF PAYMENT. NOTWITHSTANDING THE FORGOING, THE CITY CANNOT PAY FOR ANY GOODS OR SERVICES WITHOUT AN INVOICE. VENDOR MUST INVOICE CITY NO LATER THAN 90 CALENDAR DAYS FROM THE DATE GOODS ARE DELIVERED OR SERVICES RENDERED. FAILURE TO SUBMIT AN INVOICE WITHIN SAID 90 DAYS SHALL NEGATE ANY LIABILITY ON THE PART OF CITY AND CONSTITUTE A **WAIVER** BY VENDOR OF ANY AND ALL RIGHT OR CLAIMS TO COLLECT MONEYS THAT VENDOR MAY RIGHTFULLY BE OTHERWISE ENTITLED TO FOR GOODS OR SERVICES PERFORMED.

The total price for all goods and/or services is shown on the Price Schedule. No additional fees or expenses of Vendor shall be charged by Vendor nor be payable by City. The parties hereby agree that all compensable expenses of Vendor are shown on the Price Schedule. If there is a discrepancy on the Price Schedule between the unit price for an item, and the extended price, the unit price shall govern.

Change Orders. In order to comply with Texas law governing purchases made by municipalities, the following rules shall govern all change orders made under this contract.

Any change orders that become necessary during the term of this contract as a result of changes in plans, specifications, quantity of work to be performed, materials, equipment or supplies to be furnished may be approved by the Director, provided that such change orders:

- are made in writing, signed by the Director;
- do not involve an increase or decrease in contract price of more than \$25,000; and
- sufficient funds have already been allocated by City or are available to the Director to cover any increase in contract price.

Any other change will require approval of the City Council, City of San Antonio.

Changes that do not involve an increase in contract price may, however, be made by the Director.

No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated herein.

Termination.

Termination-Breach. Should Vendor fail to fulfill in a timely and proper manner, as determined solely by the Director, its material obligations under this contract, or violate any of the material terms of this contract, City shall have the right to immediately terminate the contract in whole or in part. Notice of termination shall be provided in writing to Vendor, effective upon the date set forth in the notice. City may, in City's sole discretion, provide an opportunity for Vendor to cure the default. If City elects to offer an opportunity to cure, City shall provide notice to Vendor specifying the matters in default and the cure period. If Vendor fails to cure the default within the cure period, City shall have the right, without further notice, to terminate the contract in whole or in part. Such termination shall not relieve Vendor of any liability to the City for damages sustained by virtue of any breach by Vendor.

Termination-Notice. City may terminate this contract, in whole or in part, without cause. City shall be required to give Vendor notice ten days prior to the date of termination of the contract without cause.

Termination-Funding. City retains the right to terminate this contract at the expiration of each of City's budget periods. This contract is conditioned on a best efforts attempt by City to obtain and appropriate funds for payment of any debt due by City herein.

Termination by City may be effected by Director, without further action by the San Antonio City Council.

Independent Contractor. Vendor covenants and agrees that it is an independent contractor and not an officer, agent, servant or employee of City. City shall not be liable for any claims which may be asserted by any third party occurring in connection with the services to be performed by Vendor under this contract and that Vendor has no authority to bind City. The doctrine of respondeat superior shall not apply as between City and Vendor.

INDEMNIFICATION.

VENDOR covenants and agrees to FULLY INDEMNIFY, DEFEND and HOLD HARMLESS, CITY and the elected officials, employees, officers, directors, volunteers and representatives of CITY, individually and collectively, from and against any and all costs, claims, liens, damages, losses, expenses, fees, fines, penalties, proceedings, actions, demands, causes of action, liability and suits of any kind and nature, including but not limited to, personal or bodily injury, death and property damage, made upon CITY directly or indirectly arising out of, resulting from or related to VENDOR'S activities under this Agreement, including any acts or omissions of VENDOR, any agent, officer, director, representative, employee, consultant or subcontractor of VENDOR, and their respective officers, agents employees, directors and representatives while in the exercise of the rights or performance of the duties under this Agreement. The indemnity provided for in this paragraph shall not apply to any liability resulting from the negligence of CITY, its officers or employees, in instances where such negligence causes personal injury, death, or property damage. IN THE EVENT VENDOR AND CITY ARE FOUND JOINTLY LIABLE BY A COURT OF COMPETENT JURISDICTION, LIABILITY SHALL BE APPORTIONED COMPARATIVELY IN ACCORDANCE WITH THE LAWS FOR THE STATE OF TEXAS, WITHOUT, HOWEVER, WAIVING ANY GOVERNMENTAL IMMUNITY AVAILABLE TO THE CITY UNDER TEXAS LAW AND WITHOUT WAIVING ANY DEFENSES OF THE PARTIES UNDER TEXAS LAW. In addition, Vendor agrees to indemnify, defend, and hold the City harmless from any claim involving patent infringement, trademarks, trade secrets, and copyrights on goods supplied.

The provisions of this INDEMNITY are solely for the benefit of the parties hereto and not intended to create or grant any rights, contractual or otherwise, to any other person or entity. VENDOR shall advise CITY in writing within 24 hours of any claim or demand against CITY or VENDOR known to VENDOR related to or arising out of VENDOR's activities under this AGREEMENT and shall see to the investigation and defense of such claim or demand at VENDOR's cost. CITY shall have the right, at its option and at its own expense, to participate in such defense without relieving VENDOR of any of its obligations under this paragraph.

Assignment. Except as otherwise stated herein, Vendor may not sell, assign, pledge, transfer or convey any interest in this contract, nor delegate the performance of any duties hereunder, by transfer, by subcontracting or any other means, without the consent of Director. As a condition of such consent, if such consent is granted, Vendor shall remain liable for completion of the services and provision of goods outlined in this contract in the event of default by the successor Vendor, assignee, transferee or subcontractor. Any attempt to transfer, pledge or otherwise assign this Contract without said written approval, shall be void ab initio and shall confer no rights upon any third person.

Ownership of Documents. Pursuant to Texas Local Government Code Chapter 201, any and all Records produced by Vendor pursuant to the provisions of this contract are the exclusive property of City; and no such Record shall be the subject of any copyright or proprietary claim by Vendor. The term "Record" as used herein shall mean any document, paper, letter, book, map, photograph, sound or video recording, microfilm, magnetic tape, electronic medium, or other information recording medium, regardless of physical form or characteristic. Vendor understands and acknowledges that as the exclusive owner of any and all such Records, City has the right to use all such Records as City desires, without restriction.

Records Retention.

Vendor and its subcontractors, if any, shall properly, accurately and completely maintain all documents, papers, and records, and other evidence pertaining to the services rendered hereunder ("Documents"), and shall make such Documents available to the City at their respective offices, at all reasonable times and as often as City may deem

necessary during the contract period, including any extension or renewal hereof, and the record retention period established herein, for purposes of audit, inspection, examination, and making excerpts or copies of same by City and any of its authorized representatives.

Vendor shall retain any and all Documents produced as a result of services provided hereunder for a period of four years ("Retention Period") from the date of termination of the contract. If, at the end of the Retention Period, there is litigation or other questions arising from, involving or concerning these Documents or the services provided hereunder, Vendor shall retain the records until the resolution of such litigation or other such questions. Vendor acknowledges and agrees that City shall have access to any and all such Documents at any and all times, as deemed necessary by City, during said Retention Period. City may, at its election, require Vendor to return the documents to City at Vendor's expense prior to or at the conclusion of the Retention Period. In such event, Vendor may retain a copy of the documents.

Vendor shall notify City, immediately, in the event Vendor receives any requests for information from a third party, which pertain to the Documents referenced herein. Vendor understands and agrees that City will process and handle all such requests.

Severability. If any clause or provision of this contract is held invalid, illegal or unenforceable under present or future federal, state or local laws, including but not limited to the City Charter, City Code, or ordinances of the City of San Antonio, Texas, then and in that event it is the intention of the parties hereto that such invalidity, illegality or unenforceability shall not affect any other clause or provision hereof and that the remainder of this contract shall be construed as if such invalid, illegal or unenforceable clause or provision was never contained herein. It is also the intention of the parties hereto that in lieu of each clause or provision of this contract that is invalid, illegal, or unenforceable, there be added as a part of the contract a clause or provision as similar in terms to such invalid, illegal or unenforceable clause or provision as may be possible, legal, valid and enforceable.

Compliance with Law. Vendor shall provide and perform all services required under this Agreement in compliance with all applicable federal, state and local laws, rules and regulations.

Certifications. Vendor warrants and certifies that Vendor and any other person designated to provide services hereunder has the requisite training, license and/or certification to provide said services, and meets all competence standards promulgated by all other authoritative bodies, as applicable to the services provided herein.

Non-waiver of Performance. Unless otherwise specifically provided for in this Agreement, a waiver by either Party of a breach of any of the terms, conditions, covenants or guarantees of this Agreement shall not be construed or held to be a waiver of any succeeding or preceding breach of the same or any other term, condition, covenant or guarantee herein contained. Further, any failure of either Party to insist in any one or more cases upon the strict performance of any of the covenants of this Agreement, or to exercise any option herein contained, shall in no event be construed as a waiver or relinquishment for the future of such covenant or option. In fact, no waiver, change, modification or discharge by either party hereto of any provision of this Agreement shall be deemed to have been made or shall be effective unless expressed in writing and signed by the party to be charged. No act or omission by a Party shall in any manner impair or prejudice any right, power, privilege, or remedy available to that Party hereunder or by law or in equity, such rights, powers, privileges, or remedies to be always specifically preserved hereby.

Venue. Venue of any court action brought directly or indirectly by reason of this contract shall be in Bexar County, Texas. This contract is made and is to be performed in Bexar County, Texas, and is governed by the laws of the State of Texas.

Non-discrimination. As a condition of entering into this agreement, Vendor represents and warrants that it will comply with City's Commercial Nondiscrimination Policy, as described under Section IILC.1 of the SBEDA Ordinance. As part of such compliance, Vendor shall not discriminate on the basis of race, color, religion, ancestry or national origin, sex, age, marital status, sexual orientation, or on the basis of disability or other unlawful forms of discrimination in the solicitation, selection, hiring or commercial treatment of subcontractors, vendors, suppliers, or commercial customers, nor shall Vendor retaliate against any person for reporting instances of such discrimination. Vendor shall provide equal opportunity for subcontractors, vendors and suppliers to participate in all of its public sector and private sector subcontracting and supply opportunities, provided that nothing contained in this clause shall prohibit or limit otherwise lawful efforts to remedy the effects of marketplace discrimination that have occurred or are occurring in the City's Relevant Marketplace. Vendor understands and agrees that a material violation of this clause shall be considered a material breach of this agreement and may result in termination of this agreement, disqualification of Vendor from participating in City contracts, or other sanctions. This clause is not enforceable by or for the benefit of, and creates no obligation to, any third party. Vendor shall include this nondiscrimination clause in all subcontracts for the performance of this contract.

Delinquent Taxes. In the event that Vendor is or subsequently becomes delinquent in the payment of taxes owed to the City of San Antonio, the City reserves the right to deduct any delinquent taxes from payments that the City may owe to the delinquent Vendor as a result of this contract.

Binding Contract. This contract shall be binding on and inure to the benefit of the parties hereto and their respective heirs, executors, administrators, legal representatives, and successors and assigns, except as otherwise expressly provided for herein.

Entire Agreement. This contract, including City's final electronically posted online version, together with its authorizing ordinance and its price schedule(s), attachments, purchase orders, and exhibits, if any, constitutes the final and entire agreement between the parties hereto and contains all of the terms and conditions agreed upon. No other agreements, oral or otherwise, regarding the subject matter of this contract shall be deemed to exist or to bind the parties hereto, unless same be in writing, dated subsequent to the date hereof, and be duly executed by the parties, in accordance with the Change Order provision herein. **Parties agree that City's final electronically posted online version of this solicitation contains the agreed upon specifications, scope of services, and terms and conditions of this contract, and shall control in the event of a conflict with any printed version signed and submitted by Vendor.**

007 - SIGNATURE PAGE

By submitting a bid, whether electronically or by paper, Bidder represents that:

(s)he is authorized to bind Bidder to fully comply with the terms and conditions of City's Invitation for Bid for the prices stated therein;

(s)he has read the entire document, including the final version issued by City, and agreed to the terms therein;

Bidder is in good standing with the Texas State Comptroller's Office; and


to the best of his/her knowledge, all information is true and correct.

If submitting your bid by paper, complete the following and sign on the signature line below. Failure to sign and submit this Signature Page will result in rejection of your bid.

Bidder Information

Please Print or Type

Vendor ID No.	V1006439
Signer's Name	Keith Shoffstall
Name of Business	Grande Truck Center
Street Address	4562 IH-10 East
City, State, Zip Code	San Antonio, TX 78219
Email Address	rshoffstall@grandetruck.com
Telephone No.	210-666-7112
Fax No.	210-666-7216
City's Solicitation No.	6100006180



Signature of Person Authorized to Sign Bid

008 - STANDARD DEFINITIONS

Whenever a term defined by the Uniform Commercial Code ("UCC"), as enacted by the State of Texas, is used in the Contract, the UCC definition shall control, unless otherwise defined in the Contract.

All-or-None Bid - an invitation to bid in which the City will award the entire contract to one bidder only.

Alternate Bid - two or more bids with substantive variations in the item or service offered from the same bidder in response to a solicitation.

Assignment - a transfer of claims, rights or interests in goods, services or property.

Bid - a complete, signed response to a solicitation. The term "bid" is synonymous with the term "offer".

Bid Opening - a public meeting during which bid responses are disclosed.

Bidder - a person, firm or entity that submits a bid in response to a solicitation. The bidder whose bid is accepted by City may also be referred to herein as Contractor, Vendor or Supplier.

Bid Bond or Bid Guarantee - security to ensure that Bidder (a) will not withdraw the bid within the period specified for acceptance, and (b) will furnish any required bonds or performance guarantees, and any necessary insurance within the time specified in the solicitation.

Change Order - a change to the plans or specifications of the contract, or an increase or decrease in the quantity of work to be performed or of materials, equipment, or supplies to be furnished, issued by the Director after the bid has been accepted by the City.

City - the City of San Antonio, a Texas home-rule municipal corporation.

Contract - the binding legal agreement between the City and Vendor.

Contractor - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

Director - the Director of City's Purchasing & General Services Department, or Director's designee.

Equal or Equivalent - terms to indicate that similar products or other brands may be acceptable for purchase if specifications and functional requirements are met.

Invitation for Bid (IFB) - a solicitation requesting pricing for a specified good or a service.

Line Item - a listing of items in a bid for which a bidder is expected to provide separate pricing.

Low Bid - a bid which is lowest in price, but may not meet all requirements or specifications.

Lowest Responsible Bidder - the bidder whose bid meets all requirements of the specifications, terms and conditions of the IFB and results in the lowest cost to the City in an award based solely on price, taking into consideration the bidder's competence and qualifications to perform the contract.

Non-Responsive Bid - a bid or offer that does not comply with the terms and conditions, or specifications and/or requirements of the IFB.

Offer - a complete, signed response to an IFB that, if accepted, would bind the bidder to perform the resultant contract. The term "offer" is synonymous with the term "bid".

Payment Bond - a particular form of security provided by the contractor to protect the City against loss due to the contractor's failure to pay suppliers and subcontractors.

Performance Bond - a particular form of security provided by the contractor to protect the City against loss due to the contractor's inability or unwillingness to complete the contract as agreed.

Performance Deposit - security provided by the contractor to protect the City against loss due to the contractor's inability or unwillingness to complete the contract as agreed.

Pre-Submittal Conference - a meeting conducted by the City, held in order to allow bidders to ask questions about the proposed contract and particularly, the contract specifications.

Purchase Order - a validly issued order placed by an authorized City department for the purchase of goods or services, written on the City's standard purchase order form, and which is Vendor's authority to deliver to and invoice the City for the goods or services specified in an IFB for the price stated in Vendor's bid.

Responsible Bidder - a bidder who is known to have the necessary competence and qualifications to perform and provide all requirements of an intended contract.

Responsive Bidder - a bidder who tenders a bid which meets all requirements of the invitation to bid and is a responsible bidder.

Sealed Bid - a bid submitted as a sealed document, whether hard copy or electronic, by a prescribed time to the location indicated in the IFB. The contents of the bid will not be made public prior to the bid opening.

Specifications - a description of what the City requires and what the bidder must offer; a description of the physical or functional characteristics of a product or material, or the nature of a service or construction item.


Subcontractor - a person, firm or entity providing goods or services to a vendor to be used in the performance of the Vendor's obligations under the contract with the City.

Supplier - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

Vendor - the bidder whose bid is accepted by the City and is, therefore, the person, firm or entity providing goods or services to the City under a contract.

Waiver of Irregularity - noting, but disregarding an immaterial variance within a bid.

009 - ATTACHMENTS



City of San Antonio

ADDENDUM I

SUBJECT: Formal INVITATION FOR BID (IFB) 6100006180 LIGHT DUTY TRUCKS, VANS & SUVs scheduled to open Friday, July 17, 2015 date of issue June 26, 2015.

DATE: July 14, 2015

THE ABOVE MENTIONED INVITATION FOR BID (IFB) IS HEREBY AMENDED AS FOLLOWS:

1. **THE IFB OPENING WILL REMAIN FRIDAY, JULY 17, 2015, 2:00 P.M. CENTRAL TIME.**
2. **Section 009 – Attachments**
 - a. **Attachment A, Price Schedule, is replaced in its entirety. See Attachment A REVISED Price Schedule.**
3. **IFB Document Section 004 – Specifications / Scope of Services, Item Description,**

Changed to read:

11. **VEHICLE INSPECTION:** The vendor shall have each vehicle (except cab and chassis units delivered without bodies) properly inspected in compliance with Texas motor vehicle laws. Texas Inspection Sticker shall be attached prior to delivery to the receiving entity (2 year Inspection Certificate for vehicles through ¾ ton pickups and 1 year Inspection Certificate for 1 ton trucks and up, excluding cab and chassis units delivered without bodies).

Changed to read:

31.	ITEM	QUANTITY	DESCRIPTION
	1	10	½ Ton Extended Cab Compact Pickup Truck

Changed to read:

32.	ITEM	QUANTITY	DESCRIPTION
	2	7	½ Ton Full Size Regular Cab Pickup Truck

Changed to read:

- 36.6 **DIMENSIONS:** Minimum extended cab configuration. Pick-up box length shall be a minimum of 67" inches. Wheelbase to be a minimum of 133" inches.

Changed to read:

37.	ITEM	QUANTITY	DESCRIPTION
	7	1	½ Ton Four Full Door Full Size Pickup Truck
37.9	SEATING: Front to be equipped with 40/20/40 seating. The rear to be bench seating. Seats to be dark colored cloth.		

Changed to read:

40.	ITEM	QUANTITY	DESCRIPTION
	10	7	¾ Ton Reg Cab 56" cab to axle, SRW Service Body w/ Ladder Rack

Changed to read

41.	ITEM	QUANTITY	DESCRIPTION
	11	7	¾ Ton Reg Cab 56" cab to axle, SRW Service Body w/Pipe Rack

Changed to read

45.5 DIMENSIONS: Extended cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum 158" inches.

Changed to read

48.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum of 158" inches.

Changed to read

49.5 DIMENSIONS: Four Full Door cab configuration. Pick-up box length shall be a minimum of 96" inches. Wheelbase to be a minimum of 155" inches.

Changed to read:

50.5 DIMENSIONS: Regular cab configuration. Pick-up box length shall be a minimum of 96" inches. Unit shall be 56" Cab to Axle and to be SRW with 8 Cages and 1 Storage Compartment with an Animal Control Unit Body. Wheelbase to be a minimum of 133" inches.

Changed to read:

55.2 GVWR: Minimum 11,300 lbs.

Changed to read:

56.	ITEM	QUANTITY	DESCRIPTION
	26	1	1 Ton Four Full Door, 60" cab to axle, DRW, 4x4, Stake Bed Truck

Changed to read:

58.2 GVWR: Minimum 11,300 lbs--

58.11 WINCH ASSEMBLY: Electric type winch with minimum 10,000 pound single line pull. Minimum cable drum capacity two hundred feet (200'). Winch to have power in and out capability and be configured with a free spooling clutch and adjustable brake. Winch to be installed on truck frame on the front bumper.

Changed to read:

59.	ITEM	QUANTITY	DESCRIPTION
	29	1	1 Ton Regular Cab, 84" cab to axle, 4x4, DRW w/12' Stake Bed w/Lift Gate

Added to read:

59.17 FUEL SYSTEM: Fuel tank shall have a 30 minimum gallon minimum capacity and be certified to run on 87 octane fuel.

Changed to read:

60.2 GVWR: Minimum 14,000 lbs.

60.3 TRANSMISSION/DRIVE: Automatic with overdrive; 5 speed minimum. 4x2 design.

60.5 DIMENSIONS: Four Full Door configuration 60" cab to axle. Wheelbase to be a minimum of 152".

Changed to read:

61.5 DIMENSIONS: Regular cab configuration. 60" Cab to axle. Wheelbase to be a minimum of 134" inches.

Changed to read:

62.	ITEM	QUANTITY	DESCRIPTION
-----	------	----------	-------------

**16K Full Four Door, 4x4, Diesel, DRW
Utility Body w/ Winch**

62.11 WINCH ASSEMBLY: Electric type winch with minimum 10,000 pound single line pull. Minimum cable drum capacity two hundred feet (200'). Winch to have power in and out capability and be configured with a free spooling clutch and adjustable brake. Winch to be installed on truck frame on the front bumper.

62.12.2 LENGTH: One hundred-eight inches (108") approximately.

62.12.3 WIDTH: Ninety-two inches (92") approximately.

Changed to read:

63.7 TIRES & WHEELS: Tires to meet or exceed minimum gross vehicle weight rating of vehicle, all season off road design with full size matching, off road design spare tire and wheel, if available. Unit must be equipped with a spare tire locking device and three keys.

63.10 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 6.9".

Changed to read:

64.3 TRANSMISSION/DRIVE: Minimum of 5 speed automatic with over drive.

64.9 SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.

Changed to read:

65.3 TRANSMISSION/DRIVE: Minimum of 5 speed automatic with over drive.

65.9 SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.

Changed to read:

66.3 TRANSMISSION/ DRIVE: Minimum of 5 speed automatic with over drive. 4x4 Drive Train with two speed transfer case.

66.9 SEATING: Driver and front passenger bucket seating and one bench seat in the rear. (Minimum seating should be 5) Seats to be cloth.

Changed to read:

67.3 TRANSMISSION/ DRIVE: Minimum of 5 speed automatic with over drive. 4x4 Drive Train with two speed transfer case.

67.9 SEATING: Driver and front passenger bucket seating and one bench seat in the rear.

(Minimum seating should be 5) Seats to be cloth.

Changed to read:

- 68.1 ENGINE: Minimum 6 cylinder with a minimum 310 HP.
- 68.8 FUEL SYSTEM: Fuel tank shall have a 26 gallon minimum capacity.
- 68.10 SEATING: Five (5) passenger body to have bucket front seats, (NO EXCEPTIONS). Minimum three (3) passenger bench type rear seat. Seating material to be cloth. rubber or vinyl flooring throughout vehicle.

Changed to read:

- 69.1 ENGINE: Minimum 6 cylinder with a minimum 310 HP.
- 69.8 FUEL SYSTEM: Fuel tank shall have a 26 gallon minimum capacity.
- 69.9 GROUND CLEARANCE: Unit will have a minimum ground clearance of 7.8".
- 69.10 SEATING: Five (5) passenger body to have bucket front seats, (NO EXCEPTIONS). Minimum three (3) passenger bench type rear seat. Seating material to be cloth. rubber or vinyl flooring throughout vehicle.

Changed to read:

- 70.1 ENGINE: 6 cylinders minimum with a minimum 310 HP.
- 70.10 SEATING: Cloth seating and upholstery. Front bucket seating, no console, and 2 rows of bench seating.
- 70.11 GROUND CLEARANCE: Each unit will have a minimum ground clearance of 7.8".

Changed to read:


- 71.8 FUEL SYSTEM: Fuel tank shall have a 14 gallons minimum capacity.
- 71.11.2 (minimum) 48 inches between wheel wells.
- 71.11.3 (minimum) 53 inches in height.

Changed to read:

- 72.1 ENGINE: 5 cylinders minimum with a minimum 255 HP.
- 72.2 GVWR: Minimum 8,600 lbs.
- 72.3 WHEELBASE: To be a minimum of 130".

Changed to read:

- 75.5 DIMENSIONS- BODY/ BED / BED COVER: Four full door cab configuration, unit shall be short wheeled base/ short bed with a minimum 72" inch bed length, Unit will be equipped with a retractable roller to cover contents in bed. Unit to be equipped with a key locking mechanism.



Paul J. Calapa
Purchasing Administrator
Finance Department, Purchasing Division

Company Name Grande Truck Center

Address 4562 IH-10 East

City/State/Zip Code SAN ANTONIO, TX 78219

Acknowledged and Agreed:

Signature: Keith Alfford

Date: 7/15/2015

City of San Antonio
Finance Department - Purchasing Division
Local Preference Program Identification Form

The City of San Antonio Local Preference Program, described in the San Antonio City Code Chapter 2, Article XII, establishes a local preference for specific contracting categories. Each time a bidder or respondent submits a bid for a solicitation, this Local Preference Program Identification Form must be completed and turned in with the solicitation response in order to be identified as a City Business and receive the preference described below. The City will not rely on Local Preference Program Identification Forms submitted with prior or contemporaneous bids or proposals.

The Local Preference Program allows the City to grant a preference to a business meeting the definition of *City Business* in the award of the following types of contracts, when selection is made based on price alone:

- Personal Property (Goods / Supplies): The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 or more;
- Non-professional Services: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$500,000;
- Construction Services: The local bidder's price must be within 3% of the price of the lowest non-local bidder for contracts of \$50,000 to under \$100,000, excluding contracts awarded using alternative delivery methods.

The Local Preference Program also allows the award of additional points, when multiple evaluation criteria are used in the award of professional service contracts, where the selection process is not governed by statute and in revenue generating and concession contracts. A business meeting the definition of *City Business* stated below may be awarded 10 points for being headquartered within the city, or 5 points for having a local office within the city.

Moreover, the program recognizes joint venture agreements and allows for apportioning of points based upon the percentage of ownership of joint ventures by *City Businesses* responding to solicitations for which discretionary points are applied. For solicitations where selection is made based on price alone, all members of a joint venture must be *City Businesses* for the preference to be applied.

City Business is defined as a business headquartered within the incorporated San Antonio city limits for one year or more OR one that meets the following conditions:

- Has an established place of business for one year or more in the incorporated limits of the City:
 - (a) from which at least 100 of its employees OR at least 20% of its total full-time, part-time and contract employees are regularly based; and
 - (b) from which a substantial role in the business' performance of a commercially useful function or a substantial part of its operations is conducted by those employees.

A location utilized solely as a post office box, mail drop or telephone message center or any similar combination, with no other substantial work function, is not a *City Business*.

For the purposes of this program, Headquartered is defined as the place where a business entity's officers direct, control, and coordinate the entity's activities.

NOTE: Bidders / Respondents are required to submit documentation to substantiate that the requirements of a City Business have been met. Examples of documentation may include, but are not limited to the following:

1. Existence of local headquarters or office: For corporations, Texas Comptroller's listing of names/addresses of officers and directors. For partnerships, partnership agreement and any documents identifying the current managing partners and their current work addresses
2. Evidence of local headquarters or office in existence for one year or more: Utility bills, real property lease agreements, equipment leases, personal property taxes, real property taxes
3. Evidence of number of employees: Organizational charts, payroll records by location

City of San Antonio
Finance Department - Purchasing Division
Local Preference Program Identification Form

CITY RESERVES THE RIGHT TO REQUEST ADDITIONAL INFORMATION TO VALIDATE BIDDERS'/RESPONDENTS' DESIGNATION AS A CITY BUSINESS.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR RESPONSE EVEN IF YOU ARE NOT SEEKING A LOCAL PREFERENCE. THE BIDDER / RESPONDENT MUST COMPLETE THE FOLLOWING FORM TO BE IDENTIFIED AS A CITY BUSINESS. IF BIDDER / RESPONDENT IS SUBMITTING AS A JOINT VENTURE, EACH CITY BUSINESS THAT IS A MEMBER OF THE JOINT VENTURE MUST COMPLETE AND SIGN THIS FORM.

PROVIDE THE FOLLOWING INFORMATION IF BIDDER/ RESPONDENT IS SUBMITTING AS PART OF A JOINT VENTURE. Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

STATE BIDDER'S / RESPONDENT'S PERCENTAGE OF OWNERSHIP IN THE JOINT VENTURE: N/A %

SUBMIT A COPY OF THE JOINT VENTURE AGREEMENT. SUBMIT ANY OTHER DOCUMENTATION REQUESTED BY CITY TO SUBSTANTIATE THE EXISTANCE OF AND/OR PARTICIPATION IN THE JOINT VENTURE. NO PREFERENCE POINTS WILL BE ALLOCATED TO A JOINT VENTURE THAT FAILS TO SUBMIT REQUIRED DOCUMENTATION.

SOLICITATION NAME/NUMBER: 6100006180

PROVIDE THE FOLLOWING INFORMATION REGARDING BIDDER'S / RESPONDENT'S HEADQUARTERS:

Name of Business:	Grande Truck Center	
Physical Address:	4562 IH-10 East	
City, State, Zip Code:	SAN Antonio, TX 78219	
Phone Number:	210-666-7112	
Email Address:	rshoffstall@grandetruck.com	
Provide the total number of full-time, part-time, and contract personnel employed by Bidder / Respondent:	<u>202</u>	
Is Business headquartered within the incorporated San Antonio city limits? (circle one)	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Has the business been headquartered in the incorporated San Antonio city limits for one year or more? (circle one)	<input checked="" type="radio"/> Yes	<input type="radio"/> No
If the answers to the questions above are "Yes", stop here. If the answer to either of the above questions is "No", provide responses to the following questions:		

City of San Antonio
Finance Department - Purchasing Division
Local Preference Program Identification Form

PROVIDE THE FOLLOWING INFORMATION REGARDING BIDDER'S / RESPONDENT'S LOCAL OFFICE (IF APPLICABLE):

Name of Business:		
Physical Address:		
City, State, Zip Code:		
Phone Number:		
Email Address:		
Provide the total number of full-time, part-time, and contract personnel employed by Bidder / Respondent in the local office: _____		
Is the business located in the incorporated San Antonio city limits? (circle one)	Yes	No
Has the business been located in the incorporated San Antonio city limits for one year or more? (circle one)	Yes	No
Are at least 100 full-time, part-time or contract employees regularly based in the San Antonio office? (circle one)	Yes	No
Are at least 20% of the business' total full-time, part-time or contract employees regularly based in the San Antonio office? (circle one)	Yes	No
Do the employees in the San Antonio office perform a substantial role in the business' performance of a commercially useful function or are a substantial part of the business' operations conducted in the San Antonio office? (circle one)	Yes	No

City of San Antonio
Finance Department - Purchasing Division
Local Preference Program Identification Form

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on this Local Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Local Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

BIDDER'S / RESPONDENT'S FULL NAME:

Keith Shoffstall
(Print Name) Authorized Representative of Bidder / Respondent

Keith Shoffstall
(Signature) Authorized Representative of Bidder / Respondent

Sales
Title

7/15/2015
Date

**This Local Preference Identification Form must be submitted with the bidder's /
respondent's bid/proposal response.**

009 – ATTACHMENTS

Attachment C

NON-DISCRIMINATION ORDINANCE LANGUAGE

Non-discrimination. As a party to this contract, Vendor understands and agrees to comply with the *Non-Discrimination Policy* of the City of San Antonio contained in Chapter 2, Article X of the City Code and further, shall not discriminate on the basis of race, color, religion, national origin, sex, sexual orientation, gender identity, veteran status, age or disability, unless exempted by state or federal law, or as otherwise established herein.

CONFLICT OF INTEREST QUESTIONNAIRE

FORM CIQ

For vendor or other person doing business with local governmental entity

This questionnaire reflects changes made to the law by H.B. 1491, 80th Leg., Regular Session.

This questionnaire is being filed in accordance with Chapter 176, Local Government Code by a person who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the person meets requirements under Section 176.006(a).

By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the person becomes aware of facts that require the statement to be filed. See Section 176.006, Local Government Code.

A person commits an offense if the person knowingly violates Section 176.006, Local Government Code. An offense under this section is a Class C misdemeanor.

OFFICE USE ONLY

Date Received

1 Name of person who has a business relationship with local governmental entity.

Kent Shoffstall

2 ☒ Check this box if you are filing an update to a previously filed questionnaire.

(The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than the 7th business day after the date the originally filed questionnaire becomes incomplete or inaccurate.)

3 Name of local government officer with whom filer has employment or business relationship.

NONE

Name of Officer

This section (item 3 including subparts A, B, C & D) must be completed for each officer with whom the filer has an employment or other business relationship as defined by Section 176.001(1-a), Local Government Code. Attach additional pages to this Form CIQ as necessary.

A. Is the local government officer named in this section receiving or likely to receive taxable income, other than investment income, from the filer of the questionnaire?

☐ Yes

☒ No

B. Is the filer of the questionnaire receiving or likely to receive taxable income, other than investment income, from or at the direction of the local government officer named in this section AND the taxable income is not received from the local governmental entity?

☐ Yes

☒ No

C. Is the filer of this questionnaire employed by a corporation or other business entity with respect to which the local government officer serves as an officer or director, or holds an ownership of 10 percent or more?

☐ Yes

☒ No

D. Describe each employment or business relationship with the local government officer named in this section.

N/A

4

Kent Shoffstall

Signature of person doing business with the governmental entity

7/15/2015

Date

City of San Antonio

Veteran-Owned Small Business (VOSB) Preference Program Identification Form

Authority. San Antonio City Code Chapter 2, Article XI describes the City's veteran-owned small business preference program.

Certification. The City relies on inclusion in the database of veteran-owned small businesses maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

Preference. The VOSB preference applies to procurements of discretionary expenditure and revenue contracts for goods, services, and concessions, where the selection criteria are not limited by state or federal law. The preference consists of 5% of the evaluation points for a business that is certified as a Veteran-Owned Small Business. Moreover, the program recognizes joint venture agreements and allows for apportioning of points based upon the percentage of VOSB ownership of a joint venture responding to solicitations for which discretionary points are applied. There are no points available for VOSB subcontractors.

Tracking. In order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both the primary contract and subcontract levels.

Exclusions. This program does not apply to any expenditure or revenue contract with a value that is less than the amount that is required to be bid pursuant to state law (Chapter 252, Texas Local Government Code, as amended), currently \$50,000 or less, or where limited by state or federal law.

Definitions.

The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program uses the below definition of joint venture.

- Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR RESPONSE EVEN IF YOU ARE NOT SEEKING A VETERAN'S PREFERENCE. THE RESPONDENT MUST COMPLETE AND SUBMIT THE FOLLOWING FORM TO BE IDENTIFIED AS A VETERAN-OWNED SMALL BUSINESS. IF RESPONDENT IS SUBMITTING AS A JOINT VENTURE, EACH VOSB MEMBER OF A JOINT VENTURE MUST COMPLETE AND SIGN THIS FORM.

City of San Antonio
Veteran-Owned Small Business (VOSB) Preference Program Identification Form

PROVIDE THE FOLLOWING INFORMATION IF RESPONDENT IS SUBMITTING AS PART OF A JOINT VENTURE.

SUBMIT A COPY OF THE JOINT VENTURE AGREEMENT AND ANY OTHER DOCUMENTATION TO SUBSTANTIATE THE EXISTANCE OF AND/OR PARTICIPATION IN THE JOINT VENTURE. NO PREFERENCE POINTS WILL BE ALLOCATED TO A JOINT VENTURE THAT FAILS TO SUBMIT REQUIRED DOCUMENTATION.

INSTRUCTIONS

- IF SUBMITTING AS A PRIME CONTRACTOR ONLY, COMPLETE **SECTION 1** OF THIS FORM.
- IF SUBMITTING AS A PRIME CONTRACTOR UTILIZING A SUBCONTRACTOR, COMPLETE **SECTIONS 1 AND 2** OF THIS FORM.
- IF SUBMITTING AS PART OF A JOINT VENTURE, COMPLETE **SECTION 3** OF THIS FORM.
- IF SUBMITTING AS A JOINT VENTURE UTILIZING A SUBCONTRACTOR, COMPLETE **SECTIONS 2 AND 3** OF THIS FORM.

City of San Antonio
Veteran-Owned Small Business (VOSB) Preference Program Identification Form

SOLICITATION NAME/NUMBER: 610000 6180

Section 1: Prime Contractor

Name of PRIME CONTRACTOR:	Grande Truck Center	
Physical Address:	4562 IH-10 East	
City, State, Zip Code:	SAN Antonio, TX 78219	
Phone Number:	210-666-7112	
Email Address:	rshoffstall@grandetruck.com	
Is PRIME CONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	<input checked="" type="radio"/> No
If yes, provide the SBA Certification #		
If not certified by the SBA, is PRIME CONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	<input checked="" type="radio"/> No
If yes, provide the name of the entity who has certified PRIME CONTRACTOR as a VOSB. Include any identifying certification numbers.		
Participation Percentage:		
Participation Dollar Amount:		

Section 2: Subcontractor

Is PRIME CONTRACTOR subcontracting with a business that is certified as a VOSB? (circle one)	Yes	<input checked="" type="radio"/> No
Name of SUBCONTRACTOR Veteran-Owned Small Business:	N/A	
Physical Address:		
City, State, Zip Code:		
Phone Number:		
Email Address:		
Is SUBCONTRACTOR certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	<input checked="" type="radio"/> No
If yes, provide the SBA Certification #		
If not certified by the SBA, is SUBCONTRACTOR certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	<input checked="" type="radio"/> No
If yes, provide the name of the entity who has certified SUBCONTRACTOR as a VOSB. Include any identifying certification numbers.		
Participation Percentage:		
Participation Dollar Amount:		

City of San Antonio
Veteran-Owned Small Business (VOSB) Preference Program Identification Form

Section 3: Joint Ventures

Is Respondent submitting as part of a joint venture? (circle one)	Yes	<input checked="" type="radio"/> No
Name of Joint Venture VOSB Member:	N/A	
Physical Address:		
City, State, Zip Code:		
Phone Number:		
Email Address:		
Percentage of Ownership of Joint Venture by VOSB Member:		
Is Joint Venture VOSB Member certified as a VOSB with the U.S. Small Business Administration? (circle one)	Yes	<input checked="" type="radio"/> No
If yes, provide the SBA Certification #		
If not certified by the SBA, is Joint Venture VOSB Member certified as a VOSB by another public or private entity that uses similar certification procedures? (circle one)	Yes	<input checked="" type="radio"/> No
If yes, provide the name of the entity who has certified Joint Venture VOSB Member as a VOSB. Include any identifying certification numbers.		
VOSB Member's Percentage Share in Profits / Loss of Joint Venture		

City of San Antonio
Veteran-Owned Small Business (VOSB) Preference Program Identification Form

ACKNOWLEDGEMENT

THE STATE OF TEXAS

I certify that my responses and the information provided on this Veteran-Owned Small Business Preference Program Identification Form are true and correct to the best of my personal knowledge and belief and that I have made no willful misrepresentations on this form, nor have I withheld any relevant information in my statements and answers to questions. I am aware that any information given by me on this Veteran-Owned Small Business Preference Program Identification Form may be investigated and I hereby give my full permission for any such investigation, including the inspection of business records and site visits by City or its authorized representative. I fully acknowledge that any misrepresentations or omissions in my responses and information may cause my offer to be rejected or contract to be terminated. I further acknowledge that providing false information is grounds for debarment.

RESPONDENT'S FULL NAME:

Keith Shoffstall
(Print Name) Authorized Representative of Respondent

Keith Shoffstall
(Signature) Authorized Representative of Respondent

Sales
Title

2/15/2015
Date

This Veteran-Owned Small Business Preference Program Identification Form must be submitted with the Respondent's proposal.

City of San Antonio

Veteran-Owned Small Business Program Tracking Form

Authority. San Antonio City Code Chapter 2, Article XI describes the City's veteran-owned small business preference program.

Tracking. This solicitation is not eligible for a preference based on status as a veteran-owned small business (VOSB). Nevertheless, in order to determine whether the program can be expanded at a later date, the City tracks VOSB participation at both prime contract and subcontract levels.

Certification. The City relies on inclusion in the database of veteran-owned small businesses (VOSB) maintained by the U.S. Small Business Administration to verify VOSB status; however, veteran status may also be confirmed by certification by another public or private entity that uses similar certification procedures.

Definitions.

The program uses the federal definitions of veteran and veteran-owned small business found in 38 CFR Part 74.

- The term "veteran" means a person who served on active duty with the U.S. Army, Air Force, Navy, Marine Corps, Coast Guard, for any length of time and at any place and who was discharged or released under conditions other than dishonorable. Reservists or members of the National Guard called to federal active duty or disabled from a disease or injury incurred or aggravated in line of duty or while in training status.
- A veteran-owned small business is a business that is not less than 51 percent owned by one or more veterans, or in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; the management and daily business operations of which are controlled by one or more veterans and qualifies as "small" for Federal business size stand purposes.

The program uses the below definition of joint venture.

- Joint Venture means a collaboration of for-profit business entities, in response to a solicitation, which is manifested by a written agreement, between two or more independently owned and controlled business firms to form a third business entity solely for purposes of undertaking distinct roles and responsibilities in the completion of a given contract. Under this business arrangement, each joint venture partner shares in the management of the joint venture and also shares in the profits or losses of the joint venture enterprise commensurately with its contribution to the venture.

The program does not distinguish between a veteran and a service-disabled veteran-owned business and is not limited geographically.

COMPLETE THE FOLLOWING FORM AND SUBMIT WITH YOUR BID/PROPOSAL.

INSTRUCTIONS

- IF SUBMITTING AS A PRIME CONTRACTOR ONLY, COMPLETE **SECTION 1** OF THIS FORM.
- IF SUBMITTING AS A PRIME CONTRACTOR UTILIZING A SUBCONTRACTOR, COMPLETE **SECTIONS 1 AND 2** OF THIS FORM.

009 – ATTACHMENTS

ATTACHMENT A

LOCAL PREFERENCE PROGRAM ORDINANCE LANGUAGE

The 82nd Texas Legislature adopted a revision to the law that allowed the City of San Antonio (City) to adopt a policy that would grant contracting preferences to local businesses for certain types of contracts. The City adopted such a policy, known as the Local Preference Program, by Ordinance No. 2013-03-21-0167, effective for solicitations issued after May 1, 2013.

This solicitation is subject to the Local Preference Program. For more information on the program, refer to the Local Preference Program Identification Form attached to this solicitation.

In order to receive consideration the Local Bidder must complete and return the attached Local Preference Identification Form.

REVISED
PRICE SCHEDULE

ITEM	QUANTITY	DESCRIPTION
1	10	½ Ton Extended Cab Compact Pickup Truck
PRICE: \$ <u>20,500</u> EACH \$ _____ MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
2	7	½ Ton Full Size Regular Cab Pickup Truck
PRICE: \$ <u>20,500</u> EACH \$ _____ MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____% _____days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
3	25	½ Ton Full Size Extended Cab Pickup Truck
PRICE: \$ <u>no bid</u> EACH \$ _____ MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____

DELIVERY: Delivery will be made within _____calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____% _____days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
4	3	½ Ton Full Size Extended Cab 4x4 Pickup Truck
PRICE: \$ <u>no bid</u> EACH \$ _____ MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____

DELIVERY: Delivery will be made within _____calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____% _____days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
5	1	½ Ton Full Size Extended Cab Pickup Truck w/Camper
PRICE: \$ <u>no bid</u> EACH \$ _____ MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
6	2	½ Ton Full Size Extended Cab Truck Law Enforcement Pursuit Severe Service Vehicle- Black & White

PRICE: \$ no bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
7	1	½ Ton Four Full Door Full Size Pickup Truck (OEM Silver)

PRICE: \$ no bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

MAKE & MODEL OF CAMPER TOP: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
8	1	¾ Ton Regular Cab 4x4 Pickup Truck
PRICE:	\$ <u>25,602.²⁴</u> EACH	\$ <u>25,602.²⁴</u> MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F250 F2B

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
9	2	¾ Ton Regular Cab 4x4 Pickup Truck w/ Tool Box
PRICE:	\$ <u>26,347.²⁴</u> EACH	\$ <u>52,694.⁴⁸</u> MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F250 F2B

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
10	7	¾ Ton Reg Cab 56" cab to axle, SRW Service Body w/ Ladder Rack
PRICE:	\$ <u>31,206.²⁴</u> EACH	\$ <u>218,443.⁶⁸</u> MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F250 F2A

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
11	7	¾ Ton Reg Cab 56" cab to axle, SRW Service Body w/ Pipe Rack
PRICE:	\$ <u>33,933.²⁴</u> EACH	\$ <u>237,532.⁶⁸</u> MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered: <u>2016 Ford F250 F2A</u>		
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: <u>11/1/2015</u>		

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
12	10	¾ Ton Extended Cab Pickup Truck
PRICE:	\$ <u>25,523.²⁴</u> EACH	\$ <u>255,232.⁴⁰</u> MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered: <u>2016 Ford F250 X2A</u>		
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: <u>11/1/2015</u>		

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO.

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
13	6	¾ Ton Extended Cab 4x4 Pickup Truck
PRICE: \$ <u>28,382.²⁴</u> EACH \$ <u>170,293.⁴⁴</u> MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: 2016 Ford F250 X2B

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? no.

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
14	1	¾ Ton Extended Cab Full Size Truck w/ Hydraulic Lift Gate
PRICE: \$ <u>27,953.²⁴</u> EACH \$ <u>27,953.²⁴</u> MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: 2016 Ford F250 X2A

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? no.

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
15	1	¾ Ton Extended Cab Full Size Long Bed Truck
PRICE: \$ <u>25,656.²⁴</u> EACH \$ <u>25,656.²⁴</u> MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: 2016 Ford F250 X2A

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: Net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
16	5	¾ Ton Four Full Door Pickup Truck
PRICE: \$ <u>26,309.²⁴</u> EACH \$ <u>131,546.20</u> MODEL YR 2016 TOTAL		
MAKE & MODEL & YEAR Offered: <u>2016 Ford F250 W2A</u>		
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: <u>11/1/2015</u>		

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 12/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: Net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
17	11	¾ Ton Four Full Door 4x4 Pickup Truck w/ Tow Package
PRICE: \$ <u>28,884.²⁴</u> EACH \$ <u>317,724.⁴⁴</u> MODEL YR 2016 TOTAL		
MAKE & MODEL & YEAR Offered: <u>2016 Ford F250 W2B</u>		
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: <u>11/1/2015</u>		

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 12/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: Net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
18 1 ¾ Ton Four Full Door Long Bed Pickup Truck
PRICE: \$ 26,474.²⁴ EACH \$ 26,474.²⁴ MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered: 2016 Ford F250 W2A
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
19 2 ¾ Ton Four Full Door 4x4 Long Bed Pickup Truck w/ Tow Package
PRICE: \$ 29,042.²⁴ EACH \$ 58,124.⁴⁸ MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered: 2016 Ford F250 W2B
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
20 3 ¾ Ton Live Animal Control/Transport Pickup Truck
PRICE: \$ 51,209.¹⁴ EACH \$ 153,627.⁴² MODEL YR 2016 TOTAL
MAKE & MODEL & YEAR Offered: 2016 Ford F250 F2B
PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 150-180 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
21	1	1 Ton, Gasoline, Four Full Door SRW Pickup Truck 4x2

PRICE: \$ 29,882.²⁹ EACH \$ 29,882.²⁹ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F350 W3A

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
22	1	1 Ton, Diesel, Four Full Door SRW Pickup Truck 4x2

PRICE: \$ 36,971.⁴⁰ EACH \$ 36,971.⁴⁰ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F350 W3A

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
23	1	1 Ton, Diesel, Four Full Door DRW Pickup Truck 4x2

PRICE: \$ 37,835.⁴⁰ EACH \$ 37,835.⁴⁰ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F350 W3C

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: Net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
24	4	1 Ton Full Four Door, DRW, 4x4 Pickup Truck w/ Tow Package

PRICE: \$ 39,619.⁴⁰ EACH \$ 158,477.⁶⁰ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F350 W3D

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: Net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
25	3	1 Ton Full Four Door, SRW, 4x4 Truck w/ Utility Toolbox Bed

PRICE: \$ 39,201.¹⁰ EACH \$ 117,603.³⁰ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F350 W3B

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
26	1	1 Ton Four Full Door, 60" cab to axle, DRW, 4x4, Stake Bed Truck

PRICE: \$ no bid EACH \$ no bid MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F350 W3H

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/11/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? no

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
27	1	1 Ton Four Full Door, DRW, Welder Body Truck

PRICE: \$ 53,438.¹⁰ EACH \$ 53,438.¹⁰ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F350 W3C

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/11/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2016

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? no

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
28	1	1 Ton Four Full Door, SRW, 4x4, Service Body Truck w/ Winch

PRICE: \$ 49,368.¹⁰ EACH \$ 49,368.¹⁰ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F350 W3B

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 12/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
29	1	1 Ton Regular Cab, 84" cab to axle, 4x4, DRW w/12' Stake Bed with Lift Gate

PRICE: \$ NO Bid EACH \$ NO Bid MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F350 F3H

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 12/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
30	1	1.5 Ton Four Full Door, DRW, Diesel Pickup Truck

PRICE: \$ NO Bid EACH \$ NO Bid MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F450 W46

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 12/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: Net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
31	1	15K Diesel Barrier Truck

PRICE: \$ NO Bid EACH \$ NO Bid MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F450 F46

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? no

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: Net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
32	1	16K Full Four Door, 4x4, Diesel, DRW Utility Body w/ Winch <u>Exception to 200' cable only</u> <u>125' Available</u>

PRICE: \$ 56,831.¹⁰ EACH \$ 56,831.¹⁰ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: 2016 Ford F450 WYH

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? no

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: Net % 30 days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
33	14	Compact 4 door, 4x4, Sports Utility Vehicle

PRICE: \$ NO Bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
34	10	Medium 4 door, 2wd, Sports Utility Vehicle

PRICE: \$ no bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
35	1	Medium 4 door, 2wd, Sports Utility Vehicle w/Amber Lighting

PRICE: \$ no bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
36 6 Medium 4 door, 4x4, Sports Utility Vehicle
PRICE: \$ NO Bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
37 1 Medium 4 door, 4x4, Sports Utility Vehicle w/Amber Lighting
PRICE: \$ NO Bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM QUANTITY DESCRIPTION
38 2 Large 4 door, 2wd, Sports Utility Vehicle
PRICE: \$ NO Bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____% _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
39	2	Large 4 door, 4x4, Sports Utility Vehicle
PRICE: \$ <u>10,300</u> EACH \$ _____ MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____% _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
40	1	Suburban Type Wagon 4 door, 2 wheel drive
PRICE: \$ <u>10,300</u> EACH \$ _____ MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____.

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____.

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____% _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
41	1	Mini Cargo Van

PRICE: \$ no bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
42	1	1 Ton Diesel Cargo Van

PRICE: \$ no bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____ % _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
43	1	Black & White Paddy Wagon

PRICE: \$ no bid EACH \$ _____ MODEL YR 2016 TOTAL

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____% _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
44	1	¾ Ton Extended Cab Black & White Pickup Truck
PRICE: \$ <u>NO B-J</u> EACH \$ _____ MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: _____

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: _____

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: _____

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? _____

DELIVERY: Delivery will be made within _____ calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: _____% _____ days. (If no discount is offered, Net 30 will apply.)

ITEM	QUANTITY	DESCRIPTION
45	5	¾ Ton Four Full Door Pickup Truck w/ Bed Roller Cover
PRICE: \$ <u>28,506.³⁸</u> EACH \$ <u>142,531.⁹⁰</u> MODEL YR 2016 TOTAL		

MAKE & MODEL & YEAR Offered: 2014 Ford F250 w2H

PRODUCTION CUT-OFF DATE FOR 2016 MODEL: 11/1/2015

INDICATE THE LAST DAY THAT THE CITY CAN PLACE ORDERS UNDER THIS CONTRACT FOR 2016 WITHOUT MISSING THE PRODUCTION CUT OFF DATE: 10/31/2015

BID PRICES SHALL REMAIN FIRM FOR ALL ORDERS PLACED PRIOR TO THIS CUT OFF DATE. IN THE EVENT THAT CITY DOES NOT AWARD A CONTRACT PRIOR TO PRODUCTION CUT OFF DATE, CAN BIDDER PROVIDE BID ITEMS, AT THE BID PRICE SUBMITTED, AFTER THE PRODUCTION CUT OFF DATE? NO

DELIVERY: Delivery will be made within 120-150 calendar days after issuance of purchase order.

Successful vendor is required to notify the City annually of all production "cut-off" dates necessary for future order submission.

Prompt Payment Discount: net % 30 days. (If no discount is offered, Net 30 will apply.)