

**THIS IS A DRAFT AND WILL BE REPLACED BY THE FINAL, SIGNED
ORDINANCE OR RESOLUTION ADOPTED BY CITY COUNCIL.**

AN ORDINANCE

**AUTHORIZING THE CLOSURE, VACATION, ABANDONMENT AND
TRANSFER OF APPROXIMATELY 2.1676 ACRES OF UNIMPROVED
PUBLIC RIGHT OF WAY CONSISTING OF THE FORMER ROAD
ALIGNMENTS OF MISSION ROAD, NAPIER AVENUE, WOODHULL
DRIVE, AND TRAWALTER DRIVE IN COUNCIL DISTRICT 3 AS
REQUESTED BY THE NATIONAL PARK SERVICE.**

* * * * *

WHEREAS, on April 21, 1994, City Council passed Ordinance No. 80055 authorizing the closing, vacating, abandoning, and quitclaiming of improved Napier Avenue, Mission Road, and Woodhull Drive, as requested by the U.S. Department of the Interior/National Park Service, in exchange for the relocation of Napier Avenue and Mission Road to allow for the construction of a new San Antonio Missions National Historical Park Visitor Center; and

WHEREAS, since the construction of the Visitor Center, the National Park Service has operated the center for over 20 years on the site of the former road alignments and other City-owned property south of Mission San José;

WHEREAS, the National Park Service would like to clear up any issues related to title of these properties since these former road alignments were never conveyed to and/or accepted by the National Park Service; and

WHEREAS, this right of way is surplus to the city's needs and will relieve the city from maintenance and other costs while providing an enhanced experience for San Antonio citizens and visitors ; and

WHEREAS, on May 10, 2017, the City's Planning Commission recommended approval; **NOW THEREFORE**,


BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF SAN ANTONIO:

SECTION 1. Subject to the reservation below, as an exercise of its discretion, the City Council authorizes the closure, vacation, abandonment and transfer or exchange by quitclaim of the right of way segments ("Right of Way Segments") identified in Section 2 of this Ordinance.

SECTION 2. The detailed description of the Right of Way Segments are set forth on **Attachment I**. Maps and pictures of the Right of Way Segments are set forth on **Attachment II**. Both **Attachments I and II** are incorporated into this ordinance for all purposes as if they were fully set forth. **Attachment I** controls over any discrepancy between it and **Attachment II**.

Andrew Segovia, City Attorney

Attachment I





FORD ENGINEERING, INC

Date: January 17, 2017
Project No: 1802.14

FIELD NOTES DESCRIPTION 0.0425 ACRES (1,851.6 sq. ft.)

A 0.0425 acre (1,851.6 sq. ft.) tract of land, being a portion of Tract 7, N.C.B. 7675 conveyed to the United States of America, c/o National Park Service in Volume 16514, Page 1542 of the Official Public Records of Real Property of Bexar County, Texas, also shown as Tract 7 – 0.516 Acres on the plat of Right-of Way and Boundary Survey, Mission San Jose San Antonio Missions National Historical Park, Texas recorded in Volume 9663, Page 103 of the Deed and Plat Records of Bexar County, Texas, being more particularly described as follows:

BEGINNING: at a ½ inch iron rod (N = 13,680,823.631, E = 2,134,140.635) with cap marked “Matkin Hoover” found at the intersection of the Northwestern line of Woodhull Drive and Roosevelt Avenue for the Southernmost corner of said Tract 7, from which a concrete monument found marked “AP20 – 1985” bears S 30°00’20” W – 8.27 feet;

THENCE: N 04°54’46” W – 49.37 feet along Eastern line of said Roosevelt Avenue, the Western line of said Tract 7 to a concrete monument found marked “AP21-1985” for a corner of said Tract 7, for a corner of this tract;

THENCE: N 03°32’30” W – 50.04 feet continuing along the Eastern line of said Roosevelt Avenue and the Western line of said Tract 7 to a bent iron rod found for a corner of this tract, from which a ½ inch iron rod with cap marked “Matkin Hoover” found at the point of curvature of Bonner Avenue, a corner of said Tract 7 bears N 03°32’30” W – 126.43 feet;

THENCE: Across said Tract 7, a non-tangent curve to the left having a Delta angle of 146°58’39”, a Radius of 30.00 feet, an Arc length of 76.96 feet and a Chord bearing of S 77°01’49” E – 57.53 feet to a ½ inch iron rod with cap marked “Ford Eng Inc” set on the Northwestern line of Woodhull Drive, the Southeastern line of said Tract 7, for a corner of this tract, from which a concrete monument marked “AP14 2A 1991” found for a corner of said Tract 7, a corner of Tract 8, N.C.B. 7676 as shown on the said plat of Right-of Way and Boundary Survey, Mission San Jose San Antonio Missions National Historical Park, Texas bears N 29°28’51” E – 159.85 feet;

THENCE: S 29°28’51” W – 99.04 feet along the Northwestern line of said Woodhull Drive, the Southeastern line of said Tract 7 to the **POINT OF BEGINNING** and containing 0.0425 acres (1,851.6 sq. ft.) of land, *according to a survey made on the ground under my supervision*




FORD ENGINEERING, INC

Corresponding plat prepared.
1802.14 Woodhull Drive - Tract 7.docx

***BEARINGS AND COORDINATES ARE BASED ON LAMBERT GRID, TEXAS STATE
PLANE COORDINATES, SOUTH CENTRAL ZONE NAD 83/93; COORDINATES
SHOWN HEREON HAVE AN APPLIED SURFACE SCALE FACTOR OF 1.00017.***



Rex L. Hackett, R.P.L.S., L.S.L.S.
Registered Professional Land Surveyor
License Number 5573





FORD ENGINEERING, INC

Date: January 17, 2017
Project No: 1802.14

FIELD NOTES DESCRIPTION

1.481 ACRES (64,498.2 sq. ft.)

A 1.481 acre (64,498.2 sq. ft.) tract of land, being a portion of a Napier, Mission Road and Woodhull Drive situated in Tract 5 N.C.B. 7664 conveyed to the United States of America, c/o National Park Service in Volume 16514, Page 1542 of the Official Public Records of Real Property of Bexar County, Texas, also shown as Tract 5, 15.025 Acres on the plat of Right-of Way and Boundary Survey, Mission San Jose San Antonio Missions National Historical Park, Texas recorded in Volume 9663, Page 103 of the Deed and Plat Records of Bexar County, Texas, being more particularly described as follows:

BEGINNING: at a ½ inch iron rod (N = 13,681,477.633, E = 2,134,100.931) with cap marked "Matkin Hoover" found on the Eastern line of Roosevelt Avenue (120' R.O.W.) for a corner of said Tract 5, a corner of said Napier Avenue, from which a concrete monument marked "AP25-1985" found on the Eastern line of said Roosevelt Avenue, a corner of said Tract 5 bears with a curve to the right having a Delta angle of 04°32'55", a Radius of 5653.97 feet, an Arc length of 448.85 feet and a Chord bearing of N 00°30'23" E – 448.73 feet;

THENCE: Across said Tract 5 and along the Northern line of said Napier Avenue, a curve to the left (Southeasterly) having a Delta angle of 64°14'51", a Radius of 71.51 feet, an Arc length of 80.19 feet and a Chord bearing of S 33°53'30" E – 76.05 feet to a ½ inch iron rod with cap marked "Ford Eng Inc" set for a corner of this tract;

THENCE: S 65°07'27" E – 290.24 feet continuing across said Tract 5 and along the Northern line of said Napier Avenue to a point for corner, (concrete monument marked "AP18-1985 found destroyed), for a corner of this tract;

THENCE: S 63°44'02" E – 115.80 feet continuing across said Tract 5 and along the Northern line of said Napier Avenue to a "X" set on tile for a corner of this tract;

THENCE: Continuing across said Tract 5 and along the Northern line of said Napier Avenue, a curve to the left having a Delta angle of 09°08'54", a Radius of 576.80 feet, an Arc length of 92.10 feet and a Chord bearing of S 70°02'02" E – 92.00 feet to a ½ inch iron rod with cap marked "Ford Eng Inc" set for a corner of this tract;

THENCE: S 74°36'44" E – 87.80 feet continuing across said Tract 5 and along the Northern line of said Napier Avenue to a ½ inch iron rod with cap marked "Ford Eng Inc" set for a corner of this tract;



FORD ENGINEERING, INC

THENCE: Continuing across said Tract 5 and along the Northern line of said Napier Avenue, a curve to the left having a Delta angle of $24^{\circ}55'37''$, a Radius of 158.00 feet, an Arc length of 68.74 feet and a Chord bearing of $S\ 87^{\circ}03'34''\ E - 68.20$ feet to a $\frac{1}{2}$ inch iron rod (N = 13,681,182.956, E = 2,134,749.727) set on the Northwestern line of San Jose Drive as shown on said plat of Right-of Way and Boundary Survey, Mission San Jose San Antonio Missions National Historical Park, Texas, for a corner of this tract, from which a $\frac{1}{2}$ inch iron rod with cap marked "Matkin Hoover" found for a corner of said San Jose Drive, a corner of said Tract 5 bears with a curve to the right (Northeasterly) having a Delta angle of $01^{\circ}19'06''$, a Radius of 325.00 feet, an Arc length of 7.48 feet and a Chord bearing of $N\ 63^{\circ}44'05''\ E - 7.48$ feet;

THENCE: Along the Northwestern line of said San Jose Drive, a curve to the left (Southwesterly) having a Delta angle of $21^{\circ}31'19''$, a Radius of 325.00 feet, an Arc length of 122.08 feet and a Chord bearing of $S\ 52^{\circ}18'52''\ W - 121.36$ feet to a $\frac{1}{2}$ inch iron rod with cap marked "Ford Eng Inc" set for a corner of said Napier Avenue on the Northern line of the Remainder of Lot 1 of the Mission Garden Tracts as shown on a plat recorded in Volume 368, Page 241 of the Deed and Plat Records of Bexar County, Texas, the same being a line of the remainder of a 15.002 acre tract of land conveyed to the City of San Antonio in Volume 5343, Page 616 of the Official Public Records of Real Property of Bexar County, Texas, from which a $\frac{1}{2}$ inch iron rod with cap marked "Matkin Hoover" found for a corner of said San Jose Drive, a corner of said Tract 5 bears with a curve to the left (Southwesterly) having a Delta angle of $07^{\circ}24'31''$, a Radius of 325.00 feet and Arc length of 42.02 feet and a Chord bearing of $S\ 37^{\circ}50'57''\ W - 41.99$ feet;

THENCE: $N\ 61^{\circ}33'47''\ W - 81.24$ feet across said Tract 5 and along a Southern line of said Napier Avenue, a Northern line of the remainder of said Lot 1 of the Mission Gardens, a Northern line of the remainder of the said 15.002 acre tract to a $\frac{1}{2}$ inch iron rod with cap marked "Ford Eng Inc" set on the Eastern line of Mission Road, the Westernmost corner of said Lot 1 of the Mission Gardens, the Westernmost corner of the said 15.002 acre tract, for a corner of this tract;

THENCE: $S\ 14^{\circ}46'07''\ E - 103.55$ feet continuing across said Tract 5 and along the Eastern line of said Mission Road to a $\frac{1}{2}$ inch iron rod with cap marked "Ford Eng Inc" set on the Northwestern line of said San Jose Drive for a corner of this tract, from which a $\frac{1}{2}$ inch iron rod with cap marked "Matkin Hoover" found for a corner of said San Jose Drive, a corner of said Tract 5 bears $N\ 34^{\circ}16'02''\ E - 34.23$ feet;

THENCE: $S\ 34^{\circ}16'02''\ W - 27.05$ feet along the Northwestern line of said San Jose Drive, a line of said Tract 5 to a $\frac{1}{2}$ inch iron rod with cap marked "Matkin Hoover" found for a corner of said San Jose Drive, a corner of said Tract 5, for a corner of this tract;

THENCE: Along a curve to the right at the intersection of San Jose Drive and Bonner Avenue, a line of said Tract 5 having a Delta angle of $85^{\circ}07'29''$, a Radius of 15.00 feet, an Arc length



FORD ENGINEERING, INC

of 22.29 feet and a Chord bearing of S 76°22'18" W – 20.29 feet to a ½ inch iron rod with cap marked "Ford Eng Inc" set for a corner of Tract 5, a corner of said Bonner Avenue, for a corner of this tract;

THENCE: Along the Northern line of said Bonner Avenue, a Southern line of said Tract 5, with a curve to the left having a Delta angle of 06°03'42", a Radius of 294.31 feet, an Arc length of 31.14 feet and a Chord bearing of N 63°57'25" W – 31.12 feet to a ½ inch iron rod with cap marked "Ford Eng Inc" set on an Eastern line of the Lot 27 of the original John R. Aleman Subdivision, N.C.B. 7676 as shown on a plat recorded in Volume 7700, Page 61 of the deed and Plat Records of Bexar County, Texas, a Western line of said Mission Road, for a corner of this tract, from which a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said Bonner Avenue, a corner of said Tract 5 bears with a curve to the left having a Delta angle of 17°20'22", a Radius of 294.31 feet, an Arc length of 89.07 feet and a Chord bearing of N 75°39'27" W – 88.73 feet;

THENCE: N 14°45'32" W – 100.32 feet across said Tract 5 and along the Western line of said Mission Road, the Eastern line of the said John R. Aleman Subdivision to a point (unable to set) for corner of the said John R. Aleman Subdivision, a corner of Mission Road, for a corner of this tract;

THENCE: Continuing across said Tract 5 and along a Northern line of the said John R. Aleman Subdivision, a Southern line of Napier Avenue, with a curve to the left having a Delta angle of 79°13'10", a Radius of 62.50 feet, an Arc length of 86.42 feet and a Chord bearing of N 54°43'15" W – 79.69 feet to a point (unable to set) for a corner of the said John R. Aleman Subdivision, a corner of said Napier Avenue, for a corner of this tract;

THENCE: S 85°52'28" W – 48.97 feet continuing across said Tract 5 and along a Northern line of the said John R. Aleman Subdivision to a point (unable to set) for the Northwestern corner of the said John R. Aleman Subdivision on the Southeastern line of said Woodhull Drive, for a corner of this tract;

THENCE: S 28°43'28" W – 99.46 feet continuing across said Tract 5 and along the Southeastern line of said Woodhull Drive to a ½ inch iron rod with cap marked "Ford Eng Inc" set on the Southern line of said Tract 5, the Northern line of said Bonner Avenue, for a corner of this tract;

THENCE: Along the Southern line of said Tract 5, the Northern line of Bonner Avenue, a curve to the right (Northwesterly) having a Delta angle of 01°24'50", a Radius of 275.17 feet, an Arc length of 6.79 feet and a Chord bearing of N 61°33'06" W – 6.79 feet to a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said Bonner Avenue, a corner of said Tract 5, for a corner of this tract;



FORD ENGINEERING, INC

THENCE: N 60°47'29" W – 46.42 feet continuing along the Southern line of said Tract 5, the Northern line of said Bonner Avenue to a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said Tract 5, a corner of said Bonner Avenue, for a corner of this tract;

THENCE: Continuing along the Southern line of said Tract 5, the Northern line of said Bonner Avenue, a curve to the left having a Delta angle of 01°14'00", a Radius of 325.00 feet, an Arc length of 7.00 feet and a Chord bearing of N 61°28'04" W – 6.99 feet to a ½ inch iron rod with cap marked "Ford Eng Inc" set at the intersection of Woodhull Drive and Bonner Avenue for a corner of this tract, from which a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said Tract 5, a corner of said Bonner Avenue, bears with a curve to the left having a Delta angle of 26°05'40", a Radius of 32500 feet, an Arc length of 148.02 feet and a Chord bearing of N 75°07'53" W – 146.74 feet;

THENCE: N 29°39'31" E – 68.50 feet across said Tract 5 and along the Western line of said Woodhull Drive to a point (unable to set) for corner of said Woodhull Drive, for a corner of this tract;

THENCE: Continuing across said Tract 5 and along a line of Woodhull Drive and Napier Avenue, a curve to the left having a Delta angle of 94°46'58", a Radius of 70.00 feet, an Arc length of 115.80 feet and a Chord bearing of N 17°43'58" W – 103.04 feet to a ½ inch iron rod with cap marked "Ford Eng Inc" set for a corner of said Napier Avenue, a corner of this tract, from which a bent iron rod found bears S 66°19'08" E – 1.62 feet;

THENCE: N 65°07'27" W – 106.48 feet continuing across said Tract 5 and along the Southern line of said Napier Avenue to a ½ inch iron rod with cap marked "Ford Eng Inc" set for a corner of said Napier Avenue, for a corner of this tract;

THENCE: Continuing across said Tract 5 and along a Southern line of said Napier Avenue, a curve to the left having a Delta angle of 118°36'34", a Radius of 70.00 feet, an Arc length of 144.91 feet and a Chord bearing of S 55°33'27" W – 120.39 feet to a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said Napier Avenue on the Eastern line of said Roosevelt Avenue, for a corner of this tract, from which a ½ inch iron rod with cap marked "Matkin Hoover" found at the Point of Curvature to the left of said Tract 5 at the intersection of Roosevelt Avenue and Bonner Avenue bears S 03°46'33" E – 50.07 feet;

THENCE: N 03°39'39" W – 34.28 feet along the Western line of said Tract 5, the Eastern line of said Roosevelt Avenue to a concrete monument marked "AP22-1985" found for a corner of said Tract 5, for a corner of this tract;

THENCE: N 02°53'53" W – 83.76 feet continuing along the Western line of said Tract 5, the Eastern line of said Roosevelt Avenue to a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said Tract 5, for a corner of this tract;




FORD ENGINEERING, INC

THENCE: N 02°39'33" W – continuing along the Western line of said Tract 5, the Eastern line of said Roosevelt Avenue, at 65.41 feet pass a bent iron rod found, **a distance in all of 110.14 feet** to the **POINT OF BEGINNING** and containing 1.481 acres (64,498.2 sq. ft.) of land, *according to a survey made on the ground under my supervision*

Corresponding plat prepared.
1802.14 Napier Avenue Closure.docx

BEARINGS AND COORDINATES ARE BASED ON LAMBERT GRID, TEXAS STATE PLANE COORDINATES, SOUTH CENTRAL ZONE NAD 83/93; COORDINATES SHOWN HEREON HAVE AN APPLIED SURFACE SCALE FACTOR OF 1.00017.




Rex L. Hackett, R.P.L.S., L.S.L.S.
Registered Professional Land Surveyor
License Number 5573



FORD ENGINEERING, INC

Date: January 17, 2017

Project No: 1802.14

FIELD NOTES DESCRIPTION

0.6441 ACRES (28,059.2 sq. ft.)

A 0.6441 acre (28,059.2 sq. ft.) tract of land, being the remainder of a 1.12 acre tract of land called Woodhull Drive conveyed to Bexar County, Texas in Volume 1469, Page 540 of the Deed Records of Bexar County, Texas, situated in Tract 5 N.C.B. 7664 conveyed to the United States of America, c/o National Park Service in Volume 16514, Page 1542 of the Official Public Records of Real Property of Bexar County, Texas, also shown as Tract 5, 15.025 Acres on the plat of Right-of Way and Boundary Survey, Mission San Jose San Antonio Missions National Historical Park, Texas recorded in Volume 9663, Page 103 of the Deed and Plat Records of Bexar County, Texas, being more particularly described as follows:

BEGINNING: at a ½ inch iron rod with cap marked "Ford Eng Inc" set on the Northern line of said Tract 5, the Southern line of San Jose Drive as shown on the said plat of Right-of Way and Boundary Survey, Mission San Jose San Antonio Missions National Historical Park, Texas, from which a Mag Nail (N 13,682,409.597, E = 2,134,316.930) found for a corner of said Tract 5, a corner of said San Jose Drive, bears N 82°30'55" W – 45.21 feet;

THENCE: S 82°30'55" E – 125.36 feet along the Northern line of said Tract 5, the Southern line of said San Jose Drive to a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said Tract 5, a corner of said San Jose Drive, for a corner of this tract;

THENCE: Continuing along the Northern line of said Tract 5, the Southern line of said San Jose Drive, a curve to the right having a Delta angle of 21°13'22", a Radius of 426.00 feet, an Arc length of 157.79 feet and a Chord bearing of S 71°55'29" E – 156.89 feet to a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said San Jose Drive, a corner of said Tract 5, for a corner of this tract;

THENCE: S 61°18'23" E – 92.33 feet continuing along the Northern line of said Tract 5, the Southern line of said San Jose Drive to a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said Tract 5, a corner of said San Jose Drive, for a corner of this tract;

THENCE: Across said Tract 5 and along the Northeastern line of said 1.12 acre tract, (Trawalter Drive), a curve to the right having a Delta angle of 15°39'40", a Radius of 439.30 feet, an Arc length of 120.08 feet and a Chord bearing of S 45°40'57" E – 119.70 feet to a ½ inch iron rod with cap marked "Ford Eng Inc" set for a corner of the said 1.12 acre tract (Trawalter Drive), for a corner of this tract;



FORD ENGINEERING, INC

THENCE: S 37°50'24" E – 32.44 feet continuing across the said Tract 5 and along the Northeastern line of the said 1.12 acre tract (Trawalter Drive) to a ½ inch iron rod with cap marked "Ford Eng Inc" set on the Northeastern line of said Tract 5, a Southwestern line of said San Jose Drive, for a corner of this tract;

THENCE: Along the Northeastern line of said Tract 5, the Southwestern line of said San Jose Drive, a curve to the right having a Delta angle of 03°48'12", a Radius of 256.48 feet, an Arc length of 17.03 feet and a Chord bearing of S 24°53'05" E – 17.02 feet to a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said Tract 5, a corner of said San Jose Drive, for a corner of this tract;

THENCE: S 23°03'49" E – 270.28 feet along the Northeastern line of said Tract 5, the Southwestern line of said San Jose Drive to a ½ inch iron rod (N = 13,681,921.006, E = 2,134,934.779) with cap marked "Matkin Hoover" found for a corner of said Tract 5, a corner of said San Jose Drive, for a corner of this tract, from which a ½ inch iron rod with cap marked "Matkin Hoover" found for a corner of said Tract 5, a corner of said San Jose Drive bears with a curve to the right having a Delta angle of 14°39'04", a Radius of 379.32 feet, an Arc length of 97.00 feet and a Chord bearing of S 15°41'46" E – 96.73 feet;

THENCE: Across said Tract 5 and along the Southwestern line of the said 1.12 acre tract (Trawalter Drive) with a non-tangent curve to the left (Northwesterly) having a Delta angle of 14°48'16", a Radius of 379.32 feet, an Arc length of 98.01 feet and a Chord bearing of N 30°32'16" W – 97.74 feet to a ½ inch iron rod with cap marked "Ford Eng Inc" set for a corner of the said 1.12 acre tract (Trawalter Drive), for a corner of this tract;

THENCE: N 37°50'24" W – 213.00 feet continuing across said Tract 5 and along the Southwestern line of the said 1.12 acre tract (Trawalter Drive) to a point (unable to set) for a corner of the said 1.12 acre tract (Trawalter Drive) for a corner of this tract;

THENCE: Continuing across said Tract 5 and along the Southwestern line of the said 1.12 acre tract, a curve to the left having a Delta angle of 20°49'47", a Radius of 379.32 feet, an Arc length of 137.90 feet and a Chord bearing of N 48°15'17" W – 137.14 feet to a ½ inch rod with cap marked "Ford Eng Inc" set for a corner of the said 1.12 acre tract (Trawalter Drive), for a corner of this tract;

THENCE: N 58°40'24" W – 167.20 feet continuing across said Tract 5 and along the Southwestern line of the said 1.12 acre tract (Trawalter Drive) to a ½ inch iron rod with cap marked "Ford Eng Inc" set for a corner of the said 1.12 acre tract (Trawalter Drive), for a corner of this tract;

THENCE: Continuing across said Tract 5 and along the Southwestern line of the said 1.12 acre tract (Trawalter Drive), a curve to the left having a Delta angle of 23°48'19", a Radius of 379.32 feet, an Arc length of 157.60 feet and a Chord bearing of N 70°33'48" W – 156.47 feet



FORD ENGINEERING, INC

to the **POINT OF BEGINNING** and containing 0.6441 acres (28,059.2 sq. ft.) of land,
according to a survey made on the ground under my supervision

Corresponding plat prepared.
1802.14 Trawalter Drive Closure.docx

**BEARINGS AND COORDINATES ARE BASED ON LAMBERT GRID, TEXAS STATE
PLANE COORDINATES, SOUTH CENTRAL ZONE NAD 83/93; COORDINATES
SHOWN HEREON HAVE AN APPLIED SURFACE SCALE FACTOR OF 1.00017.**



Rex L. Hackett, R.P.L.S., L.S.L.S.
Registered Professional Land Surveyor
License Number 5573

Attachment III

Notice Of Confidentiality Rights: If You Are A Natural Person, You May Remove Or Strike Any Of The Following Information From This Instrument Before It Is Filed For Record In The Public Records: Your Social Security Number Or Your Driver's License Number.

State of Texas }
 }
County of Bexar }

Street Closure Quitclaim Deed

Authorizing Ordinance:

Grantor: City Of San Antonio, a Texas municipal corporation

Grantor's Mailing Address: City Hall, 2nd Floor, 100 Military Plaza, San Antonio, TX
78205, Attn: City Clerk

Grantee:

Grantee's Mailing Address:

Consideration: \$10 in hand paid and other good and valuable consideration, the receipt and adequacy of which are hereby acknowledged.

Property: All of the real property situated within the corporate limits of the City of San Antonio, Bexar County, Texas, described by metes and bounds in **Exhibit A** attached hereto and incorporated herein verbatim for all purposes.

Grantor, for the Consideration, Bargains, Sells, Quitclaims, and Releases to Grantee all of Grantor's right, title, interest, and estate, both at law and in equity, as of the date hereof, in and to the Property, together with, all and singular, the rights and appurtenances thereto in anywise belonging as per the Authorizing Ordinance. Grantor does not know whether its interest in the Property is an easement or the fee.

By this instrument, Grantor intends that such interest as it may have in the Property pass to the adjoining or underlying owners as if Grantor had a street easement, but Grantor does not warrant that it has any interest in the Property.

In Witness Whereof, Grantor has caused its representative to set its hand:

City of San Antonio,
a Texas municipal corporation

By:_____

Printed
Name:_____

Title:_____

Date:_____

Attest:

City Clerk

Approved As To Form:

City Attorney

State of Texas §

§

County of Bexar §

This instrument was acknowledged before me this date by _____, of the
City of San Antonio, a Texas municipal corporation, in the capacity therein stated and on behalf
of that entity.

Date:_____

Notary Public, State of Texas

My Commission expires:_____

After Recording, Return To: