

5A 7A 8.dwg : Jan 27, 2016, 8:53am User ID: DTorrence N: \SurveyJ3\13-9300\9390-13\EX9390-13 LAND BANK

JOB No.:



FIELD NOTES

FOR

LAND BANK TRACT 5A

A 0.464 acre, or 20,227 square feet more or less, tract of land comprised of a 0.389 acre portion and a 0.025 acre portion out of that 3.326 acre Tract 7 described in deed to the City of San Antonio recorded in Volume 16965, Pages 2161-2191, a 0.001 acre portion and a 0.049 acre portion out of a 0.9830 acre Tract 5 described in deed to the City of San Antonio recorded in Volume 16965, Pages 2192-2211, both of the Official Public Records of Real Property of Bexar County, Texas, in the City of San Antonio, Bexar County, Texas. Said 0.464 acre tract being more fully described as follows, with bearings based on the Texas Coordinate System established for the South Central Zone from the North American Datum of 1983 NAD 83 (NA2011) epoch 2010.00;

BEGINNING: At a set nail, at a southeast corner of a 4.671 acre tract described in a Memorandum of Lease as Tract 5 recorded in Volume 17362, Pages 2119-2137 of the Official Public Records of Real Property of Bexar County, Texas;

THENCE: With the line of said 4.671 acre Tract 5, and the west line of said Tract 7, along a non-tangent curve to the right, said curve having a radial bearing of N 72°45'05" E, a radius of 350.00 feet, a central angle of 30°09'31", a chord bearing and distance of N 02°10'09" W, 182.11 feet, for an arc length of 184.23 feet to a set nail;

THENCE:

THENCE:

THENCE: N 12°54'30" E, continuing with the line of said 4.671 acre Tract 5, and the west line of said Tract 7, passing at a distance of 36.86 feet a corner of said 0.9830 acre Tract 5, and continuing over and across said 0.9830 acre Tract 5, for a total distance of 51.18 feet to a set nail at the northeast corner of said 4.671 acre Tract 5, on the south line of Lot 14, Block 3 of the H B Gonzalez Convention Center Subdivision recorded in Volume 9677, Pages 10-12 of the Deed and Plat Records of Bexar County, Texas;

S 74°58'59" E, continuing over and across said 0.9830 acre Tract 5, with the south line of said Lot 14, passing at a distance of 8.28 feet the line of said 0.9830 Tract 5 and said Tract 7, continuing with the line of said Lot 14, over and across said Tract 7, passing at a distance of 40.76 feet the line of said 0.9830 acre Tract 5 and said Tract 7, continuing with the south line of said Lot 14, over and across said 0.9830 acre Tract 5 passing at a distance of 97.75 feet the line of said 0.9830 acre Tract 5 and said Tract 7, continuing with the south line of said Lot 14, over and across said Tract 7, for a total distance of 121.31 feet to a set nail for an angle point of said Lot 14 and the herein described tract;

N 73°14'31" E, continuing with the line of said Lot 14 over and across said Tract 7, a distance of 56.51 feet to a set nail at a point of cusp and the northeast corner of the herein described tract;

Page 1 of 2

TBPE Firm Registration #470 | TBPLS Firm Registration #10028800 San Antonio | Austin | Houston | Fort Worth | Dallas Transportation | Water Resources | Land Development | Surveying | Environmental 2000 NW Loop 410, San Antonio, TX 78213 T: 210.375.9000 www.Pape-Dawson.com

THENCE:

Departing the line of said Lot 14 and continuing over and across said Tract 7, along a non-tangent curve to the left, said curve having a radial bearing of S 37°44'37" E, a radius of 140.00 feet, a central angle of 14°04'09", a chord bearing and distance of S 45°13'18" W, 34.29 feet, for an arc length of 34.38 feet to a set nail;

THENCE:

S 38°11'13" W, continuing over and across said Tract 7, passing at a distance of 26.75 the line of said Tract 7 and said 0.9830 acre Tract 5, continuing over and across said 0.9830 acre Tract 5 passing at a distance of 54.68 feet, continuing over and across said Tract 7, a distance of 245.00 feet to the POINT OF BEGINNING, and containing 0.464 acres in the City of San Antonio, Bexar County, Texas. Said tract being described in accordance with a survey made on the ground and a survey description and map prepared under job number 9390-13 by Pape-Dawson

Engineers, Inc.

PREPARED BY:

Pape-Dawson Engineers, Inc.

DATE:

January 26, 2016

JOB NO.

9390-13

DOC. ID.

N;\Survey13\13-9300\9390-13\Word\FN9390-15 LandBankTract 5A.docx





FIELD NOTES FOR

LAND BANK TRACT 7A

A 1.818 acre, or 79,198 square feet more or less, tract of land comprised of 1.758 acres out of that 3.326 acre tract described in deed as Tract 7 to the City of San Antonio recorded in Volume 16965, Pages 2161-2191, 0.026 acres out of that 0.9830 acre described as Tract 5 and all of that 0.0344 acre tract described as Tract 8 both described in deed to City of San Antonio recorded in Volume 16965, Pages 2192-2211, all of the Official Public Records of Real Property of Bexar County, Texas, in the City of San Antonio, Bexar County, Texas. Said 1.818 acre tract being more fully described as follows, with bearings based on the Texas Coordinate System established for the South Central Zone from the North American Datum of 1983 NAD 83 (NA2011) epoch 2010.00;

BEGINNING: At a set nail on curve on the west line of said Tract 7, from which a nail found at the southwest corner of a 4.671 acre tract described in a Memorandum of Lease as Land Bank Tract 5 recorded in Volume 17362, Pages 2119-2137, of the Official Public Records of Real Property of Bexar County, Texas, bears N 24°35'40" W, a distance of 89.57 feet;

THENCE: N 38°11'13" E, departing the line of said Tract 7, over and across said Tract 7 passing at a distance of 222.83 feet the line of said Tract 7 and said 0.9830 acre Tract 5, continuing over and across said 0.9830 acre Tract 5 passing at a distance of 250.76 feet, the line of said 0.9830 acre Tract 5 and said Tract 7, continuing over and across said Tract 7, for a total distance of 285.91 feet to a set nail;

THENCE: Continuing over and across said Tract 7, along a tangent curve to the right, said curve having a radius of 60.00 feet, a central angle of 58°45'13", a chord bearing and distance of N 67°33'50" E, 58.87 feet, for an arc length of 61.53 feet to a set nail on the line of said Tract 7 and west right-of-way line of Tower of the Americas Way, a variable width right-of-way dedicated in the H B Gonzalez Convention Center Subdivision recorded in Volume 9677, Pages 10-12 of the Deed and Plat Records of Bexar County, Texas;

THENCE: S 83°02'09" E, with the line of said Tract 7 and said west right-of-way line of Tower of the Americas Way, a distance of 16.69 feet to a set nail, for a point of non-tangent curvature;

THENCE: Continuing with the line of said Tract 7 and said west right-of-way line of said Tower of the Americas Way, along a non-tangent curve to the right, said curve having a radial bearing of S 06°59'02" W, a radius of 25.00 feet, a central angle of 88°47'23", a chord bearing and distance of S 38°37'16" E, 34.98 feet, for an arc length of 38.74 feet to a set nail for a point of non-tangent curvature;

THENCE: Along a non-tangent curve to the left, said curve having a radial bearing of S 84°09'09" E, a radius of 3449.87 feet, a central angle of 02°52'02", a chord bearing and distance of S 04°24'50" W, 172.62 feet, for a total arc length of

172.64 feet to a set nail on the west right-of-way line of said Tower of the

Americas Way and a point of non-tangent curvature;

THENCE: Along a non-tangent curve to the left, said curve having a radial bearing of S 86°58'14" E, a radius of 1943.32 feet, a central angle of 06°55'54", a chord bearing and distance of S 00°26'11" E, 234.96 feet, passing at an arc length of 26.93 feet the north corner of said 0.0344 acre Tract 8, continuing with the east

26.93 feet the north corner of said 0.0344 acre Tract 8, continuing with the east line of said Tract 8 and the west line of said Tower of the Americas Way passing at a distance of 110.26 feet, the south corner of said 0.0.44 acre Tract 8, and continuing with the east line of said Tract 7 and the west right-of-way line of said Tower of the Americas Way, for a total arc length of 235.10 feet to a set nail on the east line of said Tract 7 and the west right-of-way line of said Tower of the

Americas Way;

THENCE: S 03°54'08" E, continuing with the east line of said Tract 7 and the west right-of-way line of said Tower of the Americas Way, a distance of 73.32 feet to a on the

east line of said Tract 7 and the west right-of-way line of Tower of the Americas

Way, for the southeast corner of the herein described tract;

THENCE: Departing the east line of said Tract 7 and the west right-of-way line of said

Tower of the Americas Way, over and across said Tract 7, along a non-tangent curve to the right, said curve having a radial bearing of N 05°18'26" E, a radius of 175.00 feet, a central angle of 27°19'15", a chord bearing and distance of N 71°01'56" W, 82.66 feet, for an arc length of 83.45 feet to a set nail on curve on

the west line of said Tract 7, for the southwest corner of the herein described tract;

THENCE: With the west line of said Tract 7, along a non-tangent curve to the left, said curve

having a radial bearing of S 58°56'38" W, a radius of 908.16 feet, a central angle of 13°31'41", a chord bearing and distance of N 37°49'13" W, 213.93 feet, pasting at an arc length of 52.49 feet the southeast corner of a 0.017 acre tract described in said Memorandum of Lease as Tract 7, and continuing with the line

of said 0.017 acre Tract 7 and the west line of said 3.326 acre Tract 7, for a total arc length of 214.43 feet to a set nail;

THENCE: N 44°35'04" W, continuing with the west line of said 3.326 acre Tract 7 and the

line of said 0.017 acre Tract 7, a distance of 8.72 feet to a set nail at the northwest

corner of said 0.017 acre Tract 7, a point of tangent curvature for said 3.326 acre

Tract 7 and the herein described tract;

Job No.: 9390-13

THENCE:

Continuing with the west line of said Tract 7, along a tangent curve to the right, said curve having a radius of 350.00 feet, a central angle of 12°36'08", a chord bearing and distance of N 38°16'59" W, 76.83 feet, for an arc length of 76.98 feet to the POINT OF BEGINNING, and containing 1.818 acres in the City of San Antonio, Bexar County, Texas. Said tract being described in accordance with a survey made on the ground and a survey description and map prepared under job number 9390-13 by Pape-Dawson Engineers, Inc.

PREPARED BY:

Pape-Dawson Engineers, Inc.

DATE:

January 26, 2016

JOB NO.

9390-13

DOC. ID.

N:\Survey13\13-9300\9390-13\Word\FN9390-13 Tract 7a.docx

Page 3 of 3

JOHN NOEL NICHOLI



FIELD NOTES

FOR

LAND BANK TRACT 8

A 0.196 acre, or 8,525 square feet more or less, tract of land comprised of a 0.141 acre portion out of that 19.242 acre tract described in deed to the City of San Antonio recorded in Volume 6433, Pages 177-181 of the Deed Records of Bexar County, Texas, in New City Block 13814, and a 0.055 acre portion out of that 3.326 acre tract described in deed to the State of Texas as Tract 7 recorded in Volume 16965, Pages 2192-2211, of the Official Public Records of Real Property of Bexar County, Texas, in the City of San Antonio, Bexar County, Texas. Said 0.196 acre tract being more fully described as follows, with bearings based on the Texas Coordinate System established for the South Central Zone from the North American Datum of 1983 NAD 83 (NA2011) epoch 2010.00;

BEGINNING: At a set nail at the southeast corner and point of cusp of a called 1.638 acre tract, by description 0.667 acres, as described in deed to the Board of Regents of the University of Texas System recorded in Volume 7677, Pages 263-264 of the Deed Records of Bexar County, Texas, on the northeast line of a 6.544 acre tract described in deed to the State of Texas recorded in Volume 6165, Pages 473-478

of the Deed Records of Bexar County, Texas;

Departing the line of said 6.544 acre tract, with the northeast line of said 1.638 THENCE: acre tract, along a non-tangent curve to the left, said curve having a radial bearing of S 67°42'44" W, a radius of 687.20 feet, a central angle of 17°45'52", a chord bearing and distance of N 31°10'12" W, 212.21 feet, for an arc length of 213.07

feet to a set nail;

N 40°03'08" W, continuing with the line of said 1.638 acre tract, a distance of THENCE:

19.28 feet to a set nail for the northwest corner and point of cusp for the herein

described tract;

Departing the line of said 1.638 acre tract, over and across said 19.242 acre tract, THENCE: along a non-tangent curve to the left, said curve having a radial bearing of N

38°26'01" E, a radius of 225.00 feet, a central angle of 35°11'07", a chord bearing and distance of S 69°09'32" E, 136.01 feet, passing at an arc length of 94.31 feet the west line of said Tract 7, continuing over and across said Tract 7, for a total arc length of 138.17 feet to a set nail on the east line of said Tract 7 and the west right-of-way line of Tower of the Americas Way, a variable width rightof-way dedicated in the H B Gonzalez Convention Center Subdivision recorded in Volume 9677, Pages 10-12 of the Deed and Plat Records of Bexar County, Texas,

for the northeast corner of the herein described tract;

S 03°54'08" E, with the east line of said Tract 7 and the west right-of-way line of THENCE: said Tower of the Americas Way, a distance of 124.72 feet to a set nail on curve

and the south corner of said Tract 7;

Page 1 of 2

TBPE Firm Registration #470 I TBPLS Firm Registration #10028800

San Antonio I Austin I Houston I Fort Worth I Dallas

Transportation | Water Resources | Land Development | Surveying | Environmental

THENCE:

Continuing with the right-of-way line of said Tower of the Americas Way, along a non-tangent curve to the right, said curve having a radial bearing of S 72°54′53" W, a radius of 908.16 feet, a central angle of 03°18′46", a chord bearing and distance of S 15°25′44" E, 52.50 feet, for an arc length of 52.51 feet to a set nail at a northeast corner of the aforementioned 6.544 acre tract;

THENCE:

N 45°14'22" W, departing the west right-of-way line of said Tower of the Americas Way, with a northeast line of said 6.544 acre tract, a distance of 38.48 feet to the POINT OF BEGINNING, and containing 0.196 acres in the City of San Antonio, Bexar County, Texas. Said tract being described in accordance with a survey made on the ground and a survey description and map prepared under job number 9390-13 by Pape-Dawson Engineers, Inc.

PREPARED BY:

Pape-Dawson Engineers, Inc.

DATE:

January 26, 2016

JOB NO.

9390-13

DOC. ID.

N:\Survey13\13-9300\9390-13\Word\FN9390-15 LandBankTract 8.docx