

LOCATION MAP NOT TO SCALE

Scale: 1" = 100'

ENGINEERS & SURVEYORS

San Antonio, Texas 78216

TBPE Registration No. F-1712

7073 San Pedro Avenue

210/494-7223

BAIN MEDINA BAIN, INC.

C.P.S. NOTES

1. THE CITY OF SAN ANTONIO AS A PART OF ITS ELECTRIC AND GAS SYSTEM (CITY PUBLIC SERVICE BOARD) IS HEREBY DEDICATED THE EASEMENTS AND RIGHT—OF—WAY FOR ELECTRIC AND GAS DISTRIBUTION AND SERVICE FACILITIES IN THE AREAS DESIGNATED ON THE PLAT AS "ELECTRIC EASEMENT", "GAS EASEMENT", "ANCHOR EASEMENT", "SERVICE EASEMENT", "OVERHANG EASEMENT", "UTILITY EASEMENT AND TRANSFORMER ÉASEMENT" FOR THE PURPOSE OF INSTALLING, CONSTRUCTING, RECONSTRUCTING, MAINTAINING, REMOVING, INSPECTING, PAIROLLING AND ERECTING POLES, HANGING OR BURYING WIRES, CABLES, CONDUITS, PIPELINES OR TRANSFORMERS, EACH WITH ITS NECESSARY APPURTENANCES; TOGETHER WITH THE RIGHT OF INGRESS AND EGRESS OVER GRANTOR'S ADJACENT LAND. THE RIGHT TO RELOCATE SAID FACILITIES WITHIN SAID EASEMENT AND RIGHT—OF—WAY AREAS, AND THE RIGHT TO REMOVE FROM SAID LANDS ALL TREES OR PARTS THEREOF, OR OTHER GBISTRUCTIONS WHICH ENDANGER OR MAY INTERFERE WITH THE EFFICIENCY OF SAID LINES OR APPURTENANCES THERETO. IT IS AGREED AND UNDERSTOOD THAT NO BUILDINGS, CONCRETE SLABS, OR WALLS WILL BE PLACED WITHIN SAID EASEMENT AREAS.

2. ANY CPS MONETARY LOSS RESULTING FROM MODIFICATIONS REQUIRED OF CPS EQUIPMENT, LOCATED WITHIN SAID EASEMENT, DUE TO CRADE CHANGES OR GROUND ELEVATION ALTERATIONS SHALL BE CHARGED TO THE PERSON OR PERSONS DEEMED RESPONSIBLE FOR SAID GRADE CHANGES OR GROUND ELEVATIONS ALTERATION.

. THIS PLAT DOES NOT AMEND, ALTER RELEASE OR OTHERWISE AFFECT ANY EXISTING ELECTRIC, GAS, WATER, SEWER, DRAINAGE, ELEPHONE, CABLE EASEMENTS OR ANY OTHER EASEMENTS FOR UTILITIES UNLESS THE CHANGES TO SUCH EASEMENTS ARE DESCRIBED

4. CONCRETE DRIVEWAY APPROACHES ARE ALLOWED WITHIN THE FIVE (5) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN LOTS ARE SERVED ONLY BY REAR LOT UNDERGROUND ELECTRIC AND GAS FACILITIES.

CURVE TABLE

CURVE LENGTH RADIUS DELTA TANGENT CHORD

C1 23.56' 15.00' 090'00'00" 15.00' 21.21'

5. ROOF OVERHANGS ARE ALLOWED WITHIN THE FIVE (5) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN ONLY UNDERGROUND ELECTRIC AND GAS FACILITIES ARE PROPOSED OR EXISTING WITHIN THOSE FIVE (5) FOOT WIDE EASEMENTS.

B.S.L. NOTE:
THE SETBACKS IMPOSED ON THE PLAT ARE AT THE DISCRETION OF THE DEVELOPER OR BEXAR COUNTY AND ARE NOT SUBJECT TO ENFORCEMENT BY THE CITY OF SAN ANTONIO.

- OTHER NOTES:

 1. PLAT NOTES APPLY TO EVERY PAGE OF THIS MULTIPLE PAGE PLAT.

 2. ALL STREETS CONTAINED WITHIN THIS SUBDIMISION ARE DEDICATED AS PUBLIC STREETS AND ARE AVAILABLE FOR USE BY ALL UTILITY SYSTEMS.

 3. RESIDENTIAL FINISHED FLOOR ELEVATIONS MUST BE A MINIMUM OF EIGHT (8) INCLIES ABOVE FINISHED ADJACENT GRADE.

 4. CONTOURS SHOWN ARE FOR GRAPHICAL USE ONLY. GUTTER ELEVATIONS AND CENTERLINE PAVEMENT ARE NOT REFLECTED DUE TO THE SCALE OF THE PLAT.

 5. THE MAINTENANCE OF ALL PRIVATE STREETS, OPEN SPACE, GREENBELTS, PARKS, DRAINAGE EASEMENTS AND EASEMENTS OF ANY NATURE WITHIN THE PALOMA UNIT 2 SUBDIVISION SHALL BE THE RESPONSIBILITY OF THE LOTT OWNERS AND/OR HOMEOWNERS' ASSOCIATION AND THEIR SUCCESSORS OR ASSIGNEES AND NOT THE RESPONSIBILITY OF THE CITY OF SAN ANTONIO OR BEXAR COUNTY.

 6. ALL EASEMENTS SUCH AS DRAINAGE, CONSERVATION, GREENBELT, LANDSCAPE AND OPEN SPACE SHOWN HEREON ARE PERMEABLE AREAS UNLESS NOTED OTHERWISE.

 7. IN AN FEFORT TO MEFT THE CITY OF SAN ANTONIO'S FIRE FLOW REQUIREMENTS FOR THE PROPOSED RESIDENTIAL DEVELOPMENT. THE PUBLIC WATER MAIN

- 6. ALL EASEMENTS SUCH AS DRAINAGE, CONSERVATION, GREENBELT, LANDSCAPE AND UPEN SPACE SHOWN HEREON ARE PERMEABLE AREAS UNLESS NOTED OTHER WISE.

 7. IN AN EFFORT TO MEET THE CITY OF SAN ANTONIO'S FIRE FLOW REQUIREMENTS FOR THE PROPOSED RESIDENTIAL DEVELOPMENT, THE PUBLIC WATER MAIN SYSTEM HAS BEEN DESIGNED FOR A MINIMUM FIRE FLOW DEMAND OF 1000 GPM AT 25 PSI RESIDUAL PRESSURE. THE FIRE FLOW REQUIREMENTS FOR INDIVIDUAL STRUCTURES WILL BE REVIEWED DURING THE BUILDING PERMIT PROCESS IN ACCORDANCE WITH THE PROCEDURES SET FORTH BY THE CITY OF SAN ANTONIO DIRECTOR OF DEVELOPMENT SERVICES AND THE SAN ANTONIO FIRE DEPARTMENT FIRE MARSHAL.

 8. SAN ANTONIO RIVER AUTHORITY IS HEREBY DEDICATED THE EASEMENTS AND RIGHT-OF-WAY FOR SANITARY SEWER COLLECTION AND TREATMENT FACILITIES IN THE AREAS DESIGNATED ON THIS PLAT AS "SANITARY SEWER EASEMENT" FOR THE PURPOSE OF INSTALLING, CONSTRUCTING, RECONSTRUCTING, OPERATING, MAINTAINING, REMOVING AND INSPECTING SANITARY SEWER PIPELINES AND COLLECTION SYSTEMS AND ALL NECESSARY ABOVE-GROUND OR BELOW-GROUND APPURTENANCES, TOCETHER WITH THE RIGHT OF INGRESS AND EGRESS OVER GRANTORS ADJACENT LAND, THE RIGHT TO RE-LOCATE SAID FACILITIES WITHIN SAID EASEMENT AND RIGHT-OF-WAY AREAS AND THE RIGHT TO REMOVE FROM SAID LAND ALL TREES AND VEGETATION OR PARTS THEREOF, OR OTHER SLABS OR WALLS WILL BE PLACED WITHIN SAID EASEMENT AREAS.

 9. NO STRUCTURE, FENCES, WALLS OR OTHER DESTRUCTIONS THAT IMPEDE DRAINAGE SHALL BE PLACED WITHIN THE LIMITS OF THE ORAINAGE EASEMENTS SHOWN ON THIS PLAT. NO LANDSCAPING OR OTHER TYPE OF MODIFICATIONS WHICH LIMITS OF THE DRAINAGE EASEMENTS SHOWN ON THIS PLAT. NO LANDSCAPING OR OTHER TYPE OF MODIFICATIONS WHICH ALTER THE CROSS-SECTIONS OF THE DRAINAGE EASEMENTS SHOWN ON THIS PLAT. NO LANDSCAPING OR OTHER TYPE OF MODIFICATIONS WHICH ALTER THE CROSS-SECTIONS OF THE DRAINAGE EASEMENTS SHOWN ON THIS PLAT. NO LANDSCAPING OR OTHER TYPE OF MODIFICATIONS WHICH ALTER THE CROSS-SECTIONS OF THE DRAINAGE EASEMENTS.

 8 ALLOWED WITHOUT THE APPROVAL OF THE DIRECTOR OF PUBLIC WORKS. THE


MONUMENT NOTE:

O = 1/2" IRON REBAR SET WITH ORANGE "BAIN MEDINA BAIN" CAP

● = 1/2" IRON REBAR FOUND

Line Table

PALOMA SUBDIVISION UNIT 1 (VOL. 9706, PGS. 86-91, D.P.R.) PALOMA SUBDIVISION UNIT 6 2 (PLAT #160529) PALOMA SUBDIVISION UNIT 6A



STATE OF TEXAS

THE OWNER OF THE LAND SHOWN ON THIS PLAT, IN PERSON OR THROUGH A DULY AUTHORIZED AGENT, DEDICATES TO THE USE OF THE PUBLIC, EXCEPT AREAS IDENTIFIED AS PRIVATE OR PART OF AN ENCLAVE OR PLANNED UNIT DEVELOPMENT, FOLEVER ALL STREETS, ALLEYS, PARK, WATERCOURSES, DRAINS, EASEMENTS AND PUBLIC PLACES THERE ON ONSIDERATION THEREIN EXPRESSED.

PLAT NO. 160530

SHEET 1 OF 2 88 LOTS

SUBDIVISION PLAT


ESTABLISHING PALOMA SUBDIVISION

UNIT 2 BEING 15,748 ACRES OF LAND OUT A 174,30 ACRE TRACT OF LAND

SITUATED IN BEXAR COUNTY, TEXAS, OUT OF THE J.B. HILL SURVEY No. 103, ABSTRACT 308, AND BEING THAT TRACT OF LAND CONVEYED TO PDI DEVELOPMENT, INC., BY DEED RECORDED IN VOLUME 12103, PAGE 1389 OF BEXAR COUNTY REAL PROPERTY

BRUCE CASH

COUNTY CLERK, BEXAR COUNTY, TEXAS



	LEGEND
	LEGEIND
١	BUILDING SETBACK LINE B.S.L. VEHICULAR NON-ACCESS EASEMENT V.N.E.
	2. VEHICULAR NON-ACCESS EASEMENTV.N.E.
	1 3. GAS, ELECTRIC, TELEPHONE & CABLE TELEVISION EASEMENT —————G.E.T.TV.E.
1	4. CLEAR VISION EASEMENT C.V.E.
ł	5. OFFICIAL PUBLIC RECORDS OF REAL PROPERTY, BEXAR COUNTY, TEXAS 0.P.R.
ı	6. DEED AND PLAT RECORDS, BEXAR COUNTY, TEXAS. ————————————————————————————————————
ı	7. MINIMUM FINISHED FLOOR ELEVATION — FFE: 930.0
İ	8. EXISTING CONTOUR ————————————————————————————————————
I	8. EXISTING CONTOUR — — — — 980— — — 99. PROPOSED FINISHED CONTOUR — — — — — — — — — — — — — — — — — — —
ı	I 10 CITY UMIT LINE
ı	11. STREET CENTERLINE
	12. THE VALUES OF THE SETS OF COORDINATES SHOWN HEREON WERE OBTAINED
	WITH GLOBAL POSITIONING RECEIVERS DATUM IS NAD 83/(2011), TEXAS STATE
ı	PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE. COMBINED SCALE FACTOR IS
1	
ı	1.00017. ROTATION GRID TO PLAT IS 00'00'00".


MONUMENTATION AS SHOWN, IT IS THE PRACTICE OF BAIN MEDINA BAIN, INC. TO MONUMENT ALL CORNERS (IF PRACTICAL) IN THE SUBDIVISION WITH 1/2" REBAR AND "BAIN MEDINA BAIN" PLASTIC CAP UPON COMPLETION OF CONSTRUCTION


HEREBY CERTIFY THAT THE PROPER ENGINEER CONSIDERATION HAS BEEN GIVEN THIS PLAT TO THE MATTERS OF STREETS, LOTS AND DRAINAGE LAYOUT. TO THE BEST OF MY KNOWLEDGE THIS PLAT CONFORMS TO ALL REQUIREMENTS OF THE UNIFIED DEVELOPMENT CODE, EXCEPT FOR THOSE


LICENSED PROFESSIONAL ENGINEER NO. 117112

STATE OF TEXAS COUNTY OF BEXAR STERED PROFESSIONAL LAND SURVEYOR NO. 4103 STATE OF TEXAS COUNTY OF BEXAR ARIANCES GRANTED BY THE SAN ATONIO PLANNING COMMISSION. NICHOLAS M. RAMONES 117112

SONAL









LOCATION MAP NOT TO SCALE

Scale: 1" = 100'

ENGINEERS & SURVEYORS

San Antonio, Texas 78216

7073 San Pedro Avenue

210/494-7223

BAIN MEDINA BAIN, INC.

C.P.S. NOTES

1. THE CITY OF SAN ANTONIO AS A PART OF ITS ELECTRIC AND GAS SYSTEM (CITY PUBLIC SERVICE BOARD) IS HEREBY DEDICATED THE EASEMENTS AND RIGHT-OF-WAY FOR ELECTRIC AND GAS DISTRIBUTION AND SERVICE FACILITIES IN THE AREAS DESIGNATED ON THE PLAT AS "ELECTRIC EASEMENT", "GAS EASEMENT", "ANCHOR EASEMENT", "SERVICE EASEMENT", "OVERHANG EASEMENT", "UTILITY EASEMENT AND TRANSFORMER EASEMENT" FOR THE PURPOSE OF INSTALLING, CONSTRUCTING, RECONSTRUCTING, MAINTAINING, REMOVING, INSPECTING, PATROLLING AND ERECTING POLES, HANGING OR BURYING WIRES, CABLES, CONDUITS, PIPELINES OR TRANSFORMERS, EACH WITH ITS NECESSARY APPURTENANCES, TOGETHER WITH THE RIGHT OF INCRESS AND EGRESS OVER GRANTOR'S ADJACENT LAND, THE RIGHT TO RELOCATE SAID FACILITIES WITHIN SAID EASEMENT AND RIGHT-OF-WAY AREAS, AND THE RIGHT TO REMOVE FROM SAID LANDS ALL TREES OR PARTS THEREOF, OR OTHER OBSTRUCTIONS WHICH ENDANGER OR MAY INTERFERE WITH THE EFFICIENCY OF SAID LINES OR APPURTENANCES THERETO. IT IS AGREED AND UNDERSTOOD THAT NO BUILDINGS, CONCRETE SLABS, OR WALLS WILL BE PLACED WITHIN SAID EASEMENT AREAS.

2. ANY CPS MONETARY LOSS RESULTING FROM MODIFICATIONS REQUIRED OF CPS EQUIPMENT, LOCATED WITHIN SAID EASEMENT, DUE TO GRADE CHANGES OR GROUND ELEVATION ALTERATIONS SHALL BE CHARGED TO THE PERSON OR PERSONS DEEMED RESPONSIBLE FOR SAID GRADE CHANGES OR GROUND ELEVATIONS ALTERATION.

3. THIS PLAT DOES NOT AMEND, ALTER RELEASE OR OTHERWISE AFFECT ANY EXISTING ELECTRIC, GAS, WATER, SEWER, DRAINAGE, TELEPHONE, CABLE EASEMENTS OR ANY OTHER EASEMENTS FOR UTILITIES UNLESS THE CHANGES TO SUCH EASEMENTS ARE DESCRIBED

4. CONCRETE DRIVEWAY APPROACHES ARE ALLOWED WITHIN THE FIVE (5) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN LOTS ARE SERVED ONLY BY REAR LOT UNDERGROUND ELECTRIC AND GAS FACILITIES. 5. ROOF OVERHANGS ARE ALLOWED WITHIN THE FIVE (5) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN ONLY UNDERGROUND ELECTRIC AND GAS FACILITIES ARE PROPOSED OR EXISTING WITHIN THOSE FIVE (5) FOOT WIDE EASEMENTS.

THE SETBACKS IMPOSED ON THE PLAT ARE AT THE DISCRETION OF THE DEVELOPER OR BEXAR COUNTY AND ARE NOT SUBJECT TO ENFORCEMENT BY THE CITY OF SAN ANTONIO.

C8 23.43' 15.90' 089'30'51" 14.87' 21.12'

OTHER NOTES:

1. PLAT NOTES APPLY TO EVERY PAGE OF THIS MULTIPLE PAGE PLAT.

2. ALL STREETS CONTAINED WITHIN THIS SUBDIVISION ARE DEDICATED AS PUBLIC STREETS AND ARE AVAILABLE FOR USE BY ALL UTILITY SYSTEMS.

3. RESIDENTIAL FINISHED FLOOR ELEVATIONS MUST BE A MINIMUM OF EIGHT (8) INCHES ABOVE FINISHED ADJACENT GRADE.

4. CONTOURS SHOWN ARE FOR GRAPHICAL USE ONLY. GUTTER ELEVATIONS AND CELLIFERINE PAVEMENT ARE NOT REFLECTED DUE TO THE PLAT.

5. THE MAINTENANCE OF ALL PRIVATE STREETS, OPEN SPACE, GREENBELTS, PARKS, DRAINAGE EASEMENTS AND EASEMENTS OF ANY NATURE WITHIN THE PALOMA UNIT 2 SUBDIVISION SHALL BE THE RESPONSIBILITY OF THE LOT OWNERS AND/ON HOMEOWNERS' ASSOCIATION AND THEIR SUCCESSORS OR ASSIGNEES AND NOT THE RESPONSIBILITY OF THE CITY OF SAN ANTONIO OR BEXAR COUNTY.

6. ALL EASEMENTS SUCH AS DRAINAGE, CONSERVATION, GREENBELT, LANDSCAPE AND OPEN SPACE SHOWN HEREON ARE PERMEABLE AREAS UNLESS NOTED OTHERWISE.

7. IN AN EFFORT TO MEET THE CITY OF SAN ANTONIO'S FIRE ELOW DECLIFICATION FOR THE RESPONSIBILITY.

6. ALL EASEMENTS SUCH AS DRAINAGE, CONSERVATION, GREENBELT, LANDSCAPE AND OPEN SPACE SHOWN HEREON ARE PERMEABLE AREAS UNLESS NOTED OTHERWISE.
7. IN AN EFFORT TO MEET THE CITY OF SAN ANTONIO'S FIRE FLOW REQUIREMENTS FOR THE PROPOSED RESIDUAL PRESSURE. THE FIRE FLOW REQUIREMENTS FOR INDIVIDUAL SYSTEM HAS BEEN DESIGNED FOR A MINIMUM FIRE FLOW DEMAND OF 1000 GPM AT 25 PSI RESIDUAL PRESSURE. THE FIRE FLOW REQUIREMENTS FOR INDIVIDUAL SYSTEM HAS BEEN DESIGNED FOR A MINIMUM FIRE FLOW DEMAND OF 1000 GPM AT 25 PSI RESIDUAL PRESSURE. THE FIRE FLOW REQUIREMENTS FOR INDIVIDUAL SYSTEM HAS BEEN DESIGNED FOR A MINIMUM FIRE FLOW DEMAND OF 1000 GPM AT 25 PSI RESIDUAL PRESSURE. THE FIRE FLOW REQUIREMENTS FOR INDIVIDUAL SYSTEMS AND ANTONIO REPORT OF SAN ANTONIO FIRE DEPARTMENT FIRE MARSHAL.
8. SAN ANTONIO RIVER AUTHORITY IS HEREBY DEDICATED THE EASEMENTS AND RIGHT-OF-WAY FOR SANITARY SEWER COLLECTION AND TREATMENT FACILITIES IN MAINTAINING, REMOVING AND INSPECTING SANITARY SEWER PEPELINES AND COLLECTION SYSTEMS AND ALL RECESSARY ABOVE-GROUND OR BELOW-GROUND MAINTAINING, REMOVING AND INSPECTING SANITARY SEWER PIPELINES AND COLLECTION SYSTEMS AND ALL RECESSARY ABOVE-GROUND OR BELOW-GROUND APPURIENANCES, TOCETHER WITH THE RIGHT TO REMOVE FROM SAID LAND ALL TREES AND VEGETATION OR PARTS THEREOF, OR OTHER SAID EASEMENT AND RIGHT-OF-WAY AREAS AND THE RIGHT TO REMOVE FROM SAID LAND ALL TREES AND UNDERSTOOD THAT NO STRUCTURES, CONCRETE SLASS OR WHICH ENDANGER OR MAY INTERFERE WITH THE FUNCTION OF SAID FACILITIES. IT IS AGREED AND UNDERSTOOD THAT NO STRUCTURES, CONCRETE SLASS OR WALLS WILL BE PLACED WITHIN SAID EASEMENT AREAS.

9. NO STRUCTURE, FENCES, WALLS OR OTHER OBSTRUCTIONS THAT IMPEDE ORANIAGE SHALL BE PLACED WITHIN THE LIMITS OF THE DRAINAGE EASEMENTS SHOWN ON THIS PLAT. NO LANDSCAPING OR OTHER TYPE OF MODIFICATIONS WHICH ALTER THE CROSS-SECTIONS OF THE DRAINAGE EASEMENT, AS APPROVED, SHALL ON THIS PLAT. NO LANDSCAPING OR OTHER TYPE OF MODIFICATIONS WHICH ALTER THE CROSS-SECTIONS OF THE DRAINGE EASEMENTS AND TO MAKE ANY MODIFICATIO

2

(3)

PLAT REFERENCE PALOMA SUBDIVISION UNIT 1 (VOL. 9706, PGS. 86-91, D.P.R.)

PALOMA SUBDIVISION UNIT 6

(PLAT #160529)

PALOMA SUBDIVISION UNIT 6A

(PLAT #160528)

MONUMENT NOTE: ■ = 1/2" IRON REBAR FOUND

O = 1/2" IRON REBAR SET WITH ORANGE "BAIN MEDINA BAIN" CAP

PALOMA SUBDIVISION

PLAT NO. 160530

SHEET 2 OF 2 88 LOTS

SUBDIVISION PLAT **ESTABLISHING**

BEING 15.748 ACRES OF LAND OUT A 174.30 ACRE TRACT OF LAND SITUATED IN BEXAR COUNTY, TEXAS, OUT OF THE J.B. HILL SURVEY No. 103, ABSTRACT 308, AND BEING THAT TRACT OF LAND CONVEYED TO PDI DEVELOPMENT, INC., BY DEED RECORDED IN VOLUME 12103, PAGE 1389 OF BEXAR COUNTY REAL PROPERTY RECORDS.

STATE OF TEXAS COUNTY OF BEXAR

THE OWNER OF THE LAND SHOWN ON THIS PLAT, IN PERSON OR THROUGH A DULY AUTHORIZED AGENT, DEDICATES TO THE USE OF THE PUBLIC, EXCEPT AREAS IDENTIFIED AS PRIVATE OR PART OF AN ENCLAVE OR PLANNED UNIT DEVELOPMENT, FOREVER ALL STREETS, ALLEYS, PARK, WATERCOURSES, DRAINS, EASEMENTS AND PUBLIC PLACES THERE ON SHOWN FOR THE PURPOSE ON CONSIDERATION THEREIN EXPRESSED.

DI DEVELOPMENT, INC 4720 ROCKCLIFF RD. U-4 AUSTIN, TX 78746

(512) 251-7872

BEFORE ME, THE UNDERSIGNED AUTHORITY ON THIS DAY PERSONALLY
APPEARED BRUCF CASH KNOWN TO ME TO BE THE PERSON WHOSE
NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED
TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND
CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN STATED.

GIVEN UNDER MY HAND AND SEAL OF OFFICE THIS DAY OF 2017.

MY COMMISSION EXPIRES:

CERTIFICATE OF APPROVAL

THE UNDERSIGNED, COUNTY JUDGE OF BEXAR COUNTY, TEXAS AND PERSIDING OFFICER OF THE COMMISSIONERS COURT OF BEXAR COUNTY, DOES HEREBY CERTIFY THAT THE ATTACHED PLAT WAS DULY FILLED WITH THE COMMISSIONERS COURT OF BEXAR COUNTY, TEXAS AND THAT AFTER EXAMINATION IT APPEARED THAT SAID PLAT IS IN CONFORMITY WITH THE STATUTES, RULES AND REGULATIONS GOVERNING SAME, AND THIS PLAT WAS STATUTED BY A THE CALL OF
TBPE Registration No. F-1712

N36'07'45"E

VAR WIDTH C.V.E. (0.003 AC.)

VAR WIDTH C.V.E.

(0.003 AC.)

22 BLK. 5

PABLO WAY

S23'26'48"W

N36'07'45"E

PENELOPE WAY

VAR WIDTH C.V.E.

VAR WIDTH C.V.E. (0.003 AC.)

46.79

23 BLK. 6

22

BLK. 7

NOT TO SCALE

S23'26'48"W


22

BLK. 6

NOT TO SCALE


CURVE TABLE					
CURVE	LENGTH	RADIUS	DELTA	TANGENT	CHORD
C1, .	23.56	15.00'	090'00'00"	15.00'	21.21
C2	23.56	15.00	090,00,00,	15.00	21.21*
C3	23.56	15.00	090,00,00	15.00	21.21
C4	23.56	15.00	090'00'00"	15.00′	21.21
C5	23.69	15.00	090'29'09"	15.13'	21.30'
C6	23.43	15.00	089*30'51"	14.87	21.12
C7	23.69	15.00	090*29*09*	15.13	21.30

	_N60*12*44**W
	27.00' N29'47'16"E
	N29/47'16"E_ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
ĺ	UNPLATTED 33.00' (0.038 AC.) I-10 INVESTMENTS, LTD. (0FF_LDT) (PERMEABLE) (VOL. 12103, PG.)389, D.P.R.)
	10 10 10 10 10 10 10 10
. 2	1010.50' N60'12'44"W / DRAINAGE EASEMENT - / 109.58' N60'12'44"W 3
	50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 64.68' 17. NE. T.
<u>.</u>	
	13.00511 14.0051 15.0051 16.0051 17.00
₹~~	1/20 S29:00'38"W
	50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 50.00'
—	S6012'44'E PABLO ,WAY
ш	(50'-R.O.W.)
H	50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 70.00' 50.00' 49.71'
S	13 0 14 0 15 16 0 17 18 18 19 18 20 19 19 19 19 19 19 19 19 19 19 19 19 19
•	13.00.11 14.00.11 15.00.11 16.00.11 18.00.11 18.00.11 18.00.11 19.00.11 19.00.11 19.00.11 10.00.
LLI	BLK 6 PRINATE PASEMENT - 1 88 BLK 20 PRIVATE PASEMENT - 1 88 PRIVATE PASEMENT
ш	CB 5088 S S6012'44"E S6012'44"E S6012'44"E
S	13 000 1 15 00 1 1 15 00 1 1 1 1 1 1 1 1 1
	32 % 31 % 30 % 4 29 % 4 28 % 27 % 4 26 % 25 1 27 % 4 26 % 5 25 1 27 % 5 26 % 5 25 1 27 % 5 26
	\$ 32 \(\frac{1}{2} \) \(\fra
*	\$25°00'38"W
	50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 50.00'
Ш	S6012'44'E PENELOPE WAY
Z	(50° B.Ó.W.)
	50.00' 50.00' 50.00' 50.00' 50.00' 50.00' 72.
	20) B. S.
I	13° 31' 14' 11' 11' 11' 11' 11' 11' 11' 11' 1
O	BLK BLK BARNAGE EASEMENT 1 S S
-	50.00' 50
∀	PIK 17 1151.93 N6012'44"W 22'0R/MAGS ESSENT
Σ	CB 5088 PALOMA SUBJUSTICAL #160529) CPLAT **CPLAT **C
	32 31 30 29 28 27 £ 26 25 24 23 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	L==+- x-==+-==+ x-=+- x-=+- x-=+- x-=+- x \



STATE OF TEXAS I HEREBY CERTIFY THAT THE ABOVE PLAT CONFORMS TO THE MINIMUM STANDARDS SET FORTH BY THE TEXAS BOARD OF PROFESSIONAL EAND SURVEYING ACCORDING TO AN ACTUAL SURVEY MADE ON THE GROUND STERED PROFESSIONAL LAND SURVEYOR NO. 4103

HEREBY CERTIFY THAT THE PROPER ENGINEER CONSIDERATION HAS BEEN



PAUL A WILKINSON

