

MACINA • BOSE • COPELAND and ASSOCIATES, INC CONSULTING ENGINEERS AND LAND SURVEYORS

1035 Central Parkway North, San Antonio, Texas 78232 (210) 545-1122 FAX (210) 545-9302

TBPE Firm Registration #784 | TBPLS Firm Registration #10011700 | SBE Certified #214046463 www.mbcenglneers.com

METES AND BOUNDS DESCRIPTION TO ACCOMPANY ZONING EXHIBIT

Z2018169

BEING A 13.29 ACRES (579,098 SQUARE FEET +/-) TRACT OF LAND SITUATED IN THE CITY OF SAN ANTONIO, NEW CITY BLOCK 15911, BEXAR COUNTY, TEXAS, SAID 13.29 ACRE TRACT ALSO BEING OUT OF A CALLED 71.678 ACRE TRACT OF LAND AS DESCRIBED IN GENERAL WARRANTY DEED RECORDED IN VOLUME 7595, PAGE 988, OF THE OFFICIAL PUBLIC RECORDS OF BEXAR COUNTY, TEXAS; AND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

COMMENCING at a 1/2-Inch Iron Rod with cap stamped "MBC" Found on the Southwest Right-of-Way Line of Tech Com, and marking the Easternmost corner of Lot 31, Block 1, New City Block 15911, Crosswinds C & D Subdivision, according to plat thereof recorded in Volume 9565, Page 199, of the Deed and Plat records of Bexar County, Texas;

THENCE S 30°14'32" E a distance of 29.16 feet along and with the Southwest Right-of-Way line of said Tech Com, to a Mag Nail Found at the point of curvature of a curve to the left;

THENCE Along and with the Southwest Right-of-Way line of said Tech Com and said curve to the left, having the following parameters: Radius = 430.00 feet, Arc Length = 424.02 feet, Chord Bearing S 58°24'45" E and a Chord Distance = 407.05 feet to a 1/2-Inch Iron Rod with cap stamped "MBC" Found at the point of curvature of a curve to the right;

THENCE continuing along and with the Southwest Right-of-Way line of said Tech Com and said curve to the right, having the following parameters: Radius = 370.00 feet, Arc Length = 36.13 feet, Chord Bearing S 83°52'26" E and a Chord Distance = 36.12 feet to the **POINT OF BEGINNING**;

THENCE continuing along and with the Southwest Right-of-Way line of said Tech Com and said curve to the right, having the following parameters: Radius = 370.00 feet, Arc Length = 309.51 feet, Chord Bearing S 57°06'43" E and a Chord Distance = 300.56 feet to a 1/2-Inch Iron Rod with cap stamped "MBC" Found;

THENCE S 33°06'47" E a distance of 44.67 feet along and with the Southwest Right-of-Way line of said Tech Com, to a 1/2-Inch Iron Rod with cap stamped "MBC" Found for the point of curvature of a curve to the right;

THENCE Along said curve to the right, having the following parameters: Radius = 15.00 feet, Arc Length = 23.45 feet, Chord Bearing S 11°51'24" W and a Chord Distance = 21.13 feet to a 1/2-Inch Iron Rod with cap stamped "MBC" Found on the Northwest Right-of-Way line of Crosswinds Way;

Z2018169

THENCE S 56°52'11" W a distance of 416.56 feet along and with the Northwest Right-of-Way line of said Crosswinds Way to a 1/2-Inch Iron Rod Found for the point of curvature of a curve to the left;

THENCE Along and with the Northwest Right-of-Way line of said Crosswinds Way and said curve to the left, having the following parameters: Radius = 743.00 feet, Arc Length = 432.29 feet, Chord Bearing S 40°12'39" W and a Chord Distance = 426.22 feet to a point;

THENCE N 66°41'47" W a distance of 106.47 feet departing the Northwest Right-of-Way line of said Crosswinds Way, into and across said 71.678 Acre Tract to a point;

THENCE S 89°11'10" W a distance of 312.61 feet continuing across said 71.678 Acre Tract to a point on the East line of a called 5.00 Acre Tract as described in Warranty Deed recorded in Volume 8005, Page 1896, of the Official Public records of Bexar County, Texas;

THENCE N 27°44'34" W a distance of 518.48 feet along and with the East line of said 5.00 Acre Tract to a point, and a 1/2-Inch Iron Rod with cap stamped "MBC" Found and marking the Northeast corner of said 5.00 Acre Tract bears S 27°44'34" E a distance of 133.64 feet;

THENCE N 53°52'44" E a distance of 579.94 feet departing the East line of said 5.00 Acre Tract, into and across said 71.678 Acre tract, to a point;

THENCE S 36°07'16" E a distance of 366.93 feet to a point;

THENCE N 53°52'44" E a distance of 394.30 feet to the **POINT OF BEGINNING** and containing 13.29 Acres of land, (579,098 SQUARE FEET +/-) more or less as surveyed by Macina, Bose, Copeland, and Associates, Inc. under the direct supervision of Joel Christian Johnson, R.P.L.S.;


Note: A Zoning Exhibit that is made a part hereof and shall accompany this instrument.

Joel Christian Johnson, R.P.L.S. No.5578 TBPLS FIRM REGISTRATION #10011700

32008-1674 March 23, 2018



 $\mathbf{Z}\mathbf{2}$ 1 18 6 200 D.P.R. R.P.R. 3) BEARINGS ARE BASED ON TEXAS STATE PLANE COORDINATE SYSTEM GRID SOUTH CENTRAL ZONE NAD 83 (CORS). 1. THE PURPOSE OF THIS EXHIBIT AND METES AND BOUNDS DESCRIPTION IS FOR A CHANGE OF ZONING CASE WITH THE A TITLE COMMITMENT, AND MAY NOT SHOW ALL EASEMENTS 2. THIS EXHIBIT WAS PREPARED WITHOUT THE BENEFIT OF OR OTHER MATTERS THAT AFFECT THIS PROPERTY CITY OF SAN ANTONIO. NO IMPROVEMENTS SHOWN • • Curve # င္ပ Ω င္ယ S $\overline{\Omega}$ SCALE: 1/2" IRON ROD WITH CAP STAMPED "MBC" FOUND (UNLESS NOTED OTHERWISE) BEXAR COUNTY, TEXAS DEED AND PLAT RECORDS (UNLESS NOTED OTHERWISE) REAL PROPERTY RECORDS BEXAR COUNTY, TEXAS. 12" IRON ROD FOUND LEGEND Length 432.29 23.45 309.51 36.13' 424.02 -**NORTH** 370.00 743.00' 370.00 430.00' Radius 15.00' II 200 100 33°20'08" 89°34'01" 47°55'44" 56°29'59" 5°35'43" Delta Curve Table 200 S27°44'34"E VOL. 7595, PG. A CALLED 71.678 AC. TRACT 164.46 Tangent 222.46 14.89 18.08 231.05 A PORTION OF VOL. 8005, PG. 1896 5.00 ACRE TRACT A CALLED S 40°12'39" W S 11°51'24" W **Chord Bearing** S 57°06'43" E S 58°24'45" E S 83°52'26" E 133.64'-Chord Length 300.56 407.05 426.22 21.13 36.12 BLOCK 1, N.C.B. 15911 "AE'AA VARIABLE WIDTH DRAINAGE ESMT VOL. 9560, PG. 18 (D.P.R.) CROSSWINDS C & D VOL. 9565, PG. 199 POINT OF COMMENCEMENT LOT 31 BEXAR COUNTY, TEXAS, SAID 13.29 ACRE TRACT ALSO BEING OUT OF A CALLED 71.678 ACRE TRACT OF LAND AS DESCRIBED IN GENERAL WARRANTY DEED RECORDED IN VOLUME 7595, PAGE 988, OF THE SITUATED IN THE CITY OF SAN ANTONIO, NEW CITY BLOCK 15911 BEING A 13.29 ACRE (579,098 SQUARE FEET +/-) TRACT OF LAND OFFICIAL PUBLIC RECORDS OF BEXAR COUNTY, TEXAS. ZONING EXHIBIT: S 89°11'10" W 79.9× A CALLED 71.678 AC. TRACT VOL. 7595, PG. 988 N 66°41'47" W A PORTION OF 312.61 VOL. 9565, PG. 199 (D.P.R.) VARIABLE WIDTH DRAINAGE ESM'T 106.47 579,098 SQ. FT. +/-13.29 ACRES DRAINAGE ESM'T VARIABLE WIDTH VOL. 9560, PG. 18 (D.P.R.) VOL. 7595, PG. 988 71.678 AC. TRACT A PORTION OF 40H A CALLED JOEL OF -S30°14'32"E 29.16' CROSSWINDS WAY NO. 5578 នួ S 33°06'47" E DATE PAGE CHECKED DRAWN DESIGN OB NO. San Antonio, Texas 78232 (210) 545-1122 FAX (210) 545-930; FIRM REGISTRATION NUMBER: T.B.P.E. F-784 & T.B.P.L.S. 100117(POINT OF CHRISTIAN **MZGIZMMZS** BEGINNING 5578 32008-1674 2018-03-22 44.67 RAC 잋 ဉ် ALL NOSNHOP



MACINA . BOSE . COPELAND and ASSOCIATES, INC

CONSULTING ENGINEERS AND LAND SURVEYORS

1035 Central Parkway North, San Antonio, Texas 78232 (210) 545-1122 FAX (210) 545-9302 TBPE Firm Registration #784 | TBPLS Firm Registration #10011700 | SBE Certified #214046463 www.mbcengineers.com

METES AND BOUNDS DESCRIPTION TO ACCOMPANY ZONING EXHIBIT

Z2012169

BEING A 7.94 ACRE (345,841 SQUARE FEET +/-) TRACT OF LAND SITUATED IN THE CITY OF SAN ANTONIO, NEW CITY BLOCK 15911, BEXAR COUNTY, TEXAS, SAID 7.94 ACRE TRACT ALSO BEING OUT OF A CALLED 71.678 ACRE TRACT OF LAND AS DESCRIBED IN GENERAL WARRANTY DEED RECORDED IN VOLUME 7595, PAGE 988, OF THE OFFICIAL PUBLIC RECORDS OF BEXAR COUNTY, TEXAS; AND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING at a Mag Nail Found on the West Right-of-Way Line of Crosswinds Way, and marking the North end of a Right-of-way flair of the North Right-of-Way line of Weidner Road;

THENCE S 44°06'13" W a distance of 25.45 feet along and with said Right-of-Way flair, to a 1/2-Inch Iron Rod with cap stamped "MBC" Found;

THENCE S 00°58'12" E a distance of 6.08 feet along and with said Right-of-Way flair, to a 1/2-Inch Iron Rod with cap stamped "MBC" Found on the North Right-of-Way line of said Weidner Road;

THENCE S 89°10'32" W a distance of 883.52 feet along and with the North Right-of-Way line of said

Weidner Road to a 1/2-Inch Iron Rod Found on the East Right-of-Way line of Weidner Road;

THENCE N 00°09'23" W a distance of 379.62 feet along and with the East Right-of-Way line of said

Weidner Road to a 1/2-Inch Iron Rod with cap stamped "MBC" Found, and marking the Southwest corner of a called 5.00 Acre Tract as described in Warranty Deed recorded in Volume 8005, Page 1896, of the Official Public records of Bexar County, Texas;

THENCE N 89°59'54" E a distance of 556.96 feet along and with the South line of said 5.00 Acre Tract and with the North line of this tract to a point, and marking the Southeast corner of said 5.00 Acre Tract;

THENCE N 27°44'34" W a distance of 7.57 feet along and with the East line of said 5.00 Acre Tract to a point;

THENCE N 89°11'10" E a distance of 312.61 feet departing the East line of said 5.00 Acre Tract, across said 71.678 Acre Tract to a point;

THENCE S 66°41'47" E a distance of 106.47 feet, continuing across said 71.678 Acre Tract to a point on the curved West Right-of-Way line of said Crosswinds Way;

Z2018169

THENCE Along and with the curved West Right-of-Way line of said Crosswinds Way (to the left) having the following parameters: Radius = 743.00 feet, Arc Length = 314.26 feet, Chord Bearing S 11°25'33" W and a Chord Distance = 311.93 feet to a Mag Nail Found;

THENCE S 00°41'29" E a distance of 5.84 feet, along with the West line of said Crosswinds Way, to the **POINT OF BEGINNING** and containing 7.94 Acres of land, (345,841 SQUARE FEET +/-) more or less as surveyed by Macina, Bose, Copeland, and Associates, Inc. under the direct supervision of Joel Christian Johnson, R.P.L.S.;

Note: A Zoning Exhibit that is made a part hereof and shall accompany this instrument.

JOEL CHRISTIAN JOHNSON
5578
SUR

Joel Christian Johnson, R.P.L.S. No.5578 TBPLS FIRM REGISTRATION #10011700

32008-1674 March 22, 2018



