

#### LEGAL DESCRIPTION 172.149 ACRES OF LAND I-1 ZONING

172.149 acres of land located in the Clemente Texada Survey Number 133, Abstract Number 743, New City Blocks 12867, 17992 and 35098, City of San Antonio, Bexar County, Texas and being a portion of that certain called 701.078 acres conveyed to Rosillo Creek Development, LTD., as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas; said 172.149 acres being more particularly described as follows:

**BEGINNING,** at a point located in the westerly right of way line of Foster Road and being located N 00deg 30' 19" E, 1287.55 feet from a found ½ inch iron rod marking the most easterly end of a cutback corner at the intersection of the westerly right of way line of Foster Road with the northerly right of way line of F.M. 1346 (St. Hedwig Road)

**THENCE,** leaving the westerly right of way line of Foster Road, into the said 701.078 acres and along the current RM-4 Zoning line, the following courses:

North 59deg 18' 45" West, a distance of 3.50 feet, to a found ½ inch iron rod;

North 54deg 45' 43" West, a distance of 46.74 feet, to a point;

North 74deg 32' 03" West, a distance of 384.75 feet, to a point;

Westerly, along the arc of a curve to the left having a radius of 332.45 feet, a central angle of 15deg 21' 49", an arc length of 89.15 feet and a chord bearing: N 83deg 50' 08" W, 88.88 feet, to a point;

South 87deg 54' 25" West, a distance of 98.14 feet, to a point;

North 01deg 28' 55" West, a distance of 143.06 feet, to a point;

North 88deg 30' 55" East, a distance of 13.90 feet, to a point;

North 02deg 10' 58" West, a distance of 294.06 feet, to a point;

South 89deg 40' 18" West, a distance of 2348.03 feet, to the approximate centerline of a Variable Width Drainage Easement (Rosillo Creek), according to the map or plat thereof recorded in Volume 9519, Pages 108-119, Deed and Plat Records of Bexar County, Texas;

THENCE, along the approximate centerline of said drainage easement (Rosillo Creek), the following courses:

Northerly, along the arc of a curve to the left having a radius of 710.88 feet, a central angle of 28deg 43' 43", an arc length of 710.88 feet and a chord bearing: N 13deg 12' 14" E, 352.72 feet, to a point;

North 05deg 24' 14" West, a distance of 527.57 feet, to a point;

Northerly, along the arc of a curve to the right having a radius of 494.84 feet, a central angle of 25deg 13' 33", an arc length of 217.86 feet and a chord bearing: N 04deg 47' 24" E, 216.11 feet, to a point;

North 17deg 24' 10" East, a distance of 213.36 feet, to a point;

Northerly, along the arc of a curve to the right having a radius of 1821.28 feet, a central angle of 14deg 06' 29", an arc length of 448.46 feet and a chord bearing: N 28deg 02' 12" E, 447.33 feet, to a point;

North 32deg 53' 05" East, a distance of 1013.54 feet, to a point;

Northerly, along the arc of a curve to the left having a radius of 987.00 feet, a central angle of 13deg 40' 13", an arc length of 235.49 feet and a chord bearing: N 21deg 57' 29" E, 234.93 feet, to a point;

North 90deg 00' 00" East, a distance of 1978.62 feet, to a point located in the westerly right of way line of Foster Road;

THENCE, along the westerly right of way line of Foster Road, the following courses:

South 00deg 05' 46" East, a distance of 115.32 feet, to found ½ inch iron rod; South 00deg 15' 17" East, a distance of 290.77 feet, to found ½ inch iron rod;

South 69deg 26' 29" West, a distance of 3.29 feet, to found ½ inch iron rod;
South 00deg 12' 17" East, a distance of 184.50 feet, to found ½ inch iron rod;
North 68deg 44' 33" East, a distance of 3.18 feet, to found ½ inch iron rod;
South 00deg 10' 27" East, a distance of 1715.50 feet, to found ½ inch iron rod;
South 00deg 01' 29" East, a distance of 1006.41 feet, to the **POINT OF BEGINNING** and containing 172.149 acres (7,498,819 square feet) of land, more or less.

Basis of bearings is the southeasterly right of way line of Interstate Highway No. 10, as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas: N 70deg 02' 00" E.

This description was prepared for zoning purposes only.

us w kusell 11/19/18

This document was prepared under 22 TAC 663.21, does not reflect the results of an on the ground survey, and is not to be used to convey or establish interests in real property except those rights and interests implied or established by the creation or reconfiguration of the boundary of the political subdivision for which it was prepared.

James W. Russell

Registered Professional Land Surveyor No. 4230

**Cude Engineers** 

4122 Pond Hill Road, Suite 101

San Antonio, Texas 78231

TBPLS Firm No. 10048500


TBPE Firm No. 455

Job No. 03331.000.0

September 5, 2018; Revised: November 19, 2018

J.W.R.





O.P.R.B.C. = OFFICIAL RECORDS BEXAR COUNTY, TEXAS

D.P.R.B.C. = DEED AND PLAT RECORDS BEXAR COUNTY, TEXAS

P.O.B.

= POINT OF BEGINNING

0

= 1/2" IRON ROD FOUND



 BASIS OF BEARINGS: Texas State Plane Coordinate System, South Central Zone (4204), NAD 83 (93).



CUDE ENGINEERS
4122 POND HILL RD. • SUITE 101
SAN ANTONIO, TEXAS 78231
TEL 210.681.2951 • FAX 210.523.7112
WWW.CUDEENGINEERS.COM
TBPE FIRM #455
TBPLS FIRM #10048500

#### **EXHIBIT OF**

172.149 acres of land located in the Clemente Texada Survey Number 133, Abstract Number 743, City of San Antonio, Bexar County, Texas and being a portion of that certain called 701.078 acres conveyed to Rosillo Creek Development, LTD., as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas.

DATE: SEPTEMBER 5, 2018

JOB NO.: 03331.000

EPRODUCTION OF THE ORIGINAL SIGNED AND SEALED PLAN AND/OR ELECTRONIC MEDIA MAY HAVE BEEN INADVERTENTLY ALTERED. CONTRACTOR IS RESPONSIBLE FOR VERIFYING THE SCALE OF THE DOCUMENT AND CONTACTING CUDE ENGINEERS TO VERIFY DISCREPANCIES PRIOR TO CONSTRUCTION

CURVE TABLE					
CURVE NO.	DELTA	ARC LENGTH	RADIUS	CHORD BEARING	CHORD DIST.
C1	15°21'49"	89.15'	332.45'	N83°50'08"W	88.88'
C2	28°43'43"	356.44'	710.88'	N13°12'14"E	352.72'
С3	25°13'33"	217.86'	494.84'	N04°47'24"E	216.11'
C4	14°06'29"	448.46'	1821.28'	N28°02'12"E	447.33'
C5	13°40'13"	235.49'	987.00'	N21°57'29"E	234.93'

LINE TABLE			
LINE NO.	BEARING	DISTANCE	
L1	N59°18'45"W	3.50'	
L2	N54°45'43"W	46.74'	
L3	N74°32'03"W	384.75'	
L4	S87°54'25"W	98.14'	
L5	N01°28'55"W	143.06'	
L6	N88°30'55"E	13.90'	
L7	N02°10'58"W	294.06'	
L8	S89°40'18"W	2348.03'	
L9	N05°24'14"W	527.57'	
L10	N17°24'10"E	213.36'	
L11	N32°53'05"E	1013.54'	
L12	N90°00'00"E	1978.62'	
L13	S00°05'46"E	115.32'	
L14	S00°15'17"E	290.77'	
L15	S69°26'29"W	3.29'	
L16	S00°12'17"E	184.50'	
L17	N68°44'33"E	3.18'	
L18	S00°10'27"E	1715.50'	
L19	S00°01'29"E	1006.41'	



o:\03331\000\0-Survey\Drawings\SV 03331.000 Base.dwg 2018/09/05 5:59pm bblack

CUDE ENGINEERS
4122 POND HILL RD. • SUITE 101
SAN ANTONIO, TEXAS 78231
TEL 210.681.2951 • FAX 210.523.7112
WWW.CUDEENGINEERS.COM
TBPE FIRM #455
TBPLS FIRM #10048500

## **EXHIBIT OF**

172.149 acres of land located in the Clemente Texada Survey Number 133, Abstract Number 743, City of San Antonio, Bexar County, Texas and being a portion of that certain called 701.078 acres conveyed to Rosillo Creek Development, LTD., as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas.



## LEGAL DESCRIPTION 291.688 ACRES OF LAND I-1 ZONING

291.688 acres of land located in the Clemente Texada Survey Number 133, Abstract Number 743, New City Blocks 12867, 17322, 17992 and 17993, City of San Antonio, Bexar County, Texas and being a portion of that certain called 701.078 acres conveyed to Rosillo Creek Development, LTD., as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas: said 291.688 acres being more particularly described as follows:

BEGINNING, at a found ½ inch iron rod located in the northerly right of way line of F.M. 1346 (St. Hedwig Road) and marking the southwesterly corner of the said 701.078 acre tract;

**THENCE,** along the boundary lines of the said 701.078 acres, the following courses:

North 00deg 06' 16" West, a distance of 1429.44 feet, to a found ½ inch iron rod;

Northeasterly, along the arc of a curve to the right having a radius of 430.00 feet, a central angle of 41deg 21' 12", an arc length of 310.35 feet and a chord bearing: N 20deg 34' 02" E, 303.66 feet, to a found ½ inch iron rod;

North 89deg 59' 02" West, a distance of 711.02 feet, to a found ½ inch iron rod;

North 00deg 07' 30" West, a distance of 430.02 feet, to a found ½ inch iron rod;

North 89deg 49' 49" East, a distance of 399.49 feet, to a found ½ inch iron rod;

North 00deg 02' 52" West, a distance of 2813.76 feet, to a found ½ inch iron rod;

North 89deg 45' 57" East, a distance of 209.60 feet, to a found ½ inch iron rod;

North 00deg 13' 18" West, a distance of 1104.73 feet, to a found ½ inch iron rod;

North 70deg 07' 28" East, a distance of 105.63 feet, to a found ½ inch iron rod;

North 00deg 11' 24" West, a distance of 435.34 feet, to a found ½ inch iron rod located in the southeasterly right of way line of Interstate Highway No. 10 (IH 10);

THENCE, North 70deg 02' 00" East, along the southeasterly right of way line of IH 10, a distance of 2075.47 feet, to the approximate centerline of a Variable Width Drainage Easement (Rosillo Creek), according to the map or plat thereof recorded in Volume 9519, Pages 108-119, Deed and Plat Records of Bexar County, Texas;

THENCE, along the approximate centerline of said drainage easement (Rosillo Creek), the following courses:

South 16deg 58' 43" East, a distance of 327.66 feet, to a point;

South 21deg 35' 25" West, a distance of 53.37 feet, to a point;

South 11deg 17' 33" West, a distance of 352.14 feet, to a point;

South 18deg 32' 15" West, a distance of 312.29 feet, to a point;

Southerly, along the arc of a curve to the left having a radius of 835.64 feet, a central angle of 51deg 43' 53", an arc length of 754.49 feet and a chord bearing: S 07deg 02' 58" E, 729.12 feet, to a point;

Southerly, along the arc of a curve to the right having a radius of 1006.75 feet, a central angle of 27deg 49' 36", an arc length of 488.95 feet and a chord bearing: S 24deg 35' 14" E, 484.16 feet, to a point;

South 09deg 02' 38" East, a distance of 233.22 feet, to a point;

South 10deg 16' 53" East, a distance of 165.00 feet, to a point;

Southerly, along the arc of a curve to the right having a radius of 987.00 feet, a central angle of 38deg 17' 44", an arc length of 659.69 feet and a chord bearing: S 09deg 38' 43" W, 647.48 feet, to a point;

South 32deg 53' 05" West, a distance of 1013.54 feet, to a point;

Southerly, along the arc of a curve to the left having a radius of 1821.28 feet, a central angle of 14deg 06' 29", an arc length of 448.46 feet and a chord bearing: S 28deg 02' 12" W, 447.33 feet, to a point;

South 17deg 24' 10" West, a distance of 213.36 feet, to a point;

Southerly, along the arc of a curve to the left having a radius of 494.84 feet, a central angle of 25deg 13' 33", an arc length of 217.86 feet and a chord bearing: S 04deg 47' 24" W, 216.11 feet, to a point;

South 05deg 24' 14" East, a distance of 527.57 feet, to a point;

Southerly, along the arc of a curve to the right having a radius of 800.00 feet, a central angle of 28deg 43' 43", an arc length of 401.13 feet and a chord bearing: S 14deg 49' 58" W, 396.94 feet, to a point;

South 29deg 11' 50" West, a distance of 119.13 feet, to a point;

11/19/18

Southerly, along the arc of a curve to the left having a radius of 800.00 feet, a central angle of 39deg 20' 14", an arc length of 549.25 feet and a chord bearing: S 09deg 31' 43" W, 538.53 feet, to a point;

South 12deg 52' 47" East, a distance of 848.33 feet, to a point located in the northerly right of line of F.M. 1346 (St. Hedwig Road;

THENCE, along the northerly right of way line of said F. M. 1346 (St. Hedwig Road), the following courses:

North 89deg 57' 40" West, a distance of 550.58 feet, to a found ½ inch iron rod;

South 26deg 57' 58" West, a distance of 11.41 feet, to a found ½ inch iron rod;

North 89deg 57' 29" West, a distance of 791.28 feet, to the **POINT OF BEGINNING** and containing 291.688 acres (12,705,944 square feet) of land, more or less.

Basis of bearings is the southeasterly right of way line of Interstate Highway No. 10, as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas: N 70deg 02' 00" E.

This description was prepared for zoning purposes only.

This document was prepared under 22 TAC 663.21, does not reflect the results of an on the ground survey, and is not to be used to convey or establish interests in real property except those rights and interests implied or established by the creation or reconfiguration of the boundary of the political subdivision for which it was prepared.

James W. Russell

Registered Professional Land Surveyor No. 4230

**Cude Engineers** 

4122 Pond Hill Road, Suite 101 San Antonio, Texas 78231

TBPLS Firm No. 10048500


TBPE Firm No. 455

Job No. 03331.000.0

September 5, 2018; Revised: November 19, 2018

J.W.R.





O.P.R.B.C. = OFFICIAL RECORDS BEXAR COUNTY, TEXAS

D.P.R.B.C. = DEED AND PLAT RECORDS BEXAR COUNTY, TEXAS

P.O.B. = POINT OF BEGINNING = 1/2" IRON ROD FOUND 0

#### NOTES:

1. BASIS OF BEARINGS: Texas State Plane Coordinate System, South Central Zone (4204), NAD 83 (93).



P:\03331\000\0-Survey\Drawings\SV 03331.000 Base.dwg 2018/11/19 9:18am wsanchez

**CUDE ENGINEERS** 4122 POND HILL RD. • SUITE 101 SAN ANTONIO, TEXAS 78231 TEL 210.681.2951 • FAX 210.523.7112 WWW.CUDEENGINEERS.COM TBPE FIRM #455 TBPLS FIRM #10048500

# **EXHIBIT OF**

291.688 acres of land located in the Clemente Texada Survey Number 133, Abstract Number 743, City of San Antonio, Bexar County, Texas and being a portion of that certain called 701.078 acres conveyed to Rosillo Creek Development, LTD., as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas.

DATE: SEPTEMBER 5, 2018


JOB NO.: 03331.000

LEPRODUCTION OF THE ORIGINAL SIGNED AND SEALED PLAN AND/ORE ELECTRONIC MEDIA MAY HAVE BEEN INADVERTENTLY ALTERED. CONTRACTOR IS RESPONSIBLE FOR VERIFYING THE SCALE OF THE DOCUMENT AND CONTACTING CLIDE ENGINEERS TO VERIFY DISCREPANCIES PRIOR TO CONSTRUCTION

CURVE TABLE					
CURVE NO.	DELTA	ARC LENGTH	RADIUS	CHORD BEARING	CHORD DIST.
C1	41°21'12"	310.35'	430.00'	N20°34'02"E	303.66'
C2	51°43'53"	754.49'	835.64'	S07°02'58"E	729.12'
C3	27°49'36"	488.95'	1006.75'	S24°35'14"E	484.16'
C4	38°17'44"	659.69'	987.00'	S09°38'43"W	647.48'
C5	14°06'29"	448.46'	1821.28'	S28°02'12"W	447.33'
C6	25°13'33"	217.86'	494.84'	S04°47'24"W	216.11'
C7	28°43'43"	401.13'	800.00'	S14°49'58"W	396.94'
C8	39°20'14"	549.25'	800.00'	S09°31'43"W	538.53'

LINE TABLE			
LINE NO.	BEARING DISTANCE		
L1	N00°06'16"W	1429.44'	
L2	N89°59'02"W	711.02'	
L3	N00°07'30"W	430.02'	
L4	N89°49'49"E	399.49'	
L5	N00°02'52"W	2813.76'	
L6	N89°45'57"E	209.60'	
L7	N00°13'18"W	1104.73'	
L8	N70°07'28"E	105.63'	
L9	N00°11'24"W	435.31'	
L10	N70°02'00"E	2075.47'	
L11	S16°58'43"E 327.66'		
L12	S21°35'25"W 53.37'		

LINE TABLE			
LINE NO.	BEARING	DISTANCE	
L13	S11°17'33"W	352.14'	
L14	S18°32'15"W	312.29'	
L15	S09°02'38"E	233.22'	
L16	S10°16'53"E 165.00'		
L17	S32°53'05"W	1013.54'	
L18	S17°24'10"W	213.36'	
L19	S05°24'14"E	527.57'	
L20	S29°11'50"W	119.13'	
L21	S12°52'47"E	848.33'	
L22	N89°57'40"W	550.58'	
L23	S26°57'58"W 11.41'		
L24	N89°57'29"W 791.28'		




P:\03331\000\0-Survey\Drawings\SV 03331.000 Base.dwg 2018/09/05 6:00pm bblack

CUDE ENGINEERS
4122 POND HILL RD. • SUITE 101
SAN ANTONIO, TEXAS 78231
TEL 210.681.2951 • FAX 210.523.7112
WWW.CUDEENGINEERS.COM
TBPE FIRM #455
TBPLS FIRM #10048500

#### **EXHIBIT OF**

291.688 acres of land located in the Clemente Texada Survey Number 133, Abstract Number 743, City of San Antonio, Bexar County, Texas and being a portion of that certain called 701.078 acres conveyed to Rosillo Creek Development, LTD., as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas.



#### LEGAL DESCRIPTION 122.734 ACRES OF LAND I-1 ZONING

122,734 acres of land located in the Clemente Texada Survey Number 133, Abstract Number 743, New City Blocks 17992, 17993 and 35098, City of San Antonio, Bexar County, Texas and being a portion of that certain called 701.078 acres conveyed to Rosillo Creek Development, LTD., as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas; said 122.734 acres being more particularly described as follows:

**BEGINNING**, at a found ½ inch iron rod located in the westerly right of way line of Foster Road and marking the most easterly northeast corner of the said 701.078 acres;

**THENCE**, along the westerly right of way line of Foster Road, the following courses:

South 00deg 25' 43" East, a distance of 1398.71 feet, to a found ½ inch iron rod; South 00deg 05' 46" East, a distance of 725.69 feet, to a point;

THENCE, North 90deg 00' 00" West, leaving the westerly right of way line of Foster Road, a distance of 1978.62 feet, to the approximate centerline of a Variable Width Drainage Easement (Rosillo Creek), according to the map or plat thereof recorded in Volume 9519, Pages 108-119, Deed and Plat Records of Bexar County, Texas;

THENCE, along the approximate centerline of said drainage easement (Rosillo Creek), the following courses:

Northerly, along the arc of a curve to the left having a radius of 987.00 feet, a central angle of 24deg 37' 31", an arc length of 424.20 feet and a chord bearing: N 02deg 48' 37" E, 420.95 feet, to a point;

North 10deg 16' 53" West, a distance of 165.00 feet, to a point;

North 09deg 02' 38" West, a distance of 233.22 feet, to a point;

Northerly, along the arc of a curve to the left having a radius of 1006.75 feet, a central angle of 27deg 49' 36", an arc length of 488.95 feet and a chord bearing: N 24deg 35' 14" W, 484.16 feet, to a point;

Northerly, along the arc of a curve to the right having a radius of 835.64 feet, a central angle of 51deg 43' 53", an arc length of 754.49 feet and a chord bearing: N 07deg 02' 58" W, 729.12 feet, to a point;

North 18deg 32' 15" East, a distance of 312.29 feet, to a point;

North 11deg 17' 33" East, a distance of 352.14 feet, to a point;

North 21deg 35' 25" East, a distance of 53.37 feet, to a point;

North 16deg 58' 43" West, a distance of 327.66 feet, to a point located in the southeasterly right of way line of Interstate Highway No, 10 (IH 10);

THENCE, North 70deg 02' 00" East, along the southeasterly right of way line of IH 10, a distance of 363.38 feet, to a found 1/2 inch iron rod;

THENCE, leaving the southeasterly right of way line of IH 10 and into the said 701.078 acres, the following courses:

South 19deg 58' 01" East, a distance of 597.55 feet, to a found ½ inch iron rod;

North 70deg 02' 00" East, a distance of 731.11 feet, to a found ½ inch iron rod;

South 00deg 13' 00" East, a distance of 660.34 feet, to a found ½ inch iron rod;

North 89deg 29' 00" East, a distance of 975.93 feet, to the POINT OF BEGINNING and containing 122.734 acres (5,346,308 square feet) of land, more or less.

#### Z2018128 / PA 18041

Basis of bearings is the southeasterly right of way line of Interstate Highway No. 10, as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas: N 70deg 02' 00" E.

This description was prepared for zoning purposes only.

11/19/18

This document was prepared under 22 TAC 663.21, does not reflect the results of an on the ground survey, and is not to be used to convey or establish interests in real property except those rights and interests implied or established by the creation or reconfiguration of the boundary of the political subdivision for which it was prepared.

James W. Russell

Registered Professional Land Surveyor No. 4230

**Cude Engineers** 

4122 Pond Hill Road, Suite 101

San Antonio, Texas 78231

TBPLS Firm No. 10048500

TBPE Firm No. 455

Job No. 03331.000.0

September 5, 2018; Revised: November 19, 2018

J.W.R.



P.O.B.

= POINT OF BEGINNING

0

= 1/2" IRON ROD FOUND

 BASIS OF BEARINGS: Texas State Plane Coordinate System, South Central Zone (4204), NAD 83 (93).



CUDE ENGINEERS
4122 POND HILL RD. • SUITE 101
SAN ANTONIO, TEXAS 78231
TEL 210.681.2951 • FAX 210.523.7112
WWW.CUDEENGINEERS.COM
TBPE FIRM #455
TBPLS FIRM #10048500

# **EXHIBIT OF**

122.734 acres of land located in the Clemente Texada Survey Number 133, Abstract Number 743, City of San Antonio, Bexar County, Texas and being a portion of that certain called 701.078 acres conveyed to Rosillo Creek Development, LTD., as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas.

DATE: SEPTEMBER 5, 2018

JOB NO.: 03331.000

PRODUCTION OF THE ORIGINAL SIGNED AND SEALED PLAN AND/OR ELECTRONIC MEDIA MAY HAVE BEEN INADVERTENTLY ALTERED. CONTRACTOR IS RESPONSIBLE FOR VERIPYING THE SCALE OF THE DOCUMENT AND CONTACTING CUDE ENGINEERS TO VERIPY DISCREPANCIES

ı	E S
ı	Ä
ı	Ž
ı	Ш
۱	Š
ı	ă
ı	≟
ı	É
ı	9
ı	S
ı	Ш
ı	뜭
ı	ž
ı	핌
ı	5
ı	ğ
ı	Ê
ı	₹
ı	S
ı	Ö
ı	¥
ı	Ę
۱	₩
۱	3
۱	8
١	Ψ
ĺ	F
١	20
١	K
١	S
ı	Ξ
ı	5
ı	₹
ı	æ
ı	≅
ı	Ö
ı	፵
ı	뜴
ı	Š
ı	SP
	뿚
	25
	ᅙ
	Š
	Ę
	õ
	ä
	뭂
	Ë
	₹
	Ĕ
	É
	Ē
	ð
	ì
	K
	ä
	₹
	ĭ
	₹
	¥
	븢
	$\overline{c}$
	õ
	EGR
	~
	9
	AN AND
	ž
	5
	日
	SEALE
	DSE
	ANDS
	â
	SIGNED /
	AL SK
	IGINAL
	틾
	ш

		CURV	'E TABLE		
CURVE NO.	DELTA	ARC LENGTH	RADIUS	CHORD BEARING	CHORD DIST.
C1	24°37'31"	424.20'	987.00'	N02°48'37"E	420.95'
C2	27°49'36"	488.95'	1006.75'	N24°35'14"W	484.16'
C3	51°43'53"	754.49'	835.64'	N07°02'58"W	729.12'

LINE TABLE				
LINE NO.	BEARING	DISTANCE		
L1	S00°25'43"E	1398.71'		
L2	S00°05'46"E	725.69'		
L3	N90°00'00"W	1978.62'		
L4	N10°16'53"W	165.00'		
L5	N09°02'38"W	233.22'		
L6	N18°32'15"E	312.29'		
L7	N11°17'33"E	352.14'		
L8	N21°35'25"E	53.37'		
L9	N16°58'43"W	327.66'		
L10	N70°02'00"E	363.38'		
L11	S19°58'01"E	597.55'		
L12	N70°02'00"E	731.11'		
L13	S00°13'00"E 660.34'			
L14	S89°29'00"E 975.93'			



P:\03331\000\0-Survey\Drawings\SV 03331.000 Base.dwg 2018/09/05 5:01pm bblack

CUDE ENGINEERS
4122 POND HILL RD. • SUITE 101
SAN ANTONIO, TEXAS 78231
TEL 210.681.2951 • FAX 210.523.7112
WWW.CUDEENGINEERS.COM
TBPE FIRM #455
TBPLS FIRM #10048500

# **EXHIBIT OF**

122.734 acres of land located in the Clemente Texada Survey Number 133, Abstract Number 743, City of San Antonio, Bexar County, Texas and being a portion of that certain called 701.078 acres conveyed to Rosillo Creek Development, LTD., as described in Volume 9955, Page 2109, Official Public Records of Bexar County, Texas.