# TRANSPORTATION & CAPITAL IMPROVEMENTS (TCI)

TC1

Code Amendment: Water & Sewer Modifications to Chapter 34

**City Council A Session Item 17** 

February 14, 2019

Nefi Garza, P.E., Assistant Director

## RECOMMENDATION

TCI requests adopting amendments to Chapter 34 on behalf of SAWS

- Required to meet new Federal and State requirements
  - Reduce discharge of mercury from dental amalgam
  - EPA ruling June 2017
  - TCEQ adoption July 2018
- Streamline and modify program processes
- Clarify existing wording for regulatory purposes

### Pretreatment Program (Ch. 34, Article V, Division 3)

- Add new EPA-mandated regulation for Dental offices
  - Disposal of dental amalgam (mercury)
- Require dental offices to register with SAWS and meet state and federal regulations
- Update verbiage to bring consistency throughout the code to define SAWS as the Control Authority



#### Storm Water (Ch. 34, Article VI, Division 5)

- Amend for clarification of references for registered/certified professionals for the Construction Storm Water Program
- Update the prohibited discharge listing to protect the Municipal Separate Storm Sewer System (MS4)
  - Any soil, soil material, sediment, rock, gravel, etc. that would reduce the capacity or to cause an obstruction of the MS4
  - Any paint, medical waste, automotive fluids, etc.



### Fire Hydrant Meter Program (Ch. 34, Article II, Division 6)

 Change the required frequency for the re-calibration of hydrant meters from every 6 months to every 12 months

### Backflow Prevention Program (Ch. 34, Article VI, Division 8)

- Establish standardized date to submit annual test reports
- Promote use on online test submittal process
  - Potential to waive submittal fees if submitted online



#### Fats, Oils and Grease Program (Ch. 34, Article V, Division 4)

 Update verbiage to bring consistency throughout code to define SAWS as the Control Authority



#### Nefi Garza, P.E. (210) 207-8024 Nefi.Garza@sanantonio.gov



#TCIbuildsSA | @SanAntonioTCI | www.sanantonio.gov/tci