

= SET 1/2" IRON ROD WITH AN ALUMINUM

UNLESS OTHERWISE NOTED.

= SET "X" ON CONC. = FND FENCE POST

CAP MARKED "ALLIANCE SURVEYORS"

LEGEND: O = FND ½" IRON ROD

R.O.W. = RIGHT-OF-WAY

---750- = EXISTING CONTOURS O. P. R. = OFFICIAL PUBLIC RECORDS BEXAR COUNTY, TEXAS

VOL. = VOLUME

ESM'T. = EASEMENT

-C/L- = CENTERLINE

4

1

N.C.B. = NEW CITY BLOCK

= 10' ELECTRIC, GAS, TELEPHONE

= 14' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT

= 5' ELECTRIC, GAS, TELEPHONE

& CABLE TELEVISION EASEMENT = 16' SANITARY SEWER EASEMENT

= 5' IRREVOCABLE PEDESTRIAN EASEMENT

= 1' VEHICULAR NON-ACCESS EASEMENT

& CABLE TELEVISION EASEMENT 15' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT = 10'x10' ELECTRIC, GAS, TELEPHONE

& CABLE TELEVISION EASEMENT

REMAINDER OF LOT 2, IVY

(VOL. 9524, PG. 14-22 O.P.R.) REMAINDER OF LOT 3, IVY

(VOL. 9524, PG. 14-22 O.P.R.)

REMAINDER OF LOT 7, IVY

(VOL. 9524, PG. 14-22 O.P.R.)

REMAINDER OF LOT 10, IVY

(VOL. 9524, PG. 14-22 O.P.R.) REMAINDER OF LOT 8, IVY (VOL. 9524, PG. 14-22 O.P.R.)

SUBDIVISION

SUBDIVISION

SUBDIVISION

SUBDIVISION

SURVEYOR'S NOTE:
1. PROPERTY CORNERS ARE MONUMENTED WITH CAP OR DISK MARKED

1. PROPERTY CORNERS ARE MONUMENTED WITH CAP OR DISK MARKED "ALLIANCE SURVEYORS" UNLESS NOTED OTHERWISE;
2. COORDINATES SHOWN ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 (CORS 1996) FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED FOR THE SOUTH CENTRAL ZONE DISPLAYED IN GRID VALUES DERIVED FROM THE NGS COOPERATIVE CORS NETWORK; DIMENSIONS SHOWN ARE SURFACE; AND
4. BEARINGS ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 (CORS 1996), FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED FOR THE SOUTH CENTRAL ZONE.

25'x25' SANITARY SEWER TURNAROUND EASEMENT (OFF-LOT 0.014 OF AN ACRE)

PG. = PAGE

C.P.S. NOTE:

1.THE CITY OF SAN ANTONIO AS PART OF ITS ELECTRIC, GAS, WATER, AND WASTEWATER SYSTEMS—
CITY PUBLIC SERVICE BOARD (CPS ENERGY) AND SAN ANTONIO WATER SYSTEM (SAWS)— IS HEREBY
DEDICATED EASEMENTS AND RIGHTS—OF—WAY FOR UTILITY, TRANSMISSION AND DISTRIBUTION
INFRASTRUCTURE AND SERVICE FACILITIES IN THE AREAS DESIGNATED ON THIS PLAT AS "ELECTRIC
EASEMENT," "ANOCHOR EASEMENT," "SERVICE EASEMENT," "OVERHANG EASEMENT," "UTILITY EASEMENT,"
"GAS EASEMENT," "TRANSFORMER EASEMENT," "WATER EASEMENT," "SANITARY SEWER EASEMENT"
AND/OR "RECYCLED WATER EASEMENT" FOR THE PURPOSE OF INSTALLING, CONSTRUCTING,
RECONSTRUCTING, MAINTAINING, REMOVING, INSPECTING, PATROLLING, AND ERECTING UTILITY
INFRASTRUCTURE AND SERVICE FACILITIES FOR THE REASONS DESCRIBED ABOVE. CPS ENERGY AND
SAWS SHALL ALSO HAVE THE RIGHT TO RELOCATE SAID INFRASTRUCTURE AND SERVICE FACILITIES
WITHIN EASEMENT AND RIGHT—OF—WAY AREAS, TOGETHER WITH THE RIGHT OF INGRESS AND EGRESS
OVER GRANITOR'S ADJACENT LANDS FOR THE PURPOSE OF ACCESSING SUCH INFRASTRUCTURE AND
SERVICE FACILITIES AND THE RIGHT TO REMOVE FROM SAID LANDS ALL TREES OR PARTS THEREOF,
OR OTHER OBSTRUCTIONS WHICH ENDANGER OR MAY INTERFERE WITH THE EFFICIENCY OF WATER,
SEWER, GAS, AND/OR ELECTRIC INFRASTRUCTURE AND SERVICE FACILITIES. NO BUILDINGS,
STRUCTURES, CONCRETE SLABS, OR WALLS WILL BE PLACED WITHIN EASEMENT AREAS WITHOUT AN
ENCOROCHMENT AGREEMENT WITH THE RESPECTIVE UTILITY. 4. CONCRETE DRIVEWAY APPROACHES ARE ALLOWED WITHIN THE FIVE (5) AND TEN (10) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN LOTS ARE SERVED ONLY BY UNDERGROUND ELECTRIC AND GAS FACILITIES. 5. ROOF OVERHANGS ARE ALLOWED WITHIN THE FIVE (5) AND TEN (10) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN ONLY UNDERGROUND ELECTRIC AND GAS FACILITIES ARE PROPOSED OR EXISTING WITHIN THOSE FIVE (5) AND TEN (10) FOOT WIDE EASEMENTS.

SAWS HIGH PRESSURE NOTE:
A PORTION OF THE TRACT IS BELOW THE GROUND ELEVATION OF 645 FEET WHERE THE STATIC
PRESSURE WILL NORMALLY EXCEED 80 PSI. AT ALL SUCH LOCATIONS, THE DEVELOPER OR BUILDER
SHALL INSTALL AT EACH LOT, ON THE CUSTOMER'S SIDE OF THE METER, AN APPROVED TYPE
PRESSURE REGULATOR IN CONFORMANCE WITH THE PLUMBING CODE OF THE CITY OF SAN ANTONIO.

SURVEYOR'S NOTE:

1. THE COORDINATES SHOWN ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE, N.A.D. 83 (93) 2. BEARINGS ON THIS PLAT ARE REFERENCED TO RECORD PLAT VOLUME 980 PAGE 207, DEED AND PLAT RECORDS BEXAR COUNTY, TEXAS

3. 1" IRON RODS WITH PLASTIC CAP STAMPED ALLIANCE SURVEYORS SET AT ALL PROPERTY CORNERS UNCESS OTHERWISE SPECIFIED.

WASTEWATER EDU NOTE:
THE NUMBER OF WASTEWATER EQUIVALENT DWELLING UNITS (EDUS) PAID FOR THIS SUBDIVISION PLAT
ARE KEPT ON FILE AT THE SAN ANTONIO WATER SYSTEM UNDER THE PLAT NUMBER ISSUED BY
DEVELOPMENT SERVICES DEPARTMENT.

IN AN EFFORT TO MEET THE CITY OF SAN ANTONIO'S FIRE FLOW REQUIREMENTS FOR THE PROPOSE RESIDENTIAL DEVELOPMENT, THE PUBLIC WATER MAIN SYSTEM HAS BEEN DESIGNED FOR A MINIMUM FIR FLOW REMAND OF 1000 GPM AT 25 PSI RESIDUAL PRESSURE. THE FIRE FLOW REQUIREMENT FOR INDIVIDUAL STRUCTURES WILL BE REVIEWED DURING THE BUILDING PERMIT PROCESS I ACCORDANCE WITH THE PROCEDURES SET FORTH BY THE CITY OF SAN ANTONIO DIRECTOR OF PLANNINI AND DEVELOPMENT SERVICES AND THE SAN ANTONIO FIRE DEPARTMENT FIRE MARSHAL.

SETBACK NOTE: SETBACKS IMPOSED ON THE PLAT ARE AT THE DISCRETION OF THE DEVELOPER OR BEXAR COUNTY AND ARE NOT SUBJECT TO ENFORCEMENT BY THE CITY OF SAN ANTONIO.

FLOODPLAIN NOTE: NO PORTION OF THE FEMA 1% ANNUAL CHANCE (100—YEAR) FLOODPLAIN EXISTS WITHIN THIS PLAT AS VERIFIED BY FEMA MAP PANEL: 48029C0735F, EFFECTIVE SEPTEMBER 29, 2010. FLOODPLAIN INFORMATION IS SUBJECT TO CHANGE AS A RESULT OF FUTURE FEMA MAP REVISIONS AND/OR AMENDMENTS.

STORM WATER DETENTION IS REQUIRED FOR THIS PROPERTY AND IS ACCOUNTED FOR IN AN OFFSITE DETENTION POND LOCATED IN LOT 901, BLOCK 13, NCB 16628, LONESOME DOVE SUBDIVISION UNIT

RESIDENTIAL FINISHED FLOOR ELEVATIONS MUST BE EIGHT INCHES ABOVE FINISHED ADJACENT GRADE. STORM WATER DETENTION IS REQUIRED FOR PROPERTY WITHIN THE BOUNDARY OF THIS PLAT. BUILDING PERMITS SHALL BE ISSUED ONLY IN CONJUNCTION WITH NECESSARY STORM WATER DETENTION APPROVED BY THE CITY OF SAN ANTONIO FLOODPLAIN ADMINISTRATOR. THE PROPERTY MAY BE ELICIBLE TO POST A FEE IN LIEU OF DETENTION (FILO) IF OFFSITE DRAINAGE CONDITIONS ALLOW BUT ONLY WHEN APPROVED BY THE CITY OF SAN ANTONIO FLOODPLAIN ADMINISTRATOR. MAINTENANCE OF ON-SITE STORM WATER DETENTION SHALL BE THE SOLE RESPONSIBILITY OF THE PROPERTY OWNERS AND/OR THE PROPERTY OWNERS 'ASSOCIATION AND ITS SUCCESSORS OR ASSIGNS AND IS NOT THE RESPONSIBILITY OF THE CITY OF SAN ANTONIO OR BEXAR COUNTY.

SAWS DEDICATION NOTE:
THE DEVELOPER DEDICATES THE SANITARY SEWER AND/OR WATER MAINS TO THE SAN ANTONIO WATER
SYSTEM UPON COMPLETION BY THE DEVELOPER AND ACCEPTANCE BY THE SAN ANTONIO WATER
SYSTEM.

TXDOT NOTES:

1. FOR RESIDENTIAL DEVELOPMENT DIRECTLY ADJACENT TO STATE RIGHT OF WAY, THE PROPERTY OWNER SHALL BE RESPONSIBLE FOR ADEQUATE SET—BACK AND/OR SOUND ABATEMENT MEASURES FOR FUTURE NOISE MITIGATION. 2. MAXIMUM ACCESS POINTS TO STATE HIGHWAY FROM THIS PROPERTY WILL BE REGULATED AS DIRECTED BY "ACCESS MANAGEMENT MANUAL". THIS PROPERTY IS ELIGIBLE FOR A MAXIMUM TOTAL OF 1 ACCESS POINT(S) ALONG LOOP 1604, BASED ON THE OVERALL PLATTED HIGHWAY FRONTAGE OF 186 LINEAR FT OF HIGHWAY FRONTAGE. 3. IF SIDEWALKS ARE REQUIRED BY APPROPRIATE CITY ORDINANCE, A SIDEWALK PERMIT MUST BE APPROVED BY TXDOT PRIOR TO CONSTRUCTION WITHIN STATE RIGHT-OF-WAY. LOCATIONS OF SIDEWALKS WITHIN STATE PRICHT-OF-WAY. SHALL BE DIRECTED BY TXDOT.

PLAT NO. 180376

REPLAT ESTABLISHING

LONESOME DOVE, UNIT 1

ESTABLISHING LOTS 1 - 21, BLOCK 10,

N.C.B. 16628; LOTS 1 - 12, BLOCK 12, N.C.B. 16628, LOTS 1 - 10 & LOT 901, BLOCK 13, N.C.B. 16628; LOTS 1 - 15, BLOCK 14, N.C.B. 16628; BEING A TOTAL OF 19.50 ACRES OF LAND, CONSISTING OF A PORTION OF LOTS 2,3,7,8, and 10, BLOCK 1 OF THE IVY SUBDIVISION, VOLUME 9524, PAGES 14-22 DEED AND PLAT RECORDS OF BEXAR COUNTY, TEXAS

FIRM NO. 10194244 13300 OLD BLANCO RD., SUITE 301 SAN ANTONIO, TEXAS 78216 (210) 369-9509 ' WWW.ALLIANCELANDSURVEYOR.COM PAUL M. MORAWSKI, P.E. CONSULTING ENGINEER TBPE FIRM NO. F-11533 8606 WALDON HEIGHTS SAN ANTONIO, TEXAS 78254 (210) 373-8771 PAUL@MORAWSKIPE.COM 1" = 100'GRAPHIC SCALE

ALLIANCE LAND SURVEYORS

STATE IF TEXAS COUNTY OF BEXAR

THE OWNER OF LAND SHOWN ON THIS PLAT, IN PERSON OR THROUGH A DULY AUTHORIZED AGENT, DEDICATES TO THE USE OF THE PUBLIC, EXCEPT AREA IDENTIFIED AS PRIVATE, FOREVER ALL STREETS, ALLEYS, PARKS, WATERCOURSES, DRAINS, EASEMENTS AND PUBLIC AREAS THEREON SHOWN FOR THE PURPOSE AND CONSIDERATION THEREIN EXPRESSED.

OWNER/AGENT: THERESA Y. BRITS
LONESOME DOVE INVESTMENT GROUP, LLC
3201 CHERRY RIDGE, SUITE A104
SAN ANTONIO, TEXAS 78230

APPEARED THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSE AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN STATED.

TIMOTHY JAY DUDUIT Today Obje, State of Texas Onth Spires 05-01-2022 MY COMMISSION EXPIRES: 05-01-2022

THIS PLAT OF LONESOME DOVE, UNIT 1 HAS BEEN SUBMITTED TO AND CONSIDERED BY THE PLANNING COMMISSION OF THE CITY OF SAN ANTONIO, TEXAS, AND IS HEREBY APPROVED BY SUCH COMMISSION IN ACCORDANCE WITH STATE OR LOCAL LAWS AND REGULATIONS; AND/OR WHERE ADMINISTRATE EXCEPTION(S) AND/OR VARIANCE(S) HAVE BEEN GRANTED.

DATED THIS____ __DAY OF___ _, 2018. CHAIRMAN

SECRETARY

I HEREBY CERTIFY THAT THE ABOVE PLAT SUBSTANTIALLY CONFORMS TO THE MINIMUM STANDARDS SET FORTH BY THE TEXAS BOARD OF PROFESSIONAL LAND SUPPLYING ACCORDING TO AN ACTUAL SURVEY MADE ON THE GROUND BY. REGISTERED PROFESSIONAL LAND SURVEYOR

STATE OF TEXAS COUNTY OF BEXAR


I HEREBY CERTIFY THAT THE PROPER ENGINEERING CONSIDERATION HAS BEEN GIVEN THIS PLAT TO THE MATTERS OF STREETS, LOTS AND DRAINAGE LAYOUT. TO THE BEST OF MY KNOWLEDGE THIS PLAT CONFORMS TO ALL REQUIREMENTS OF THE UNIFIED DEVELOPMENT CODE, EXCEPT FOR THOSE VARIANCES GRANTED BY THE SAN ANTONIO

Paul M. Morauski


PAUL M. MORAWSKI, P.E. NO. 46209 REGISTERED PROFESSIONAL ENGINEER PAUL M. MORAWSKI, P.E. TBPE FIRM NO. F-11533 CONSULTING ENGINEER

8606 WALDON HEIGHTS, SAN ANTONIO, TEXAS 78254

(210) 373–8771 * PAUL@MORAWSKIPE.COM








INDEX SHEET







LEGEND: \bigcirc = FND $\frac{1}{2}$ " IRON ROD

= SET ½" IRON ROD WITH AN ALUMINUM CAP MARKED "ALLIANCE SURVEYORS" UNLESS OTHERWISE NOTED.

SET "X" ON CONC. = FND FENCE POST

R.O.W. = RIGHT-OF-WAY VOL. = VOLUME = PAGE

ESM'T. = EASEMENT ---750- = EXISTING CONTOURS

D. P. R. = DEED AND PLAT RECORDS BEXAR COUNTY, TEXAS

-C/L- = CENTERLINE

N.C.B. = NEW CITY BLOCK

= 10' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT

16' SANITARY SEWER EASEMENT = 5' IRREVOCABLE PEDESTRIAN EASEMENT

1' VEHICULAR NON-ACCESS EASEMENT

14' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT

5' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT

= 15' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT 8 10'x10' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT

25'x25' SANITARY SEWER TURNAROUND EASEMENT (OFF-LOT 0.014 OF AN ACRE)

REMAINDER OF LOT 2, IVY 1 (VOL. 9524, PG. 14-22 O.P.R.)

REMAINDER OF LOT 3, IVY 2 SUBDIVISION (VOL. 9524, PG. 14-22 O.P.R.)

REMAINDER OF LOT 7, IVY 3 SUBDIVISION

(VOL. 9524, PG. 14-22 O.P.R.) REMAINDER OF LOT 10, IVY 4 SUBDIVISION

(VOL. 9524, PG. 14-22 O.P.R.) REMAINDER OF LOT 8, IVY

5 SUBDIVISION (VOL. 9524, PG. 14-22 O.P.R.)

SURVEYOR'S NOTE:

1. PROPERTY CORNERS ARE MONUMENTED WITH CAP OR DISK MARKED

COORDINATES SHOWN ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 (CORS 1996) FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED FOR THE SOUTH CENTRAL ZONE DISPLAYED IN GRID VALUES DERIVED FROM THE NGS COOPERATIVE CORS NETWORK; DIMENSIONS SHOWN ARE SURFACE; AND 4. BEARINGS ARE BASED ON THE NORTH AMERICAN DATUM OF 1983

(CORS 1996), FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED FOR THE SOUTH CENTRAL ZONE.

STATE OF TEXAS

I HEREBY CERTIFY THAT THE ABOVE PLAT SUBSTANTIALLY CONFORMS TO THE MINIMUM STANDARDS SET FORTH BY THE TEXAS BOARD OF PROFESSIONAL LAND SURVEYING ACCORDING TO AN ACTUAL SURVEY MADE ON THE GROUND PX:

REGISTERED PROFESSIONAL AND SURVEYOR

STATE OF TEXAS COUNTY OF BEXAR

I HEREBY CERTIFY THAT THE PROPER ENGINEERING CONSIDERATION HAS BEEN GIVEN THIS PLAT TO THE MATTERS OF STREETS, LOTS AND DRAINAGE LAYOUT. TO THE BEST OF MY KNOWLEDGE THIS PLAT CONFORMS TO ALL REQUIREMENTS OF THE UNIFIED DEVELOPMENT CODE, EXCEPT FOR THOSE VARIANCES GRANTED BY THE SAN ANTONIO

Paul M. Morawski P.E. NO. 46209

C.P.S. NOTE:

1.THE CITY OF SAN ANTONIO AS PART OF ITS ELECTRIC, GAS, WATER, AND WASTEWATER SYSTEMS —
CITY PUBLIC SERVICE BOARD (CPS ENERGY) AND SAN ANTONIO WATER SYSTEM (SAWS) — IS HEREBY
DEDICATED EASEMENTS AND RIGHTS—OF—WAY FOR UTILITY, TRANSMISSION AND DISTRIBUTION
INFRASTRUCTURE AND SERVICE FACILITIES IN THE AREAS DESIGNATED ON THIS PLAT AS "ELECTRIC
EASEMENT," "ANCHOR EASEMENT," "SERVICE EASEMENT," "OVERHANG EASEMENT," "UTILITY EASEMENT,"
"GAS EASEMENT," "TRANSFORMER EASEMENT," "WATER EASEMENT," "SANITARY SEWER EASEMENT,"
"AND/OR "RECYCLED WATER EASEMENT" FOR THE PURPOSE OF INSTALLING, CONSTRUCTING,
RECONSTRUCTING, MAINTAINING, REMOVING, INSPECTING, PATROLLING, AND ERECTING UTILITY
INFRASTRUCTURE AND SERVICE FACILITIES FOR THE REASONS DESCRIBED ABOVE. CPS ENERGY AND
SAWS SHALL ALSO HAVE THE RIGHT TO RELOCATE SAID INFRASTRUCTURE AND SERVICE FACILITIES
WITHIN EASEMENT AND RIGHT—OF—WAY AREAS, TOGETHER WITH THE RIFTOF OF INGRESS AND EGRESS
OVER GRANTOR'S ADJACENT LANDS FOR THE PURPOSE OF ACCESSING SUCH INFRASTRUCTURE AND
SERVICE FACILITIES AND THE RIGHT TO REMOVE FROM SAID LANDS ALL TREES OR PARTS THEREOF,
OR OTHER OBSTRUCTIONS WHICH ENDANGER OR MAY INTERFERE WITH THE EFFICIENCY OF WATER,
SEWER, GAS, AND/OR ELECTRIC INFRASTRUCTURE AND SERVICE FACILITIES. NO BUILDINGS,
STRUCTURES, CONCRETE SLABS, OR WALLS WILL BE PLACED WITHIN EASEMENT AREAS WITHOUT AN
ENCROACHMENT AGREEMENT WITH THE RESPECTIVE UTILITY.

4. CONCRETE DRIVEWAY APPROACHES ARE ALLOWED WITHIN THE FIVE (5) AND TEN (10) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN LOTS ARE SERVED ONLY BY UNDERGROUND ELECTRIC AND GAS FACILITIES.

5. ROOF OVERHANGS ARE ALLOWED WITHIN THE FIVE (5) AND TEN (10) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN ONLY UNDERGROUND ELECTRIC AND GAS FACILITIES ARE PROPOSED OR EXISTING WITHIN THOSE FIVE (5) AND TEN (10) FOOT WIDE EASEMENTS.

SAWS HIGH PRESSURE NOTE:
A PORTION OF THE TRACT IS BELOW THE GROUND ELEVATION OF 645 FEET WHERE THE STATIC
PRESSURE WILL NORMALLY EXCEED 80 PSI. AT ALL SUCH LOCATIONS, THE DEVELOPER OR BUILDER
SHALL INSTALL AT EACH LOT, ON THE CUSTOMER'S SIDE OF THE METER, AN APPROVED TYPE
PRESSURE REGULATOR IN CONFORMANCE WITH THE PLUMBING CODE OF THE CITY OF SAN ANTONIO.

SURVEYOR'S NOTE:

1. THE COORDINATES SHOWN ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE, N.A.D. 83 (93) 2. BEARINGS ON THIS PLAT ARE REFERENCED TO RECORD PLAT VOLUME 980 PAGE 207, DEED AND PLAT RECORDS BEXAR COUNTY, TEXAS

3. 3" IRON RODS WITH PLASTIC CAP STAMPED ALLIANCE SURVEYORS SET AT ALL PROPERTY CORNERS UNLESS OTHERWISE SPECIFIED.

THE NUMBER OF WASTEWATER EQUIVALENT DWELLING UNITS (EDUS) PAID FOR THIS SUBDIVISION PLAT ARE KEPT ON FILE AT THE SAN ANTONIO WATER SYSTEM UNDER THE PLAT NUMBER ISSUED BY DEVELOPMENT SERVICES DEPARTMENT. IMPACT FEE: WATER AND WASTEWATER IMPACT FEES WERE NOT PAID AT TIME OF PLATTING FOR THIS PLAT. ALL IMPACT FEES MUST BE PAID PRIOR TO WATER METER SET AND/OR WASTEWATER SERVICE CONNECTION.

SETBACK NOTE: SETBACKS IMPOSED ON THE PLAT ARE AT THE DISCRETION OF THE DEVELOPER OR BEXAR COUNTY AND ARE NOT SUBJECT TO ENFORCEMENT BY THE CITY OF SAN ANTONIO. FLOODPLAIN NOTE:

NO PORTION OF THE FEMA 1% ANNUAL CHANCE (100—YEAR) FLOODPLAIN EXISTS WITHIN THIS PLAT AS VERIFIED BY FEMA MAP PANEL: 48029C0735F, EFFECTIVE SEPTEMBER 29, 2010. FLOODPLAIN INFORMATION IS SUBJECT TO CHANGE AS A RESULT OF FUTURE FEMA MAP REVISIONS AND/OR AMENDMENTS.

LOT 10, BLOCK 1 IVY SUBDIVISION (VOL. 9524, PG. 14-22, D.P.R.)

REMAINING PORTION OF

-12' ELECTRIC ESM'T. (VOL. 9524, PG. 14-22, D.P.R.)

MATCHLINE A SEE SHEET 2 OF 3

STORM WATER DETENTION IS REQUIRED FOR THIS PROPERTY AND IS ACCOUNTED FOR IN AN OFFSITE DETENTION POND LOCATED IN LOT 901, BLOCK 13, NCB 16628, LONESOME DOVE SUBDIVISION UNIT

NAGE EASEMENT NOTE:
STRUCTURE, FENCES, WALLS OR OTHER OBSTRUCTIONS THAT IMPEDE DRAINAGE SHALL BE PLACED
IN THE LIMITS OF THE DRAINAGE EASEMENTS AND RIGHTS—OF—WAY SHOWN ON THIS PLAT. NO
DSCAPING OR OTHER TYPE OF MODIFICATIONS WHICH ALTER THE CROSS—SECTIONS OF THE
INAGE EASEMENT AND RIGHTS—OF—WAY, AS APPROVED, SHALL BE ALLOWED WITHOUT THE
ROVAL OF THE DIRECTOR OF PUBLIC WORKS. THE CITY OF SAN ANTONIO AND BEXAR COUNTY
LL HAVE THE RIGHT OF INGRESS AND EGRESS OVER GRANTOR'S ADJACENT PROPERTY TO REMOVE
'IMPEDING OBSTRUCTIONS PLACED WITHIN THE LIMITS OF SAID DRAINAGE EASEMENTS AND
HTS—OF—WAY, AND TO MAKE ANY MODIFICATIONS OR IMPROVEMENTS WITHIN SAID DRAINAGE
EMENTS AND RIGHTS—OF—WAY.

THE MAINTENANCE OF ALL PRIVATE STREETS, OPEN SPACE, GREENBELTS, PARKS, TREE SAVE AREAS, INCLUDING LOT 901, BLOCK 13, NCB 1662B, DRAINAGE EASEMENTS AND EASEMENTS OF ANY OTHER NATURE WITHIN THIS SUBDIVISION SHALL BE THE RESPONSIBILITY OF THE PROPERTY OWNERS, OR THE PROPERTY OWNERS' ASSOCIATION, OR ITS SUCCESSORS OR ASSIGNS AND NOT THE RESPONSIBILITY OF THE CITY OF SAN ANTONIO OR BEXAR COUNTY.

RESIDENTIAL FINISHED FLOOR ELEVATIONS MUST BE EIGHT INCHES ABOVE FINISHED ADJACENT GRADE. STORM WATER DETENTION IS REQUIRED FOR PROPERTY WITHIN THE BOUNDARY OF THIS PLAT. BUILDING PERMITS SHALL BE ISSUED ONLY IN CONJUNCTION WITH NECESSARY STORM WATER DETENTION APPROVED BY THE CITY OF SAN ANTONIO FLOODPLAIN ADMINISTRATOR. THE PROPERTY MAY BE ELIGIBLE TO POST A FEE IN LIEU OF DETENTION (FILO) IF OFFSITE DRAINAGE CONDITIONS ALLOW BUT ONLY WHEN APPROVED BY THE CITY OF SAN ANTONIO FLOODPLAIN ADMINISTRATOR. MAINTENANCE OF ON-SITE STORM WATER DETENTION SHALL BE THE SOLE RESPONSIBILTY OF THE PROPERTY OWNERS AND/OR THE PROPERTY OWNERS ASSOCIATION AND ITS SUCCESSORS OR ASSIGNS AND IS NOT THE RESPONSIBILITY OF THE CITY OF SAN ANTONIO OR BEXAR COUNTY.

THE DEVELOPER DEDICATES THE SANITARY SEWER AND/OR WATER MAINS TO THE SAN ANTONIO WATER SYSTEM UPON COMPLETION BY THE DEVELOPER AND ACCEPTANCE BY THE SAN ANTONIO WATER SYSTEM.

2. MAXIMUM ACCESS POINTS TO STATE HIGHWAY FROM THIS PROPERTY WILL BE REGULATED AS DIRECTED BY "ACCESS MANAGEMENT MANUAL". THIS PROPERTY IS ELIGIBLE FOR A MAXIMUM TOTAL OF 1 ACCESS POINT(S) ALONG LOOP 1604, BASED ON THE OVERALL PLATTED HIGHWAY FRONTAGE OF 186 LINEAR FT OF HIGHWAY FRONTAGE. 3. IF SIDEWALKS ARE REQUIRED BY APPROPRIATE CITY ORDINANCE, A SIDEWALK PERMIT MUST BE APPROVED BY TXDOT PRIOR TO CONSTRUCTION WITHIN STATE RIGHT-OF-WAY. LOCATIONS OF SIDEWALKS WITHIN STATE RIGHT-OF-WAY. LOCATIONS OF SIDEWALKS WITHIN STATE

PLAT NO.

REPLAT ESTABLISHING

180376

LONESOME DOVE, UNIT 1

ESTABLISHING LOTS 1 - 21, BLOCK 10,

N.C.B. 16628; LOTS 1 - 12, BLOCK 12, N.C.B. 16628, LOTS 1 - 10 & LOT 901, BLOCK 13, N.C.B. 16628; LOTS 1 - 15, BLOCK 14, N.C.B. 16628; BEING A TOTAL OF 19.50 ACRES OF LAND, CONSISTING OF A PORTION OF LOTS 2,3,7,8, and 10, BLOCK 1 OF THE MY SUBDIMSION. VOLUME 9524, PAGES 14-22 DEED AND PLAT RECORDS OF BEXAR COUNTY, TEXAS

FIRM NO. 10194244 13300 OLD BLANCO RD., SUITE 301 SAN ANTONIO, TEXAS 78216 (210) 369-9509 ' WWW.ALLIANCELANDSURVEYOR.COM ENGINEER: PAUL M. MORAWSKI, P.E. **CONSULTING ENGINEER** TBPE FIRM NO. F-11533 8606 WALDON HEIGHTS SAN ANTONIO, TEXAS 78254 (210) 373-8771 PAUL@MORAWSKIPE.COM 1" = 100'GRAPHIC SCALE

ALLIANCE LAND SURVEYORS

THE OWNER OF LAND SHOWN ON THIS PLAT, IN PERSON OR THROUGH A DULY AUTHORIZED AGENT, DEDICATES TO THE USE OF THE PUBLIC, EXCEPT AREA IDENTIFIED AS PRIVATE, FOREVER ALL STREETS, ALLEYS, PARKS, WATERCOURSES, DRAINS, EASEMENTS AND PUBLIC AREAS THEREON SHOWN FOR THE PURPOSE AND CONSIDERATION THEREIN EXPRESSED.

OWNER/AGENT: THERESA Y. BRITS
LONESOME DOVE INVESTMENT GROUP, LLC

APPEARED TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSE AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN STATED.


DAY OF JUNE, 2018


No Public, State of Texas nm. Expires 05-01-2022 Notary ID 131550301

MY COMMISSION EXPIRES: 05-01-2022


THIS PLAT OF LONESOME DOVE, UNIT 1 HAS BEEN SUBMITTED TO AND CONSIDERED BY THE PLANNING COMMISSION OF THE CITY OF SAN ANTONIO, TEXAS, AND IS HEREBY APPROVED BY SUCH COMMISSION IN ACCORDANCE WITH STATE OR LOCAL LAWS AND REGULATIONS; AND/OR WHERE ADMINISTRATE EXCEPTION(S) AND/OR VARIANCE(S) HAVE BEEN GRANTED.


DAY OF	, 2018.
BY:	CHAIRMAN
BY:	SECRETARY






PAUL M MORAWSK 46209







C.P.S. NOTE:

1.THE CITY OF SAN ANTONIO AS PART OF ITS ELECTRIC, GAS, WATER, AND WASTEWATER SYSTEMS—
CITY PUBLIC SERVICE BOARD (CPS ENERGY) AND SAN ANTONIO WATER SYSTEM (SAWS)— IS HEREBY
DEDICATED EASEMENTS AND RICHTS—OF—WAY FOR UTILITY, TRANSMISSION AND DISTRIBUTION
INFRASTRUCTURE AND SERVICE FACILITIES IN THE AREAS DESIGNATED ON THIS PLAT AS "ELECTRIC
EASEMENT," "ANCHOR EASEMENT," "SERVICE EASEMENT," "OVERHANG EASEMENT," "UTILITY EASEMENT,"
"GAS EASEMENT," "TRANSFORMER EASEMENT," "WATER EASEMENT," "SANITARY SEWER EASEMENT,"
AND/OR "RECYCLED WATER EASEMENT" FOR THE PURPOSE OF INSTALLING CONSTRUCTING,
RECONSTRUCTING, MAINTAINING, REMOVING, INSPECTING, PATROLLING, AND ERECTING UTILITY
INFRASTRUCTURE AND SERVICE FACILITIES FOR THE REASONS DESCRIBED ABOVE. CPS ENERGY AND
SAWS SHALL ALSO HAVE THE RIGHT TO RELOCATE SAID INFRASTRUCTURE AND SERVICE FACILITIES
WITHIN EASEMENT AND RIGHT—OF—WAY AREAS. TOGETHER WITH THE RIGHT OF INGRESS AND EGRESS
OVER GRANTOR'S ADJACENT LANDS FOR THE PURPOSE OF ACCESSING SUCH INFRASTRUCTURE AND
SERVICE FACILITIES AND THE RIGHT TO REMOVE FROM SAID LANDS ALL TREES OR PARTS THEREOF,
OR OTHER OBSTRUCTIONS WHICH ENDANGER OR MAY INTERFERE WITH THE EFFICIENCY OF WATER,
SEWER, GAS, AND/OR ELECTRIC INFRASTRUCTURE AND SERVICE FACILITIES. NO BUILDINGS,
STRUCTURES, CONCRETE SLABS, OR WALLS WILL BE PLACED WITHIN EASEMENT AREAS WITHOUT AN
ENCROACHMENT AGREEMENT WITH THE RESPECTIVE UTILITY.

5. ROOF OVERHANGS ARE ALLOWED WITHIN THE FIVE (5) AND TEN (10) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN ONLY UNDERGROUND ELECTRIC AND GAS FACILITIES ARE PROPOSED OR EXISTING WITHIN THOSE FIVE (5) AND TEN (10) FOOT WIDE EASEMENTS.

SAWS HIGH PRESSURE NOTE:
A PORTION OF THE TRACT IS BELOW THE GROUND ELEVATION OF 645 FEET WHERE THE STATIC
PRESSURE WILL NORMALLY EXCEED 80 PSI. AT ALL SUCH LOCATIONS, THE DEVELOPER OR BUILDER
SHALL INSTALL AT EACH LOT, ON THE CUSTOMER'S SIDE OF THE METER, AN APPROVED TYPE
PRESSURE REGULATOR IN CONFORMANCE WITH THE PLUMBING CODE OF THE CITY OF SAN ANTONIO.

SURVEYOR'S NOTE:

1. THE COORDINATES SHOWN ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE, N.A.D. 83 (93) 2. BEARINGS ON THIS PLAT ARE REFERENCED TO RECORD PLAT VOLUME 980 PAGE 207, DEED AND PLAT RECORDS BEXAR COUNTY TEXAS 3. 1" IRON RODS WITH PLASTIC CAP STAMPED ALLIANCE SURVEYORS SET AT ALL PROPERTY CORNERS UNIESS OTHERWISE SPECIFIED.

THE NUMBER OF WASTEWATER EQUIVALENT DWELLING UNITS (EDUS) PAID FOR THIS SUBDIVISION PLAT ARE KEPT ON FILE AT THE SAN ANTONIO WATER SYSTEM UNDER THE PLAT NUMBER ISSUED BY DEVELOPMENT SERVICES DEPARTMENT.

SETBACK NOTE:
SETBACKS IMPOSED ON THE PLAT ARE AT THE DISCRETION OF THE DEVELOPER OR BEXAR COUNTY ANI
ARE NOT SUBJECT TO ENFORCEMENT BY THE CITY OF SAN ANTONIO.

STORM WATER DETENTION IS REQUIRED FOR THIS PROPERTY AND IS ACCOUNTED FOR IN AN OFFSITE DETENTION POND LOCATED IN LOT 901, BLOCK 13, NCB 16628, LONESOME DOVE SURDIVISION UNIT


THE MAINTENANCE OF ALL PRIVATE STREETS, OPEN SPACE, GREENBELTS, PARKS, TREE SAVE AREAS, INCLUDING LOT 901, BLOCK 13, NCB 16628, DRAINAGE EASEMENTS AND EASEMENTS OF ANY OTHER NATURE WITHIN THIS SUBDIVISION SHALL BE THE RESPONSIBILITY OF THE PROPERTY OWNERS, OR THI PROPERTY OWNERS' ASSOCIATION, OR ITS SUCCESSORS OR ASSIGNS AND NOT THE RESPONSIBILITY OF THE CITY OF SAN ANTONIO OR BEXAR COUNTY.

RESIDENTIAL FINISHED FLOOR ELEVATIONS MUST BE EIGHT INCHES ABOVE FINISHED ADJACENT GRADE. STORM WATER DETENTION IS REQUIRED FOR PROPERTY WITHIN THE BOUNDARY OF THIS PLAT. BUILDING PERMITS SHALL BE ISSUED ONLY IN CONJUNCTION WITH NECESSARY STORM WATER DETENTION APPROVED BY THE CITY OF SAN ANTONIO FLOODPLAIN ADMINISTRATOR. THE PROPERTY MAY BE ELIGIBLE TO POST A FEE IN LIEU OF DETENTION (FILO) IF OFFSITE DRAINAGE CONDITIONS ALLOW BUT ONLY WHEN APPROVED BY THE CITY OF SAN ANTONIO FLOODPLAIN ADMINISTRATOR. MAINTENANCE OF ON-SITE STORM WATER DETENTION SHALL BE THE SOLE RESPONSIBILITY OF THE PROPERTY OWNERS AND/OR THE PROPERTY OWNERS 'ASSOCIATION AND ITS SUCCESSORS OR ASSIGNS AND IS NOT THE RESPONSIBILITY OF THE CITY OF SAN ANTONIO OR BEXAR COUNTY.

SAWS DEDICATION NOTE:
THE DEVELOPER DEDICATES THE SANITARY SEWER AND/OR WATER MAINS TO THE SAN ANTONIO WATER SYSTEM UPON COMPLETION BY THE DEVELOPER AND ACCEPTANCE BY THE SAN ANTONIO WATER SYSTEM.

2. MAXIMUM ACCESS POINTS TO STATE HIGHWAY FROM THIS PROPERTY WILL BE REGULATED AS DIRECTED B "ACCESS MANAGEMENT MANUAL". THIS PROPERTY IS ELIGIBLE FOR A MAXIMUM TOTAL OF 1 ACCESS POINT(S ALONG LOOP 1604, BASED ON THE OVERALL PLATTED HIGHWAY FRONTAGE OF 186 LINEAR FT OF HIGHWAY TOTAL OF ALONG LOOP 1604, BASED ON THE OVERALL PLATTED HIGHWAY FRONTAGE OF 186 LINEAR FT OF HIGHWAY TOTAL OF THE OVERALL PLATTED HIGHWAY FRONTAGE OF 186 LINEAR FT OF HIGHWAY TOTAL OF THE OVERALL PLATTED HIGHWAY FRONTAGE OF 186 LINEAR FT OF HIGHWAY TOTAL OF THE OVERALL PLATTED HIGHWAY THE OVERALL PLATTED HIGHWAY

3. IF SIDEWALKS ARE REQUIRED BY APPROPRIATE CITY ORDINANCE, A SIDEWALK PERMIT MUST BE APPROVED BY TXDOT PRIOR TO CONSTRUCTION WITHIN STATE RIGHT-OF-WAY. LOCATIONS OF SIDEWALKS WITHIN STATE RIGHT-OF-WAY. LOCATIONS OF SIDEWALKS WITHIN STATE RIGHT-OF-WAY.



75.00' | 14.72' | 11°14'36" | 7.38' | N 76°36'55" W

(VOL. 9524, PG. 14-22, D.P.R.) 43' US MCCRAE (86° R.O.W. LOT 10, BLOCK 1 (VOL. 9524, PG. 14-22, D.P.R.)

MATCHLINE A SEE SHEET 3 OF 3

Tangent | Chord Bearing | Chord Length 15.00' 23.56' 90'00'00" 23.56 15.00' N 64°00'23" E 90'00'00" 15.00 S 52'45'47" W 21.21 15.00' 23.56' 90'00'00" 15.00' S 25'59'37" E C23 39.27' 90°00'00" 21.21 25.00' 25.00 N 64'00'23" E 35,36 28.00 12.35 S 31'38'41" W C24 15.00 23.56 15.00' N 25°59'37" W 25'16'36" 6.28 90,00,00, 21.21 28.00' 10.71' 21'55'12" 5.42 S 55'14'34" W C25 15.00 23.56 90'00'00" 15.00 S 25'59'37" E 21.21 C5 50.00' 41.91' 48'01'51" 22.28' S 42'11'15" W 40.70 C26 15.00 23.56' 90'00'00" 15.00' S 64°00'23" W 21.21' 50.00 31.42 35°59'48" 16.24 S 00°10'26" W 30.90 C27 15.00 20.95 80'00'42" 12.59 N 59°00'44" E 19.29 26.88 13.77 N 35°14'35" E 125.00 2.74 1'15'18" S 81'36'34" E 2.74 50.00' 41.91' 48°01'51" 22.28' N 04°10'29" W 23.56' 90'00'00" S 37'14'13" E 21.21' C8 40.70 C29 15.00 15.00 28.00 10.71 21'55'12" 5.42 N 17°13'48" W 10.65 C30 15.00 20.07 76°39'27" 11.86 S 46°05'31" W 18.61 12.35 25°16'36" N 06°22'05" E C31 50.00' 44.17' 50°36'22" S 59°07'03" W 42.74 C11 15.00' 23.56' 90'00'00" 15.00' N 64°00'23" E C32 50.00' 46.66' 53°28'27" 25.19 S 07°04'39" W 44.99 21.21 C33 20.07 76'39'27' 11.86 N 32°42'43" W 18.61 15.00 23.56 90°00'00" 15.00' S 64°00'23" W 21.21 15.00 133.14' | 152°34'21" 15.00' 23.56 15.00 N 25°59'37" W 50.00' 204.90' S 84°03'15" W 97.15 90.00,00 15.00' | 10.38' | 39'38'40" | 5.41' S 00°48'57" E 10.17 C35 15.00' 23.56' 90'00'00" 15.00 N 25°59'37" W 21.21' 50.00' 29.66 33'59'32" 15.28' S 03'38'31" E C36 50.00 97.33 111'31'48" 73.48 N 73°35'22" W 82.67 S 32°54'45" W 109.35' 11'14'54" N 13°22'56" E 109.17 50.00 34.14' 39'07'01" 17.76 C17 50.00' 44.63' 51'08'45" 23.93' S 78'02'38" W 43.17 C38 643.00' | 126.23' | 11'14'54" 63.32 S 13°22'56" W 126.03 50.00' 61.40 70°21'29" 35.24 N 41°12'15" W 57.61 C39 50.00' 239.45' 274°23'34" 46.31 S 70°59'37" E 67.95 15.00 17.62 67°18'29" N 37°20'22" W 16.63 50.00 171.87 196°57'09" S 77°50'17" W 98.91 9.99 N 04°51'19" W S 43°54'38" E 78.44 50.00' 2.04' 2'20'23" 1.02 2.04 C41 50.00' | 223.98' | 256°39'45" 63.24

C42

50.00' 82.30' 94'18'49"

53.91'

N 41°32'24" W

14.69

4. CONCRETE DRIVEWAY APPROACHES ARE ALLOWED WITHIN THE FIVE (5) AND TEN (10) FOOT WIDE ELECTRIC AND GAS EASEMENTS WHEN LOTS ARE SERVED ONLY BY UNDERGROUND ELECTRIC AND GAS FACILITIES.

LEGEND: O = FND ½" IRON ROD = SET 1/2" IRON ROD WITH AN ALUMINUM CAP MARKED "ALLIANCE SURVEYORS" UNLESS OTHERWISE NOTED. SET "X" ON CONC. = FND FENCE POST R.O.W. = RIGHT-OF-WAY VOL. = VOLUME = PAGE ESM'T. = EASEMENT ---750- = EXISTING CONTOURS O. P. R. = OFFICIAL PUBLIC RECORDS BEXAR COUNTY, TEXAS DEED AND PLAT RECORDS BEXAR COUNTY, TEXAS -C/L- = CENTERLINE = NEW CITY BLOCK N.C.B. 10' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT 16' SANITARY SEWER EASEMENT 5' IRREVOCABLE PEDESTRIAN EASEMENT 1' VEHICULAR NON-ACCESS EASEMENT 5 14' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT 5' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT 15' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT 10'x10' ELECTRIC, GAS, TELEPHONE & CABLE TELEVISION EASEMENT 25'x25' SANITARY SEWER TURNAROUND EASEMENT (OFF-LOT 0.014 OF AN ACRE) REMAINDER OF LOT 2, IVY 1 SUBDIVISION (VOL. 9524, PG. 14-22 O.P.R.) REMAINDER OF LOT 3, IVY SUBDIVISION (VOL. 9524, PG. 14-22 O.P.R.) REMAINDER OF LOT 7, IVY 3 SUBDIVISION (VOL. 9524, PG. 14-22 O.P.R.) REMAINDER OF LOT 10, IVY 4 SUBDIVISION (VOL. 9524, PG. 14-22 O.P.R.)

SURVEYOR'S NOTE: CORNERS ARE MONUMENTED WITH CAP OR DISK MARKET

HEREBY CERTIFY THAT THE PROPER ENGINEERING CONSIDERATION HAS

8606 WALDON HEIGHTS, SAN ANTONIO, TEXAS 78254
(210) 373–8771 * PAUL@MORAWSKIPE.COM



CAESAR A. GARCIA

STATE IF TEXAS COUNTY OF BEXAR THE OWNER OF LAND SHOWN ON THIS PLAT, IN PERSON OR THROUGH A DULY AUTHORIZED AGENT, DEDICATES TO THE USE OF THE PUBLIC, EXCEPT AREA IDENTIFIED AS PRIVATE, FOREVER ALL STREETS, ALLEYS, PARKS, WATERCOURSES, DRAINS, EASEMENTS AND PUBLIC AREAS THEREON SHOWN FOR THE PURPOSE AND CONSIDERATION OWNER/AGENT: THERESA Y. BRITS
LONESOME DOVE INVESTMENT GROUP, LLC APPEARED THE SET OF THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSE AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN STATED. GIVEN UNDER MY HAND AND SEAL OF OFFICE TIMOTHY JAY DUDUIT Notary Public, State of Texas Comrn. Expires 05-01-2022 Notary ID 131550301 MY COMMISSION EXPIRES: 05-01-2022 THIS PLAT OF LONESOME DOVE, UNIT 1 HAS BEEN SUBMITTED TO AND CONSIDERED BY THE PLANNING COMMISSION OF THE CITY OF SAN ANTONIO, TEXAS, AND IS HEREBY APPROVED BY SUCH COMMISSION AND/OR WHERE ADMINISTRATE EXCEPTION(S) AND/OR VARIANCE(S) HAVE BEEN GRANTED. DATED THIS__ __DAY OF____ SECRETARY 73.32 PAGE 2 OF 3

PLAT NO.

SURVEYOR

180376

REPLAT ESTABLISHING

LONESOME DOVE,

UNIT 1

ESTABLISHING LOTS 1 - 21, BLOCK 10, N.C.B. 16628; LOTS 1 - 12, BLOCK 12, N.C.B. 16628, LOTS 1 - 10 & LOT 901,

BLOCK 13, N.C.B. 16628; LOTS 1 - 15,

BLOCK 14, N.C.B. 16628; BEING A TOTAL OF 19.50 ACRES OF LAND, CONSISTING OF

A PORTION OF LOTS 2,3,7,8, and 10,

BLOCK 1 OF THE IVY SUBDIVISION,

VOLUME 9524, PAGES 14-22 DEED AND

PLAT RECORDS OF BEXAR COUNTY, TEXAS

ALLIANCE LAND SURVEYORS

FIRM NO. 10194244

13300 OLD BLANCO RD., SUITE 301

SAN ANTONIO, TEXAS 78216

(210) 369-9509 * WWW.ALLIANCELANDSURVEYOR.COM

PAUL M. MORAWSKI, P.E.

CONSULTING ENGINEER

TBPE FIRM NO. F-11533

8606 WALDON HEIGHTS


SAN ANTONIO, TEXAS 78254


(210) 373-8771 PAUL@MORAWSKIPE.COM


1" = 100'

GRAPHIC SCALE

100







LLIANCE SURVEYORS" UNLESS NOTED OTHERWISE; COORDINATES SHOWN ARE BASED ON THE NORTH AMERICAN DATUM 2. COORDINATES SHOWN ARE BASED ON THE NORTH AMERICAN DATUM
OF 1983 (CORS 1996) FROM THE TEXAS COORDINATE SYSTEM
ESTABLISHED FOR THE SOUTH CENTRAL ZONE DISPLAYED IN GRID
VALUES DERIVED FROM THE NGS COOPERATIVE CORS NETWORK;
DIMENSIONS SHOWN ARE SURFACE; AND
4. BEARINGS ARE BASED ON THE NORTH AMERICAN DATUM OF 1983
(CORS 1996), FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED FOR HE SOUTH CENTRAL ZONE.

STATE OF TEXAS COUNTY OF BEXAR

I HEREBY CERTIFY THAT THE ABOVE PLAT SUBSTANTIALLY CONFORMS TO THE MINIMUM STANDARDS SET FORTH BY THE TEXAS BOARD OF PROFESSIONAL LAND SURVEYING ACCORDING TO AN ACTUAL SURVEY MADE ON THE GROUND BY:

REGISTERED PROFESSIONAL LAND SURVEYOR

BEEN GIVEN THIS PLAT TO THE MATTERS OF STREETS, LOTS AND DRAINAGE LAYOUT. TO THE BEST OF MY KNOWLEDGE THIS PLAT CONFORMS TO ALL REQUIREMENTS OF THE UNIFIED DEVELOPMENT CODE, EXCEPT FOR THOSE VARIANCES GRANTED BY THE SAN ANTONIO

PAUL M. MORAWSKI, P.E. NO. 46209
REGISTERED PROFESSIONAL ENGINEER
PAUL M. MORAWSKI, P.E. TBPE FIRM NO. F-11533
CONSULTING ENGINEER
BEGG WALDON HEIGHTS SAN ANTONIO TEYAS 78254