O.P.R.B.C.T. OFFICIAL RECORDS OF BEXAR COUNTY, TEXAS P.O.B. P.O.C. POINT OF BEGINNING

POINT OF COMMENCING

NOTES

- BEARINGS, DISTANCES AND AREAS ARE BASED ON TEXAS STATE PLANE COORDINATE SYSTEM GRID, SOUTH CENTRAL
- WHERE PRACTICAL, ALL CORNERS ARE SET  $\frac{1}{2}$ " IRON RODS WITH CAP MARKED 'FFW' UNLESS NOTED OTHERWISE.

PARCEL NO: 19759

PROJECT: BULVERDE RD PHASE I

(BUTTERLEIGH TO QUIET MEADOW)

OWNER: DAVID PAPE ET. AL.

## **LEGEND:**

1/2-INCH IRON ROD FOUND UNLESS NOTED OTHERWISE

0 PARCEL CORNER

() RECORD INFORMATION

Ø **EXIST POWER POLE** 


**EXIST SIGN** 


 $\bowtie$ EXIST WATER VALVE

**EXIST TREE** 

----- EXIST WROUGHT IRON FENCE

-O-O- EXIST WIRE FENCE





LOCATION MAP (NOT TO SCALE)



I HEREBY CERTIFY THAT:

THIS EXHIBIT WAS PREPARED BASED ON A SURVEY MADE ON THE GROUND UNDER MY DIRECT SUPERVISION.

THIS 18th DAY OF DECEMBER, 2018 A.D.

DONALD L. WHITE

REGISTERED PROFESSIONAL LAND SURVEYOR NO. 3635



FERNANDEZ FRAZER, WHITE AND ASSOCIATES, INC CONSULTING ENGINEERS LAND SURVEYORS 

**EXHIBIT OF A** 0.393 ACRE (17,140 SQUARE FEET) PARCEL OUT OF A 203.7 ACRE TRACT IN BEXAR COUNTY, TEXAS

DRAWN BY: JAG NONE SCALE:

DATE: 12/18/2018

SHEET

O.P.R.B.C.T. OFFICIAL RECORDS OF BEXAR COUNTY, TEXAS POINT OF BEGINNING

POINT OF COMMENCING

#### NOTES

RADIUS

- BEARINGS, DISTANCES AND AREAS ARE BASED ON TEXAS STATE PLANE COORDINATE SYSTEM GRID, SOUTH CENTRAL
- WHERE PRACTICAL, ALL CORNERS ARE SET  $\frac{1}{2}$ " IRON RODS WITH CAP MARKED 'FFW' UNLESS NOTED OTHERWISE.

ARC LENGTH

PARCEL NO: 19759

PROJECT: BULVERDE RD PHASE I

(BUTTERLEIGH TO QUIET MEADOW)

OWNER: DAVID PAPE ET. AL.

## **LEGEND:**

1/2-INCH IRON ROD FOUND UNLESS NOTED OTHERWISE

PARCEL CORNER O

RECORD INFORMATION ()


EXIST POWER POLE Ø

**EXIST SIGN** 


**EXIST WATER VALVE** 

EXIST TREE

EXIST WROUGHT IRON FENCE




LINE	BEARING	DISTANCE
L1	S 20°51'06" E	69.65'
L2	S 20°36'06" E	755.88'
L3	S 27°21'20" E	84.28'
L4	N 21°24'50" W	114.29'
L5	N 20°37'32" W	242.80'
L6	N 21°22'23" W	160.29'
L7	N 20°56'30" W	552.42'
L8	N 22°05'11" W	32.41'
L9	S 69°06'25" W	13.60'




LOCATION MAP (NOT TO SCALE)





 CHORD LENGTH
 CHORD BEARING
 DELTA ANGLE

 193.21'
 N 23'58'43" W
 6'45'14"



THIS EXHIBIT WAS PREPARED BASED ON A SURVEY MADE ON THE GROUND UNDER MY DIRECT SUPERVISION.

THIS 18th DAY OF DECEMBER, 2018 A.D.



DONALD L. WHITE

REGISTERED PROFESSIONAL LAND SURVEYOR NO. 3635



FERNANDEZ FRAZER, WHITE AND ASSOCIATES, INC CONSULTING ENGINEERS LAND SURVEYORS 

**EXHIBIT OF A** 0.393 ACRE (17,140 SQUARE FEET) PARCEL OUT OF A 203.7 ACRE TRACT IN BEXAR COUNTY, TEXAS

DRAWN BY: JAG 1"=60 SCALE:

DATE: 12/18/2018 SHEET

OFFICIAL RECORDS OF BEXAR COUNTY, TEXAS

P.O.B. P.O.C. POINT OF BEGINNING POINT OF COMMENCING

CURVE RADIUS C1 1640.00'

- BEARINGS, DISTANCES AND AREAS ARE BASED ON TEXAS STATE PLANE COORDINATE SYSTEM GRID, SOUTH CENTRAL
- WHERE PRACTICAL, ALL CORNERS ARE SET ½" IRON RODS WITH CAP MARKED 'FFW' UNLESS NOTED OTHERWISE.

PARCEL NO: 19759

PROJECT: BULVERDE RD PHASE I

(BUTTERLEIGH TO QUIET MEADOW)

OWNER: DAVID PAPE ET. AL.

## **LEGEND:**

1/2-INCH IRON ROD FOUND **UNLESS NOTED OTHERWISE** 

0 PARCEL CORNER

( ) RECORD INFORMATION Ø **EXIST POWER POLE** 


EXIST SIGN

 $\bowtie$ EXIST WATER VALVE


EXIST TREE

----- EXIST WROUGHT IRON FENCE

-O-O- EXIST WIRE FENCE




LINE	BEARING	DISTANCE
L1	S 20°51'06" E	69.65'
L2	S 20°36'06" E	755.88'
L3	S 27°21'20" E	84.28'
L4	N 21°24'50" W	114.29'
L5	N 20°37'32" W	242.80'
L6	N 21'22'23" W	160.29'
L7	N 20°56'30" W	552. <del>4</del> 2'
L8	N 22°05'11" W	32.41'
L9	S 69°06'25" W	13.60'



LOCATION MAP (NOT TO SCALE)

#### **SEE SHEET 4**

ARC LENGTH CHORD LENGTH CHORD BEARING DELTA ANGLE
193.32' 193.21' N 23'58'43" W 6'45'14"



#### **SEE SHEET 2**

I HEREBY CERTIFY THAT:

THIS EXHIBIT WAS PREPARED BASED ON A SURVEY MADE ON THE GROUND UNDER MY DIRECT SUPERVISION.

THIS 18th DAY OF DECEMBER, 2018 A.D.



REGISTERED PROFESSIONAL LAND SURVEYOR NO. 3635



FERNANDEZ FRAZER, WHITE AND ASSOCIATES, INC CONSULTING ENGINEERS LAND SURVEYORS 

**EXHIBIT OF A** 0.393 ACRE (17,140 SQUARE FEET) PARCEL OUT OF A 203.7 ACRE TRACT IN BEXAR COUNTY, TEXAS

DRAWN BY: JAG SCALE: DATE: 12/18/2018

SHEET

O.P.R.B.C.T. OFFICIAL RECORDS OF BEXAR COUNTY, TEXAS

POINT OF BEGINNING P.O.C. POINT OF COMMENCING

#### NOTES

BEARINGS, DISTANCES AND AREAS ARE BASED ON TEXAS STATE PLANE COORDINATE SYSTEM GRID, SOUTH CENTRAL

WHERE PRACTICAL, ALL CORNERS ARE SET  $\frac{1}{2}$ " IRON RODS WITH CAP MARKED 'FFW' UNLESS NOTED OTHERWISE.

PARCEL NO: 19759

OWNER:

PROJECT: BULVERDE RD PHASE I (BUTTERLEIGH TO

QUIET MEADOW)

DAVID PAPE ET. AL.

# **LEGEND:**

1/2-INCH IRON ROD FOUN UNLESS NOTED OTHERWI

IND	CURVE	RADIUS	ARC LENGTH	CHORD LENGTH	CHORD BEARING	DELTA ANGLE
ISE	C1	1640.00'	193.32'	193.21'	N 23'58'43" W	6'45'14"
IJL .						

PARCEL CORNER

RECORD INFORMATION


Ø **EXIST POWER POLE** 

\_\_\_ EXIST SIGN

 $\searrow$ 1 EXIST WATER VALVE


EXIST TREE

-O-O- EXIST WIRE FENCE



LINE	BEARING	DISTANCE
L1	S 20°51'06" E	69.65'
L2	S 20°36'06" E	755.88'
L3	S 27°21'20" E	84.28'
L4	N 21°24'50" W	114.29'
L5	N 20°37'32" W	242.80'
L6	N 21°22'23" W	160.29'
L7	N 20°56'30" W	552.42'
L8	N 22°05'11" W	32.41'
L9	S 69*06'25" W	13.60'

# **SEE SHEET 5**





THIS EXHIBIT WAS PREPARED BASED ON A SURVEY MADE ON THE GROUND UNDER MY DIRECT SUPERVISION.

THIS 18th DAY OF DECEMBER, 2018 A.D.



DONALD L. WHITE

REGISTERED PROFESSIONAL LAND SURVEYOR NO. 3635



LOCATION MAP (NOT TO SCALE)



FERNANDEZ FRAZER, WHITE AND ASSOCIATES, INC CONSULTING ENGINEERS LAND SURVEYORS 

**EXHIBIT OF A** 0.393 ACRE (17,140 SQUARE FEET) PARCEL OUT OF A 203.7 ACRE TRACT IN BEXAR COUNTY, TEXAS

DRAWN BY: JAG 1"=60 SCALE:

DATE: 12/18/2018 SHEET

O.P.R.B.C.T. OFFICIAL RECORDS OF BEXAR COUNTY, TEXAS

P.O.B. POINT OF BEGINNING
P.O.C. POINT OF COMMENCING

#### <u>NOTES</u>

RADIUS

 BEARINGS, DISTANCES AND AREAS ARE BASED ON TEXAS STATE PLANE COORDINATE SYSTEM GRID, SOUTH CENTRAL ZONE NAD 83

CHORD LENGTH | CHORD BEARING | DELTA ANGLE

2. WHERE PRACTICAL, ALL CORNERS ARE SET  $\frac{1}{2}$ " IRON RODS WITH CAP MARKED 'FFW' UNLESS NOTED OTHERWISE.

ARC LENGTH

PARCEL NO: 19759

PROJECT: BULVERDE RD PHASE I

(BUTTERLEIGH TO QUIET MEADOW)

OWNER: DAVID PAPE ET. AL.

## **LEGEND:**

 1/2-INCH IRON ROD FOUND UNLESS NOTED OTHERWISE

O PARCEL CORNER

( ) RECORD INFORMATION

EXIST POWER POLE

EXIST SIGN


EXIST WATER VALVE

E:


EXIST TREE

EXIST WROUGHT IRON FENCE


-O-O- EXIST WIRE FENCE



LINE	BEARING	DISTANCE
L1	S 20'51'06" E	69.65'
L2	S 20°36'06" E	755.88'
L3	S 27'21'20" E	84.28'
L4	N 21°24'50" W	114.29'
L5	N 20°37'32" W	242.80'
L6	N 21°22'23" W	160.29'
L7	N 20°56'30" W	552.42'
L8	N 22°05'11" W	32.41'
L9	S 69'06'25" W	13.60'



LOCATION MAP (NOT TO SCALE)



#### I HEREBY CERTIFY THAT:

THIS EXHIBIT WAS PREPARED BASED ON A SURVEY MADE ON THE GROUND UNDER MY DIRECT SUPERVISION.

THIS 18th DAY OF DECEMBER, 2018 A.D.





REGISTERED PROFESSIONAL LAND SURVEYOR NO. 3635



FERNANDEZ FRAZER, WHITE AND ASSOCIATES, INC CONSULTING ENGINEERS LAND SURVEYORS
8918 TESORO DR. SUITE 403 SAN ANTONO, TEXAS 78217
210.377.0774 WWW.FFWINC@FFWINC.COM TBPLS NO. 10048900 TBPE# F-896

EXHIBIT OF A 0.393 ACRE (17,140 SQUARE FEET) PARCEL OUT OF A 203.7 ACRE TRACT IN BEXAR COUNTY, TEXAS DRAWN BY: JAG SCALE: 1"=60"

DATE: 12/18/2018 SHEET